

120604-1



Cameco

Cameco Corporation

Port Hope

Conversion Facility

1 Eldorado Place

Port Hope, ON L1A 3A1

Canada

www.cameco.com

Fax transmission

To: Gloria Bennington

From: Linda Goodwin

UO2 Traffic Administrator

Company: Nuclear Regulatory
Commission

Fax: (301) 415-6661

Date: December 5, 2004

No. of pages (including cover): 1

Direct tel: (905) 885-4511 ext. 2179

Direct fax: (905) 885-4958

E-mail: linda_goodwin@cameco.com

If there are any problems with this transmission, please contact Linda Goodwin.

This is the advise you of an upcoming uranium shipment through the US.

Material Description:	Natural Uranium Dioxide Powder (UO2)
Shipping Name:	Radioactive material, low specific activity (LSA-I), and Radioactive material, excepted package, empty packaging
UN Number:	UN 2912 and UN 2908
Packaging:	2 sea containers containing drums 77 drums with UO2 and 43 empty drums
Port of Entry into the United States: Estimated Date of Entry	Sarnia, ON / Port Huron, MI January 5 or 6, 2005
Port of Exit out of the United States: Estimated Date of Departure:	Port of Seattle, WA January 12, 2005
Ground Transportation Company:	RSB Logistic Services, Inc. TEL: (306) 242-8300
Vessel:	NYK Line NYK STARLIGHT V.26W01
Port of Destination:	Tokyo Port, Japan
Net UO2 Weight:	5,460.1 kg net
kg U Weight:	4,759.0 kg U

Please feel free to call me if you have any questions.

Linda Goodwin

cc: Stephen Ip, Marubeni Canada (416) 947-9004

Mark Muench, RSB Logistic Services, Inc.

This document contains confidential information and is intended for the use of the individual named above. It is not to be distributed outside the named individual or the named organization. If you are not the named individual or the named organization, please do not use this information. If you are the named individual or the named organization, please do not use this information for any purpose other than the one stated above. If you are not the named individual or the named organization, please do not use this information for any purpose other than the one stated above.

SISP Review Complete

NMSS04 Public