



AUTORITE
DE SURETE
NUCLEAIRE

Bienvenue sur le site web de
L'Autorité de sûreté nucléaire

| Présentation | Domaines | Textes | Régions | International | Publications | Actualité |



Publications

Annual report "nuclear safety in France in 2001"



▲ **Accueil**



▲ **La revue Contrôle**



▲ **Les dossiers de Contrôle**



▲ **La sûreté nucléaire et la radioprotection en France**



▲ **3614 Magnuc**



▲ **Les fiches d'information du public**



▲ **Publications pour les professionnels**



▲ **Autres publications**

Téléchargez la version anglaise du **rapport annuel 2001** au format pdf (8698 Ko).
(Si vous n'avez pas Acrobat Reader, vous pouvez le télécharger en cliquant sur le logo ci-dessous.)



[Forewords](#) (4 pages / 71 Ko)



[Main technical topics in 2001](#) (9 pages / 51 Ko)



[Chapter 1 - Nuclear Safety](#) (5 pages / 64 Ko)



[Chapitre 2 - Organization of nuclear safety supervision](#) (21 pages / 189 Ko)



[Chapitre 3 - BIN Regulatory provisions](#) (14 pages / 146 Ko)



[Chapitre 4 - Plant Supervision](#) (11 pages / 196 Ko)



[Chapitre 5 - Information of the public](#) (16 pages / 475 Ko)



[Chapitre 6 - International relations](#) (15 pages / 429 Ko)



[Chapitre 7 - Emergency response](#) (14 pages / 242 Ko)



[Chapitre 8 - Radiation protection](#) (10 pages / 127 Ko)



[Chapitre 9 - Radioactive material transportation](#) (18 pages / 842 Ko)



[Chapitre 10 - Radioactive waste](#) (23 pages / 783 Ko)



[Chapitre 11 - Pressurized water reactors](#) (83 pages / 2301 Ko)



[Chapitre 12 - Research reactors, laboratories and other installations](#) (22 pages / 1124 Ko)



[Chapitre 13 - Nuclear fuel cycle Installations](#) (26 pages / 966 Ko)



[Chapitre 14 - Final shutdown and dismantling of nuclear Installations](#) (15 pages / 579 Ko)



[Annexe1- Organization chart of the Nuclear Safety Authority](#) (2 pages / 22 Ko)




[Annexe2- List of Basic Nuclear Installations](#) (10 pages / 100 Ko)



[Annexe3 - Acronyms and abbreviations](#) (6 pages / 18 Ko)

The fuel cycle



Manufacture of the fuel and its subsequent reprocessing after it has passed through the nuclear reactors constitute the fuel cycle. The cycle begins with the extraction of uranium ore and ends with storage of a variety of radioactive wastes originating from the irradiated fuel or from the industrial operations involved utilizing radioactive materials.

The uranium ore is mined, purified and concentrated into yellow-cake on the mining site. The installations involved use natural uranium, where the uranium 235 content is about 0.7%. They are not subject to BNI regulations.

Most of the world's reactors use uranium which is slightly enriched with uranium 235. For example, the PWR series requires uranium enriched to between 3 and 4%. Prior to enrichment, the solid yellow-cake is converted into uranium hexafluoride gas during the conversion operation. This is done in the Comurhex facilities in Malvési (Aude department) and Pierrelatte (Drôme department).

In the Eurodif plant at Tricastin, the uranium hexafluoride is separated into two streams using a gaseous diffusion process, one relatively rich in uranium 235 and the other depleted.

The enriched uranium hexafluoride is then converted into uranium oxide to allow manufacture of fuel assemblies in the FBFC plants at Romans-sur-Isère. The assemblies are then placed in the reactor core where they release power by fission of the uranium 235 nuclei.

After about three years, the spent fuel is removed from the reactor and cooled in a pit, first of all on the plant site and then in the COGEMA reprocessing plant at La Hague.

In this plant, the uranium and plutonium from the spent fuels are separated from the fission products and the other actinides. The uranium and plutonium are packaged for interim storage before subsequent reuse. The radioactive waste is placed in a surface repository if low level, or in interim storage pending an appropriate disposal solution.

The plutonium produced by reprocessing can be used to make fuel for fast neutron reactors in the ATPu at Cadarache, or MOX fuel (uranium and plutonium mixed oxide), used in French 900 MWe PWRs, in the ATPu shop or in the Marcoule MELOX plant.

The vast majority of the plants in the cycle belong to the COGEMA group. It should however be noted that the uranium-based fuel manufacturing plants are operated by FBFC, a 100% subsidiary of Framatome-ANP. The COGEMA group is a subsidiary of AREVA. Its organization comprises an executive committee, four activity areas (Mines-chemistry, Enrichment, Processing-recycling-engineering, Services) grouping 11 business units (operational result centres), corporate functions and an operational committee. Fuel cycle BNIs depend on the business units covering Chemistry (Comurhex, TU5, W, COGEMA Miramas), Enrichment (Eurodif), Processing (COGEMA La Hague), Recycling (ATPu, MELOX), Mechanical engineering (SICN).

Fuel cycle industry throughputs

Facility	Material processed	Product obtained
Comurhex (Pierrelatte)	Uranyl nitrate (reprocessed uranium)	UF ₆ : 41 tons UF ₆ : 40 tons U ₃ O ₈ : 153 tons
COGEMA (Pierrelatte) TU5 shop W plant	Uranyl nitrate (reprocessed uranium) UF ₆ (depleted uranium)	U ₃ O ₈ : 1,458 tons U ₃ O ₈ : 15,491 tons Total U ₃ O ₈ in interim storage U ₃ O ₈ : 110,855 tons
Eurodif (Pierrelatte)	UF ₆ (natural uranium): 18,184 tons	UF ₆ (depleted uranium): 16,715 tons UF ₆ (enriched uranium): 2,185 tons
FBFC (Romans)	UF ₆ (enriched uranium): 167 tons UF ₆ (enriched reprocessed uranium): 33 tons	UO ₂ (fuel elements): 733 tons UO ₂ (reprocessed uranium fuel elements): 18 tons
ATPu (Cadarache)	UO ₂ (depleted uranium): 50 tons PuO ₂ : 3 tons	MOX (fuel rods): 442 tons
MELOX (Marcoule)	UO ₂ (depleted uranium): 108 tons PuO ₂ : 7.55 tons	MOX (fuel elements): 110 tons
COGEMA (La Hague)	Spent fuel elements Quantities processed: UP3: 217 tons UP2 800: 733.5 tons UP2 400: 0 ton Spent fuel elements off-loaded to the spent fuel pits: 1,050.5 tons	Virified waste packages produced: UP3: 254 containers UP2 800: 461 containers PuO ₂ : 8.8 tons Uranyl nitrate: 962.3 tons

1 MAIN TOPICS COMMON TO ALL INSTALLATIONS

1.1

Fuel cycle consistency

With a view to upgrading the performances of reactors in service, EDF implements new fuel management systems, requiring prior DSIN authorization.