



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD STE 210
LISLE, ILLINOIS 60532-4352

OCT 13 2005

Janaki Moni, M.D.
Radiation Safety Officer
Ingham Regional Medical Center
401 Greenlawn Avenue
Lansing, MI 48910-2819

Dear Dr. Moni:

Enclosed is Amendment No. 64 to your NRC Material License No. 21-04073-01 in accordance with your request. Please note that the changes made to your license are printed in **bold font**.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers. If you have any questions concerning this amendment please contact me at either (630) 829-9841 or (800) 522-3025.

This amendment deletes your intravascular brachytherapy authorizations for the Cordis and the Guidant Galileo devices. As a result, several Conditions and authorizations were deleted and/or modified. If you have any questions concerning this amendment, please contact me at either (800) 522-3025 or (630) 829-9841. My fax numbers are either (630) 829-9782 or (630) 515-1259.

Also, I noted that the NRC address used on your letter dated July 22, 2005, was incorrect as it referenced our former office at "801 Warrenville Road." Please note that we moved in April 2004 and you should have received a postcard advising you of our new address, shown in the letterhead above.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS).

The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. The enclosed license document is exempt from public disclosure in accordance with 10 CFR 2.390, because its disclosure to unauthorized individuals could present a security vulnerability.

Sincerely,

A handwritten signature in cursive script that reads "Colleen Carol Casey".

Colleen Carol Casey
Materials Licensing Branch

License No. 21-04073-01
Docket No. 030-02037

Enclosure:

Amendment No. 64