



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

OCT 20 2005

Daniel A. Dryden, M.S.
Radiation Safety Officer
Northern Michigan Hospital
416 Connable Avenue
Petoskey, MI 49770

Dear Mr. Dryden:

Enclosed is Amendment No. 44 amending your NRC Material License No. 21-16732-01 in accordance with your request. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note, based upon the close-out survey results in the letter dated August 1, 2005, and facsimiles dated October 19, 2005, we have authorized you to release your "old" Well/Probe room for unrestricted use.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. The enclosed license document is exempt from public disclosure in accordance with 10 CFR 2.390, because its disclosure to unauthorized individuals could present a security vulnerability."

Sincerely,

William P. Reichhold
Materials Licensing Branch

License No. 21-16732-01
Docket No. 030-11715

Enclosure: Amendment No. 44