

U.S. NUCLEAR REGULATORY COMMISSION		Date: 11/25/2005
TELEPHONE CONVERSATION RECORD		Time: 11:45
Mail Control N/A or Report No(s).	License No(s). 45-25221-01MD	Docket No(s). 030-32974
<p>Name of Licensee: Eastern Isotopes</p> <p>Name of Participant(s): Al Abbasi, Radiation Safety Officer (Sterling, VA) Jill Wilson, General Manager (Somerset, NJ) Frank Kalisz, R.Ph. Radiopharmacist (Morgantown, WV) Steven Courtemanche, Health Physicist NRC</p> <p>Telephone No. 703-787-4075 732-873-0245 304-292-2240 610-337-5075</p> <p>Subject: Bristol Myers Squibb generators (NOTE: This will be used as the Documents Title in ADAMS)</p>		
<p>Summary:</p> <p>I spoke with the receptionist at the corporate office. She indicated that there was no one there who could field my questions. She gave me contact phone numbers for the Sterling, VA; Morgantown, WV; and Somerset NJ facilities. The Winchester, VA facility is only open at night and the questions should be directed to the personnel at the Sterling, VA facility.</p> <p>Mr. Abbasi indicated that the personnel in Sterling, VA and Winchester, VA only use Squibb generators. They have been using the Squibb generators for years and are well acquainted with their use. I thanked Mr. Abassi for the information.</p> <p>I spoke with Ms. Wilson, who stated that they only use FDG and a few other isotopes at their facility. There are currently no plans to use Tc-99m generators. I thanked Ms. Wilson for the information.</p> <p>Mr. Kalisz, Indicated that they use only FDG, Indium-111 and radioiodine at their facility. Technetium-based products are distributed out of their facility in Winchester, VA. I thanked Mr. Kalisz for the information.</p>		
<p>Action Required: Place in ADAMS</p>		
<p>Document Availability: <input checked="" type="checkbox"/> Publicly Available <input type="checkbox"/> Non-Publicly Available</p> <p><input checked="" type="checkbox"/> Non-Sensitive <input type="checkbox"/> Non-Sensitive Copyright <input type="checkbox"/> Sensitive <input type="checkbox"/> Sensitive Copyright</p> <p><input type="checkbox"/> Immediate Release <input checked="" type="checkbox"/> Normal Release <input type="checkbox"/> Delay Release Date</p> <p>Prepared & SISP Review Completed By: / RA / Steven Courtemanche Date: 11/25/2005</p>		