

# A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name ERNST VON GLASERSFELD  
Address: 37 Long Plain Rd. Leverett, MA 01054
2. Signature: [Signature] Print Name CHARLOTTE V. GLASERSFELD  
Address: 37 Long Plain Rd. Leverett, MA 01054
3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

31  
WA

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature: Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont

**Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and**

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut**

1. Signature: [Signature] Print Name JAY STRYKER

Address: 95 HILLSIDE ROAD SOUTH DEERFIELD MASS 01373

2. Signature: [Signature] Print Name Chris Riffen

Address: 95 Hillside Road South Deerfield Ma. 01373

3. Signature: [Signature] Print Name Janet E. Cole-Stryker

Address: 95 Hillside Rd. South Deerfield MA 01373

4. Signature: [Signature] Print Name JOHN C. RYAN

Address: 95A HILLSIDE RD, S. DEERFIELD MA 01373

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Andrew Elliott

Print Name: Andrew ELLIOTT

Address: PO BOX 1062

City: Northampton State: MA Zip: 01061

Phone: \_\_\_\_\_ Email: AELLIOTT1022@yahoo.com

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: David Gould

Print Name: David Gould

Address: Wild Rd

City: Shelburne Falls

State: Mass

Zip: 01370

Phone: 413 625 2268

Email: \_\_\_\_\_

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Candace Lee Cross

Print Name: Candace Lee Cross

Address: 31 Logan Ave

City: Orange State MA Zip 01364

Phone: 978-544-7336 Email: ccross@localnet.com

Registered to Vote? Yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Peter M. Cross

Print Name: Peter M. Cross

Address: 31 Logan Ave.

City: Orange State MA Zip 01364

Phone: 978-544-7336 Email: \_\_\_\_\_

Registered to Vote? Yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Sandra M. Streeter

Print Name: SANDRA M. STREETER

Address: 91 W. MT. RD.

City: BERNARDSTON State MA Zip 01337 IN 10 mile  
radius

Phone: 413-648-9695 Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## Signed:

Signature: Elean Resnik

Print Name: Elean Resnik

Address: 33 Clark Rd.

City: Brookline State MA Zip 02445

Phone: 617-277-2160 Email: \_\_\_\_\_

Registered to Vote? yes



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

Signature

Print Name

Address



Carol Whitaker Carol Whitaker 267 Western Ave

Jacqueline R Gould 465 Abbot Bratt 05301

Lee Marden 117 Oak St. Bratt VT 05301

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Wendy Redlinger Print Name: Wendy Redlinger  
Address: 2596 Tater Lane; Guilford, VT 05301
2. Signature: Claudia DiPeri Print Name: CLAUDIA DIPERI  
Address: 2596 Tater Lane, Guilford VT 05301
3. Signature: Claire Wilson Print Name: Claire Wilson  
Address: 26 Spring Hill Rd., Putney, VT 05346
4. Signature: Doug E Frank Print Name: DOUG FRANK  
Address: 9 ARLYN RD. PUTNEY, VT 05346
5. Signature: Elaine H. Dixon Print Name: Elaine H. Dixon  
Address: 44 Watt Pond Rd. Putney, VT 05346
6. Signature: emma grant Print Name: emma grant  
Address: P.O. Box 634, Putney, VT 05346
7. Signature: Jon Schottland Print Name: Jon Schottland  
Address: Putney, VT
8. Signature: Taj Schottland Print Name: Taj Schottland  
Address: 33 Parkman Wood Putney VT 05346
9. Signature: M. Vitzthum Print Name: MARIQUITA VITZTHUM  
Address: 75 Westminster Rd., Putney VT 05346
10. Signature: Eva Mondon Print Name: EVA MONDON  
Address: 17 Signal Pine Rd - Putney, VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

-over-

# A Petition

Vermont

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Richard Pare

Print Name: Richard Pare

Address: 355 Woodburn Rd

City: Windham

State: VT

Zip: 05359

Phone: 802-874-4971

Email: \_\_\_\_\_

Registered to Vote? Yes

# A Petition

Vermont

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

Signed:

Signature:

DICK BRIGHAM

Print Name:

DICK BRIGHAM

Address:

262 STUMPKE RD CUTTINGSVILLE

City:

CUTTINGSVILLE

State:

VERMONT

Zip:

05738

Phone:

802-492-3458

Email:

Registered to Vote?

YES

## A Citizen Petition<sup>1</sup>

21 VT

Vermont Public

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-charge the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 licensed capacity,

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and power outages that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Carl C. Demron Print Name CARL C. DEMRON

Address: 202 Maple Rd, W. Topsham, VT 05081

2. Signature: Nancy Bell Print Name NANCY BELL

Address: 420 Smith Lane Shrewsbury, VT. 05738

3. Signature: Grace Brigham Print Name GRACE BRIGHAM

Address: 262 Shunpike, Shrewsbury VT 05738

4. Signature: D. Hermann Print Name Dick Hermann

Address: 867 So Main St Northfield VT 05663

5. Signature: Ryan Flatin Print Name RYAN FLATIN

Address: 340 Goodenough Rd, Brattleboro 05201

6. Signature: Dick Brigham Print Name DICK BRIGHAM

Address: 26 Shunpike Rd Cattsville VT, 05738

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

2 VT



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature;  
Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to renew its license in the  
Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and  
this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that  
could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative;  
therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont  
Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Penelope Susan Adams Print Name Penelope Simpson Adams  
Address: 106 Westminster Rd, Putney, VT 05346 email \_\_\_\_\_
2. Signature: J. Adams Print Name JOHN V ADAMS  
Address: 106 Westminster Rd Putney VT, 05346 email fringhola@comcast.net
3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Beverly B. Major Print Name Beverly B. Major  
Address: 218 Barnes Rd., Putney, VT 05346
2. Signature: Philip Odegard Print Name Philip Odegard  
Address: 208 Pine Pollen Ln Putney, VT 05346
3. Signature: Paul Skerfvel Print Name Paul Skerfvel  
Address: 97 Old Ledge Rd. Putney, VT 05346
4. Signature: Claire LeMessurier Print Name Claire LeMessurier  
Address: 714 Windmill Hill Rd N Putney, VT 05346
5. Signature: Andy Tupper Print Name Andy Tupper  
Address: 61 Hearing Hill Rd Athens, VT
6. Signature: Ellen Zimmerman Print Name Ellen Zimmerman  
Address: 28 Forest Street Bellows Falls, Vermont 05601
7. Signature: Randolph T. Major Print Name RANDOLPH T. MAJOR, JR  
Address: 218 BARNES RD, PUTNEY, VT 05346
8. Signature: Carol Westing Print Name Carol Westing  
Address: 134 Fred Houghton, Putney
9. Signature: Daron Tansley Print Name Daron Tansley  
Address: 23 Windmill Hill, Putney VT 05346
10. Signature: Alison M Latham Print Name ALISON M LATHAM  
Address: 1915 Patch Rd Putney, VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Laura Barcomb Print Name Laura Barcomb  
Address: 124 Cedar Street Brattleboro VT 05301
2. Signature: Margaret R. Hansen Print Name Margaret R. Hansen  
Address: 869 Bellows Falls Rd. Putney VT. 05346
3. Signature: Lily Joseph Print Name Lily Joseph  
Address: P.O. Box 410 Bellows Falls, VT 05101
4. Signature: Robert Karp Print Name Robert Karp  
Address: 183 Bellows Falls Rd Putney VT 05346
5. Signature: Richard Fletcher Print Name Richard Fletcher  
Address: 20 Tower Hill Rd Putney
6. Signature: Hugh Landis Print Name Hugh Landis  
Address: 236 Sanders Rd Jeffrey NH
7. Signature: Linda Akaogi Print Name Linda Akaogi  
Address: 27 Earthbridge Rd, Putney, VT 05346
8. Signature: Larry Dooley Print Name LARRY DOOLEY  
Address: 3560 WESTMINSTER WEST RD. PUTNEY VT 05346
9. Signature: Jean Collins Print Name Jean Collins  
Address: 2553 West Road Putney, VT 05346
10. Signature: Cheryl Alexander Print Name Cheryl Alexander  
Address: 14 Greenwood Ln Putney, VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Zach Weinberg Print Name Zach Weinberg  
Address: P.O. Box 574 Putney VT 05346
2. Signature: Jon Cartin Print Name Jon Cartin  
Address: P.O. Box 803 Putney VT 05346
3. Signature: Dennis K. Bailey Print Name DENNIS K. BAILEY  
Address: P.O. Box 371 Putney Vermont 05346
4. Signature: Bari F. Shamas Print Name Bari F. Shamas  
Address: 157 King Hubbard Rd Putney 05346
5. Signature: Bonnie Menzell Print Name BONNIE MENNELL  
Address: 156 PLOWDEN RD, PUTNEY 05346
6. Signature: Jennifer Hunt Print Name Jennifer Hunt  
Address: PO Box 943 Putney 05346
7. Signature: Harold Baird Print Name HAROLD BAIRD  
Address: Putney School Elm Lea Farm Putney, VT 05346
8. Signature: Ines Gomez-Ochoa Print Name INES GOMEZ-OCHOA  
Address: 254 Houghton Brook Putney, VT 05346
9. Signature: Charles Williams Print Name CHARLES T. WILLIAMS  
Address: West Hill Rd. Putney VT 05346
10. Signature: Deborah Shumlin Print Name Deborah Shumlin  
Address: 177 Dusty Ridge Putney VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Andrea B Viens Print Name Andrea B Viens  
Address: 46 High St Brattleboro VT 05301
2. Signature: Liz Johndrow Print Name Liz Johndrow  
Address: P.O. Box 813 Putney VT 05346
3. Signature: Michael Wind Print Name MICHAEL WIND  
Address: PUTNEY, VT.
4. Signature: Francis Damascus Print Name Francis Damascus  
Address: Putney VT.
5. Signature: Jerry Baker Print Name Jerry Baker  
Address: P.O. Box 912 Putney VT 05346
6. Signature: Ron Apuzzo Print Name RON APUZZO  
Address: 89 E Putney Falls Rd.
7. Signature: Jeanette White Print Name Jeanette White (SENATOR)  
Address: 35001 Depot Rd Putney 05346
8. Signature: David Senkiv's Print Name DAVID SENKIV'S  
Address: 765 Middle Road Dummerston VT 05301
9. Signature: \*Michelle Senkiv's Print Name Michelle Senkiv's  
Address: 765 Middle Road Dummerston VT 05301
10. Signature: Wendy O'Connell Print Name WENDY O'CONNELL  
Address: 6 Dummerston

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Environmental Conservation

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied for a license renewal in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor design basis, and

- this increase will place new stress on Vermont Yankee's aging components, increasing the risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Katherine R. Frazer Print Name KATHERINE R. FRAZER  
Address: P.O. Box 405, Saxtons River, VT. 05154 e-mail: \_\_\_\_\_
2. Signature: Margaret Rathenau Print Name Margaret Rathenau  
Address: 178 Upper Dover Rd., Wilmington VT 05363 e-mail: mrathenau@vermont.net
3. Signature: Eric Splenzer Print Name ERIC SPLENZER  
Address: 72 Castle Hill Wilmington VT. 05363 e-mail: \_\_\_\_\_
4. Signature: Joel Menard Print Name JOEL MENARD  
Address: 29 Broad St Brattleboro, VT. 05301 e-mail: \_\_\_\_\_
5. Signature: Donald R. Wark Print Name DONALD R. WARK  
Address: 10 Pierce Rd Putney Vermont, 05346 e-mail: \_\_\_\_\_
6. Signature: Robert W. Bell Print Name Robert W. Bell  
Address: 79 Frost St Brattleboro, VT 05301 e-mail: \_\_\_\_\_
7. Signature: Alain Rathenau Print Name Alain Rathenau  
Address: 178 Upper Dover Rd Wilmington VT 05363 e-mail: NA.
8. Signature: Michelle Lister Print Name MICHELLE LISTER  
Address: 1856 Patch Rd Putney VT 05346 e-mail: \_\_\_\_\_
9. Signature: James T. Kelly Print Name JAMES T. KELLY  
Address: P.O. # 714 Putney, VT 05346 e-mail: \_\_\_\_\_
10. Signature: Jeffrey Clough Print Name JEFFREY CLOUGH  
Address: 302 Wardsdale Rd. Brattleboro, MA.

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Lisa Tomarelli Print Name LISA TOMARELLI  
Address: 221 E. Town Farm Rd Putney Email \_\_\_\_\_
2. Signature: [Signature] Print Name LINA NICHK  
Address: Box 252 Saxtons River 05154 Email [Signature]
3. Signature: [Signature] Print Name Jan Avent  
Address: 35 S. Main St Brattleboro VT Email \_\_\_\_\_
4. Signature: [Signature] Print Name JEN JASPER  
Address: 25 S. Main St # Brattleboro VT Email jen-jasper@yahoo.com
5. Signature: Alice Estey Print Name Alice Estey  
Address: 75 Wild Turkey Rd Guilford Email \_\_\_\_\_
6. Signature: Charles F. Monette Print Name Charles F. Monette  
Address: 42 Parkin Street Brattleboro VT Email cmmonette@landmark.edu
7. Signature: Whitney Nichols Print Name WHITNEY NICHOLS  
Address: 165 HIGH ST Email \_\_\_\_\_
8. Signature: [Signature] Print Name Elen Dudley  
Address: 181 N Pond Marlboro, VT Email \_\_\_\_\_
9. Signature: [Signature] Print Name Jennifer Rush  
Address: 1073 Putney - River Rd, VT Email \_\_\_\_\_
10. Signature: Beth Krendel Print Name Beth Krendel  
Address: 1030 Upper Dumaston Rd Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: **Independent Safety Assessment of Maine Yankee Atomic Power Company**, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

V?

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Elisabeth Bassett Print Name Elisabeth Bassett  
Address: 25 Cottage St., Brattleboro, VT Email \_\_\_\_\_
2. Signature: Gale Stahly Print Name Gale Stahly  
Address: 241 Arthur St. Email \_\_\_\_\_
3. Signature: Susan J. Taft Print Name Susan J. Taft  
Address: 1420 Sunset Lake Rd Email \_\_\_\_\_
4. Signature: Patricia Berger Print Name PATRICIA BERGER  
Address: 1701 Marlboro Rd. Email \_\_\_\_\_
5. Signature: R. Michael Wright Print Name R. Michael Wright  
Address: \_\_\_\_\_ Email \_\_\_\_\_
6. Signature: Polly Kurty Print Name Polly Kurty  
Address: 241 Quaker Hill - Brattleboro Email \_\_\_\_\_
7. Signature: Sharon Wagner-Friel Print Name Sharon Wagner-Friel  
Address: 50 Haskell Dr. (Dratt)? Email \_\_\_\_\_
8. Signature: Mary Elizabeth Riddle Print Name Mary Elizabeth Riddle  
Address: 1201 Bonnyvale Rd Brattleboro VT Email \_\_\_\_\_
9. Signature: Emily Sweeney Print Name Emily Sweeney  
Address: 27 Vine St, Brattleboro, VT Email SirEmily@hotmail.com
10. Signature: Barbara Van Ingen Print Name BARBARA VAN INGEN  
Address: 270 Western Ave, Brat. Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

✓?

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name DONALD FREEMAN

Address: CHERRY ST. BRATTLEBORO Email \_\_\_\_\_

2. Signature: Patricia A. March Print Name Patricia A. March

Address: 121 March-Davis Drive Brattleboro Email \_\_\_\_\_

3. Signature: Paul Abse Print Name Paul Abse

Address: 371 NEUMANN Hill Rd 05346 Email \_\_\_\_\_

④ Signature: Claudia Fanto Print Name Claudia Fanto

Address: 71 Cedar St., Bratt. VT Email \_\_\_\_\_

⑤ Signature: Holly Zeeck Print Name Holly Zeeck

Address: School for International Training Email Holly.Zeeck@mail.sit.ed  
Brattleboro, VT

6. Signature: James J. Kyrouz, Jr Print Name JAMES J. KYROUZ, JR

Address: 341 Bonnyvale Rd., Apt. 4 Email letters47@msn.com

7. Signature: John B. Evans Print Name John B. Evans

Address: 518 Kipling Rd Dummerston Email evcom@sover.net

8. Signature: Barbara Schreiber Print Name BARBARA SCHREIBER

Address: PO BOX 69, Paxtons River VT Email \_\_\_\_\_

9. Signature: Meg Lucas Print Name MEG LUCAS

Address: PO BOX 69 SAXTONS RIVER, VT Email \_\_\_\_\_

10. Signature: Barbara S. Evans Print Name BARBARA S. EVANS

Address: 518 KIPLING RD DUMMERSTON, VT Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: 

Print Name: Neil Patterson

Address: 6625 Stage Rd #42-179

City: Bartlett

State: TN

Zip: 38134

Phone: 901-0277-6650

Email: Neil@bellgrove.net

Registered to Vote? Yes

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature, Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Richard H. Goodwin Print Name RICHARD H. GOODWIN

Address: P.O. Box 2040, Salem, CT 06420

2. Signature: Esther B. Goodwin Print Name ESTHER B. GOODWIN

Address: P.O. Box 2040, Salem, CT 06420

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to ~~renew~~ <sup>increase</sup> nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing the risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: George A. Solomonoff Print Name GEORGE A. SOLOMONOFF

Address: 1404 E 47<sup>TH</sup> ST (REAR APT.) CLEV., OH., 44103

2. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY, jo** **calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,**  
similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Robert Morehead Print Name ROBERT MOREHEAD

Address: 2820 Woodalee Drive Royal Oak MI 48073

2. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Molly Ferris Print Name MOLLY FERRIS  
Address: PO Box 528 Chester VT 05743-0528
2. Signature: Peter T. Farvar Print Name Peter T. Farvar  
Address: 1192 Farvar Rd. Andover, VT 05143
3. Signature: Ruth Zezza Print Name RUTH ZEZZA  
Address: PO Box 41 Chester VT 05743-0041
4. Signature: Elizabeth Jagelski Print Name Elizabeth Jagelski  
Address: PO Box 106 Chester, VT 05143
5. Signature: Jason Emerson Print Name Jason Emerson  
Address: 2706 Popple Dungeon Road
6. Signature: Cynthia F. Crockwell Print Name Cynthia F. Crockwell  
Address: 33 Main St Springfield VT 05156
7. Signature: Judith LE Robinson Print Name Judith LE Robinson  
Address: POB 400 Saxtons River VT 05154
8. Signature: David Robinson IV Print Name David Robinson IV Nuclear Submarine  
Address: 480 Rockingham Hill Rd, Saxtons River, VT 05154
9. Signature: Barbara J. Keczalo Print Name Barbara J. Keczalo  
Address: 14 Mulberry St. Stanton, VT 05323
10. Signature: Mark Green Print Name Mark Green  
Address: PO Box 108 Saxtons River VT 05154

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Sarah R. Swift Print Name SARAH R. SWIFT

Address: 121 Oak Grove Ave, Brattleboro, VT 05301

2. Signature: Emily Bullock Print Name Emily Bullock

Address: P.O. Box 6071 / Brattleboro, VT. 05302

3. Signature: [Signature] Print Name Steve Tarella

Address: 117 Oak Grove St Brattleboro, VT 05301

4. Signature: Daniel Cassidy Print Name DANIEL CASSIDY

Address: 349 Bellows Falls Rd Putney, VT 05346

5. Signature: Larry Cassidy Print Name Larry Cassidy

Address: 673 Bunker Rd E. Dummerston, VT 05346

6. Signature: Tom Easter Print Name Tom Easter

Address: 159 Yeaw Rd, Guilford, VT 05301

7. Signature: Debra Hicks Print Name Debra Hicks

Address: 870 Tyler Hill Rd. Vernon VT 05354

8. Signature: David B. Ryan Print Name DAVID B. RYAN

Address: 123 RYAN ROAD, DUMMERSTON, VT 05301

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Kate R. Brinton Print Name Kate R. Brinton

Address: 41 Whitcomb Lane, Ludlow, VT 05149

2. Signature: Erica M Brinton Print Name ERICA M BRINTON

Address: 31 Hazen St. Norwich, VT 05055

3. Signature: ~~Brian D. Tarte~~ Print Name Brian Tarte

Address: 223 Mitchell Rd, Shrewsbury, VT 05738

4. Signature: Katherine Lynds Print Name Katherine Lynds

Address: 1511 Lynds Hill Rd Plymouth VT 05056

5. Signature: Steve Maye Print Name Steve Maye

Address: 2665 Lynds Hill Rd Plymouth, VT 05056

6. Signature: Carolyn Tucker Print Name Carolyn Tucker

Address: 107 West Hill Rd Ludlow, VT 05149

7. Signature: Elizabeth Revesz Print Name ELIZABETH REVESZ

Address: 12 Smith St, Ludlow, VT 05149

8. Signature: Joanna Bombardieri Print Name Joanna Bombardieri

Address: 292 Rt 100 S. Ludlow VT 05149

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Hildegard Bachert Print Name HILDEGARD BACHERT  
Address: 70 Arbor Hill Common, #17, Brattleboro, VT 05301
2. Signature: Edith Schnabel Print Name EDITH SCHNABEL  
Address: 70 ARBOR HILL COMMON, #15, BRATTLEBORO, VT 05301
3. Signature: Larry P. McFarlane Print Name Larry P. McFarlane  
Address: 10 Spruce St. Brattleboro, VT 05301
4. Signature: Jean L. Woodcock Print Name Jean L. Woodcock  
Address: 69 Southern Ave Brattleboro VT 05301
5. Signature: Melanie Long Print Name Melanie Long  
Address: 42 Larkin #4, Brattleboro VT 05301
6. Signature: Alice C. Houpius Print Name Alice C. Houpius  
Address: 268 Rice Farm Road, Dummerston, Vermont 05301 <sup>note 2</sup> Gift point 4 reads, "of any safety significant"
7. Signature: John Houpius Print Name JOHN HOUPIS  
Address: 268 RICE FARM ROAD, DUMMERSTON, VERMONT 05301 <sup>READ, IF ANY SAFETY SIGNIFICANT POINT 4</sup>
8. Signature: Amy Hyatt Print Name Amy Hyatt  
Address: 37 Bee Barn Rd Guilford VT 05301
9. Signature: Nate Harvey Print Name NATE HARVEY  
Address: P.O. Box 101 WINDHAM, VT 05362
10. Signature: Mark Morey Print Name Mark Morey  
Address: 972 Western Ave Brat VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Rachel Nevitt Print Name Rachel Nevitt  
Address: 30 Dane Ct Burlington VT 05401
2. Signature: Sarah Grayson Print Name Sarah Grayson  
Address: 200 Lake St #200 Burlington, VT 05401
3. Signature: Jeff Fellingner Print Name Jeff Fellingner  
Address: 49 Murray St. Burlington, VT 05401
4. Signature: Margaret Gundersen Print Name Margaret Gundersen  
Address: 139 Kinsbury Drive Burlington VT 05401
5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Philip Jones Print Name Philip L. Jones  
Address: 128 Killarney Dr Burlington, VT 05401
2. Signature: Jane Sanders Print Name Jane Sanders  
Address: 72 Killarney Dr. Burlington, VT 05401
3. Signature: Les Burns Print Name Les Burns  
Address: 118 Pine Crest Dr; Cambridge VT 05444
4. Signature: Mike Jennings Print Name Mike Jennings  
Address: 20 Empoll Ave, South Burlington, VT 05403
5. Signature: Harold Wells Print Name HAROLD WELLS  
Address: 273 S. Main, St. Albans VT, 05478
6. Signature: Barbara Leitenberg Print Name BARBARA LEITENBERG  
Address: 192 Killarney Dr. Burlington, VT 05401
7. Signature: Paul Reiss Print Name PAUL REISS  
Address: 136 Killarney Dr Burlington
8. Signature: Harold Leitenberg Print Name Harold Leitenberg  
Address: 192 Killarney Drive, Burlington, VT 05401
9. Signature: Wayne Pecor Print Name Wayne Pecor  
Address: 123 Charles St. Jeffersonville, VT 05464
10. Signature: Katherine DeCarolis Print Name Katherine DeCarolis  
Address: 163 Killarney Drive Burlington VT 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name MARGOT SCHLIPS

Address: 423 Westmoreland Williston VT 05495

2. Signature: [Signature] Print Name Stuart Weiss

Address: 71 Park St Burlington, VT 05401

3. Signature: [Signature] Print Name Nicole Cipri

Address: 15 Iroquois Ave, Essex Jct, VT 05452

4. Signature: [Signature] Print Name Megan O'Melia

Address: 42 Intervale Apt 41 Burlington VT 05401

5. Signature: [Signature] Print Name Jaime Preston

Address: 42 Intervale Apt 1 Burlington, VT 05401

6. Signature: [Signature] Print Name Ken BUNDGARD

Address: 2284 Porter's Point Rd Colchester, VT 05446

7. Signature: [Signature] Print Name Theresa Ailanthus

Address: 360 S. Winooski ave. Apt A Burlington, vt. 05401

8. Signature: [Signature] Print Name Mike Henrich

Address: 517 St. Paul St Burlington

9. Signature: [Signature] Print Name ANNA THEZOMARUK

Address: 343 North St. Burlington VT 05401

10. Signature: [Signature] Print Name Lori Steuck

Address: 19 Dunder Rd Burlington 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nont  
Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, that

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant failure;
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name ANNE GUNDERSEN

Address: 134 KILLARNEY DR, BURLINGTON

2. Signature: [Signature] Print Name DAVID ZUCKERMAN

Address: 30 DAVIS COURT Burlington VT 05401

3. Signature: [Signature] Print Name MAX MILLER

Address: 26 Victoria Dr., So. Burlington VT 05403

4. Signature: [Signature] Print Name Jim Schumacher

Address: 977 North Ave. Burlington VT 05401

5. Signature: [Signature] Print Name Pam Sweeney

Address: 56 Liberty St., Montpelier, VT 05602

6. Signature: [Signature] Print Name Jeremy Farkas

Address: 53 Bachcrest Burlington 05401

7. Signature: [Signature] Print Name Sachi Hergesheimer

Address: 7 Maple St Ext Essex Jct VT 05452

8. Signature: [Signature] Print Name Mark Kuemerk

Address: 7 Maple St Ext Essex Jct VT 05452

9. Signature: [Signature] Print Name Sara Leggett

Address: 31 South Crest Dr. Burlington

10. Signature: [Signature] Print Name JUDITH E. GRAY

Address: 149 KILLARNEY DR. BURLINGTON, VT. 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

4 NH

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Helen H McCarthy Print Name: Helen H McCarthy  
Address: 22 Pine St. Peterborough, NH
2. Signature: Sherrill Wesolowski Print Name: Sherrill Wesolowski  
Address: 717N Bennington Rd. Bennington NH 05442
3. Signature: Allen Norcross Print Name: Allen Norcross  
Address: 35 Pondview Rd. West Swanzey NH. 03446
4. Signature: Heather Munda Print Name: Heather Munda  
Address: 22 Pine St Peterborough, NH 03458
5. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Lark Leonard

Print Name: LARK LEONARD

Address: 178 Village Road

City: Langdon State NH Zip 03602

Phone: 603 835 2573 Email: Ø

Registered to Vote? yes

## A Citizen Petition<sup>1</sup>

✓ 2 NH

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the  
Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

and the Vermont Public

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont  
Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,  
similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Edward F. Hamilton Jr. Print Name \_\_\_\_\_

Address: \_\_\_\_\_

2. Signature: Madith K. Hamilton Print Name \_\_\_\_\_

Address: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_


Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Jacob Bradford Print Name Jacob Bradford  
Address: 1354 Weatherhead hollow rd Guilford VT 05301

2. Signature: Judy Greenberg Print Name Judy Greenberg  
Address: Weatherhead Hollow Guilford, VT- 05301

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name: ETITAN MURROW

Address: P.O. Box 599, Putney, VT 05346

2. Signature: [Signature] Print Name: LISA KETCHUM

Address: P.O. Box 270, Dorset VT 05251

3. Signature: [Signature] Print Name: JOAN STRAWS

Address: P.O. Box 270, Dorset, VT 05251

4. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Edward Webster Print Name Edward Webster  
Address: 355 Upper Dover Rd, W. Milbore VT 05863
2. Signature: Don Gray Print Name Don Gray  
Address: PO Box 658, Pittsfield, VT 05702 - 802-746-8161
3. Signature: Charles Nasmith Print Name Charles Nasmith  
Address: 43/ Evergreen Ave Rutland VT 05707
4. Signature: James M. Lewis Print Name James M. Lewis  
Address: PO Box 491 Chester VT 05143
5. Signature: Janet King Print Name Janet King  
Address: 13 Bates Rd. Wilmington VT 05363
6. Signature: Peter Diamondstone Print Name PETER DIAMONDSTONE  
Address: 787 Western Ave Brattleboro VT 05301
7. Signature: John Wimmerking Print Name JOHN WIMMERKING  
Address: 217 HIGH ST., BRATTLEBORO, VT 05301-6073
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Betsy Allen Print Name: Betsy ALLEN

Address: P.O. BOX 224 Londonderry VT 05148 (2069 No. Main St.)

2. Signature: Penelope Bergamini Print Name: Penelope Bergamini

Address: 1290 Middletown Rd, 30 Londonderry, VT 05155

3. Signature: Kelly Wicker Print Name: Kelly Wicker

Address: 1513 Abbott Rd Windham, VT 05359

4. Signature: Bethanie Ires Print Name: BETHANIE IRES

Address: 6206 Windham Hill Rd

5. Signature: Amy Blazej Print Name: AMY Blazej

Address: 198 Taggart Rd Windham VT

6. Signature: Jenny Denton Print Name: Jenny Denton

Address: 2936 West Windham Rd Windham VT 05359

7. Signature: Jennifer Schreiter Print Name: Jennifer Schreiter

Address: PO Box 185 Saxtons River

8. Signature: Kermit B. Woods Print Name: Kermit Woods

Address: Back Windham Road W. Townshend VT 05359

9. Signature: Kermit Reilly Print Name: KERMIT REILLY

Address: 305 Reilly Road Londonderry, VT. 05148

10. Signature: Leo Schiff Print Name: Leo Schiff

Address: 76 Laurel St Brattleboro, VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear power at the Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license,

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accident and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,


**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Clare Monk Print Name Clare Monk  
Address: P.O. 217 Londonderry, VT 05148
2. Signature: Clare Adams Print Name Clare Adams  
Address: P.O. Box 1049, W. Townshend, VT 05359
3. Signature: Alicia Moyer Print Name Alicia Moyer  
Address: 57 Back Windham Rd W. Townshend, VT 05359
4. Signature: Jane Newton Print Name Jane Newton  
Address: Box 121 So. Londonderry, VT - 05155
5. Signature: James Newton Print Name James Newton  
Address: P.O. Box 594, Townshend, VT 05353
6. Signature: Colin Blazej Print Name Colin Blazej  
Address: 198 Ingalls Rd. Windham VT 05359
7. Signature: Catherine L. Kelley Print Name Catherine L. Kelley  
Address: 205 W. Windham Rd W. Windham VT 05359
8. Signature: Susan S. Cheney Print Name SUSAN S. CHENEY  
Address: 1401 OLD CHENEY RD WINDHAM VT 05359
9. Signature: Sam Donahue Print Name Sam Donahue  
Address: 122 Sanderson Rd., W. Townshend, VT
10. Signature: R. Michael Donahue Print Name R. Michael Donahue  
Address: PO Box 1394 W. Townshend, VT 05359

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name JOHN S GURNEY  
Address: 710 WESTERN AVE BRATTLEBORO VT 05301
2. Signature: [Signature] Print Name Pamela J Becker  
Address: 92 Western Ave, Brattleboro, VT 05301
3. Signature: [Signature] Print Name Erin L Heidorn  
Address: 375 Pratt Rd, Alstead NH 03602
4. Signature: [Signature] Print Name Seth P. Wheeler  
Address: 64 Lisle Hill Road, Wilmington, VT 05363
5. Signature: [Signature] Print Name Jean Shaw  
Address: P.O. Box 388 Brattleboro VT 05302
6. Signature: [Signature] Print Name Joyce D McNeill  
Address: 203 Branch Rd Roxbury, N.H. 03431
7. Signature: [Signature] Print Name Erica Breen  
Address: 511 Upper Dummerston Rd., Brattleboro, VT 05301
8. Signature: [Signature] Print Name Jessie H AAS  
Address: 367 LeArier Road, Westminster, VT 05346
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Ruth E. Clark Print Name Ruth E. CLARK

Address: 955 BARNEY Hill Rd. GUILFORD VT 05301

2. Signature: Karen Green Print Name Karen Green

Address: 126 Oak Grove Ave #4 Brattleboro, VT 05301

3. Signature: Aidan Clowes Print Name Aidan Clowes

Address: 98 High St. Brattleboro VT 05301

4. Signature: Gladys Clement Print Name Gladys Clement

Address: 142 Green St. Brattleboro VT 05301

5. Signature: Marya Kaskaris Print Name Marya Kaskaris

Address: 80 Grove St Brattleboro VT 05301

6. Signature: Elizabeth Wilkins Print Name Elizabeth Wilkins

Address: The Putney School Putney VT 05346

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of  
Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public

Vermont Public

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-charge the Vermont  
Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license

- this increase will place new stress on Vermont Yankee's aging components increasing risk of additional blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, then

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,  
similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Lisa Blake Print Name Lisa Blake

Address: 422 Pondbrook Rd W Chesterfield, NH 03466

2. Signature: Muriel Taylor Print Name MURIEL TAYLOR

Address: PO Box 4167 Brattleboro, VT 05357

3. Signature: Jim Blake Print Name Jim Blake

Address: 422 Pond Brook Rd, W. Chesterfield, NH 03466

4. Signature: Marie L. Procter Print Name Marie L. Procter

Address: 21 Williston St. Brattleboro, VT 05301

5. Signature: Barbara Goldman Print Name BARBARA GOLDMAN

Address: 104 JHERWOOD CIRCLE, BRATTLEBORO, VT. 05301

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name WILLIAM H. EGER, M.D.

Address: 174 SHELTERS RD. GROTON, MA 01450

2. Signature: [Signature] Print Name MARJORIE A. EGER

Address: 174 SHELTERS RD, GROTON, MA. 01450

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

✓  
SMA

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant shutdowns that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Elizabeth H. Meiklejohn Print Name ELIZABETH H. MEIKLEJOHN

Address: 183 Silver Street Granville, MA 01034

2. Signature: J. H. Meiklejohn Print Name John H. Meiklejohn

Address: 183 Silver St. Granville, MA 01034

3. Signature: Sarah L. Meiklejohn Print Name SARAH L. MEIKLEJOHN

Address: 183 Silver St. Granville, MA 01034

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

2 MA

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Joan M. Sadowski Print Name JOAN M. SADOWSKI

Address: 11 Wilton Dr., Wilmington, MA 01887-2224

2. Signature: Paul A. Sadowski Print Name PAUL A. SADOWSKI

Address: 11 WILTON DR. WILMINGTON, MA 01887-2224

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,

similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Jean Christie Print Name Jean Christie  
Address: Winhall Hollow Rd, Bondville, VT. (And in Madison, Wisconsin)
2. Signature: Richard Claws Print Name RICHARD CLAWS  
Address: Winhall Hollow Road, Bondville, Vermont; And Madison, Wisconsin
3. Signature: Robert Claws Print Name ROBERT CLAWS  
Address: Madison, WI And Vermont We own a house in Bondville VT and have much time there.
4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

! Did not receive it then p.p.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

■ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

■ a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Calvin Grandy Print Name Calvin Grandy  
Address: 83 Maple Hill Drive Guilford Email \_\_\_\_\_

2. Signature: Katrina Wilson Print Name Katrina Wilson  
Address: PO Box 111 Newfane, VT 05345 Email katrina@frostadg.com

3. Signature: Edmund R. LaFrampe Print Name EDMUND R. LAFRANPE  
Address: 594 S. MAIN ST BRATTLEBORO Email \_\_\_\_\_

4. Signature: Alan Willard Print Name Alan Willard  
Address: 8 Church Hill Woodstock, VT Email \_\_\_\_\_

5. Signature: A. Hancock Print Name Amelia Hancock  
Address: 30 Elliot Trv. Bratt. Email \_\_\_\_\_

6. Signature: Craig Zimmerman Print Name CRAIG ZIMMERMAN  
Address: 270 WESTERN AVE Email \_\_\_\_\_

7. Signature: Barbara Ackeman Print Name Barbara Ackeman  
Address: 101 Washington St. Bratt. Email barbad@adelphia.net

8. Signature: Trazy Berchi Print Name Trazy Berchi  
Address: 102 Thomas Rd #2 Guilford, VT Email \_\_\_\_\_

9. Signature: Sandra Levine Print Name SANDRA LEVINE  
Address: 27 GARfield Dr #2 Email Sissy100@AOL

10. Signature: Kathleen M. Carr Print Name Kathleen M. Carr  
Address: 579 So. Main St. #2 Brattleboro Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

▪ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

▪ a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Steve Levine Print Name Steve Levine  
Address: PO Box 156 Williamsville Email stevelevi@sover.net
2. Signature: Penelope Arms Print Name Penelope Arms  
Address: PO Box 354, Westminster Email \_\_\_\_\_
3. Signature: ERIC REAGAN Print Name ERIC REAGAN  
Address: 51 Main Street Email funkhouse@adelphia.net
4. Signature: Elizabeth Ungerleider Print Name Elizabeth Ungerleider  
Address: 79 Chestnut Hill, Brattleboro Email \_\_\_\_\_
5. Signature: Brian Scherer Print Name Brian Scherer  
Address: 225 Main St. Brattleboro Email bs@musicbox.edu
6. Signature: Michelle Carr Print Name Michelle Carr  
Address: 3317 State Forest Rd Tunstuck Email gcarr@togetanet.net
7. Signature: Scott Ainslie Print Name SCOTT AINSLIE  
Address: 101 WASHINGTON ST. BORO 05301 Email ainslie@musicbox.org
8. Signature: A.S. HAAG Print Name A.S. HAAG  
Address: PO BOX 37 GRAFTON VT 05146 Email \_\_\_\_\_
9. Signature: Lisa Plante Print Name LISA PLANTE  
Address: PO BOX 37 GRAFTON, VT Email \_\_\_\_\_
10. Signature: Julie Hawness Print Name Julie Hawness  
Address: 70 Larsen Rd Wilmington VT Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: David Bayer Print Name DAVID BAYER  
Address: 626 Paige Rd Winooski Email DBayer@Sover.net
2. Signature: Yvonne Print Name YVONNE RATHER  
Address: 54 TIMBERLINE DR WARREN Email ybr2003@yahoo.com
3. Signature: Helen G. van Loon Print Name Helen G. van Loon  
Address: 905 Dodge Rd. S. Newfane VT 05351 Email
4. Signature: Tamara B. Purcell Print Name TAMARA Purcell  
Address: 2756 Higley Hill Rd Wilmington VT 05403 Email
5. Signature: Jesse Kreitzer Print Name Jesse Kreitzer  
Address: 908 Lower Dover Rd. Brt. VT 05301 Email bandit@localnet.com
6. Signature: Tracie Adrian Print Name Tracie Adrian  
Address: 4305 Wardsboro Rd. Newfane VT Email
7. Signature: Kelli Rooney Print Name Kelli Rooney  
Address: 131 Pine St Brattleboro Email
8. Signature: Deborah Lusk Print Name Deborah Lusk  
Address: P.O. 99 Walthamville VT 05362 Email
9. Signature: Scott Nelson Print Name Scott Nelson  
Address: 55 Brook St Brattleboro Email
10. Signature: Ian Taylor Print Name IAN TAYLOR  
Address: 154 EVERGREEN DR GUILFORD Email

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

11/5/03

VT-

ME - 1

PA - 1

**TO:** The Honorable James Douglas, Governor of Vermont;  
Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied  
Yankee Nuclear Power Plant at Vernon to 120% of the reactor's

- this increase will place new stress on Vermont Yankee's aging components  
could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective

**WE NOW SAY**, join us in calling for a Independent Safety  
similar to those already conducted

1. Signature: Diana P. Sidelobothan Print Name DIANA

Address: Hillsdale Farms - 51 Overhills, Putney, VT 05346

2. Signature: Mary Sargent Print Name MARY SARGENT

Address: 777 Cowpath 40 - P.O. Box 136 - Marlboro, VT. 05344

3. Signature: Diana Wauke Print Name DIANA WAHLE

Address: 325 Partridge Rd. S. Dummerston VT 05346

4. Signature: James L. Perkins Print Name James L. Perkins

Address: 159 Kents Hill Rd Wayne ME 04284

5. Signature: Ermon Doyle Print Name Ermon Doyle

Address: 792 Bellows Falls Rd. #4 Putney VT 05346

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 22, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Martin Garvey Print Name MARTIN GARVEY

Address: PO BOX 352 WATFORD, NH 03608

2. Signature: Justin A. Palmer-Green Print Name Justin A. Palmer-Green

Address: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Anna Enochs  
Address: 129 Lordmark Hill Dr Bratt. VT 05301
2. Signature: [Signature] Print Name Peggy Andrews  
Address: PO Box 105 Ashuelot NH 03441 (within 10 mi of plant)
3. Signature: [Signature] Print Name [Blank]  
Address: [Blank]
4. Signature: [Signature] Print Name A. BRITTON  
Address: 29 Rother Rd Bratt VT 05301
5. Signature: [Signature] Print Name John Dimesco  
Address: Box 44 Newfane VT 05345
6. Signature: [Signature] Print Name Mary Ellen Britt  
Address: Mary Ellen Britt 189 Turner Trail Putney VT 05346
7. Signature: [Signature] Print Name MR. RODRIGUEZ  
Address: 172 W 79th ST #56 NY NY 10024
8. Signature: [Signature] Print Name Joseph Fichter  
Address: 119 Cory Hill Rd Putney, VT 05346
9. Signature: [Signature] Print Name Laurie P. Fichter  
Address: 119 Cory Hill Rd Putney VT 05346
10. Signature: [Signature] Print Name Wendy C. Bayliss  
Address: 155 Houghton Brook Rd East Dummerston VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY,** join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Bradford Hamner

Address: 11740 Bemis Hill Rd. Westminster Vt, VT

2. Signature: [Signature] Print Name Abby Gallon

Address: 928 State St. Rd. W. Chesterfield NH

3. Signature: [Signature] Print Name MOLLY MELLOAN

Address: 193 HALE RD. GUILFORD VT 05301

4. Signature: [Signature] Print Name William B. Corbett

Address: Box 804 Belows Falls, VT. 05101

5. Signature: [Signature] Print Name SCOTT WILAND

Address: 4811 WEST WINDY HILL RD. PUTNEY VT. 05446

6. Signature: [Signature] Print Name JENNIFER COLLINS

Address: 4816 W.W. Rd. Putney VT 05446

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

Turn this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible. According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety and performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and management plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

## A Citizen Petition<sup>1</sup>

2 NY

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont State Nuclear Advisory Panel; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1971 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Marcia Malkoff Print Name Marcia Malkoff

Address: 5 Trinity Place, Spring Valley, NY 10977

2. Signature: Sandra R. Lefkowitz Print Name SANDRA R. LEFKOWITZ

Address: 6 Claremont Lefkowitz Dr, 10901

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Robert G. Foster Print Name ROBERT G. FOSTER  
Address: 15 GROVE ST POTSDAM NY 13676
- Signature: Margaret N. Weitzmann Print Name Margaret N. Weitzmann  
Address: 19 Garden St. Potsdam NY 13676
- Signature: Kathy Conway Print Name KATHY CONWAY  
Address: 5 BRADLEY DR POTSDAM NY 13676
- Signature: Bruce McClure Print Name Bruce McClure  
Address: P.O. Box 152, Norwood, NY 13668-0152
- Signature: Kathleen Leone Print Name KATHLEEN LEONE  
Address: 402 Midtown Apts, Potsdam, NY 13676
- Signature: Ina Brockriede Print Name Ina Brockriede  
Address: 9 Morningside Dr. Potsdam NY 13676
- Signature: M. Teresa de la Vega Print Name M. Teresa de la Vega  
Address: 234 CR 59 Potsdam, NY 13676
- Signature: Dale R. Hobson Print Name Dale R. Hobson  
Address: 234 CR 59 Potsdam, NY 13676
- Signature: Ruth Beebe Print Name Ruth Beebe  
Address: 10 1/2 Leroy St. Potsdam, NY 13676
- Signature: Karen Butler East Print Name Karen Butler East  
Address: PO Box 69 Potsdam NY 13676 (27 State Hwy 72)

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-charge the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 design capacity;

- this increase will place new stress on Vermont Yankee's aging components increasing risk to the public health, safety and environment;
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative response to the situation.

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Anna T. Rand, M.D. Print Name ANNA T. RAND

Address: 320 W. 8 St. NY

2. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Leah Lauter Print Name LEAH LAUTER  
Address: 24 Brady Gleason Rd, Chatham, NY 12037
2. Signature: Victor Lauter Print Name VICTOR LAUTER  
Address: 26 BRADY GLEASON RD CHATHAM, NY 12037
3. Signature: Natalie Kahan Print Name Natalie Kahan  
Address: 90 Schmeichel Rd Hillsdale, NY 12529
4. Signature: Jerry Tiffany Print Name JERRY TIFFANY  
Address: 90 SCHMEICHEL ROAD, HILLSDALE, NY 12529
5. Signature: Hilda Flamm Print Name HILDA FLAMM  
Address: P.O. Box 45 Austerville, NY 12017
6. Signature: Philip Flamm Print Name PHILIP FLAMM  
Address: P.O. Box 45 AUSTERVILLE, NY 12017
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: Faith E Lamprey Print Name Faith E Lamprey

Address: 5 Old Nasonville Rd, Harrisville, RI Email \_\_\_\_\_

2. Signature: Bruce F. Vild Print Name Bruce F. Vild

Address: 5 Old Nasonville Rd, Harrisville, RI Email \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

Yes - in Pennsylvania

287 289 299 311 320 408 410 416 503 508 605 609 676 702  
4 NY + MA

A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name: PATRICIA LEWIS

Address: Warwick, MA 01378

2. Signature: [Signature] Print Name: Lois Sturm

Address: 628 E. 14th St #6 NYC 10009

3. Signature: [Signature] Print Name: GARY CALWHITE

Address: 970 Edwards Rd Parsippany NJ 07054

4. Signature: [Signature] Print Name: Shell Shuddy

Address: 277 E. 10th St #1 NYC 10009

5. Signature: [Signature] Print Name: Antonia Macias

Address: 13216 Hillside Ave, Richmond Hill, NY, 11418

6. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Camilla Rockwell Print Name CAMILLA ROCKWELL  
Address: 44 Bayview Street Burlington VT email \_\_\_\_\_
2. Signature: Ann Acheson Print Name Ann Acheson  
Address: 251 Camp Brook Rd, Alstead NH 03602 email \_\_\_\_\_
3. Signature: Maggie Cahoon Print Name MAGGIE CAHOON  
Address: 8667 Rte 123, Mendon, NH email \_\_\_\_\_
4. Signature: Jim Weil Print Name Jim Weil  
Address: 44 Bayview St Burlington, VT email \_\_\_\_\_
5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

53 VT  
2 CA

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature, Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Environmental Conservation

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to the Vermont Yankee Nuclear Power Plant at Vernon to **120% of the reactor's original 1973 license**, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Megan S Hawthorne Print Name Megan S. Hawthorne

Address: 850 Meadowbrook Rd Brattleboro VT 05301

2. Signature: D HAWTHORNE Print Name D HAWTHORNE

Address: 850 Meadowbrook Rd, Brattleboro, VT, 05301

→ 3. Signature: Janet W Schwarz Print Name Janet W. Schwarz

Address: 850 Meadowbrook Rd, Brattleboro, VT 05301

4. Signature: Mary Ann Holt Print Name Mary Ann Holt

Address: 811 Meadowbrook Rd., Brattleboro, VT 05301

5. Signature: Summer Frances Print Name Summer Frances

Address: 181 Mountain Home Park Brattleboro, VT. 05301

6. Signature: Diane Fontaine Print Name Diane Fontaine

Address: 126 Oak Grove Ave Brattleboro, VT 05301

7. Signature: Kathleen Esquerra Print Name Kathleen Esquerra

Address: 50 Nichols Road Newfane VT 05345

8. Signature: Nina Luttinger Print Name Nina Luttinger

Address: 569 Capp St San Francisco CA 94110

9. Signature: Guyon Dineen Print Name Guyon Dineen

Address: 569 Capp St SF CA 94110

10. Signature: Nate Harvey Print Name Nate Harvey

Address: P.O. Box 101, WILMANSVILLE, VT 05362

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: [Signature] Print Name Forrest Gardner  
Address: 81 Reed Rd., N. Wolcott, VT 05680 Email Tgardner@marlboro.edu
2. Signature: [Signature] Print Name James Cooper  
Address: 540 Westminster Rd Putney, VT Email jcooper@marlboro.edu
3. Signature: [Signature] Print Name Matthew Winner  
Address: 4 High Street Apt 321 Brattleboro VT 05301 Email Mwinner@marlboro.edu
4. Signature: [Signature] Print Name Zoi Smedley  
Address: Marlboro College, Marlboro, VT Email zsmedley@marlboro.edu
5. Signature: [Signature] Print Name Max Foldes  
Address: PO Box 66 West Chester, OH Email
6. Signature: [Signature] Print Name Carolyn Perry  
Address: P.O. Box 441 Marlboro VT. Email
7. Signature: [Signature] Print Name HANS ZSCHLIGIT  
Address: Box 108 Whitingham, VT 05361 Email
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ Email \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ Email \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>


**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature:  Print Name William Patterson  
Address: 14 GREENWOOD LANE PUTNEY, VT 05346
2. Signature: Colette Billingsley Print Name COLETTE Billingsley  
Address: 440 CANAL ST. BRATTLEBORO VT. 05301
3. Signature: Betsy Hallett Print Name Betsy Hallett  
Address: 57 Ashen Rd. Putney VT 05346
4. Signature: Genevra C Lavigne Print Name Genevra C Lavigne  
Address: 14 Greenwood Lane Putney VT 05346
5. Signature: Michael Kohout Print Name Michael Kohout  
Address: 18 Quarry Rd W. Dummerston VT.
6. Signature: Marcia Hamm Print Name Marcia Hamm  
Address: 503 East-West Rd E. Dummerston, VT
7. Signature: R. Matthew Skeele Print Name R. Matthew Skeele  
Address: 60 Pine Yglen Lane, Putney VT 05346
8. Signature: Carl L. Head Jr Print Name CARL L-HEAD JR  
Address: 96 Montpelier Ave PK BRATTLEBORO VT 05301
9. Signature: Daniel Hoviss Print Name DANIEL HOVISS  
Address: PO BOX 627 Putney VT 05346
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Wm. F. Murray Print Name Wm. F. Murray

Address: 933 Weatherhead Hollow Rd Guilford, VT. 05301

2. Signature: Allison M. Deen Print Name Allison M. Deen

Address: 5607 Westminster West Rd. Putney VT. 05346

3. Signature: Jane Vancheri Print Name Jane Vancheri

Address: P.O. Box 148 Willansville VT 05362

4. Signature: Heidi Bernier Print Name Heidi Bernier

Address: 88 S Goddard Rd. Putney, VT. 05346

5. Signature: Robert S. Harricks Print Name Robert S. Harricks

Address: 2676 TATEL LANE, GUILFORD, VT. 05301

6. Signature: Richard Barron Print Name RICHARD BARRON

Address: 26 Metcalf Rd Brattleboro VT 05301

7. Signature: Robert D. Doyle Print Name ROBERT D. Doyle

Address: P.O. Box 60 Newfane, VT 05345

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Nancy Guzik Print Name: NANCY GUZIK

Address: PO BOX 2418 BRATTLEBORO VT 05303

2. Signature: Richard Schmid Print Name: RICHARD SCHMID

Address: 793 Melchen Rd., Brattleboro, VT 05301

3. Signature: Elizabeth Clark Print Name: Elizabeth Clark

Address: 511 Melchen Rd, W. Brattleboro, VT 05303

4. Signature: Steve Clark Print Name: STEVE CLARK

Address: 511 Melchen Rd. P.O. 2082 W. BRATTLEBORO, VT. 05303

5. Signature: Bette Crawford Print Name: BETTE CRAWFORD

Address: P.O. Box 67 Wilmington, VT. 05363

6. Signature: J. H. Polley Print Name: IRIS POLLEY

Address: PO Box 1791 BRATTLEBORO VT 05302

7. Signature: Frederick Heann Print Name: FREDERICK HEANN

Address: 249 Whitney Rd, Springfield, Vermont 05156

8. Signature: Gil Perry Print Name: GIL PERRY

Address: 408 Parker Hill Road, Springfield, VT 05156

9. Signature: Kathy Anderson Print Name: Kathy ANDERSON

Address: Upper Crossroads Ludlow, VT.

10. Signature: Lori Simons Print Name: Lori Simons

Address: 585 Tigola Trail, Stoddard NH 03452

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Lauren Breunig Print Name Lauren Breunig

Address: 111 River Rd South Rutland VT 05346

2. Signature: Matt Lynch Print Name Matt Lynch

Address: PO Box B #276 Marlboro, VT 05344

3. Signature: Peg Brown Print Name Peg Brown

Address: 78 Chestnut Hill Brattleboro, VT 05301

4. Signature: Larry Bloch Print Name Larry Bloch

Address: 167 Main Brattleboro, VT 05301

5. Signature: Gregory Hour Print Name Gregory Hour

Address: 102 Spruce St. Brattleboro, VT 05301

6. Signature: Daniel Lydon Print Name Daniel Lydon

Address: 49 Barbers Park Rd. Saxtons River

7. Signature: Margaret S. Sullivan Print Name Margaret S. Sullivan

Address: 134 Spruce St. Brattleboro, VT 05301

8. Signature: Sally Caltrider Print Name Sally Caltrider

Address: 330 Spruce Hill Rd. W. Chesterfield Rd, NH 03466

9. Signature: Frederic Coarner Print Name Frederic Coarner

Address: 528 Williams St. Brattleboro VT 05301

10. Signature: Bonnie Hill Print Name Bonnie Hill

Address: PO Box 182 Williamsburg VT 05362

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name PATRICIA HASTINGS

Address: WEST TOWNSHEND

2. Signature: [Signature] Print Name GARI FISCHER

Address: WESTMAN, VT - 05161

3. Signature: [Signature] Print Name M. Ricci

Address: Box 854 Manchester Ctn, VT

4. Signature: [Signature] Print Name Philip Anton

Address: 45 Romance Ln Dorset, VT 05251

5. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name ANJE RUPPEL-BOSQUET

Address: 1683 OLD CHENEY RD WINDHAM VT 05359

2. Signature: [Signature] Print Name Mace Wick

Address: 1513 Abbott Rd. Windham VT 05359

3. Signature: [Signature] Print Name John Targonski

Address: PO BOX 1392 W. TOWNSEND, VT. 05359

4. Signature: [Signature] Print Name Madeleine Rice

Address: Scotons River Rd, Bellows Falls, VT 05701

5. Signature: [Signature] Print Name Calleen Brophy

Address: 125 Forest St. Brattleboro 05301

6. Signature: [Signature] Print Name Cynthia B. Kehoe

Address: 527 Abbott Rd Windham VT 05359

7. Signature: [Signature] Print Name EDWARD J. BROWN 05359

Address: \_\_\_\_\_

8. Signature: [Signature] Print Name KATIE HUNT

Address: Box 149 E. Dover, VT 05341

9. Signature: [Signature] Print Name Zachary Caldwell

Address: 3128 Windham Hill Rd Windham VT 05359

10. Signature: [Signature] Print Name JOSEPH C. GRANNIS

Address: 2786 Windham Hill Rd V. Windham 05359

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Cynthia Leszczak Print Name: CYNTHIA LESZCZAK  
Address: 2232 Windham Hill Rd, W. Townshend VT 05359
2. Signature: Richard Veitch Print Name: Richard Veitch  
Address: 2232 Windham Hill Rd, W. Townshend, VT 05359
3. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
4. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
5. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Michael J. Davey Print Name Michael J. Davey

Address: 367 Lettice Rd, Westminster, VT

2. Signature: Cynthia M. Stowe Print Name Cynthia M. Stowe

Address: 86 E. Taylor Hill Rd, Montague, MA 01351

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Carol Ruth Schnabel Print Name CAROL RUTH SCHNABEL

Address: 410 Green River Rd Guilford VT 05301

2. Signature: Peter J. Hetzel Print Name PETER J HETZEL

Address: 410 GREEN RIVER RD. GUILFORD VT 05301

3. Signature: Nancy Detra Print Name Nancy Detra

Address: 1118 Green River Rd Guilford VT 05301

4. Signature: Stephen Detra Print Name Stephen Detra

Address: 1118 Green River Rd Guilford VT 05301

5. Signature: Russell Williams Print Name RUSSELL WILLIAMS

Address: 1014 GREEN RIVER RD, GUILFORD 05301

6. Signature: Barbara Carey Print Name BARBARA CAREY

Address: 1014 Green River Rd, Guilford, VT 05301

7. Signature: James W. Karel Print Name JAMES W. KAREL

Address: 5822 Hinesburg Rd GUILFORD VT 05301

8. Signature: Kathy N. Mason Print Name Kathy N Mason

Address: 5822 Hinesburg Rd Guilford, VT 05301

9. Signature: Carol Levin Print Name CAROL LEVIN

Address: 1014 Green River Rd GUILFORD, VT 05301

10. Signature: Richard Gottlieb Print Name Richard Gottlieb

Address: 1014 Green River Rd GUILFORD, VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Norman E. Hunt Print Name Norman E. Hunt

Address: P.O. Box 293, Newfane VT 05345

2. Signature: Cornel F. King Print Name Cornel F. King

Address: 1345 Cole Pond Rd, Jamaica 05343

3. Signature: Jeanne M. Walsh Print Name Jeanne M. Walsh

Address: 116 Main St., Brattleboro, VT 05301

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Laura K. Fiore Print Name Laura K Fiore  
Address: 14 Crombie Street, #2 Burlington, VT 05401
2. Signature: Danielle Allen Print Name Danielle Allen  
Address: 30 Dan's Ct. Burlington, VT 05401
3. Signature: Linda F. Jones Print Name Linda F. Jones  
Address: 2 Tower Terrace Burlington, VT 05401
4. Signature: Jeanette Berry Print Name Jeanette Berry  
Address: 76 Old Snowmill Rd Colchester, VT 05401
5. Signature: Janine Kashimka Print Name Janine Kashimka  
Address: 7 Hyde St, Burl. VT 05401
6. Signature: Megan P. Kolban Print Name Megan P. Kolban  
Address: 39 Murray St. Burlington, VT. 05401
7. Signature: Susan F. Smith Print Name Susan F. Smith  
Address: 23 Mansfield Ave Burlington VT 05401
8. Signature: Lynda Siegel Print Name Lynda Siegel  
Address: 161 Austin Dr. #55 Burl, VT 05401
9. Signature: Barb Pine Print Name Barb Pine  
Address: 40 Crowley St. Burlington VT 05401
10. Signature: Nicole Borrasso Print Name Nicole Borrasso  
Address: 4 Overlook Dr. Stroudsburg, PA 18366 / 79 Loomis St Burlington, VT 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,

similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: AK Engloff Print Name Autumn K. Engloff  
Address: 139 No. Willard St. Burlington, VT 05401
2. Signature: T. Jeffrey Spencer Print Name T. Jeffrey Spencer  
Address: 139 No. Willard St. Burlington, VT 05401
3. Signature: C. F. Hoize Print Name C. F. HOIZE  
Address: 228 Flynn Ave. Barre, VT 05640
4. Signature: Tim Johnson Print Name TIM JOHNSON  
Address: 24 Harrington Terr. Burlington, VT 05401
5. Signature: Laura Botte Print Name Laura Botte  
Address: 204 Prospect Pkwy Burlington, VT 05401
6. Signature: Robert K. Leidy Print Name Robert K Leidy  
Address: 11 Tower Terrace, Burlington, VT 05401
7. Signature: Mike Conroy Print Name Mike Conroy  
Address: 374 S. Union St., BURLINGTON, VT 05401
8. Signature: Beth-Ann Bove Print Name Beth-Ann Bove  
Address: 32 Converse St Burlington, VT 05401
9. Signature: John E. Davis Print Name JOHN E. DAVIS  
Address: 52 Booth St., BURLINGTON, VT 05401
10. Signature: Dia Davis Print Name DIA DAVIS  
Address: 52 Booth St, Burlington, VT 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Annette Burger Print Name Annette Burger  
Address: 81 Chase Street, Burlington, VT 05401
2. Signature: Richard Kemp Print Name RICHARD KEMP  
Address: 788 Flynn Ave #2 Burlington VT 05401
3. Signature: Barbara Pawluk Print Name Barbara Pawluk  
Address: 62 Central Ave So. Burlington VT 05403
4. Signature: Katrina Rowe Print Name Katrina Rowe  
Address: 121 Richardson St Burlington VT 05401
5. Signature: Holly Taylor Print Name Holly Taylor  
Address: 26 Germaine St. Burlington, VT 05401
6. Signature: Christina Root Print Name CHRISTINA ROOT  
Address: 191 Coast Terr. Burlington VT 05401
7. Signature: Michael Healy Print Name MICHAEL HEALY  
Address: 66 SCARFF BURLINGTON VT 05401
8. Signature: Jennifer Woodworth Print Name Jennifer Woodworth  
Address: 77 Pomeroy St. Burlington, VT 05401
9. Signature: Christine Demarais Print Name CHRISTINE DEMARAIS  
Address: 124 PARK ST BURL VT 05401
10. Signature: Konnie Acker Print Name KONNIE ACKER  
Address: 52 BOOTH STREET BURLINGTON VT 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Sean C. Williams Print Name Sean C. Williams

Address: 17 Small Meadows Lane, Putney, VT 05346

2. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: William A Arnold Print Name: William A Arnold  
Address: 1918 Patch Rd Westminster VT 05346
2. Signature: Penelope Simpson Adams Print Name: PENELOPE SIMPSON ADAMS  
Address: 106 WESTMINSTER RD, Putney, VT 05346
3. Signature: Ben Lichtenberg Print Name: BEN LICHTENBERG Putney  
Address: 245 West Hill Rd. Putney, VT 05346
4. Signature: Jacquelyn Walker Print Name: JACQUELYN WALKER  
Address: 10 Joe Holt Way Putney VT 05346
5. Signature: Steve Anderson Print Name: STEVE ANDERSON  
Address: 10 Joe Holt Way, Putney, VT 05346
6. Signature: Harriette Reeves-Forsythe Print Name: Harriette Reeves-Forsythe  
Address: 7 Small Meadows Lane, Putney, VT. 05346
7. Signature: Edith N. Gould Print Name: Edith N. Gould  
Address: 592 River Rd S. Putney, Ut. 05346
8. Signature: Alan Blood Print Name: Alan Blood  
Address: 7 Small Meadows Lane, Putney VT 05346
9. Signature: Wayne Licov Print Name: WAYNE LICOV  
Address: PO Box 294, Putney VT 05346
10. Signature: Pamela Cabbage Print Name: Pamela Cabbage  
Address: 63 Old Depot Rd. Putney VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Jessica Vulte Print Name Jessica Vulte  
Address: 16 Main St Apt 32 Brattleboro VT 05301
2. Signature: Sara Corbin Print Name SARA CORBIN  
Address: 96 Frost St Brat.
3. Signature: Eric Morgan Print Name ERIC MORGAN  
Address: 169 S Main St. Brattleboro VT 05302
4. Signature: Maia Bissette Print Name Maia Bissette  
Address: 450 S. Main St, Apt 2
5. Signature: Shelly Lubas Print Name SHELLY LUBAS  
Address: 450 S. MAIN ST. APT. 2
6. Signature: Jesse Atkinson Print Name JESSE ATKINSON  
Address: 450 S MAIN ST APT 2
7. Signature: Richard Veilleux Print Name RICHARD VEILLEUX  
Address: 32 MAIN ST #30 BRATTLEBORO VT
8. Signature: Steven H. Young Print Name STEVEN H. Young  
Address: 121 Sherwood Circle, Brattleboro, VT 03301
9. Signature: Ellen S. Young Print Name Ellen S-Young  
Address: 121 Sherwood Circle, Brattleboro VT 05301
10. Signature: Jean Kostick Print Name Jean Kostick  
Address: P.O. Box 158 Dublin, NH 03444

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance, giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Emilio Salas Print Name \_\_\_\_\_

Address: 111 Main St #8

2. Signature: B Print Name Bara MacNeill

Address: PO Box 382 Putney VT 05346

3. Signature: Sam Beasley Print Name Sam Beasley

Address: PO Box 52 W. Dummerston VT 05357

4. Signature: Alicia Beasley Print Name Alicia Beasley

Address: P.O. BOX 52 W. Dummerston VT 05357

5. Signature: Roberte Sarno Jr. Print Name ROBERT E. SARNO JR.

Address: 258 Elliot St. Brattleboro, VT

6. Signature: Anne Burns Print Name ANNE BURNS

Address: 16 Warren St, Brookline, MA

7. Signature: Andrea Burns Print Name ANDREA BURNS

Address: 116 PLEASANT ST. EASTHAMPTON, MA. 01027

8. Signature: Mike Ciura Print Name Mike Ciura

Address: 94 Worcester St. Worcester MA 01108

9. Signature: OTIS ROGERS Print Name OTIS ROGERS

Address: 51 GROVE ST Brattleboro VT

10. Signature: Terri OBrien Print Name Terri OBrien

Address: 157 Green St. Brattleboro, VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Brewster Holmes  
Address: P.O. BOX 1401 W. TOWNSHEND, VT.
2. Signature: [Signature] Print Name Helen Schmidt  
Address: 1430 Patch rd Putney VT 05346
3. Signature: [Signature] Print Name Tom Shaw  
Address: 148 Main St Brattleboro, VT
4. Signature: [Signature] Print Name Zoe Mulne  
Address: 116 High St Brattleboro VT
5. Signature: [Signature] Print Name Heather D'Erice  
Address: 80 Washington St. Apt. 2B Brattleboro, VT 05301
6. Signature: [Signature] Print Name Sabrina Smith  
Address: 289 Fox Farm Rd. Brattleboro, VT 05301
7. Signature: [Signature] Print Name Novadaniel  
Address: 177 DUSTY ridge Putney VT 05346
8. Signature: [Signature] Print Name HELEN LIEBMAN  
Address: 972 PUTNEY RD BRATTLEBORO VT 05301
9. Signature: [Signature] Print Name SCOTT W BROWN  
Address: 16 Stewart Pl Brattleboro
10. Signature: [Signature] Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective action improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Corey Meister Print Name Corey Meister  
Address: Putney VT
2. Signature: Jason Bowen Print Name Jason Bowen  
Address: Great Meadows ridge, Putney, VT.
3. Signature: Faechel Bennett Print Name Faechel Bennett  
Address: Putney VT 05340
4. Signature: Adrienne Dastoli Print Name Adrienne Dastoli  
Address: Elliot St Brattleboro
5. Signature: Harlan Rollins Print Name Harlan Rollins  
Address: PO Box 462 Tisbury VT 05343
6. Signature: Maren Bradley Print Name Maren Bradley  
Address: 255 Western Ave. Brattleboro, VT 05301
7. Signature: Geoffrey W. Smith Print Name Geoffrey W. Smith  
Address: PO Box 201 Williamsburg VT 05362
8. Signature: Keith Ranson Print Name Keith Ranson  
Address: 670 Pond Rd Vernon VT 05354 Apt #
9. Signature: Marek Jagoda Print Name Marek Jagoda  
Address: PO box 139 Putney VT
10. Signature: CHRISTINA PORTER Print Name CHRISTINA PORTER  
Address: 60 Pratt rd Putney VT 05340

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Sean Allen Print Name Sean Allen

Address: 26 Atkinson, BF, VT

2. Signature: Olivia Emilia Print Name Olivia Emilia

Address: 68 Main St #416 Brattleboro, VT 05301

3. Signature: Brendan Crowley Print Name Brendan Crowley

Address: 540 Outer Lane Rd Danburton VT 05301

4. Signature: Rob Corney Print Name Rob Corney

Address: 239 Johnston Pasture Dr Guilford VT 05301

5. Signature: Oliver Hel Print Name Oliver Hel

Address: 6 RAYNHAM & NEW HAVEN ST

6. Signature: Caitly SENNI Print Name Caitly SENNI

Address: 105 EDWARD HEIGHTS N BRAT VT 05301

7. Signature: Quincy Devlin Print Name Quincy Devlin

Address: 288 W. Hill Rd. Putney VT 05346

8. Signature: Deuse Stevens Print Name Deuse Stevens

Address: 21 Parkside Ave Brattleboro

9. Signature: Kevin Mills Print Name Kevin Mills

Address: 21 Parkside Ave. Brattleboro

10. Signature: Frances W. Sherwood Print Name Frances Sherwood

Address: PO BOX 155 Jamaica VT. 05343

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Laurie Webster Print Name Laurie Webster  
Address: 154 Evergreen Drive, Guilford, VT
2. Signature: Ann Zimmerman Print Name Ann Zimmerman  
Address: 1428 Stage Road, Guilford, VT
3. Signature: Felicia Kuhn Print Name Felicia Kuhn  
Address: Stephens Rd Vernon, VT
4. Signature: Tanya A. Horrigan Print Name Tanya A. Horrigan  
Address: 11 Spring St Apt 3 Brattleboro, VT 05301
5. Signature: Theodore Castro-Santos Print Name Theodore Castro-Santos  
Address: 362 Main Rd Gill, MA 01376 (inside evacuation zone)
6. Signature: Jocelyn Castro-Santos Print Name Jocelyn CASTRO-SANTOS  
Address: 362 Main Rd. GILL, MA 01376
7. Signature: Melissa Molloy Print Name Melissa Molloy  
Address: 1160 Moss Hollow Road Marlboro, VT
8. Signature: Lynette Pritchard Print Name Lynette Pritchard  
Address: 55 Southern Ave. #2 Brattleboro VT 05301
9. Signature: Ryan Ahern Print Name RYAN Ahern  
Address: 630 Moss Hollow dr. Marlboro VT 05314
10. Signature: Nora Doch Print Name Nora Doch  
Address: 28 Atkinson St BF VT 05107

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Christina Kimball  
Address: Brattleboro, VT 05301
2. Signature: [Signature] Print Name Eric Blomquist  
Address: Brattleboro, VT 05301
3. Signature: [Signature] Print Name Eric Coffman  
Address: 728 W. Hill Rd Putney, VT 05346
4. Signature: [Signature] Print Name Jen Course  
Address: PO Box 774 Putney, VT. 05346
5. Signature: [Signature] Print Name Scott Aronowitz  
Address: 58 Big Deer Run, Newfane, VT 05345
6. Signature: [Signature] Print Name Kirk BENSON  
Address: PO Box 201 Wilmington VT 05363
7. Signature: [Signature] Print Name Matthew R. Brickel  
Address: 60 Country Walk Shelton CT. 06484
8. Signature: [Signature] Print Name M Beverly Miller  
Address: PO Box 2113 W Brattleboro VT 05303
9. Signature: [Signature] Print Name Dominick R. Falzano  
Address: PO Box 649, Chestertown, N.Y. 12817
10. Signature: [Signature] Print Name A.P. McQueen  
Address: 700 South Mt. Rd. Northfield, MA 01360

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Kathleen Ann Mazzetti Print Name KATHLEEN ANN MAZZETTI  
Address: 71 Hemlock Ridge Rd. Westminster West, VT. 05346
- Signature: Benjamin L. Mitchell Print Name BENJAMIN L. MITCHELL  
Address: 71 Hemlock Ridge Rd. Westminster West, VT. 05346
- Signature: R. Suzanne Belleci Print Name R. Suzanne Belleci  
Address: P.O. Box 13 Brattleboro VT 05302
- Signature: Andrew Hockley Print Name Andrew Hockley  
Address: P.O. Box 1313 Brattleboro VT 05302
- Signature: Bridget Wright Print Name Bridget Wright  
Address: 151 VT Rt 30 Newfane VT 05845
- Signature: Christopher Mattson Print Name Christopher Mattson  
Address: 102 Thomas Rd. Guilford VT 05801
- Signature: Nanue Beard Print Name Nanue Beard  
Address: 5 Wabana Way Putney VT 05348?
- Signature: Linda A. Indersbitzin Print Name Linda Indersbitzin  
Address: 29 High St Apt 101 Montpelier VT
- Signature: Bryan Shaw Print Name BRYAN SHAW  
Address: 686 Kimball Hill Rd. South, Westminster West VT. 05346
- Signature: John MW Shadis Print Name John MW SHADIS  
Address: 1700 019 Athens Rd Westminster Vermont 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Virginia Manders

Address: 312 Ames Hill Rd Brattleboro, VT 05301

2. Signature: [Signature] Print Name Ty Campbell

Address: 180 Birge St Brat. VT 05301

3. Signature: [Signature] Print Name John D. George

Address: 416 Beaver Pond Rd. Amherston VT 05301

4. Signature: [Signature] Print Name Kelle Lawrence

Address: Western Ave. Brattleboro, VT 05301

5. Signature: [Signature] Print Name Emily Willis

Address: 102 Meadow St Amherst MA 01002

6. Signature: [Signature] Print Name Debbie Ames

Address: 94 W Caverett Rd. Leverett, Mass.

7. Signature: [Signature] Print Name TATIANA SCHREIBER

Address: 3532 Westminster West Rd. Putney, VT 05346

8. Signature: [Signature] Print Name Karen Schumacher

Address: 19 Capwell Ave Pawtucket, RI

9. Signature: [Signature] Print Name George Schumacher

Address: 19 Capwell Ave, Pawtucket, RI

10. Signature: [Signature] Print Name Deborah DeFelice

Address: 3303 State Forest Rd. Townshend VT. 05353

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>











**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature:  Print Name Rene'e McOwen  
Address: 700 So. Mtn. Rd. Northfield, MA 01360
2. Signature:  Print Name Heather Epstein  
Address: 85 Hillcrest Terrace Brat VT 05301
3. Signature:  Print Name Barbara Ann Milks  
Address: 37 Sand Hill Rd Putney VT 05346
4. Signature:  Print Name Katherine Fellows  
Address: 142 New England Drive Brattleboro VT 05301
5. Signature:  Print Name JANET M. RICARD  
Address: PO Box 1094 W. TOWNSEND, VT 05359
6. Signature:  Print Name JACQUELINE R. PERRY  
Address: PO. BOX 1094 W. TOWNSEND, VT. 05359
7. Signature:  Print Name Ben Tweedy  
Address: 499 Marlboro Rd West Brattle 05301
8. Signature:  Print Name Jennifer Lerner  
Address: 28 Prospect Ave Springfield MA 01301
9. Signature:  Print Name Danner T. Lennett  
Address: 28 Prospect Ave Greenfield MA 01301
10. Signature:  Print Name Susan J. Arney  
Address: 59 Whetstone Dr. Brattleboro, VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Jennifer Kolowski

Address: P.O. Box 502 Whitingham VT 0561

2. Signature: [Signature] Print Name Hilary Duggan

Address: 1187 Hale Road Guilford, VT 05301

3. Signature: [Signature] Print Name Gabriel Hulme

Address: 1186 Hale Road Guilford VT 05301

4. Signature: [Signature] Print Name ERIC G. KEMP

Address: 1407 GLENWOOD 78723 Austin TX.

5. Signature: [Signature] Print Name Robert Ely Coughlin

Address: 117 MAIN ST 4R BRATTLEBORO, VT 05301

6. Signature: [Signature] Print Name Jean Squire

Address: 115 Belknap Rd, Berlin, VT 05602

7. Signature: [Signature] Print Name ULLA VALL

Address: 117 Main St Apt 4R Brattleboro VT 05301

8. Signature: [Signature] Print Name HANNAH BUSS

Address: HASKE FARM COTTAGE, CREDITON, DEVON, ENGLAND.

9. Signature: [Signature] Print Name Jimmy Whitmore

Address: \_\_\_\_\_

10. Signature: [Signature] Print Name B. Beard

Address: 511 Kipling Rd Brattleboro VT.

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Honorable James Douglas, Governor of Vermont<sup>1</sup> Member of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Environmental Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Inghilt Traenkle Print Name Inghilt Traenkle  
Address: PO Box 1331, Plymouth, MA 02362
2. Signature: Ursula Traenkle Print Name Ursula Traenkle  
Address: PO Box 1331, Plymouth, MA 02362
3. Signature: Hannah Rossoff Print Name Hannah Rossoff  
Address: 89 Powder Horn Pond Rd. Plymouth, MA 02360
4. Signature: Gordon Lagstrom Print Name GORDON LAGSTROM  
Address: 917 CONGRESS ST DUXBURY MA 02332
5. Signature: Scott Dumas Print Name Scott Dumas  
Address: 65 Russell Mills Rd. Plymouth MA 02360
6. Signature: Jeff Hills Print Name JEFF HILLS  
Address: 29 Winchester Ln. Plymouth MA 02360
7. Signature: Marianne Sanbonmatsu Print Name Marianne Sanbonmatsu  
Address: 2 EEL River Circle Plymouth, MA 02360
8. Signature: Anta E Daniels Print Name Anta E Daniels  
Address: 146 R Drew Rd Plymouth MA 02360
9. Signature: Mark Dumas Print Name Mark Dumas  
Address: 40 Anchorage Ln. Duxbury MA 02332
10. Signature: Keldra Krick Print Name Keldra Krick  
Address: 51 Petter St #23 Newton, MA 02464

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

5 VT

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Arlene McCaffrey Print Name Arlene McCaffrey

Address: 20 Pine St - Brattleboro, VT 05301

2. Signature: Karen Gustafson Print Name KAREN GUSTAFSON

Address: 18 Garden Lane Putney, VT 05346

3. Signature: Ken McCaffrey Print Name KEN McCAFFREY

Address: 20 Pine St BRATTLEBORO VT 05301

4. Signature: Diane Fontaine Print Name Diane Fontaine

Address: 126 Oak Grove Ave #2 Brattleboro

5. Signature: Andrea Neiley Print Name Andrea Neiley

Address: 502 US RT 5 Westminster Sta., VT 05159

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

7 VT

# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel on the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and cost-effective, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: *Marlene Stoddard* Marlene Stoddard  
Address: 206 Melrose St. #17 Email \_\_\_\_\_  
Brattleboro, VT 05301
2. Signature: *Marcia Bourne* Print Name Marcia Bourne  
Address: 206 Melrose Apt. 15 Email justmatt@sover.net  
Brattleboro 05301
3. Signature: *John Antaki* Print Name John Antaki  
Address: 230 Melrose St. Brattleboro, VT 05301 Email \_\_\_\_\_
4. Signature: *Shirley A. Leclair* Print Name Shirley A Leclair  
Address: 206 Melrose St. Apt. 11 Brattleboro Email \_\_\_\_\_
5. Signature: *Beth F. Symons* Print Name BETH F. SYMONS  
Address: 235 Melrose St. apt. 142 Bratt Email \_\_\_\_\_
6. Signature: *Wendy M. Barnard* Print Name Wendy M. Barnard  
Address: 206 Melrose St Apt #14 Email \_\_\_\_\_  
Brattleboro
7. Signature: *Lorna Mitchell* Print Name Lorna Mitchell  
Address: 905 Melendy Hill Ed Guilford Email \_\_\_\_\_  
VT. 05301
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ Email \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ Email \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name PAUL McTAGGART  
Address: PO BOX 470 Putney, VT 05346
2. Signature: [Signature] Print Name Steven West  
Address: 387 Old Ashens, Putney, VT
3. Signature: [Signature] Print Name JULIA ZANES  
Address: PO box 145 Saxtons River VT 05754
4. Signature: [Signature] Print Name Amy E. McTaggart  
Address: 129 Landmark Hill Dr. #68 Brattleboro VT 05301
5. Signature: [Signature] Print Name JOHN RICHARDSON  
Address: \_\_\_\_\_
6. Signature: [Signature] Print Name Carlotta Cuerdo  
Address: 336 Houghton Blvd, Putney
7. Signature: [Signature] Print Name CASSANDRA KEITH  
Address: 3435 Westminster West Rd. Putney VT 05346
8. Signature: [Signature] Print Name Anne Briceletti  
Address: 12 Gregg Putney VT 05346
9. Signature: [Signature] Print Name TIM FLESHER  
Address: 2888 Westminster West Rd Putney 05344
10. Signature: [Signature] Print Name Elizabeth Lyons Holmes  
Address: Peck Lane Putney, VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments; corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Elliot Gonzalez

Address: 230 Johnsons Pasture Dr Guilford VT

2. Signature: [Signature] Print Name NATHAN GUEST

Address: 4412 Brookline Rd Athens VT

3. Signature: [Signature] Print Name Peter Novotny

Address: PO Box 630 Brattleboro, VT 05302

4. Signature: [Signature] Print Name Susan Frank

Address: PO Box 89, Putney, VT

5. Signature: [Signature] Print Name Joshua Bickford

Address: Homeless Avenue Defunct USA.

6. Signature: [Signature] Print Name J Michael Tobin

Address: 2350 Stage Rd Guilford 05501

7. Signature: [Signature] Print Name Adhi Palar

Address: 301 Sootymash Ct. boat

8. Signature: [Signature] Print Name Jeremiah Crompton

Address: [Blank]

9. Signature: [Signature] Print Name Demian Wood

Address: 7th Meadowbrook Rd. Brattleboro VT 05301

10. Signature: [Signature] Print Name ANNABELLE SCHIERMAN

Address: [Blank]

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee,

similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: Linda Bisbee Print Name Linda Bisbee  
Address: 972 Putney Rd, Box 180 Brattleboro Email linda@amsny.com
2. Signature: Barbara Knudson Print Name barbara knudson  
Address: POB 128 putney, VT 05346 Email \_\_\_\_\_
3. Signature: Carolyn Fish Print Name CAROLYN Fish  
Address: 688 Bullocke Guilford VT Email \_\_\_\_\_
4. Signature: Calista R. Kristensen Print Name CALISTA R. KRISTENSEN X  
Address: PO Box 2075 Brattleboro VT 05303 Email \_\_\_\_\_
5. Signature: Kathryn Greenberg Print Name Kathryn Greenberg  
Address: 564 Butterfield Rd, Bratt. 05301 Email \_\_\_\_\_
6. Signature: Josie Dickson Print Name JOSIE DICKSON  
Address: 1043 Lee Rd Guilford Email \_\_\_\_\_
7. Signature: Ka'ilama Morris Print Name Ka'ilama Morris  
Address: 37 Sawmill Rd. Newfane, VT 05345 Email \_\_\_\_\_
8. Signature: J. Parker Huber Print Name J. Parker Huber X  
Address: PO Box 360 Brattleboro Vermont 05302 Email \_\_\_\_\_
9. Signature: Robert MacLean Print Name Robert MacLean  
Address: P.O. Box 24 Marlboro VT 05344 Email \_\_\_\_\_
10. Signature: Elana Denney Print Name ELANA DENNEY  
Address: Brattleboro, VT 05301 Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

Tim

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Sarah L. Payne Print Name Sarah L. Payne

Address: 18 Valerie Ave. Montpelier, VT 05602

2. Signature: Ann Bittermann Print Name ANN BITTERMANN

Address: 125 Thomas Lane, Stowe, VT.

3. Signature: Ruth S. Brooks Print Name RUTH S. BROOKS

Address: 193 Dover Rd. Montpelier, VT 05602

4. Signature: Elizabeth S. Reed Print Name ELIZABETH S. REED

Address: 20 DEERFIELD DR, MONTPELIER, VT 05602

5. Signature: Phyllis Merritt Print Name PHYLLIS MERRITT

Address: 67 TERRACE ST MONTPELIER VT 05602

6. Signature: Michael Katzenberg Print Name Michael Katzenberg

Address: 218 McCullough Hill Rd. Middlesex, VT. 05602

7. Signature: Nancy Emple Print Name NANCY EMPL

Address: 142 COBB HILL Rd. WATERBURY, VT 05676

8. Signature: George N. Spaulding Print Name George N. Spaulding

Address: P.O. Box 104, Worcester, Vermont 05682

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

9 VT

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature, Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,

similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Hannah Hendricks Print Name Hannah Hendricks

Address: PO Box 185, Putney, VT 05346

2. Signature: Michael Wilson Print Name Michael Wilson

Address: P.O. Box 92, Westminster, VT 05158

3. Signature: Harriette Reeves-Forsythe Print Name Harriette Reeves-Forsythe

Address: 7 Small Meadows Lane, Putney, VT.

4. Signature: Edward Webster Print Name Edward Webster

Address: 355 Upper Dover Rd, W. Marlboro VT 05363

5. Signature: A Laurel Green Print Name A Laurel Green

Address: 4271 Sweet Pond Rd, Guilford, VT

6. Signature: Stephen C.F. Crofter Print Name Stephen C.F. Crofter

Address: 4271 Sweet Pond Rd, Guilford VT 05301

7. Signature: Eileen Forsythe Print Name Eileen Forsythe

Address: 7 Small Meadows Lane, Putney, VT 05346

8. Signature: Sharon E. Jones Print Name Sharon E. Jones

Address: PO Box 592, Putney, VT 05346

9. Signature: Daniel Hoviss Print Name Daniel Hoviss

Address: PO Box 627, Putney VT 05346

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Joan Mark Print Name JOAN MARK  
Address: 17 Clark Farm Rd Newfane VT. 05345
2. Signature: Weston Moore Print Name WESTON MOORE  
Address: 17 Clark Farm Rd Newfane VT.
3. Signature: Marjorie P. Dedell Print Name Marjorie P. Dedell  
Address: 514 VT Rte 30, Newfane, VT
4. Signature: Harry C. Dedell Print Name Harry C. Dedell  
Address: 514 VT. Rte 30 Newfane, VT
5. Signature: Davis Terrell Print Name Davis Terrell  
Address: PO Box 148 Newfane VT 05345
6. Signature: Gretchen Gould Print Name Gretchen Gould  
Address: Spring Lake Ranch Cuttingsville VT 05738
7. Signature: Ram Padua Print Name RAM PADUA  
Address: 2 Groat Rd., Newfane, VT ~~05345~~ 05345
8. Signature: Kathleen Orlandi Print Name Newfane VT 05345  
Address: 14 Groat Rd 05345 KATHLEEN ORLANDI
9. Signature: B. Mahdavi Print Name Bahman Mahdavi  
Address: PO Box 242 Newfane VT 05345
10. Signature: Mary Oberly Print Name Mary Oberly  
Address: 245 S. Wardsboro Rd., Newfane, VT 05345

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

⑪ David Kolkebeck David Kolkebeck  
POB 407 Newfane, VT 05345

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Member  
Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Safety

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to sup-  
Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,  
similar to those already conducted at aging nuclear plants in Maine and Connecticut

✓ 1. Signature: [Signature] Print Name Christopher Pyatak  
Address: 111 Main #2 Bratt VT

✓ 2. Signature: [Signature] Print Name Ian Kieble  
Address: 168 Eliot St. Apt #2 Brattleboro

✓ 3. Signature: Acacia Fanto Print Name Acacia Fanto  
Address: 71 Cedar St Bratt, VT

✓ 4. Signature: [Signature] Print Name HERIDITH J. LEVINSON  
Address: PO Box 955 Manchester Ctr, VT 05255

✓ 5. Signature: [Signature] Print Name ERIC RICKSTAD  
Address: PO Box 955 Manchester Ctr VT 05255

✓ 6. Signature: [Signature] Print Name Ten'Aben  
Address: 157 Green St. Brattleboro, VT 05301

? 7. Signature: [Signature] Print Name Michael Whigham  
Address: Hinesburg Rd Brattleboro VT 05301

✓ 8. Signature: Clem Johnson Print Name Clemson Johnson  
Address: 29 High St Brattleboro, VT

✓ 9. Signature: [Signature] Print Name RUSA Sprague  
Address: 118 Washington St Bratt VT, 05301

✓ 10. Signature: [Signature] Print Name WILLIAM G KNOWLES  
Address: PO Box 367 Brattleboro VT 05302

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# Vermont Yankee Safety Assessment

## A Citizen Petition<sup>1</sup>

10 (V) ✓

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Brenda Brown

Address: 171 Greenhill Parkway Brattleboro

2. Signature: [Signature] Print Name Geoff Brown

Address: 71 Greenhill Pkwy Brattleboro 05301

3. Signature: [Signature] Print Name James Marks

Address: 19 Tyler St, Apt #3

4. Signature: [Signature] Print Name PAT DE ANGELO

Address: 38 Clark St. Brattleboro 05301

5. Signature: [Signature] Print Name Olivia T. Stephens

Address: 5 River Road, Newfane VT 05345

6. Signature: [Signature] Print Name SARAH EDWARDS

Address: 44 CHAPIN ST, BRATTLEBORO VT 05301

7. Signature: [Signature] Print Name Patricia Payne

Address: 9 Walnut St. #3 Brattleboro VT 05301

8. Signature: [Signature] Print Name Vivian Stadel

Address: 1325 Wilkover Hill Rd W. Dummerston

9. Signature: [Signature] Print Name JOSEPH CROMPTON

Address: 140 Washington St. Brattleboro VT. 05301

10. Signature: [Signature] Print Name Frederic Noyes

Address: 103 Highland St. Brattleboro, VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment of Vermont Yankee,

similar to those already conducted at aging nuclear plants in Maine and Connecticut.

- Signature: Laura Roberts Print Name LAURA ROBERTS  
Address: PINE BANKS Rd., PUTNEY, VT Email: LAURA.ROBERTS@ST.EDU
2. Signature: Michele Rubino Print Name Michele Rubino  
Address: 227 Meadowbrook Rd. Brattleboro VT Email: Michele.rubino@sit.edu
3. Signature: Florence Koprooski Print Name FLORENCE KOPROOSKI  
Address: WARDON RD. PUTNEY, VT Email: \_\_\_\_\_
4. Signature: Frank S. Koprooski Print Name FRANK S. KOPROOSKI  
Address: 145 WARDON RD PUTNEY VT Email: \_\_\_\_\_
5. Signature: Roberto Mugnam Print Name Roberto Mugnam  
Address: 851 Gulf St Brattleboro VT Email: \_\_\_\_\_
6. Signature: Malika Khan Print Name Malika Khan  
Address: 98 Oak Grove Ave Brattleboro Email: malika.khan@sit.edu
7. Signature: Andrew Dick Print Name Andrew Dick  
Address: 372 Sunset Dr. Rutland VT Email: PF.ora@excite.com
8. Signature: Jeff Unsicker Print Name JEFF UNSUCKER  
Address: 59 Poplar Commons, Dummerston VT Email: unsicker@vernet.net
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ Email \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Safety  
FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components, increasing the risk of reactor and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and necessary.  
WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: Rebecca C Bartlett Print Name Rebecca C Bartlett  
Address: 139 Chestnut St Brattleboro VT Email rebec@sover.net
2. Signature: Heather Greenwood Print Name Heather Greenwood  
Address: 136 Ethan Allen Hwy Georgia VT Email Missfeather@aol.com
3. Signature: Mary Welch Print Name Mary Welch  
Address: 4390, P.O. Box B, Marlboro College, Marlboro VT Email \_\_\_\_\_
4. Signature: Veronica Brelsford Print Name Veronica Brelsford  
Address: PO Box 146 Marlboro VT Email \_\_\_\_\_
5. Signature: Edmund Brelsford Print Name EDMUND BRELSFORD  
Address: Box 146 Marlboro, VT Email \_\_\_\_\_
6. Signature: John Mac Arthur Print Name JOHN MAC ARTHUR  
Address: Box 15, MARLBORO Email \_\_\_\_\_
7. Signature: Nancy J. Pike Print Name Nancy J. Pike  
Address: P.O. Box 2573, West Brattleboro Email \_\_\_\_\_
8. Signature: Megan M. Littlehales Print Name Megan M. Littlehales  
Address: Box 148 Marlboro VT Email \_\_\_\_\_
9. Signature: Matthew Temple Print Name Matthew Temple  
Address: 123 Green St. Brattleboro Email mt@voicewell.net
10. Signature: Becky Lawrence Print Name Becky Lawrence  
Address: Box 162 Marlboro Email blaw@marlboro.edu

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: SR Bailey Print Name STEVEN R. BAILEY

Address: 229 SINGER HILL RD BRAT. VT 05301 Email

2. Signature: Julia Whitney Print Name Julia Whitney

Address: 64 Canal St Bratt 05301 Email

X Signature: Rachel Nowicki Print Name Rachel Nowicki

Address: 102 Halifax VT 05358 Email

4. Signature: Sigrid Arvidson Print Name SIGRID ARVIDSON

Address: 229 Smeader Hill Rd, (Halifax) Brattleboro Email

5. Signature: [Signature] Print Name Charles A. DeWolfe

Address: 158 S. 1st St. Bratt. 05301 Email

6. Signature: [Signature] Print Name JEAN WOLANSKY

Address: PO BOX 24 JACKSONVILLE VT Email

7. Signature: [Signature] Print Name David Wolinsky

Address: P.O. Box 24 JACKSONVILLE VT Email

8. Signature: Doris Steinhardt Print Name DORIS STEINHARDT

Address: PO BOX 307 JACKSONVILLE VT Email

X Signature: John Kulas Print Name JOHN KULAS

Address: 194 Fowler Rd. ? Email John.kulas@yahoo.com

10. Signature: Dan Menehey Print Name Dan Menehey

Address: 3630 Deer Park Brattleboro VT 05301 Email

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.  
<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

6✓  
**A Citizen Petition<sup>1</sup>**

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

- ✓ ① Signature: [Signature] Print Name FRANK MALTESE  
Address: PO Box 83 W. HADLEY VT 05358 Email branch@Sovereign.net
- ✓ ② Signature: [Signature] Print Name Susan Tamraz  
Address: 7447 Vergant Rte 112 Jacksonville VT 05342 Email wysu@sover.net
- ✓ ③ Signature: [Signature] Print Name DAVID ALLEN  
Address: 5071 OLD COUNTY ROAD BRATTLEBORO VT 05301 Email DALLEN123@HOTMAIL.COM
- ✓ ④ Signature: [Signature] Print Name Mary Kelley  
Address: PO Box B Marlboro VT 05341 Email mary.kelley@vt.net
- ✓ ⑤ Signature: [Signature] Print Name Harold M Smith  
Address: 1342 Thomas Hill Rd North Email
- ✓ ⑥ Signature: [Signature] Print Name MATTHEW DECKER  
Address: 3535 SWEET POND RD, GUILFORD Email
- ? ⑦ Signature: [Signature] Print Name Rachel Federlin  
Address: 3466 N Weil St Milwaukee WI 53212 Email prison
- ? ⑧ Signature: [Signature] Print Name Pamela Bruce  
Address: Guilford VT Email
- ? ⑨ Signature: [Signature] Print Name HEIDI FISCHER  
Address: Dummerston VT Email
- ? ⑩ Signature: [Signature] Print Name M. A. OLLIS  
Address: PO BOX A, MARLBORO COLLEGE Email

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



Sydney Jarvis SYDNEY JARVIS  
38 Russell Jarvis Homestead Rd.  
Claremont NH. 03743

Christopher Dye 58 Cottage Circle, W. Lebanon, NH  
03784-1400

Michael Jarand 274 Bank St Ext. Lebanon, NH  
03766

Barbara Kline-Barbara BARBARA KLINE-SCHUDER  
32 OLD ORCHARD LN., NORWICH VT 05055

Paula Rossvali Paula Rossvali 5228 VT. RT. 14, Sharon, VT. 05086

Lydia S. Paxon Keated at Haver, 88 Lyme Rd., Hanover NH  
Elizabeth M. Gradone PO Box 1732 New London, NH 03257  
EMBRODRE (56 Corporation Hill Rd. Sutton, NH)

Charles Krige CHARLES KRAJENSKY PO Box 1732, New London, NH 03257

Rose Low Miller Rose Low Miller (56 Corporation Hill Rd, Sutton, NH)  
80 Lyme Rd. #428 Hanover, N.H. 03755

Shawn M. Donovan SHAWN M. DONOVAN 30 SHAW ST., LEBANON, NH 03766  
Shirley Montgomery Shirley Montgomery P.O. Box 196 (46 River Rd) Hanover N.H. 03755

Len Cadwallader LEN CADWALLADER 23 RIP RD  
Mary Ann Cadwallader Mary Ann Cadwallader HANOVER, NH 03755  
23 Rip Rd. Hanover, NH 03755

Judith Pettingell Judith A. Pettingell 13 Woodmore Dr. Hanover NH 03755

Robert E. Met 1713 Fulton Rd. E. Concord, NH

Robert Spottiswood Robert Spottiswood 82 Huntley, Norwich VT  
05055

Ruth Hunter ~~Robert Sp~~ 4 Stanton - Woodstock VT  
Ruth Hunter 05091

Kathryn Mortimer Kathryn Mortimer - 756 Whippoorwill  
Rd. Thetford Ch. VT

Catherine M. Grant Catherine M. Grant 6 Brook Farm Rd - Piermont  
NH  
Patricia C. Higgins PATRICIA HIGGINS 8 Mink Dr. Hanover NH 03755

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Sally C. Shaw Print Name Sally C. Shaw

Address: 100 River Rd., Gitt, MA 01376

2. Signature: Irene G. Fariss Print Name Irene G. Fariss

Address: 30 State Rd Erving, MA 01344

3. Signature: Mike Langknecht Print Name Mike LANGKNECHT

Address: 475. Turners Falls Rd Montague, MA 01351

4. Signature: Amely Jenks Print Name Amely Jenks

Address: 489 Federal ST Montague MA 01351

5. Signature: Joyce A. Phillips Print Name Joyce Phillips

Address: 18 Vladeck Ave Turn Falls 01376

6. Signature: Anthony Guglielmi Print Name Anthony Guglielmi

Address: 172 Avenue A Apt 7 Turners MA 01376

7. Signature: Susan Rhoda Print Name Susan Rhoda

Address: Station Circle Turners Falls Mass 01376

8. Signature: Richard T. Colton Print Name RICHARD T. COLTON

Address: 22 MAIN ST., MONTAGUE, MA 01351

9. Signature: Lynn Bassett Print Name Lynn Bassett

Address: 416 Millers Falls Road, Northfield MASS 01360

10. Signature: Mary A. Kociela Print Name Mary Kociela

Address: 19 North St, Montague, MA 01351

→ over

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: Audrey Allen Print Name Audrey Allen  
Address: 123 Green St Bratt. Email audry@voicewell.net
2. Signature: Jane Graham Print Name Jamie Graham  
Address: Marlboro College, Box 116 Email SplynsLave@aol.com
3. Signature: Adam Patrick Print Name Adam Patrick  
Address: B 179 Marlboro College Email ajtk@marlboro.edu
4. Signature: Trevor Westworth Print Name Trevor Westworth  
Address: Box 356 Marlboro College Email twestwor@marlboro.edu
5. Signature: Esther Joy Lucello Print Name Esther Joy Lucello  
Address: Box 11 Marlboro College Email eaucell@marlboro.edu
6. Signature: Matthew Levasseur Print Name Matthew Levasseur  
Address: Box 199 Marlboro College Email MLevasse@marlboro.edu
7. Signature: Zarah Thompson-Jacobs Print Name Zarah Thompson-Jacobs  
Address: Box 211 Marlboro College, Marlboro, VT Email Zarah@marlboro.edu
8. Signature: Julie Shumway Print Name Julie Shumway  
Address: Box 290 Marlboro College, Marlboro, VT Email jshumway@marlboro.edu
9. Signature: Colleen Howard Print Name Colleen Howard  
Address: Box 155 Marlboro College, Marlboro, VT Email calla@marlboro.edu
10. Signature: Jeremy Steben Print Name Jeremy Steben  
Address: Box 91 Marlboro College, Marlboro, VT Email JSteben@marlboro.edu

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Safety  
FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing the risk of nuclear plant malfunctions that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: [Signature] Print Name Randy E. H. Knagg  
Address: 2125 Stickney Brk, Danvers, VT Email rkknagg@marlboro.edu
2. Signature: [Signature] Print Name Valerie Abrahamson  
Address: 125 Putney, B'boro Email vabraham@marlboro.edu
3. Signature: [Signature] Print Name Christina Knoepfel  
Address: 630 Moss hollow Rd. Marlboro, VT Email
4. Signature: [Signature] Print Name Choya Adkison  
Address: Marlboro College Marlboro VT Email estraw
5. Signature: [Signature] Print Name John Willis  
Address: Dummerston VT 05301 Email
6. Signature: [Signature] Print Name Jenny Marchand  
Address: Marlboro College Marlboro, VT Email
7. Signature: [Signature] Print Name Coral Ellshoff  
Address: Marlboro College, Marlboro, VT Email
8. Signature: [Signature] Print Name Karl Onsager  
Address: Marlboro College, Marlboro VT Email
9. Signature: [Signature] Print Name Liz Crain  
Address: Marlboro College Marlboro VT Email lcrain@marlboro.edu
10. Signature: [Signature] Print Name Brian Pierce  
Address: Marlboro College, Marlboro VT Email bpierce@marlboro.edu

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Governors and Elected Officials of Vermont, New Hampshire, and Massachusetts

**FROM:** The undersigned citizens of Vermont, New Hampshire, and Massachusetts

**WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and**

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, and;
- The recent NRC Engineering Team Inspection identified 8 significant problems in only 45 systems examined, representing only about 1% of the plant's critical systems. These results indicate that the other 99% of the plant's systems may contain hundreds of other problems that remain unidentified, and;
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>1</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut.**

1. Signature: [Signature] Print Name Mike Foley  
Address: 1458 TART RD City Townshend State VT Zip 05353  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

2. Signature: [Signature] Print Name Linda S. Gordon  
Address: 39 S. Wardsboro Rd City Newfane State VT Zip 05545  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

3. Signature: [Signature] Print Name Graham Gordon  
Address: 39 S. Wardsboro Rd City Newfane State VT Zip 05345  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

4. Signature: [Signature] Print Name Romane Smith  
Address: P.O. Box 553 City Townshend State VT Zip 05353  
Email - NONE (to receive the bimonthly New England Coalition eBulletin)

5. Signature: [Signature] Print Name Kai Ladd - Griffin  
Address: P.O. 90 City Williamsville State VT Zip 05362  
Email kai@soveg.net (to receive the bimonthly New England Coalition eBulletin)

<sup>1</sup> According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Governors and Elected Officials of Vermont, New Hampshire, and Massachusetts

**FROM:** The undersigned citizens of Vermont, New Hampshire, and Massachusetts

**WHEREAS, Louisiana-based Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, and;
- The recent NRC Engineering Team Inspection identified 8 significant problems in only 45 systems examined, representing only about 1% of the plant's critical systems. These results indicate that the other 99% of the plant's systems may contain hundreds of other problems that remain unidentified, and;
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>1</sup>,** similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: JWWLR Print Name: JANET W LUCIER  
Address: PO BOX 108 City: TOWNSEND State: VT Zip: 05353  
Email: JWL@VT@SVCABLE.NET (to receive the bimonthly New England Coalition eBulletin)

2. Signature: Shari Zavattero Print Name: Shari Zavattero  
Address: P.O. BOX 46 City: Townsend State: VT Zip: 05353  
Email: ShariZavattero2004@JUNO.COM (to receive the bimonthly New England Coalition eBulletin)

3. Signature: Pamela J. Gibbs Print Name: PAMELA J. GIBBS  
Address: 417 FISHER HILL ROAD City: GRAFTON State: VT Zip: 05146  
Email: \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

4. Signature: Rusty Pyggen Print Name: RUSTY PYGGEN  
Address: 601 BURBEE POND RD City: WINTHAM State: VT Zip: 05359  
Email: \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

5. Signature: RK Rowell Print Name: Robert K. Rowell  
Address: P.O. Box 538 City: Townshnd State: VT Zip: 05353  
Email: RKROWELL@GMAIL.COM (to receive the bimonthly New England Coalition eBulletin)  
P.D.B.

<sup>1</sup> According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Governors and Elected Officials of Vermont, New Hampshire, and Massachusetts

**FROM:** The undersigned citizens of Vermont, New Hampshire, and Massachusetts

**WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and**

" this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, and:

" The recent NRC Engineering Team Inspection identified 8 significant problems in only 45 systems examined, representing only about 1% of the plant's critical systems. These results indicate that the other 99% of the plant's systems may contain hundreds of other problems that remain unidentified, and:

" a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>1</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut.**

1. Signature: [Signature] Print Name JERRY WEDGE

Address: 89 WARDEN TERR City CONCORD State MA Zip 01742

Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

2. Signature: [Signature] Print Name NIA DES SANTO

Address: 19 HARRIS HILL RD City BROOKLINE State VT Zip 05345

Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

3. Signature: [Signature] Print Name HARRISON ZUKAS

Address: HARRISONZUKAS@YAHOO.COM City TOWNSEND State VT Zip 05353

Email 2039 Route 30 (to receive the bimonthly New England Coalition eBulletin)

4. Signature: [Signature] Print Name BRETT J. CLARK

Address: P.O. BOX 914 City TOWNSEND State VT Zip 05353

Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

5. Signature: [Signature] Print Name Vieno LaZelle

Address: 6 River View Dr City BROOKLINE State VT Zip 05345

Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

P.D.B.

<sup>1</sup> According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Governors and Elected Officials of Vermont, New Hampshire, and Massachusetts

**FROM:** The undersigned citizens of Vermont, New Hampshire, and Massachusetts

**WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and**

▪ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, and:

▪ The recent NRC Engineering Team Inspection identified 8 significant problems in only 45 systems examined, representing only about 1% of the plant's critical systems. These results indicate that the other 99% of the plant's systems may contain hundreds of other problems that remain unidentified, and:

▪ a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>1</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut.**

1. Signature: Ava Shore Print Name AVA SHORE  
Address: 406 Taylor Farm Road City Randolph State VT Zip 05033  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

2. Signature: Karl Hammer Print Name KARL HAMMER  
Address: 1996 Main City Mayfield State VT Zip 05002  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

3. Signature: M. Johnson Print Name Melissa Johnson  
Address: PO Box 205 City Montpelier State VT Zip 05601  
Email melissaj@planet-save.com (to receive the bimonthly New England Coalition eBulletin)

4. Signature: Susan Ritz Print Name Susan Ritz  
Address: 7 Clarendon Ave City Montpelier State VT Zip 05602  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

5. Signature: Cherie Roberts Print Name Cherie Roberts  
Address: 67 East State Street City Montpelier State VT Zip 05602  
Email n/a (to receive the bimonthly New England Coalition eBulletin)

P.J.B.

<sup>1</sup> According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition

**TO:** The Governors and Elected Officials of Vermont, New Hampshire, and Massachusetts

**FROM:** The undersigned citizens of Vermont, New Hampshire, and Massachusetts

**WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and**

▪ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, and:

▪ The recent NRC Engineering Team Inspection identified 8 significant problems in only 45 systems examined, representing only about 1% of the plant's critical systems. These results indicate that the other 99% of the plant's systems may contain hundreds of other problems that remain unidentified, and:

▪ a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>1</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut.**

1. Signature: [Signature] Print Name ENRIC MOREIRA FABREGAT  
Address: C/ SAN JOAN NO 27 C.P. 08911 City MONISTROL State (BCN) Zip SPAIN  
Email NYASHA@hotmail (to receive the bimonthly New England Coalition eBulletin)
2. Signature: [Signature] Print Name Jay Mankita  
Address: 68 Strong St. City Amherst State MA Zip 01002  
Email jay@jaymankita.com (to receive the bimonthly New England Coalition eBulletin)
3. Signature: [Signature] Print Name SUSAN E Nizette  
Address: 303 Linden St City Holyoke State MA Zip 01024  
Email nblazer89@aol (to receive the bimonthly New England Coalition eBulletin)
4. Signature: [Signature] Print Name Darren Tornaze  
Address: 773 OLD WENDELL City Northfield State MA Zip 01360  
Email SARA 2 @ access 4 less.net (to receive the bimonthly New England Coalition eBulletin)
5. Signature: [Signature] Print Name Diana M. Allen  
Address: P.O. Box 333 City Montague State MA Zip 01351  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

PDB

<sup>1</sup> According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Governors and Elected Officials of Vermont, New Hampshire, and Massachusetts

**FROM:** The undersigned citizens of Vermont, New Hampshire, and Massachusetts

**WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and**

▪ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, and:

▪ The recent NRC Engineering Team Inspection identified 8 significant problems in only 45 systems examined, representing only about 1% of the plant's critical systems. These results indicate that the other 99% of the plant's systems may contain hundreds of other problems that remain unidentified, and:

▪ a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>1</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut.**

1. Signature: [Signature] Print Name DAVID J STEPHENS II  
Address: 5 River Road City Near Peru State VT Zip 05345  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

2. Signature: [Signature] Print Name PETE MORGAN  
Address: 1123 WINDHAM HILL City W. TOWNSEND State VT Zip 05359  
Email PTMORGAN@SOUFARNET (to receive the bimonthly New England Coalition eBulletin)

3. Signature: [Signature] Print Name PRUDENCE BAKER  
Address: 51 Sunset Drive City WATERBURY Center State VT Zip 05697  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

4. Signature: [Signature] Print Name J D WILLIAMS  
Address: 142 Gate Farm Rd City Plainfield State VT Zip 05667  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

5. Signature: [Signature] Print Name MARY JANE OLSON  
Address: 1 N Franklin St City Maple State VT Zip 05602  
Email Olson@adelphia.net (to receive the bimonthly New England Coalition eBulletin)

PJB

<sup>1</sup> According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Governors and Elected Officials of Vermont, New Hampshire, and Massachusetts

**FROM:** The undersigned citizens of Vermont, New Hampshire, and Massachusetts

**WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and**

▪ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, and:

▪ The recent NRC Engineering Team Inspection identified 8 significant problems in only 45 systems examined, representing only about 1% of the plant's critical systems. These results indicate that the other 99% of the plant's systems may contain hundreds of other problems that remain unidentified, and:

▪ a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>1</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut.**

1. Signature: [Signature] Print Name NAMI REID

Address: PO BOX 196 City CAZAB State VT Zip 05648

Email namimreid@hotmail.com (to receive the bimonthly New England Coalition eBulletin)

2. Signature: [Signature] Print Name Ben Bashore

Address: 531 #10 Pond Rd City E. Calais State VT Zip 05650

Email benbrola@bushings.com (to receive the bimonthly New England Coalition eBulletin)

3. Signature: [Signature] Print Name Wendy E. Curran

Address: 46 Beacon St. City Barre State Vt Zip 05641

Email N/A (to receive the bimonthly New England Coalition eBulletin)

4. Signature: [Signature] Print Name Robert M Fisher

Address: 313 S. Bear Swamp City Montpelier State Vt Zip 05602

Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

5. Signature: [Signature] Print Name MARIE DOUGHERTY

Address: PO Box 453 City Nfld State VT Zip 05665

Email marie@micraheck.com (to receive the bimonthly New England Coalition eBulletin)

PDB

<sup>1</sup> According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Governors and Elected Officials of Vermont, New Hampshire, and Massachusetts

**FROM:** The undersigned citizens of Vermont, New Hampshire, and Massachusetts

**WHEREAS, Louisiana-based Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

▪ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, and:

▪ The recent NRC Engineering Team Inspection identified 8 significant problems in only 45 systems examined, representing only about 1% of the plant's critical systems. These results indicate that the other 99% of the plant's systems may contain hundreds of other problems that remain unidentified, and:

▪ a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>1</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut.**

1. Signature: Earl R. Kohl Print Name EARL R. KOHL  
Address: P.O. Box 1244 City WILMINGTON State VT Zip 05363  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

2. Signature: Stephen W. Bourne Print Name Stephen W. Bourne  
Address: 1 Phineas White Lane City Putney State VT Zip 05346  
Email billydivot@aol.com (to receive the bimonthly New England Coalition eBulletin)

3. Signature: Marina Nelson Print Name Marina Nelson  
Address: P O B 819 City Putney State VT Zip 05346  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

4. Signature: Dan SEWARD Print Name Dan Seward  
Address: 22 Winter Ct City Brattleboro State VT Zip 05301  
Email ABH051@earthlink.net (to receive the bimonthly New England Coalition eBulletin)

5. Signature: Jen Audette Print Name Jen Audette  
Address: 87 Fairground Rd City Springfield State VT Zip 05156  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

PDB

<sup>1</sup> According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Governors and Elected Officials of Vermont, New Hampshire, and Massachusetts

**FROM:** The undersigned citizens of Vermont, New Hampshire, and Massachusetts

**WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and**

▪ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, and:

▪ The recent NRC Engineering Team Inspection identified 8 significant problems in only 45 systems examined, representing only about 1% of the plant's critical systems. These results indicate that the other 99% of the plant's systems may contain hundreds of other problems that remain unidentified, and:

▪ a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>1</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut.**

1. Signature: [Signature] Print Name LAWRENCE J. WELTON  
Address: P.O. BOX 461 City RUTLAND State VT Zip 05702  
Email ziptraflxmongo7@damascusloves.com (to receive the bimonthly New England Coalition eBulletin)

2. Signature: [Signature] Print Name Indra Tracy  
Address: PO BOX 438 City PUTNEY State VT Zip 05346  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

3. Signature: [Signature] Print Name Marilyn Allen  
Address: 7941 JACKSONVILLE Stage Rd City W. Halifax State VT Zip 05358  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

4. Signature: [Signature] Print Name Deborah Kahn  
Address: 21 Liberty #2 City Montpelier State VT Zip 05602  
Email dkahn@uwalumni.com (to receive the bimonthly New England Coalition eBulletin)

5. Signature: [Signature] Print Name BARBARA C. REILLY  
Address: 530 W. County Rd City CAIRO State VT Zip 05648  
Email \_\_\_\_\_ (to receive the bimonthly New England Coalition eBulletin)

PDB

<sup>1</sup> According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

The Honorable James Douglas, Governor of Vermont: Members of the Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Safety: Vermont Public Utilities Commission: The undersigned citizens and friends of Vermont

**VERMONT YANKEE NUCLEAR POWER PLANT**, Louisiana-based **Entergy Corporation** has applied to increase the capacity of the nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original design capacity. This increase will place new stress on Vermont Yankee's aging components increasing the risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is a prudent, protective and necessary step.

**NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Chris Andries Print Name Chris Andries  
Address: PO Box 46 Putney VT 05346
2. Signature: Judith M. Jones Print Name Judith M. Jones  
Address: P.O. Box 122 W. Halyard VT 05358
3. Signature: Thomas D. Howe Print Name THOMAS D. HOWE  
Address: PO 48, Saxtons River, VT 05154
4. Signature: Hildamarie Hendricks Print Name HILDAMARIE HENDRICKS  
Address: PO Box 185, Putney, VT 05346
5. Signature: Marion Cushman Print Name Marion Cushman  
Address: 559 Parker Hill Rd. Springfield VT 05156
6. Signature: Frances Markbury Print Name Frances Markbury  
Address: 233 Lower Dover Rd, Marlboro, VT 05344
7. Signature: Harriette Reeves-Forsythe Print Name Harriette Reeves-Forsythe  
Address: 7 Small Meadows Lane, Putney, VT. 05346
8. Signature: Robert E. Schulz Print Name Robert E. Schulz  
Address: PO Box 124 Keene NH 03431
9. Signature: Susan Slowinski Print Name Susan Slowinski  
Address: 658 Orchard St Brattleboro VT 05301
10. Signature: Benjamin Mercer Print Name Benjamin Mercer  
Address: PO Box 163, Putney, VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature, Vermont Public Service Board, Vermont State Nuclear Advisory Panel, and The Vermont Department of Public Service

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore.

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: M Jane Cooper Print Name M Jane Cooper  
Address: 6 Short Hill Rd Lincoln, MA 01773
2. Signature: E. Crawley Cooper Print Name E. Crawley Cooper  
Address: 6 Short Hill Road, Lincoln, MA 01773
3. Signature: Claire P. Pearmain Print Name CLAIRE P. PEARMAIN  
Address: 217 CONCORD RD, LINCOLN, MA 01773
4. Signature: E. Nickerson Print Name ELIZABETH NICKERSON  
Address: 3 LEXINGTON RD. LINCOLN, MA 01773
5. Signature: Rosella A. Damon Print Name Rosella A. Damon  
Address: 13 Old Concord Rd., Lincoln, MA 01773
6. Signature: Laurie Dewey Print Name Laurie Dewey  
Address: 79 Lincoln Rd. Lincoln, Ma. 01773
7. Signature: Frances S. Moss Print Name FRANCES S. MOSS  
Address: 14 Woodcock Lane, Lincoln MA 01773
8. Signature: Leonard G. Moss Print Name LEONARD G. MOSS  
Address: 14 Woodcock Lane, MA 01773
9. Signature: Margaret Stathos Print Name MARGARET STATHOS  
Address: 69 Todd Pond Rd. Lincoln Ma 01773
10. Signature: Stephanie Stathos Print Name Stephanie Stathos  
Address: 69 Todd Pond Rd. Lincoln MA 01773

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Shoshana Rihn Print Name SHOSHANA RIHN

Address: 16 Blakeslee St. Brattleboro VT 05301

2. Signature: Laraine R Wright Print Name LARAIN R WRIGHT

Address: 18 BLAKESLEE ST BRATTLEBORO VT 05301

3. Signature: Judith Price Print Name JUDITH PRICE

Address: 5 Blakeslee St. Brattleboro, VT. 05301

4. Signature: Pam Goulet Print Name Pam Goulet

Address: 32 White Birch Ave Bratt, VT 05301

5. Signature: Noah Kitt Print Name NOAH KITTY

Address: 32 White Birch Ave, Bratt. VT 05301

6. Signature: Zosia Deneault Print Name ZOSIA DENEALT

Address: 19 Blakeslee BRATTLEBORO VT 05301

7. Signature: Theresa Martell Print Name THERESA MARTELL

Address: 15 PINE ST #1, BRATTLEBORO, VT 05301

8. Signature: Reginald Martell Print Name REGINALD MARTELL

Address: 15 PINE ST. #1, BRATTLEBORO, VT 05301

9. Signature: Byron Stookey Print Name BYRON STOOKEY

Address: 42 North St, Brattleboro VT 05301

10. Signature: Lee Stookey Print Name LEE STOOKEY

Address: 42 North St, Brattleboro VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Linda Hecker Print Name Linda Hecker

Address: 2450 Packer Corners Rd Guilford VT 05301

2. Signature: Robert Hecker Print Name Robert Hecker

Address: 2450 Packer Corners Rd Guilford VT 05301

3. Signature: Peg Alden Print Name Peg Alden

Address: 7 West St, Putney, VT 05346

4. Signature: Elizabeth S. Judson Print Name ELIZABETH S. JUDSON

Address: 9 Southern Ave, Brattleboro VT 05301

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Helen H. Halstead Print Name Helen H. Halstead

Address: Box 52 Peru, VT

2. Signature: Gordon B. Halstead Print Name Gordon B. Halstead

Address: Box 52 Peru, VT

3. Signature: Alice P. Dibble Print Name Alice P. Dibble

Address: Box 124 Peru, VT 05152

4. Signature: Wethy Sini-myrs Print Name Wethy Sini-myrs

Address: PO Box 72 Peru, VT 05152

5. Signature: Peter Bradford Print Name PETER BRADFORD

Address: Peru, VT

6. Signature: Susan Bradford Print Name SUSAN BRADFORD

Address: PO Box 497, Peru, VT 05152

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: William Lax

Print Name: William LAX

Address: 2031 Melendy Hill Drive

City: Guilford State VT Zip 05301

Phone: 802-254-4324 Email: william.lax@vttechpartners.com

Registered to Vote? Yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: 

Print Name: Paul Schmalick

Address: 222 Kipling Rd

City: Brettleboro

State: Vt

Zip: 05301

Phone: 802-254-3488

Email: \_\_\_\_\_

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Joyce A. Sullivan

Print Name: JOYCE A. SULLIVAN

Address: 256 TRAIL RD.

City: PUTNEY State: VERMONT Zip: 05346

Phone: 802 722-4804

Email: \_\_\_\_\_

Registered to Vote? yes - Registered in town of Westminster, VT

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Jane E. Buckingham

Print Name: Jane E. Buckingham

Address: 161 Belmont Ave.

City: Brattleboro State VT Zip 05301

Phone: 802-257-4418 Email: \_\_\_\_\_

Registered to Vote? yes

# Petition<sup>1</sup>

TO: The Honorable Governor of Vermont: Members of the Vermont Legislature; Vermont Public Service Board;

FROM: The Honorable Vermont Department of Public Service:

WHEREAS, the application for a license to operate the reactor's original 1973 license, and

- this increase in the power output of the reactor's original 1973 license, and
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Alice Charles Print Name Alice Charles  
Address: 102 Spruce St. Brattleboro Email
- Signature: Robin E. Wolf Print Name Robin E. Wolf  
Address: 33 West St. Brattleboro Email
- Signature: Ken Brace Print Name Ken BRACE  
Address: P.O. Box 201, Townshend, VT. 05553 Email
- Signature: William B. Corbett Print Name William B. Corbett  
Address: Box 804 Bellows Falls, VT. Email
- Signature: Jay Fee Print Name Jay Fee  
Address: PO Box 6034 Guilford, VT Email Jay\_Fee@yahoo.com
- Signature: Laura Sheffler Print Name Laura Sheffler  
Address: PO Box 81 West Hill, VT Email loraleena@hotmail.com
- Signature: Kenneth J. Van Cott Print Name Kenneth J. Van Cott  
Address: 61 Washington St. Brattleboro Email kvj@adelphia.net
- Signature: Pamela Brocius Print Name Pamela Brocius  
Address: 340 E 93rd NYC 10028 Email pam@citi staffing nyc.com
- Signature: Bruce Marshall Print Name Bruce Marshall  
Address: Box 45 Rochester Vermont Email Brmars@yahoo.com
- Signature: Joseph Motika Print Name JOSEPH MOTIKA  
Address: 83 MAIN ST. BRATTLEBORO VT Email

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: **Independent Safety Assessment of Maine Yankee Atomic Power Company**, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an **Independent Safety Assessment of Vermont Yankee**<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Carrie Sterr Print Name Carrie Sterr  
Address: 231 Birge St #22 Brattleboro VT 05301 email \_\_\_\_\_
2. Signature: Angele Allen Print Name ANGIE ALLEN  
Address: 231 Birge St #22 Brattleboro VT email \_\_\_\_\_
3. Signature: Lou Anne Wilson Print Name Lou Anne Wilson  
Address: P.O. Box 6085 Bratt VT 05302 email \_\_\_\_\_
4. Signature: Allison Gammons Print Name Allison Gammons  
Address: 117 Main Street Bratt VT 05301 email \_\_\_\_\_
5. Signature: Ruth Garbus Print Name Ruth Garbus  
Address: 4 High St Bratt email rgarbus@risd.edu
6. Signature: John Bernstein Print Name JOHN BERNSTEIN  
Address: 555 Potter Hill Rd Guilford VT 05301 email \_\_\_\_\_
7. Signature: Cynthia Stephenson Print Name CYNTHIA STEPHENSON  
Address: P.O. Box 1105 - W. Townshend, VT email \_\_\_\_\_
8. Signature: Ruth Burnham Print Name \_\_\_\_\_  
Address: 234 WEST ST. CUMMINGTON, MA email \_\_\_\_\_
9. Signature: Alla Burnham Print Name Alla Burnham  
Address: 234 WEST ST. CUMMINGTON, MA email \_\_\_\_\_
10. Signature: Robin Johnson Print Name Robin Johnson  
Address: 506 Ash St Brattleboro VT 05301 email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Cate Dodge Print Name Cate Dodge  
Address: PO BOX 56 Falmouth MA 02540 email fox3473@aol
2. Signature: Lucinda H Georgeff Print Name Lucinda H Georgeff  
Address: 60 Nott St Wethersfield CT 06109 email illucia@hotmail.com
3. Signature: DAVID MAJOR Print Name DAVID MAJOR  
Address: 875 PATCH RD POWERS VT email viskpre@southern-net
4. Signature: Richard Levine Print Name Richard Levine  
Address: 5 Art Place Jamaica Plain, MA 02130 email \_\_\_\_\_
- ? 5. Signature: Martha Han Print Name Martha Han  
Address: Saxtons River, VT 05154 email mhan@snet.net
- ? 6. Signature: Jennifer Lee Print Name Jennifer Lee  
Address: (SIT) Brattleboro VT email jlb30@hotmail.com
7. Signature: Richard Wayman Print Name Richard Wayman  
Address: 197 Elliot St. #2 Brattleboro VT 05301 email rickway@ecologyfund.net
- ? 8. Signature: Kersten Mumaw Print Name Kersten Mumaw  
Address: (SIT) P.O. Box 1313 Brattleboro, VT 05302 email KRS10mumaw@yahoo.com
9. Signature: F. J. Levinson Print Name F. J. Levinson  
Address: P.O. Box 50 Marlboro VT 05344 email james.levinson@tufts.edu
- ? 10. Signature: Erika Todewa Print Name Erika Todewa  
Address: (SIT) N. ply rd 676 Brattleboro email elka.todewa@sit.edu

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Only Munz Print Name Only Munz  
Address: 105 Partridge Rd. Dummerston, VT 05546 e-mail:
2. Signature: Ch Print Name Carl M. Sherry  
Address: Brattle, VT e-mail:
3. Signature: Y. Funato Print Name Yoshikazu Funato  
Address: SIT Brattleboro VT e-mail:
4. Signature: Rebecca Justice Print Name Rebecca Justice  
Address: SIT Brattleboro VT e-mail:
5. Signature: Michelle Boshaw Print Name MICHELLE BOSHAU  
Address: SIT Brattleboro VT e-mail:
6. Signature: Lisa Feraghty Print Name Lisa Feraghty  
Address: S.I.T. Brattleboro, VT e-mail:
7. Signature: Sonoyo Ishikawa Print Name Sonoyo Ishikawa  
Address: 207 Elliot St. e-mail:
8. Signature: Kristen Kalbrener Print Name Kristen Kalbrener  
Address: 35 State St. #D Northampton, MA 01060 e-mail:
9. Signature: Ben Levy Print Name Ben Levy  
Address: PO Box 9163, Brattleboro, VT 05301 e-mail: tortuga954@hotmail.com
10. Signature: Christian Avard Print Name Christian Avard  
Address: 68 Spruce St. #1 Brattleboro, VT e-mail: christian-avard@mail.stedn

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Cynthia B. Atwood Print Name Cynthia B. Atwood  
Address: 887 Melendy Hill Rd, Guilford, VT 05301 e-mail: \_\_\_\_\_
- Signature: Joyce St Jean Print Name Joyce St Jean  
Address: Scott Rd. Brattleboro VT 05301 e-mail: \_\_\_\_\_
- Signature: Peg Eves Print Name Peg Eves  
Address: 142 Whitney Hill Brattleboro VT e-mail: \_\_\_\_\_
- Signature: Cynthia Heslen Print Name CYNTHIA HESLEN  
Address: 1126 So Valley Rd Rutney VT 05346 e-mail: \_\_\_\_\_
- Signature: Sherry Brooks Print Name Sherry Brooks  
Address: P.O.B. Bellows Falls VT e-mail: \_\_\_\_\_
- Signature: Alexander B. Potter Print Name Alexander B. Potter  
Address: 29 Retting Place #101 Brattleboro VT 05301 e-mail: \_\_\_\_\_
- Signature: Maria Deluca Print Name Maria Deluca  
Address: 29 High St. Apt 203 Brattleboro VT 05301 e-mail: \_\_\_\_\_
- Signature: Margery S. Scott Print Name Margery S. Scott  
Address: 106 Western Ave, Brattleboro VT 05301 e-mail: \_\_\_\_\_
- Signature: Dawn M. Morse Print Name Dawn M. Morse  
Address: P.O. Box 231 Hinsdale NH 03451 e-mail: \_\_\_\_\_
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ e-mail: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Stephen Hed Print Name Stephen Hed  
Address: 659 Westminster Road Putney VT 05346 e-mail: \_\_\_\_\_
- Signature: Brad Wauson Print Name Brad Wauson  
Address: Box 281 Jamaica VT 05343 e-mail: \_\_\_\_\_
- Signature: John Katzell Print Name 413 586 2223  
Address: 7 Golden Ct Hadley MA 01035 e-mail: ystarmagic@peoplestar.net
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ e-mail: \_\_\_\_\_
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ e-mail: \_\_\_\_\_
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ e-mail: \_\_\_\_\_
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ e-mail: \_\_\_\_\_
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ e-mail: \_\_\_\_\_
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ e-mail: \_\_\_\_\_
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ e-mail: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

✓  
Done?

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Christine M. Montgomery Print Name Christine M. Montgomery  
Address: 58 Foley Rd. Chesterfield NH Email
- Signature: Harlee Leveille Print Name Harlee Leveille  
Address: 58 Foley Rd, Chesterfield, NH Email Harlee-Leveille@aol.com
- Signature: Daniel Muller Print Name Daniel Muller  
Address: 33 Oak St, Brattleboro VT Email
- Signature: Kyra Kenman Print Name Kyra Kenman  
Address: 21 HIGH #409 BRATT, VT 05301 Email
- Signature: Howard Prussack Print Name Howard Prussack  
Address: 74 WESTMINSTER WEST Email
- Signature: Marcia Spencer Print Name MARCIA SPENCER  
Address: 665 Black Mt Rd Bratt. Email
- Signature: Josy Hall Print Name Josy Hall  
Address: 8 Baladear St MA Email Sunny@cocker.com
- Signature: Sarah Easton Print Name Sarah Easton  
Address: 333 Christian Street Wallingford, CT Email sarah-easton@yahoo.com.
- Signature: Jean L Hodgkins Print Name Jean L Hodgkins  
Address: 1410 Dover Green, Dover VT Email jeanl.hodgkins@netscape.net
- Signature: Daniel Russ Print Name Daniel Russ  
Address: 976 Old Westport Rd Winchester NH Email none

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Robin Singer  
Address: 15 Union St. Northampton MA 01060 Email singerrobin@mindspring.
2. Signature: [Signature] Print Name Matt Burke  
Address: 15 Union St. Northampton MA 01060 Email platomicform@hotmail.com
3. Signature: [Signature] Print Name MARK LYDON  
Address: 117 MAIN #3R BRAT, VT Email bermite@yahoo.com
4. Signature: [Signature] Print Name Jeanne Coleman  
Address: 117 Main St #3R, Brattleboro, VT Email jeanne-coleman@hotmail.com
5. Signature: [Signature] Print Name Lisa Kirkland  
Address: Sycamore St Brat Email
6. Signature: [Signature] Print Name Roxanne Morissette  
Address: 812 Western Ave Brattleboro Email
7. Signature: [Signature] Print Name KATHLEEN KENNEDY  
Address: 31 Blakelee St. Bratt Email
8. Signature: [Signature] Print Name Katherine Barratt  
Address: 270 Western Ave. Bratt Email
9. Signature: [Signature] Print Name CLAUDIA A. TEACHMAN-BLOCHER  
Address: 24 POPLAR COMMONS, BRIMMERSTON, VT Email
10. Signature: [Signature] Print Name Dianne Shapiro  
Address: 65 Cedar St Brattleboro VT Email

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Petition<sup>1</sup>**

**TO:** The \_\_\_\_\_ of Vermont: Members of the Vermont Legislature; Vermont Public Service Board; Vermont Department of Public Service:

**FROM:** \_\_\_\_\_ Vermont

**WHEREAS:** \_\_\_\_\_ Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY,** join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>,** similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Linda Schneck  
Address: 1201 Bonnyvale Rd Email Brattleboro, VT 05301
2. Signature: [Signature] Print Name Natalie Boucher  
Address: Keene, N. H. Email \_\_\_\_\_
3. Signature: [Signature] Print Name Kevin Parmy X  
Address: Green River Rd. Guilford Email \_\_\_\_\_
4. Signature: [Signature] Print Name Alexa Berton X  
Address: Brattleboro, VT Email \_\_\_\_\_
5. Signature: [Signature] Print Name ROGER T. SHANAFELT  
Address: 839 ROACH RD. CHESTER, VT. 05143 Email \_\_\_\_\_
6. Signature: [Signature] Print Name Howard Shapiro  
Address: 65 Cedar Brattleboro VT Email see Diane
7. Signature: [Signature] Print Name Ruth D Trzcinski  
Address: 48 Marlboro Rd Brattleboro VT Email \_\_\_\_\_
8. Signature: [Signature] Print Name MARGARET LYONS  
Address: 43 Highway Rd Brattleboro VT 05302 Email \_\_\_\_\_
9. Signature: [Signature] Print Name Eileen Lyons  
Address: 31 Sunrise Lane Dummerston VT Email JFNELYONS@AOL.COM
10. Signature: [Signature] Print Name MICHEL MOYSE  
Address: West Brattleboro, VT Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Jan Ori Print Name JAN ORI  
Address: PO BOX 427 PUTNEY, VT 05346
2. Signature: Susan Wadsworth Print Name Susan Wadsworth  
Address: 3831 Westminster West Rd Putney, VT 05346
3. Signature: Audrey Gilles Print Name AUDREY GILLES  
Address: 53 Elliot St email AUDGILL@aol.com
4. Signature: Robert Schmidt Print Name ROBERT SCHMIDT  
Address: 483 Long Plain Rd Levenett MA 01054
5. Signature: Timothy L. Dalton Print Name TIMOTHY L. DALTON  
Address: P.O. Box 230 JACKSONVILLE VT 05342
6. Signature: Lisa Holderness Print Name Lisa Holderness  
Address: 4057 Hinesburg Rd Ori Ford VT 05301
7. Signature: Anne Woodwell Print Name Anne Woodwell  
Address: 1440 Landgrove Rd.. Landbury, VT. 05148
8. Signature: Gordon Thorne Print Name GORDON THORNE  
Address: 1440 Landgrove Rd, Landbury VT 05148
9. Signature: David Barrford Print Name DAVID BARRFORD  
Address: 381 Westminster Hallows GUILFORD VT.
10. Signature: Edward L. Butler Jr Print Name Edward L. Butler Jr  
Address: 91 Morningside Commons, Brattleboro, Vermont 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Margaret Rathen

Print Name: Margaret Rathen

Address: 178 Upper Dorset Rd.

City: Wilmington State: Vt. Zip: 05363

Phone: 802-464-2274 Email: mrathen@tsgma.net

Registered to Vote? Yes

## A Citizen Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Alison Whipple Print Name Alison Whipple  
Address: 14601 Powerhouse Rd. Potter Valley, CA 95969 email \_\_\_\_\_
2. Signature: Christopher Watson Print Name Christopher Watson  
Address: 128 Greay Street #1, Brattleboro, VT email Cj.watson@rocketmail.com
3. Signature: Frances Lee Hewitt Print Name Frances LEE Hewitt  
Address: 772 Hwy Farm Rd. Putney. email \_\_\_\_\_
4. Signature: Lisa G. Nash Print Name Lisa G. Nash  
Address: P.O. Box 5000s Rte VT email ~~lisa.nash@earthlink.net~~
5. Signature: Kim Murphy Print Name Kim Murphy  
Address: Box 295 Chester, VT 05431 email \_\_\_\_\_
6. Signature: William Sawyer Print Name William Sawyer  
Address: 77 Frost St. #5 Brattleboro VT 05301 email wesawyer9@earthlink
- Dupe 7. Signature: Wendi Zimmerman Print Name Wendi Zimmerman  
Address: PO Box 1422, W Townshend VT 05359 email \_\_\_\_\_
8. Signature: K Print Name K Fitzgerald ?  
Address: 42 Oak Grove Ave Brattleboro 05301 email X
9. Signature: Rachelle Ackerman Print Name Rachelle Ackerman  
Address: 820 Thomas Hill Rd, Brattleboro 05301 email \_\_\_\_\_
10. Signature: Chandra Bossard Print Name Chandra Bossard  
Address: \_\_\_\_\_ email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** James Douglas, Governor of Vermont; Members of the Vermont Legislature;  
Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service  
**FROM:** [redacted] and friends of Vermont

**WE** [redacted] Corporation has applied to super-charge nuclear fuel in the  
Vermont Yankee nuclear power plant to 120% of the reactor's original 1973 license, and  
this [redacted] licensing components increasing risk of accidents and plant shutdowns that  
could [redacted] examination of Vermont Yankee is prudent, protective and conservative;  
therefore,

**WE NOW SAY,** join us in Independent Safety Assessment of Vermont

Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Margaret F. Agnew Print Name Margaret F. Agnew  
Address: 14401 Powerhouse Rd. Potter Valley, CA 95469 email \_\_\_\_\_
2. Signature: Wendi Zimmerman Print Name Wendi Zimmerman  
Address: PO Box 1422 W Townshend VT 05359 email \_\_\_\_\_
3. Signature: Lorraine Kane Print Name Lorraine Kane  
Address: 508 Daisy Rd Putney VT email \_\_\_\_\_
4. Signature: Cynthia Cain Fitzgerald Print Name Cynthia Cain Fitzgerald  
Address: 42 Oak Grove Ave, Brattleboro email \_\_\_\_\_
5. Signature: Andrea J. Matthews Print Name ANDREA J. MATTHEWS  
Address: PO Box 215 Marlboro VT 05344 email \_\_\_\_\_
6. Signature: Hye Inishian Print Name Hye Inishian  
Address: PO Box 423 Brattleboro VT 05302 email \_\_\_\_\_
7. Signature: Eva Fitzgerald Print Name EVA FITZGERALD  
Address: 920 Chamberlain Mill Rd. Hebron NH 03605 email \_\_\_\_\_
8. Signature: Mark Guethrinks Print Name MARK GUETHRINKS  
Address: PO Box 6053 Brattleboro VT 05302 email \_\_\_\_\_
9. Signature: Emily Bullock Print Name Emily Bullock  
Address: PO Box 6071 Brattleboro VT 05302 email \_\_\_\_\_
10. Signature: Harvey Liss Print Name HARVEY LISS  
Address: 65 Loop Rd Newfane VT 05345 email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Rachel Hickory Print Name RACHEL HICKORY  
Address: 2 Stone St. BARK, VT Email \_\_\_\_\_
- Signature: Christine Lypierre Print Name Christine Lypierre  
Address: P.O. Box 7004 Conifer, CO 80814 Email \_\_\_\_\_
- Signature: Frank Woods Print Name FRANK WOODS  
Address: 8 Clarendon Ave, Montpelier Email \_\_\_\_\_
- Signature: Heather Anderson Print Name Heather Anderson  
Address: 19 Winchester St #701, Brookline, MA 02446 Email \_\_\_\_\_
- Signature: Rachael S. Grossman Print Name Rachael S. Grossman  
Address: E. Maple VT 05651 Email \_\_\_\_\_
- Signature: Betty Moskowitz Print Name BETTY MOSKOWITZ  
Address: 972 W. County Rd VT 05745 Email \_\_\_\_\_
- Signature: Joan Heller Print Name JOAN HELLER  
Address: 1972 W. COUNTY RD, CALAIS VT Email \_\_\_\_\_
- Signature: Craig E Long Print Name Craig Long  
Address: 1595 Main St Montpelier VT Email NA
- Signature: Nicole Meacham Print Name Nicole Meacham  
Address: General Delivery, Plainfield VT 05667 Email aloha2nicole@hotmail.com
- Signature: John Bloch Print Name John Bloch  
Address: 6 WINTER ST Mont. Email VT 05602

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: **Independent Safety Assessment of Maine Yankee Atomic Power Company**, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature, Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service.

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: Diane Hood Print Name Diane Hood

Address: State Street, Montpelier Email \_\_\_\_\_

2. Signature: [Signature] Print Name Anthony Pollina ZIP ?

Address: 93 Story Rd. N. Middlesex Email apollina@source.net

3. Signature: [Signature] Print Name Gary Seck

Address: Box 1864 - Brattleboro Email \_\_\_\_\_

4. Signature: [Signature] Print Name Collin Parlman

Address: 18 VT route 30 Samaria VT 05343 Email collinprl@yahoo.com

5. Signature: Virginia Vogel Print Name VIRGINIA Vogel

Address: 137 Hale Road Email \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

▪ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

▪ a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Laura Isabella  
Address: PO Box 233 Brattleboro, VT 05302 Email calabash@sover.net
2. Signature: [Signature] Print Name Collin Leech  
Address: 318 Earthbridge Rd Email cleech@sover.net
3. Signature: [Signature] Print Name ATB TAYLOR  
Address: 123 TAYLOR RD FURNACE Email
4. Signature: [Signature] Print Name Patricia A. Gillman  
Address: Old Rte 8 East Jamaica Email
5. Signature: [Signature] Print Name Paul Stagnell  
Address: 783 Broth Rd Templeton MA Email
6. Signature: [Signature] Print Name Margaret Cassidy  
Address: 349 Bellows Falls, Vt Email
7. Signature: [Signature] Print Name ESTHER FIELDING  
Address: 1913 Butterfield Rd - Brattleboro VT Email
8. Signature: [Signature] Print Name Kyle Trackson  
Address: 58 Oak St. Brattleboro Email
9. Signature: [Signature] Print Name LOIS RUTTENBERG  
Address: 3137 BONDVALE RD, GUILFORD Email
10. Signature: [Signature] Print Name JOHN DWYER  
Address: PO BOX 1503 Brattleboro Email

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name James Boorstein

Address: 32 Spruce St Burlington VT

2. Signature: [Signature] Print Name MELISSA CHANSEY

Address: 32 SPRUCE ST. BURLINGTON, VT

3. Signature: [Signature] Print Name MARTHA WHITNEY

Address: 32 Spruce St Burlington VT

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Judy Oliver Print Name Judy Oliver

Address: PO Box 395 Putney VT 05346 e-mail: \_\_\_\_\_

2. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ e-mail: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ e-mail: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ e-mail: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ e-mail: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ e-mail: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ e-mail: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ e-mail: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ e-mail: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ e-mail: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Charles J. Bennett Print Name CHARLES J. BENNETT

Address: 70 BOX 30 PLAINFIELD VT 05667 Email \_\_\_\_\_

2. Signature: Sharon Plumb Print Name Sharon Plumb

Address: 191 Main School Rd Vershire VT Email \_\_\_\_\_

X 3. Signature: Herb Propper Print Name HERB PROPPER

Address: Montpelier VT 05602 Email \_\_\_\_\_

4. Signature: Anthony Buccell Print Name ANTHONY BUCELL

Address: 242 WOODMAN RD WORCESTER Email \_\_\_\_\_

X 5. Signature: Anne Bergeron Print Name Anne Bergeron

Address: Chelsea, Vermont 05038 Email \_\_\_\_\_

X 6. Signature: Marie Clark Print Name Marie Clark

Address: Windsor, VT Email Sneezy69@aol

7. Signature: Brad Robertson Print Name BRAD ROBERTSON

Address: 1626 LARDE RD MORRISVILLE VT Email \_\_\_\_\_

8. Signature: Katie Black Print Name Katie Black

Address: Erving MA Email \_\_\_\_\_

9. Signature: Lea Shebitt Print Name Lea Shebitt

Address: P.O. Box 294 Chelsea VT 05038 Email \_\_\_\_\_

10. Signature: Nicole Rupert Print Name Nicole Rupert

Address: 58 Prospect Ave Newport VT Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: **Independent Safety Assessment of Maine Yankee Atomic Power Company**, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Michelle Harris Print Name Michelle Harris  
Address: Johnson State College Email jharris@jshc.edu  
Box A240, 237 College Hill Rd, Johnson VT 05658
2. Signature: Helen L. Johnke Print Name Helen L. Johnke  
Address: 1763 Bliss Rd Email phjohnke@juno.com  
Marshfield, VT 05658-8229
3. Signature: Lawrence Mike Print Name LAWRENCE MIKE  
Address: 26 LIBERTY ST. MONTPELIER VT 05602 Email lsmike@montpelier.org
4. Signature: Ellen R. Bloem Print Name Ellen R. Bloem  
Address: 18 First Ave. Montpelier, VT 05602 Email
5. Signature: Lorite Adkins Print Name Lorite Adkins  
Address: 1109 Maple Hill Rd, P181 VT 05667 Email
6. Signature: Elizabeth E. Warren Print Name Elizabeth E. Warren  
Address: 52 Farncrest Lexington MA Email
7. Signature: Susan Warren Print Name Susan Warren  
Address: 16 McCullough Middlesex VT Email
8. Signature: Charles Weske Print Name CHARLES WESKE  
Address: Box 74, HYDE PARK VT Email
9. Signature: Pamela Crafts Print Name Pamela Crafts  
Address: PO Box 304 Warren VT 05674 Email
10. Signature: Cheryl Lee Print Name Cheryl Lee  
Address: East St. Brookfield VT Email

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: **Independent Safety Assessment of Maine Yankee Atomic Power Company**, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Priscilla K. Minkin Print Name Priscilla K. Minkin  
Address: 122 Inverstock Ave Montpelier Email p.minkin@verizon.net
- Signature: Peter Timpone Print Name Peter Timpone  
Address: 23 Hill St. Montpelier Email phimpone@hotmail.com
- Signature: Angela M. Timpone Print Name Angela M. Timpone  
Address: 23 Hill St. Montpelier, VT Email atimpone@adelphia.net
- Signature: Patty Morse Print Name Patty Morse  
Address: P.O. Box 27, Calais VT Email \_\_\_\_\_
- Signature: Ronald J. Clarke Print Name RONALD J. CLARKE  
Address: P.O. 103 BAKERSFIELD, VT Email 22
- Signature: Karen Vercesi Print Name KAREN VERCESSI  
Address: P.O. Box 103 BAKERSFIELD, VT Email KVERCESSI@PSHIFT.COM
- Signature: Nancy W. Walker Print Name Nancy W. Walker  
Address: 74 Terrace St Montpelier Email \_\_\_\_\_
- Signature: Thomas M. Walker Print Name THOMAS M. WALKER  
Address: 6 Menden Ave, CHESTER, NY, 10918 Email THOMAS@FRONTIER.NET
- Signature: Jerry R Russell Print Name Jerry R Russell  
Address: 311 Elm Rd Marshfield VT 05658 Email \_\_\_\_\_
- Signature: Marion M. Minewski Print Name MARION M. MINESKI  
Address: 337 Goodnow RD Berlin, VT 05602 Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Barbara Baanish Print Name BARBARA BAANISH

Address: 160 Belmont Ave Brattleboro VT Email \_\_\_\_\_

2. Signature: Leah Stuart Print Name Leah Stuart

Address: 929 Westmore #201 Brattleboro VT Email \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Martin Fitch Print Name Martin Fitch  
Address: 371 Elm, Montpelier VT Email \_\_\_\_\_
- Signature: Barbara Asen Print Name Barbara Asen  
Address: 40 Wheelock St Mpls, VT 05602 Email \_\_\_\_\_
- Signature: Steven Gordon King Print Name Steven Gordon King  
Address: General - Craftsbury Common Vermont 05527 Email \_\_\_\_\_
- Signature: Wendy Blakeman Print Name Wendy Blakeman  
Address: 81 E. State St., Montpelier Email \_\_\_\_\_
- Signature: Meg Miklovich Print Name Meg Miklovich  
Address: 284 Spring Hollow Montpelier, VT Email \_\_\_\_\_
- Signature: Marcy Cook Print Name Marcy Cook  
Address: Montpelier, VT Email \_\_\_\_\_
- Signature: Mary Jane Olson Print Name Mary Jane Olson  
Address: 1 N. Franklin St Mpls VT Email ohlson@adelphia.net
- Signature: Debra U. Burke Print Name Debra U. Burke  
Address: 2930 Sugar Brook Rd Calais VT 05648 Email \_\_\_\_\_
- Signature: Brennan R. Dean Print Name Brennan R. Dean  
Address: 154 Bosse St. Apt. #1 Montpelier VT Email brennan.d@uno.com
- Signature: Pamela Quinn Print Name Pamela Quinn  
Address: PO Box 416 Montpelier, VT Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

Sorry diskette

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>

, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Carolyn Dewey Print Name CAROLYN DEWEY  
Address: POB 219 Norwich VT 05055 email spiritworks@Valley.net
2. Signature: Mary H. Cochran Print Name MARY H COCHRAN  
Address: PO Box 90, Quechee, VT 05059 email \_\_\_\_\_
3. Signature: Barbara J. Duncan Print Name Barbara Duncan  
Address: POB 234 Norwich VT 05055 email \_\_\_\_\_
4. Signature: Robert Walker Print Name Robert Walker  
Address: 422 Union Rd, Tufford Center, VT 05085 email SRG@valley.net
5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

- Signature: Dabney alix Print Name Dabney Alix  
Address: P.O. Box 111 Williamsville, VT e-mail: dabneyalix@hotmail.com
- Signature: Mary Louise Nelson Print Name Mary Louise Nelson  
Address: 123 Hague Rd, Dummerston, VT 05301 e-mail: \_\_\_\_\_
- Signature: Carole Crompton Print Name Carole Crompton  
Address: 140 Washington St. Brattleboro VT e-mail: \_\_\_\_\_
- Signature: Michael Wertzner Print Name MICHAEL WERTZNER  
Address: 340 Goodenough Rd, Brattleboro e-mail: \_\_\_\_\_
- Signature: Amey L. Orlin Print Name: Amey L. Orlin  
Address: Brattleboro e-mail: \_\_\_\_\_
- Signature: Erik Schickedanz Print Name Erik Schickedanz  
Address: 270 Bell Lock Rd. Guilford VT 05301 e-mail: \_\_\_\_\_
- Signature: Wesley Singleton Print Name WESLEY SINGLETON  
Address: 42 Newfane Hill Rd Newfane, VT 05345 e-mail: \_\_\_\_\_
- Signature: William B. Corbett Print Name William B. CORBETT  
Address: Box 804 Bellows Falls VT. 05101 e-mail: \_\_\_\_\_
- Signature: Janet Buchanan Print Name Janet Buchanan  
Address: 131 Glen St. Apt. 3 Brattleboro, VT e-mail: \_\_\_\_\_
- Signature: Ivana Savel Print Name Ivana Savel  
Address: 238 Cross Rd Putney VT 05346 e-mail: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Carole Crompton  
Address: 40 Washington St. Brattleboro, VT e-mail: \_\_\_\_\_
2. Signature: [Signature] Print Name LINDA PUZAN  
Address: 99 Covey Rd Brattleboro, VT e-mail: \_\_\_\_\_
3. Signature: [Signature] Print Name Mary Alice Herbert  
Address: 71 Westminster Rd Putney, VT 05346 e-mail: \_\_\_\_\_
4. Signature: [Signature] Print Name Doris Lake  
Address: 787 Western Ave. Brattleboro VT 05301 e-mail: \_\_\_\_\_
5. Signature: [Signature] Print Name JULIET CUMING  
Address: 98 Falk Rd. E. Dummerston VT 05346 e-mail: \_\_\_\_\_
6. Signature: [Signature] Print Name Judy Greenberg  
Address: 1354 Weatherhead Hollow Guilford VT 05301 e-mail: \_\_\_\_\_
7. Signature: [Signature] Print Name Lester Turpin  
Address: 23 Buttercup La Putney, VT e-mail: \_\_\_\_\_
8. Signature: [Signature] Print Name Bill Koch  
Address: 649 Melendy Hill Rd Guilford VT 05301 e-mail: \_\_\_\_\_
9. Signature: [Signature] Print Name LAURA PRATT  
Address: 639 Upper Dummerston Rd Brattleboro VT 05301 e-mail: \_\_\_\_\_
10. Signature: [Signature] Print Name Barbara A River  
Address: 6 Lexington Ave Brattleboro VT 05301 e-mail: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

✓

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Mary H. McCarthy Print Name MARY MCCARTHY  
Address: 65 Frost Place Brattleboro, VT 05301 e-mail: newmay@together.net
2. Signature: Timothy Hayes Print Name Timothy Hayes  
Address: 51 Lost Mine Rd Brattleboro e-mail: \_\_\_\_\_
3. Signature: Beverly Lavoie Print Name BEVERLY LAVOIE  
Address: PARK HUGHTON RD, EDMUNDESTON, VT e-mail: \_\_\_\_\_
4. Signature: Pieter H. van Loon Print Name Pieter H. van Loon  
Address: PO Box 326 Marlboro, VT 05344 e-mail: \_\_\_\_\_
5. Signature: Kevin Natapow Print Name Kevin Natapow  
Address: 145 High st #202 Brattleboro VT e-mail: \_\_\_\_\_
6. Signature: Carolinn Hammarlund Print Name Carolinn Hammarlund  
Address: 25 Chestnut Hill Brattleboro VT e-mail: \_\_\_\_\_
7. Signature: Luz Elena Morey Print Name Luz Elena Morey  
Address: 972 western Ave B. VT 05301 e-mail: \_\_\_\_\_
8. Signature: David Shaw Print Name DAVID SHAW  
Address: 98 Falk Rd E. Dummerston VT 05346 e-mail: EAethswt@sover.net
9. Signature: Barbara J. Smith Print Name Barbara X  
Address: PO Box 891 Wilmar, VT 05363 e-mail: \_\_\_\_\_
10. Signature: David Spikel Print Name DAVID SPIKEL  
Address: 253 NEWFAIR HILL RD e-mail: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Mary Lou S. Treat Print Name MARY LOU S. TREAT  
Address: 114 Signal Lane Rd; Putney, VT 05346 email \_\_\_\_\_
2. Signature: Cynthia B. Atwood Print Name CYNTHIA B. ATWOOD  
Address: 887 Melendy Hill Rd - Guilford 05301 email \_\_\_\_\_
3. Signature: Calie Bailey Print Name Calie Bailey  
Address: 11 Baker St. Brattleboro VT 05301 email \_\_\_\_\_
4. Signature: S. Fava Print Name S. FAVA  
Address: 1455 Branchhill Rd. Readsboro VT. email \_\_\_\_\_
5. Signature: Alison Maerte Print Name ALISON MAERTE  
Address: 933 Weatherhead Hollow Rd, Guilford, VT email \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Brendan McLane Print Name Brendan McLane  
Address: PO Box 416 Montpelier VT 05601 Email -
- Signature: JAMES LIBBY Print Name JAMES LIBBY  
Address: 56 LIBERTY ST 05602 Email -
- Signature: M. Monagas Print Name M. Monagas  
Address: 359 Cranberry Meadow 05650 Email -
- Signature: S. Nist Print Name S.C. Nist  
Address: 50 Barnes Rd. Montpelier, VT 05602 Email -
- Signature: Jennifer Morier Print Name Jennifer Morier  
Address: 925 Western Ave #101 Email -
- Signature: Mary E McCarley Print Name Mary E McCarley  
Address: P.O. Box 211 Wilmington, VT Email -
- Signature: DAVID UNDERWOOD Print Name DAVID UNDERWOOD  
Address: 33 West St Brattleboro Email -
- Signature: Elizabeth McHale Print Name Elizabeth McHale  
Address: 1111 Bailey Hill Rd Keeneland VT 05350 midgard@sover.net
- Signature: MICHAEL FULLER Print Name MICHAEL FULLER  
Address: POB 213 05302 Email -
- Signature: JADE HARMON Print Name JADE HARMON  
Address: 4881 Guilford VT 0581 SweetPam Email -

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Governors and Elected Officials of Vermont, New Hampshire, and Massachusetts

**FROM:** The undersigned citizens of Vermont, New Hampshire, and Massachusetts

**WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and**

▪ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, and:

▪ The recent NRC Engineering Team Inspection identified 8 significant problems in only 45 systems examined, representing only about 1% of the plant's critical systems. These results indicate that the other 99% of the plant's systems may contain hundreds of other problems that remain unidentified, and:

▪ a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>1</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut.**

1. Signature: [Signature] Print Name JOHN SQUIRE  
Address: 43 STATE ST. City MONTPELIER State VT Zip 05602  
Email john.squire@aol (to receive the bimonthly New England Coalition eBulletin)

2. Signature: [Signature] Print Name Paul Pellegrino  
Address: 20 Forest St City Randolph State VT Zip 05669  
Email None (to receive the bimonthly New England Coalition eBulletin)

3. Signature: [Signature] Print Name Katherine Clemente  
Address: 68 College St City Montpelier State VT Zip 05602  
Email Kaclemente@Vassar.edu (to receive the bimonthly New England Coalition eBulletin)

4. Signature: [Signature] Print Name LISA BRADLEY  
Address: PO BOX 62 City Calais State VT Zip 05648  
Email lisadb@sover.net (to receive the bimonthly New England Coalition eBulletin)

5. Signature: [Signature] Print Name ALYSSA SMITH  
Address: PO BOX 184 City WINDHAM State VT Zip 05667  
Email freeakys@hotmail.com (to receive the bimonthly New England Coalition eBulletin)

3-013

<sup>1</sup> According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Pat Adler Print Name PAT ADLER  
Address: 773 SOUTH ST. BRATTLEBORO, VT Email patadler@adelphia.net
- Signature: Ralph Silva Print Name RALPH SILVA  
Address: 1115 BANKS RD. PUTNEY Email RALPH J SILVA @ YAHOO.COM
- Signature: Malach A. Miller Print Name Malach A. Miller  
Address: 193 Miller Rd E Dummerston VT Email \_\_\_\_\_
- Signature: Jessica Potomsky Print Name Jessica Potomsky  
Address: 126 Forest St Brattleboro VT Email \_\_\_\_\_
- Signature: William Farace Print Name William FARACE  
Address: 308 Angells Rd Windham VT Email \_\_\_\_\_
- Signature: RICHA MELITO Print Name RICHA MELITO  
Address: 77 MTN HOME PARK, BRATT Email \_\_\_\_\_
- Signature: Nora Blackbird Print Name Nora Blackbird  
Address: 388 Route 30 05753 VT Email Dogd1cVT@yahoo.com
- Signature: Tan Shomo Print Name TAN SHOMO  
Address: 93 Main St #4 Brattleboro, VT Email \_\_\_\_\_
- Signature: Louise Brill Print Name LOUISE BRILL  
Address: 2389 Whitehill Rd, E. Ryegate VT 05042 Email \_\_\_\_\_
- Signature: Ingrid Sandberg Print Name Ingrid Sandberg  
Address: \_\_\_\_\_ Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Francis Hyde Print Name: FRANCIS HYDE  
Address: Box 53 South Londonderry VT 05153
2. Signature: Reggie Moores Print Name: Reggie Moores  
Address: P.O. 174 Jamaica, VT 05343
3. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
4. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
5. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Safety

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to increase the operating hours of the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 design, which would result in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 design, which would result in the Vermont

- this increase will place new stress on Vermont Yankee's aging components increasing risk of nuclear plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative measure, therefore.

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name: Adreana E PORTEUR

Address: PO BOX 188 JAMAICA, VT 05343

2. Signature: [Signature] Print Name: Jenny Stricker

Address: PO Box 174 Jamaica VT 05343

3. Signature: [Signature] Print Name: Robert S. SAGER

Address: PO Box 371 Bondville, VT 05340 (Jamaica Resident)

4. Signature: Danielle dePreux Print Name: Danielle dePreux

Address: P.O. Box 234 JAMAICA, VT 05343

5. Signature: Kim Rak Print Name: K. Rak

Address: Box 263 Jamaica, VT 05343

6. Signature: [Signature] Print Name: Kristen N. Wilson

Address: PO Box 157 JAMAICA, VT 05343

7. Signature: [Signature] Print Name: Josh Chambers

Address: P.O. Box 655 Sutton River VT 05154

8. Signature: [Signature] Print Name: TROY KAVESHIRO

Address: 289 WATER ST. JAMAICA, VT 05343

9. Signature: [Signature] Print Name: ATHENA HOLDEN

Address: PO BOX 171 WARDSBORO, VT 05355

10. Signature: [Signature] Print Name: Julia Genatossio

Address: Jen Det Jamaica VT 05343

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Danielle Gilbert  
Address: Putney, VT.
2. Signature: [Signature] Print Name Diana Venman  
Address: 23 Mechanic St St Albans, MA 0370
3. Signature: [Signature] Print Name Justin Hatch  
Address: 23 Mechanic St St Albans Falls MA 01370
4. Signature: [Signature] Print Name Kate White  
Address: PO Box 82 Putney VT 05346
5. Signature: [Signature] Print Name \_\_\_\_\_  
Address: Putney VT 05346
6. Signature: [Signature] Print Name Lesley Weinberg  
Address: 302 Morris Ave Mt Lake NJ 07046
7. Signature: [Signature] Print Name HARVEY WEINBERG  
Address: 302 Morris Ave Mt Lake NJ 07046
8. Signature: [Signature] Print Name Brenda Siegel  
Address: 11 Crosby St. Brattleboro, VT. 05301
9. Signature: [Signature] Print Name Judy Kinoy  
Address: 61 Upper Forrest St. Brattleboro VT. 05301
10. Signature: [Signature] Print Name Cara West  
Address: 227 So. Main St. Brattleboro, VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Adrienne Satim Major  
Address: 207 Leffers Rd Putney VT 05346
2. Signature: [Signature] Print Name Martina Dancing  
Address: 72 Poplar Forest St. Brattleboro, VT 05301
3. Signature: [Signature] Print Name Carol A. Ortlip  
Address: 2727 West Road, Putney VT 05346
4. Signature: [Signature] Print Name Virginia Voronin  
Address: 304 parker Hill Rd Bellows Falls, VT 05101
5. Signature: [Signature] Print Name Jill Keil  
Address: 4109 West West Rd Putney VT 05346
6. Signature: [Signature] Print Name Barbara J Rogers  
Address: 5 Crotty Drive Rockingham
7. Signature: [Signature] Print Name Lynn Ruiss  
Address: 4348 W.W. Rd Westminster VT
8. Signature: [Signature] Print Name Gynthia Major  
Address: 875 Patch Rd Westminster (West), VT 05346
9. Signature: [Signature] Print Name Eshagh Shaou  
Address: 1799 Westminster West Vt.
10. Signature: [Signature] Print Name Leslie Tupin  
Address: 28 Buttercup La Putney (Westminster West) 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Toby Young Print Name TOBY YOUNG  
Address: 905 Kelly Athens Rd. Putney 05346
2. Signature: Margaret O'Dole Print Name MARGARET O'DOLE  
Address: 3402 Westminster West Rd Putney VT 05346
3. Signature: Evelyn Lovell Print Name Evelyn Lovell  
Address: 341 Wenden Hill Rd North Rye, VT 05346
4. Signature: Abby Jacobson Print Name Abby Jacobson, Putney, VT 05346  
Address: 51 Holder Rd.
5. Signature: Gib Taylor Print Name GIB TAYLOR  
Address: 123 TAYLOR RD PUTNEY, VT 05346
6. Signature: Sara Kazem Print Name SARA KAZEM  
Address: PO box 78 Putney VT 05346
7. Signature: Jeffrey Burt Print Name JEFFREY BURT  
Address: PO BOX 78 PUTNEY VT 05346
8. Signature: Jesse Olson Print Name Jesse Olson  
Address: Hickory Ridge Rd. Putney Vermont 05346
9. Signature: Doug Avery Print Name Doug Avery  
Address: 169 Old Church Putney VT 05346
10. Signature: Rebecca Davis Print Name Rebecca Davis  
Address: P.O. BOX 756 Putney 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Dave Girard Print Name Dave Girard  
Address: 102 Pinecliff Rd Alstead, NH 03602
2. Signature: Frank Tully Print Name Frank Tully  
Address: 81 N. Lincoln St., Keene, NH, 03431
3. Signature: Lucy Tell Print Name Lucy Tell  
Address: P.O. Box 232 Marlboro, VT 05344
4. Signature: Matthew Tell Print Name Matthew Tell  
Address: P.O. Box 232 Marlboro, VT 05344
5. Signature: Ember Tilton Print Name Ember Tilton  
Address: 450 South Main St. Brattleboro VT
6. Signature: Jody Hauser Print Name Jody Hauser  
Address: 45 Old County Rd Guilford, VT 05301
7. Signature: Ern Engelhard Print Name Ern Engelhard  
Address: Rte 30 Townsend VT 05353
8. Signature: K. Reynolds Print Name K. Reynolds  
Address: \_\_\_\_\_
9. Signature: Jennifer Claster Print Name Jennifer Claster  
Address: P.O. Box 122 Marlboro, VT 05344
10. Signature: Jason MacArthur Print Name Jason MacArthur  
Address: P.O. Box 122 Marlboro, VT 05344  
RR 4227 Tucson Ren MacArthur

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Aurora Hart Corsano Print Name Aurora Hart Corsano  
Address: 40 Elliot Street Brattleboro, VT 05301
2. Signature: Ana Burden Print Name Ana Burden  
Address: P.O. Box 13 Westminster Station, VT 05159
3. Signature: Robert C Sanderson Print Name Robert C Sanderson  
Address: 59 High St. Brattleboro
4. Signature: Nancy Coan Print Name Nancy Coan  
Address: 2596 Weatherhead Hollow Rd Guilford, VT
5. Signature: Roman Nemet Print Name Roman Nemet  
Address: 2546 Weatherhead Hollow Rd, Guilford VT
6. Signature: Robert Coan Print Name Robert Coan  
Address: 616 Old Stonebrook, Acton, MA 01718
7. Signature: Grace M. Fracasso Print Name Grace M. Fracasso  
Address: 616 Old Stonebrook, Acton, MA 01718
8. Signature: Karl Wilson Print Name Karl Wilson  
Address: 135 Temple Rd. Wilton NH 03086
9. Signature: Timothy J. Walsh Print Name Timothy J. Walsh  
Address: 144 Rowntree Woods Dr. Norwalk, CT 06854
10. Signature: Kimberly J. Allen Print Name Kimberly J. Allen  
Address: 144 Rowntree Woods Dr. Norwalk, CT 06854

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Alex. C. Freeman Print Name ALEXANDER C. FREEMAN  
Address: 225 MAIN ST. OFF. 2A BRATTLEBORO, VT 05301
2. Signature: Brin Burton Print Name Brin Burton  
Address: 184 West St. Dummerston VT 05307
3. Signature: Carrie J. Burton Print Name Carrie J. Burton  
Address: 184 West St. Dummerston VT 05307
4. Signature: Dean Matveeva Print Name DEAN MATVEEVA  
Address: 74 CHAPIN, BRATTLEBORO VT 05301
5. Signature: Chris Hopkins Print Name Chris Hopkins  
Address: 33 Cedar St. Brattleboro VT 05301
6. Signature: Tammy Severance Print Name Tammy Severance  
Address: Putney VT 05346
7. Signature: Samuel Griffin Print Name Samuel Griffin  
Address: P.O. Box 200 Putney VT 05346
8. Signature: Katharine S. Dodge Print Name Katharine S. Dodge  
Address: 71 Holland Hill Putney VT 05346
9. Signature: Sandra Klein Print Name Sandra Klein  
Address: 359 Bunker Rd. E. Dummerston VT 05346
10. Signature: Josi Antkowiak Print Name Josi Antkowiak  
Address: Putney VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Tara E Sullivan Print Name Tara Sullivan

Address: P.O. Box 201 Brattleboro, VT 05302

2. Signature: Amelia Farnum Print Name Amelia Farnum

Address: E. Dummerston VT

3. Signature: Abigail Mnooken Print Name Abigail Mnooken

Address: The Putney School Putney VT 05346

4. Signature: Natalie Harding Print Name Natalie Harding

Address: 18 Vine Brattleboro VT 05301

5. Signature: Joe Crampton Print Name Joe Crampton

Address: 149 Washington St Brattleboro, VT 05301

6. Signature: Rodriguez Nava Print Name Rodriguez Nava

Address: Elm Lea Putney VT 05346

7. Signature: Lisa Newell Print Name Lisa Newell

Address: 24 James Rd. Putney, VT 05346

8. Signature: Cristin Nicole Print Name Cristin Nicole

Address: 68 Main Brattleboro 05301

9. Signature: Katherine E. Allen Print Name Katherine Allen

Address: 117 Main St #5 Brattleboro 05301

10. Signature: Stacy H. Switzer Print Name Stacy H. Switzer

Address: 24 James Rd. Putney, VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: [Signature] Print Name RAY Kelleth  
Address: P.O. Box 134 Putney, VT 05346
- Signature: [Signature] Print Name Jon Howere  
Address: 42 Kamban Hill Putney, VT 05346
- Signature: [Signature] Print Name Corey Stark  
Address: POB 446 Newfane VT 05345
- Signature: [Signature] Print Name Monica Capetto Stone  
Address: 846 Plain Rd, Hinsdale, N.H.
- Signature: [Signature] Print Name Cameron Stone  
Address: Same as above
- Signature: [Signature] Print Name Sandra Stark  
Address: P.O. Box 446, Newfane, VT 05345
- Signature: [Signature] Print Name JUSTIN NEWTON  
Address: 80 GROVE ST. BRATT VT. 05301
- Signature: [Signature] Print Name Suzanne CARANO  
Address: 1825 Butterfield Rd Brattleboro VT. 05301
- Signature: [Signature] Print Name Dante Carano  
Address: 1825 Butterfield Rd Brattleboro VT. 05301
- Signature: [Signature] Print Name WENDY MASON-Sherwood  
Address: P.O. Box 462, NEWFANE, VT 05345

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Giselle Patch Print Name Giselle Patch  
Address: 435 Western Ave, Brattleboro VT 05301
2. Signature: Daniel A Kenniston Print Name Daniel A Kenniston  
Address: P.O. 2139, Brattleboro 05301
3. Signature: Lanse Felker Print Name Lanse Felker  
Address: Williamsville, VT, 05362
4. Signature: Joseph H Chagnon Print Name Joseph H Chagnon  
Address: 38 Grove St. Brattleboro, VT 05301
5. Signature: James Motley Print Name James Motley  
Address: 226 Putney Rd Brattleboro VT 05301
6. Signature: Meredith Motley Print Name Meredith Motley  
Address: 226 Putney Rd Brattleboro VT 05301
7. Signature: Patricia F. Gordon Print Name Patricia F. Gordon  
Address: 114 Morningside, Brattleboro 05301
8. Signature: Willow Gordon Print Name Willow Gordon  
Address: 131 Main St #306 Burlington 05401
9. Signature: William Markov Print Name William Markov  
Address: 35 Miller Lane Williamsville VT 05362
10. Signature: Thomas Batchelor Print Name Thomas Batchelor  
Address: 1136 Western Ave Brattleboro VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Nathan Daker Print Name Nathan Daker  
Address: 60 Pratt Rd Putney VT
2. Signature: Linda Denny Print Name Linda Denny  
Address: Putney VT
3. Signature: R. Lynn Print Name ROGER HAYDOCK  
Address: Box 1052 BRATTLEBORO, VT. 05302
4. Signature: Mary Ann Haagen Print Name MARY ANN HAAGEN  
Address: 15 Bay Drive, Enfield, NH
5. Signature: Jessica Wilde Print Name JESSICA WILDE  
Address: 1 Seark Ave Easthampton, MA
6. Signature: Cynthia Hughes Print Name Cynthia Hughes  
Address: 145 Holland Hill Putney VT
7. Signature: Ellen Levesque Print Name ELLEN Levesque  
Address: P.O. Box 412 Putney, VT 05346
8. Signature: David Blisstein Print Name DAVID BLISTEIN  
Address: 305 Miller Road E. Dummerston, VT 05346
9. Signature: Thaddeus Tarsish Print Name Thaddeus Tarsish  
Address: Kembell Hill Rd Putney
10. Signature: Victor Olson Print Name VICTOR OLSON  
Address: 45 Pratt Rd. Putney

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: [Signature] Print Name Heather Chaffee  
Address: Box 414, Putney VT
- Signature: [Signature] Print Name Chris Karp  
Address: Box 414, Putney VT
- Signature: [Signature] Print Name P. REICHER  
Address: Box 372, HANCOCK, NH 03449
- Signature: [Signature] Print Name JOHN CALDWELL  
Address: 30 Leanwood Rd. Putney, VT 05346
- Signature: [Signature] Print Name TRAVIS S. SLADE  
Address: \_\_\_\_\_
- Signature: [Signature] Print Name DR. BEN DOWN  
Address: \_\_\_\_\_
- Signature: [Signature] Print Name LEE HENIGAN ALDEN  
Address: PO Box 68, PUTNEY, VT 05346
- Signature: [Signature] Print Name MATT DARROW  
Address: PO Box 225 Putney, VT
- Signature: [Signature] Print Name Benjamin Madow  
Address: 40 INDUSTRIAL DR BELLEVILLE VT 05101
- Signature: [Signature] Print Name Martha Evans  
Address: 26 Heller Rd Putney

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments; corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Daniel Herlocker Print Name Daniel Herlocker  
Address: 116 Estey St. #3 Brattleboro, VT. 05301
2. Signature: Ann Kellan Print Name Ann Kellan Putney 05346  
Address: \_\_\_\_\_
3. Signature: Dan LaBare Print Name Dan LaBare  
Address: Windsor Hill Rd Putney VT 05346
4. Signature: Maria T. Moulton Print Name Maria Moulton  
Address: 133 Reed Street MA MA 01247
5. Signature: Michael Felix Print Name Michael Felix  
Address: 133 Reed Street MA, MA 01247
6. Signature: Veronica Sampson Print Name Veronica Sampson  
Address: 6222 Westminster West Rd Putney
7. Signature: Gerald E. Levy Print Name GERALD E LEVY  
Address: 89 Clark St Brattleboro VT 05301
8. Signature: Mary McCarthy Print Name Mary McCarthy  
Address: 65 Frost Place, Brattleboro, VT 05301
9. Signature: Raymond Branagan Print Name Raymond Branagan  
Address: 92 Canal St Brattleboro V.T. 05301
10. Signature: Gordon Chamberlain Print Name Gordon Chamberlain  
Address: 222 Cemetery Rd Dummerston, VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Lynne West Dimick Print Name Lynne West Dimick  
Address: 225 Creamery Road, Guilford, Vermont 05701
2. Signature: Rob Print Name Robi Scudder  
Address: 29 Moreland Ave Brattleboro VT 05301
3. Signature: H. Scudder Print Name Hervey Scudder  
Address: 29 Moreland Ave. Brattleboro
4. Signature: Robert B. Palmisano Print Name Robert B. Palmisano  
Address: 27 Weir St Brattleboro Ct. 06405
5. Signature: James Sampson Print Name \_\_\_\_\_  
Address: W. Dore, VT, 05356
6. Signature: Tina John Print Name Tina John  
Address: 65 Morningstar Brattleboro, VT
7. Signature: Julie Morgan Print Name Julie Morgan  
Address: 35 Nether Rd Bratt. VT 05301
8. Signature: Mary Ann Theberge Print Name MARY Ann Theberge  
Address: 160 Country Hill Rd, Brattleboro, VT. 05301
9. Signature: Dan Seward Print Name DAN SEWARD  
Address: 22 Winter Ct Brattleboro VT 05301
10. Signature: K'rod Wieder Print Name K'rod Wieder  
Address: 73 BORRETT ST #1013 NORTHAMPTON, MA 01060

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature; Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: David A. Bingham Jr. Print Name David Bingham Jr.  
Address: 86 Central St. Apt. 2, Brattleboro VT 05301
2. Signature: Rebekah K. Milks Print Name Rebekah K. Milks  
Address: 86 Central St. Apt. 2 Brattleboro VT 05301
3. Signature: Rochelle Garfunkel Print Name Rochelle Garfunkel  
Address: PO Box 397 Putney VT 05346
4. Signature: Sheeri Keniston Print Name Sheeri Keniston  
Address: \_\_\_\_\_
5. Signature: Brian Walsh Print Name Brian Walsh  
Address: South Maine St. Brattleboro, VT 05301
6. Signature: Victoria May Print Name Victoria May  
Address: Putney, VT 05346
7. Signature: Jan Lafleur Print Name Jan Lafleur  
Address: 63 Mt Gilman Rd Westmoreland NH 05467
8. Signature: Lela E'Halt Print Name Lela E'Halt  
Address: 61 Deane Rd.
9. Signature: Gail Allen Powers Print Name Gail Allen Powers  
Address: 10 Chase St. Brattleboro VT.
10. Signature: John S. Dimick Print Name John S. Dimick  
Address: 2215 Creamery Rd. Guilford, VT. 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Robert Field

Address: [Address]

2. Signature: [Signature] Print Name Eve Leong

Address: [Address]

3. Signature: [Signature] Print Name Aida Avery

Address: 1964 Old Athens Rd Putney VT 05346

4. Signature: [Signature] Print Name Susan T. Webster-Toleno

Address: 33 Highlawn Rd. Brattleboro, VT 05301

5. Signature: [Signature] Print Name ELIZABETH S. MILLER

Address: WESTMINSTER, VT 05346

6. Signature: [Signature] Print Name ROBERT BORSKY

Address: 303 North Rd. Walpole New Hampshire 03608

7. Signature: [Signature] Print Name Cheryl Gould

Address: 275 West Rd Putney VT 05346

8. Signature: [Signature] Print Name Katherine Y Richardson

Address: 543 Burnett Rd. Putney, VT

9. Signature: [Signature] Print Name H Walsh

Address: 198 Putney Mt. Rd 05346

10. Signature: [Signature] Print Name Stephen E Magw

Address: 207 Lethin Rd Putney VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature; Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Jayne van Wuren Print Name Jayne van Wuren  
Address: 150 Norrmyside Dr - Brattleboro VT
2. Signature: Michael Kusmit Print Name Michael Kusmit  
Address: 296 So. Main St Brattleboro VT
3. Signature: Merry Elder Print Name Merry Elder  
Address: 294 So. Main St. Bratt. VT.
4. Signature: Beth Maglin Print Name Beth Maglin  
Address: Brattleboro VT
5. Signature: Lisa McCormick Print Name Lisa McCormick  
Address: 71 Westminster Rd. Putney
6. Signature: Julian McCrowe Print Name Julian McCrowe  
Address: 37 Sand Hill Rd Putney VT
7. Signature: Jessica Jill Diamondstone Print Name Jessica Jill Diamondstone  
Address: 118 Quarry Rd. Brattleboro, VT. 05301
8. Signature: Renee Hotaling Print Name Renee Hotaling  
Address: 50 Weston Hts, Saxtons River VT 05154
9. Signature: Susan Taylor Print Name Susan Taylor  
Address: P.O. Box 94 Putney VT 05346
10. Signature: Otis Taylor Print Name Otis Taylor  
Address: P.O. Box 94 Putney VT, 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Eric Sadoski  
Address: 5 RANGS ST Millers Falls, MA 01349
2. Signature: Rose Jones Print Name Rose Jones  
Address: PO Box 764 Putney VT 05346
3. Signature: [Signature] Print Name Sonya Jones  
Address: Brattleboro VT
4. Signature: Judy LaChance Print Name Judy LaChance  
Address: Quinnview Drive, Brattleboro, VT 05301
5. Signature: [Signature] Print Name Jennifer Shooer  
Address: 41 North St #31 Brattleboro VT 05301
6. Signature: [Signature] Print Name JANE SHOOER  
Address: PO Box 781 Putney VT 05346
7. Signature: Pam Barrab Print Name Pam Barrab  
Address: 520 S Main St Bratt VT.
8. Signature: Jane Read Print Name JANE READ  
Address: 128 Mossy Side BRATT VT
9. Signature: Elizabeth Dana Print Name Elizabeth Dana  
Address: 3 Harris Place, #202 Brattleboro, VT 05301-6030
10. Signature: Randy J. Jacobs Sr Print Name Randy J. Jacobs Sr  
Address: 1002 Coolidge Hwy Amherst VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant shutouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name LEE H. POOLE  
Address: 70 GOLDEN HILL RD, ROCKINGHAM VT 05101
2. Signature: [Signature] Print Name Virginia G. POOLE  
Address: 70 Golden Hill Rd, Bellows Falls, VT 05101
3. Signature: [Signature] Print Name Joyce KING  
Address: 64 Golden Hill Rd - Bellows Falls, VT 05101
4. Signature: [Signature] Print Name Stephen H. KING  
Address: 64 GOLDEN HILL RD BelloWS Falls VT 05101
5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature; Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Graham Fahay

Address: 740 Dutton Dist. Springfield VT

2. Signature: [Signature] Print Name Nesley Creigh

Address: 740 Dutton Dist. Springfield, VT 05156

3. Signature: [Signature] Print Name JENNIS FAWCETT

Address: \_\_\_\_\_

4. Signature: [Signature] Print Name Sam Creigh

Address: 740 Dutton District Rd Spfld VT 05156

5. Signature: [Signature] Print Name Shulia Wood

Address: PO BOX 721 Putney VT 05346

6. Signature: [Signature] Print Name Linda Allen

Address: Dummerston VT 05301

7. Signature: [Signature] Print Name Mike Turk

Address: 58 Grout Dr. Chester, VT 05143

8. Signature: [Signature] Print Name ANNIE TURK

Address: 58 Grout Dr Chester VT 05143

9. Signature: [Signature] Print Name ROBERT FAHAY

Address: 21 [unclear] Rd BERNARDSTON, MA 01337

10. Signature: [Signature] Print Name [unclear]

Address: [unclear]

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name AMY COMBUTHER  
Address: PO Box 6035 Brat, VT 05302
2. Signature: [Signature] Print Name William Donforth  
Address: 1357 Hall Ranch Rd, Grafton, VT 05146
3. Signature: [Signature] Print Name MEGAN DANFORTH  
Address: 52 Zellar Camp Rd, Grafton, VT 05146
4. Signature: [Signature] Print Name Rowena Rodman  
Address: 26 Grove Ave Leeds, MA 01053
5. Signature: [Signature] Print Name Steve Rowland  
Address: 1336 Putney Rd
6. Signature: [Signature] Print Name Charlotte Rowland  
Address: 1336 Putney Rd Brattleboro VT 05301
7. Signature: [Signature] Print Name Annamarie Turco  
Address: 18 Hastings Circle Amherst, NH 03451
8. Signature: [Signature] Print Name David C Perry  
Address: 51 Grove St Apt 1W Brat, VT 05301
9. Signature: [Signature] Print Name Susan Ciccone  
Address: 14 Creighton St Camb, MA 02140
10. Signature: [Signature] Print Name VIVIAN F. CREIGH  
Address: 740 DUTTON DIST. RD. SPRINGFIELD, VT 05156

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

201

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Robert J. Haas Print Name ROBERT J. HAAS

Address: 1340 PATCH ROAD PUTNEY, VT 05346 RESIDENT OF WESTMINSTER, VT

2. Signature: Patricia A Haas Print Name PATRICIA A HAAS

Address: 1340 Patch Rd. Putney, VT 05346 (Resident of Westminster, VT)

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

10 VT

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Kathleen Gatz Print Name KATHLEEN GATZ  
Address: 7 School Street, Brattleboro, VT 05301
2. Signature: Gerald Gatz Print Name Gerald Gatz  
Address: 7 School St. Brattleboro, VT 05301
3. Signature: Dionna McLean Print Name DIONNA McLEAN  
Address: 114 Frost St. Brattleboro, VT 05301
4. Signature: John Luamaa Print Name JOHN LUAMAA  
Address: 90 Prospect St. Brattleboro, VT 05301
5. Signature: Norma B. Cavey Print Name NORMA B. CAVEY  
Address: 33 New England Dr Brattleboro VT
6. Signature: Ellen Schwartz Print Name Ellen Schwartz  
Address: 135 S. Main St. #2, Brattleboro, VT 05301-6306
7. Signature: Anna Gatto Print Name ANNA GATTO  
Address: 21 WILLISTON ST. BRATTLEBORO VT 05301
8. Signature: Theodora Boubouls Print Name Theodora Boubouls  
Address: 120 western Ave Brattleboro, VT 05301
9. Signature: William Pancourt Print Name WILLIAM PANCOURT  
Address: 125 MARLBORO AVE. BRATTLEBORO, VT 05301
10. Signature: Katharine C. Gatz Print Name KATHARINE C. GATZ  
Address: 7 School St. Brattleboro, VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

4 VT

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name GEORGE SHUMLIN

Address: 345 Hickory Ridge Rd. Putney, VT 05346

2. Signature: [Signature] Print Name RUSEL M. FABAN

Address: 742 Hickory Ridge Rd. Putney, VT. 05346

3. Signature: [Signature] Print Name DORRIT MERTON

Address: 742 Hickory Ridge Rd. Putney, VT. 05346

4. Signature: [Signature] Print Name KITTY SHUMLIN

Address: 345 Hickory Ridge Rd Putney, VT 05346

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Barbara T. Dregallo Print Name Barbara Dregallo

Address: 11 Chipman Heights Middlebury VT 05753

2. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: \_\_\_\_\_

Print Name

Eesha Williams

Address: \_\_\_\_\_

11 Station Farm Rd., Brat, VT. 05301

2. Signature: \_\_\_\_\_

Print Name

Elizabeth Wood

Address: \_\_\_\_\_

SAME

3. Signature: \_\_\_\_\_

Print Name

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_

Print Name

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_

Print Name

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_

Print Name

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_

Print Name

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_

Print Name

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_

Print Name

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_

Print Name

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

NAR Sept 5, 2003

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Mary Leonard Print Name MARY LEONARD

Address: 22 Ti LANE Shelburne VT 05482

2. Signature: Arlene Marks Print Name ARLENE MARKS

Address: 1299 MT. PHILO ROAD CHARLOTTE, VERMONT 05445

3. Signature: Stephen A. Epstein Print Name STEPHEN A. EPSTEIN

Address: 1299 MT PHILO ROAD, CHARLOTTE, VERMONT 05445

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Erik Schickel Print Name: Erik Schickel

Address: 270 Bullock Rd. Guilford, VT 05301

2. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

<sup>1</sup> completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety engineering risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and safety; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Jean Gorsuch Print Name JEAN GORSUCH

Address: 135 Gibson Rd. Brattleboro, VT

2. Signature: Charles Gorsuch Print Name CHARLES GORSUCH

Address: P.O. Box 2434 W. BRATTLEBORO, VT 05303

3. Signature: Brian C Knapp Print Name Brian C Knapp

Address: 985 Miller Rd Dummerston VT 05346

4. Signature: Kori Leary Print Name KORI LEARY

Address: 41 Juniper Ridge Road, Brattleboro, VT 05301

5. Signature: Alan Carter Print Name Alan Carter

Address: 1095 S. Valley Rd. Putney, VT 05346

6. Signature: Wyn Cooper Print Name Wyn Cooper

Address: 45 Metcalf Lane Brattleboro, VT 05301

7. Signature: Sally Baker Print Name Sally Baker

Address: 91 Church Dr. Guilford, VT 05302

8. Signature: Rupar Cousins Print Name Rupar Cousins

Address: 372 Canoebrook Rd E Dummerston VT 05346

9. Signature: Kathleen Stannard Print Name Kathleen Stannard

Address: 188 Sunset Ln Rd., Brattleboro, VT 05301

10. Signature: Carey Lane Print Name Carey Lane

Address: 397 South Street Bboro - VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Petition

✓  
**TO:** The Honorable Douglas, Governor of Vermont: Member of 2 CA  
Vermont State Council and The Vermont Department of Public Service 2 RI

**FROM:** People of 513 VT  
Vermont Yankee 2 NY  
at ENVY through MASS → NH  
living, working, and visiting within the vicinity of the Enclergy Nuclear  
(ENVY), and others potentially affected by radioactivity from an emergency release  
ver.


**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: 

Print Name: Hyam Siegel

Address: 17 Crosby St

City: Brattleboro

State: VT

Zip: 05301

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? Brattleboro

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: 

Print Name: ADELIN~~E~~ HOOPER-SAMUELS

Address: 80 MACINTOSH LANE

City: BRATTLEBORO

State: VT

Zip: 05301

Phone: 802-254-8827

Email: \_\_\_\_\_

Registered to Vote? YES

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: Sam Samuels

Print Name: Sam Samuels

Address: 80 Macintosh Lane

City: Brattleboro

State: Vermont

Zip: \_\_\_\_\_

Phone: 802-254-8827

Email: Samuel\_Samuels@antiochne.edu

Registered to Vote? Yes

## A Citizen Petition



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Ellen R. Tumavicius  
Address: 24 Elliot Terrace Brattleboro email Ellen\_tumavicius@fe.brattleboro.vt
2. Signature: [Signature] Print Name Edward L. Butler Jr  
Address: 91 Warrington Commons Brattleboro email [blank]
3. Signature: [Signature] Print Name Rebecca Balint  
Address: 59 Green St. Bratt, VT 05301 email [blank]
4. Signature: [Signature] Print Name ROBERT A. CANTIOS  
Address: 121 W. Main St. BECHERTOWN MA 01027 email RCANTIOS@FIAM.NET
5. Signature: [Signature] Print Name NICHAEAL J. ACERNO  
Address: PO Box 222 WESTMORELAND NH 07467 email Kid I I @ MSN.COM
6. Signature: [Signature] Print Name JOY C. CARDER  
Address: 346 AKLEY RD BRAT 05301 email [blank]
7. Signature: [Signature] Print Name LOUISE RADER  
Address: P.O. Box 1593, Brattleboro, VT 05302 email [blank]
8. Signature: [Signature] Print Name Michael Neary  
Address: 4 High St email [blank]
9. Signature: [Signature] Print Name Francis Monahan Jr  
Address: 6250 Stickney Brook RD 05301 email [blank]
10. Signature: [Signature] Print Name Randi von Steinhewer  
Address: PO Box 679, Princeton MA 01541 email [blank]

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an **Independent Safety Assessment of Vermont Yankee**<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Nicole Brugger Print Name Nicole Brugger  
Address: Stimber Ln Brattleboro email \_\_\_\_\_
2. Signature: Donna K-Brooks Print Name Donna K-Brooks  
Address: 88 Canal St, Bratt. email ~~that~~
3. Signature: Jill Neitlich Print Name Jill Neitlich  
Address: 35 Fairview Rd. Wardsboro VT 05355 email jilln@sover.net
4. Signature: Rose M. Fattori Print Name Rose M. Fattori  
Address: 40 Vessel Rock Rd. Gilsum NH email RFattori@yahoo.com
5. Signature: Peter MCH. STAMM Print Name PETER MCH. STAMM  
Address: 310 Benis Hill, Westminster email \_\_\_\_\_
6. Signature: April Paulsen-Curtis Print Name April Paulsen-Curtis  
Address: 48 Washington St Brattleboro VT email \_\_\_\_\_
7. Signature: HUGH ROBERTS Print Name HUGH ROBERTS  
Address: 58 Oak St Bratt. email \_\_\_\_\_
8. Signature: N. Evans Print Name N. Evans  
Address: 629 W. Hill Rd Putney email \_\_\_\_\_
9. Signature: Miriam B. Shafer Print Name Miriam B. Shafer  
Address: PO Box 99 W. Mansville, VT 05362 email mshafer@williston.co
10. Signature: Mary Ann Clarkson Print Name MARY ANN CLARKSON  
Address: Newfane VT email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name ECHO J. LIN  
Address: 642 BONNYVALE RD. BRATTLEBORO, VT 05301 e-mail: JENHUI@AOL.CO
2. Signature: MF Wilson Print Name \_\_\_\_\_  
Address: 84 Jencks Rd Brattleboro VT e-mail: \_\_\_\_\_
3. Signature: [Signature] Print Name Brendan Carey Block  
Address: 63 Loveren Mill Rd. Antrim NH e-mail: \_\_\_\_\_
4. Signature: Kate Guerni Print Name Kate Guerni  
Address: 11 Prospect Ct. Brattleboro e-mail: \_\_\_\_\_
5. Signature: Gaynd Wapoch Print Name Gaynd Wapoch  
Address: \_\_\_\_\_ e-mail: \_\_\_\_\_
6. Signature: Jared Hulnick Print Name \_\_\_\_\_  
Address: 85 NERG Drive Brat VT 05301 e-mail: \_\_\_\_\_
7. Signature: [Signature] Print Name Cynthia Aoble  
Address: 778 Spruce Brattleboro VT 05301 e-mail: \_\_\_\_\_
8. Signature: Christopher Grotke Print Name CHRISTOPHER GROTKE  
Address: 41 CEDAR ST, BRAT... e-mail: \_\_\_\_\_
9. Signature: Lise D. LePage Print Name LISE D. LE PAGE  
Address: 41 Cedar St Brattleboro VT e-mail: \_\_\_\_\_
10. Signature: [Signature] Print Name MICHAEL STAFFORD  
Address: 82 Glen St. Hinsdale, NH 03451 e-mail: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name TERESA GARDNER  
Address: 36 Pleasant St. 2 Brattleboro VT 05301
2. Signature: [Signature] Print Name Francis Cardinale  
Address: Dover Rd. Williamsville, VT 05362
3. Signature: [Signature] Print Name NICK RACCO  
Address: 727 RIVER RD. S. PUTNEY VT. 05346
4. Signature: [Signature] Print Name GEORGE SOULOS  
Address: 21 Hickory Ridge Rd. So. Putney, VT 05346
5. Signature: [Signature] Print Name Harriette Reeves-Forsythe  
Address: 7 Small Meadows Lane Putney, VT 05346
6. Signature: [Signature] Print Name Sue Mansfield  
Address: 105 Windmill Hill Rd. Putney, VT 05346
7. Signature: [Signature] Print Name CYNTHIA FINE  
Address: PO Box 153 Westminster 05158
8. Signature: [Signature] Print Name Michael Kravner  
Address: 192 Taylor Rd Putney VT 05346 - 9023
9. Signature: [Signature] Print Name LAURA ERLANGER  
Address: PO BOX 793, Putney VT 05346
10. Signature: [Signature] Print Name Eli Burke  
Address: 14 Greenwood Lane Putney VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Martin Garvey Print Name MARTIN GARVEY

Address: PO BOX 352 W. BURLINGTON, VT 05408

2. Signature: Justin A. Palmer-Green Print Name Justin A. Palmer-Green

Address: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Honorable James Douglas, Governor of Vermont  
Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied

for a license to operate the Yankee Nuclear Power Plant at Vernon to **120% of the reactor's original 1973 license**, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**,  
similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Anne Fines Print Name Anne Fines  
Address: 12 Joe Holway, Putney, VT 05346
2. Signature: Josh Letourneau Print Name Josh Letourneau  
Address: 4390 W.W. Rd. Putney, VT 05346
3. Signature: Vanessa Bistarelli Print Name Vanessa Bistarelli  
Address: 870 Western Ave Barre VT 05301
4. Signature: Chris Liveness Print Name Chris Liveness  
Address: 870 Western Ave Barre VT 05301
5. Signature: Judith H. Johnson Print Name Judith H. Johnson (friend)  
Address: 433 Orlando Avenue, State College, PA 16803
6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, ~~14~~<sup>22</sup> 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

✓

## A Citizen Petition

11/5/03

VT -  
ME - 1  
PA - 1

**TO:** The Honorable James Douglas, Governor of Vermont;  
Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied  
Yankee Nuclear Power Plant at Vernon to 120% of the reactor's c

- this increase will place new stress on Vermont Yankee's aging components could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective

**WE NOW SAY**, join us in calling for a **Independent Safety**  
similar to those already conducted

1. Signature: Diana P. Sidelblom Print Name DIANA P. SIDELBLOM  
Address: Hill Dale Farms - 51 Overhills, Putney, VT 05346
2. Signature: Mary Sargent Print Name MARY SARGENT  
Address: 777 Cowpath 40 - P.O. Box 136 - Marlboro, VT. 05344
3. Signature: Diana Wamble Print Name DIANA WAMBLE  
Address: 325 Partridge Rd. S. Dummerston VT 05346
4. Signature: James L Perkins Print Name James L Perkins  
Address: 159 Kents Hill Rd Wayne (ME) 04284
5. Signature: Edmon Doyle Print Name Edmon Doyle  
Address: 792 Bellows Falls Rd. #4 Putney VT 05346
6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, <sup>22,</sup> 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: David L. Holtz Print Name DAVID L. Holtz  
Address: 85 N. Main Street, Suite 110 WRT, VT 05001
2. Signature: James B. Hamlin Print Name James B. Hamlin  
Address: 45 Portland Road Suite 7 Kennebunk, ME 04043
3. Signature: John Quimbly Print Name JOHN QUIMBLY  
Address: 702 MADAWASKA RD FAIRLEE VT 05045
4. Signature: Lena Konec Print Name Lena Konec  
Address: PO BOX 298 Methuen Ct. 0574
5. Signature: Joanne Demers Print Name Joanne Demers  
Address: Box 914 W.R. St. VT 05001
6. Signature: Orlean Marsh Print Name ORLEAN MARSH  
Address: PENG'S MOTEL WRT, VT. 05001
7. Signature: Todd Kremer Print Name Todd Kremer  
Address: PO Box 871 SO. Royalton, V.T. 05068
8. Signature: Margery Phillips Print Name Margery Phillips  
Address: 15 Happy Hill Rd., Norwich, VT
9. Signature: Karl Kemnitzer Print Name KARL KEMNITZER  
Address: 58 NEWINGBURY HILL ROAD, WINDSOR, VT 05089
10. Signature: Richard Holmgvist Print Name Richard Holmgvist  
Address: 85 N MAIN WRT, VT 05001

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

→ RETURN BY NOVEMBER 5TH (2003) TO: HEATHER FREEDMAN  
Petition INFO: 802-258-4888 118 PROSPECT ST., #3

BRATTLEBORO VT 05301

Mail on  
Tues

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Kevin Justice Print Name Kevin Justice  
Address: 40 Haigis Branch Rd. Bernardston, MA 01337.
2. Signature: Anne Spires Print Name Anne Spires  
Address: 40 Haigis Branch Rd. Bernardston, MA 01337
3. Signature: Brian Good Print Name Brian Good  
Address: PO Box 1534 Quechee VT
4. Signature: Regina McGuire Print Name REGINA MCGUIRE  
Address: PO BOX 1534 QUECHEE VT 05059
5. Signature: Celle Fago Print Name Celle Fago  
Address: 1037 Unionville Hill Rd. Bennington VT 05201
6. Signature: Adam Steinberg Print Name Adam Steinberg  
Address: RR2 Box 523 Canaan NH 03741
7. Signature: Eric J Bivona Print Name ERIC J BIVONA  
Address: P.O. Box 838, Hanover NH 03755-0838
8. Signature: Jerry Thomas Print Name Jerry Thomas  
Address: 1850 Main St. Quechee
9. Signature: Gail Reitzel Print Name Gail Reitzel  
Address: 3242 Rt. 126 Brookfield Vt. 05706-9581
10. Signature: Brett Bourne Print Name BRETT BOURNE  
Address: PO Box 604 Hartford VT 05047

→ RETURN TO: HEATHER FREEDMAN 118 PROSPECT ST., #3

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Barbara D Reed Print Name: Barbara D Reed  
Address: 45 Joslyn Rd N. Swanzey NH 03431
2. Signature: Ruth Woodcock Print Name: Ruth Woodcock  
Address: 93 Landmark Hill Dr. Apt. E-5 Bratt. VT 05301-9210
3. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
4. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
5. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>











**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature:  Print Name: Fred Hammond  
Address: 1740 Benis Hill Rd. Westmore VT
2. Signature:  Print Name: Rebecca Coffer  
Address: 7 Stewart Place Apt. Brattleboro VT
3. Signature:  Print Name: Harold Warren  
Address: P.O. Box 202, E. Dover VT 05341
4. Signature:  Print Name: Jamie Buffa  
Address: 54 Pauls Road Brattleboro, VT 05301
5. Signature:  Print Name: Lise D. LePage  
Address: 41 Cedar St Brattleboro VT 05301
6. Signature:  Print Name: Sharon Morelli  
Address: P.O. Box 122 Rutney, VT, 05346
7. Signature:  Print Name: Sheldon Lieberman  
Address: 972 Ruxey Rd Brattleboro VT 05301
8. Signature:  Print Name: Anna Bond  
Address: 8 Woods Rd, East Dummerston VT 05346
9. Signature:  Print Name: Alethea Engel Joy  
Address: 160 Hight St Brattleboro VT
10. Signature:  Print Name: 129 Landmark Hill Dr  
Address: Brattleboro VT 05301 Supriya Shanti

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: Barbara A. Mizrahi Print Name Barbara A. Mizrahi  
Address: 3531 Guilford Ctr Rd, Guilford VT 05301 Email \_\_\_\_\_
2. Signature: Chris Smith Print Name CHRIS SMITH  
Address: Box 107 Newfane VT 05345 Email \_\_\_\_\_
3. Signature: Beth Shumway Print Name Beth Shumway  
Address: 1 Anna Marsh Ln, Brattleboro, VT Email \_\_\_\_\_
4. Signature: Ayars Hemphill Print Name AYARS HEMPHILL  
Address: 53 Louland Rd Norwich Email \_\_\_\_\_
5. Signature: Stephanie Greene Print Name Stephanie Greene  
Address: PO Box 41 W. Dover VT 05352 Email \_\_\_\_\_
6. Signature: Nye Farrabas Print Name NYE FARRABAS  
Address: PO Box 954 Putney VT 05346 Email \_\_\_\_\_
7. Signature: Evan P. Schusterly Print Name Evan P. Schusterly  
Address: 40 Elliot St., Brattleboro VT Email evainw@arl.com
8. Signature: Kyma M. Bell Print Name Kyma M. Bell  
Address: 40 Elliot St Brattleboro VT Email blackcatnumber8@hotmail.com
9. Signature: Lise D. LePage Print Name LISE D. LE PAGE  
Address: 41 Cedar St Brattleboro VT Email \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_ Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# Petition for an Independent Safety Assessment at VY

Vermont Yankee

## A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service

Board: Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

387-5817

1. Signature: [Signature] Print Name Thom Namy  
Address: 7736 in Port BRAD. VT Email Namy@seer.net
2. Signature: [Signature] Print Name Ellen Tenney  
Address: PO Box 542 Saxtons River VT 05154 Email tenney@vermontel.net
3. Signature: [Signature] Print Name LUCINDA MCGOVERN  
Address: 63 Laurel St Brattleboro Email \_\_\_\_\_
4. Signature: [Signature] Print Name Wendi N. Messeri  
Address: 21 Williston St. Brattleboro Email nickingss@yahoo.com ?
5. Signature: [Signature] Print Name Jennifer Clark  
Address: 28 Center St Bellows Falls VT 05701 Email \_\_\_\_\_
6. Signature: [Signature] Print Name Daniel C. Estep  
Address: 879 Fowler Rd, Colchester VT 05358 Email \_\_\_\_\_
7. Signature: [Signature] Print Name SUSAN C. VENMAN  
Address: POB 562 SAXTONS RIVER VT 05154 Email VENMAN@VERMONTTEL.NET
8. Signature: [Signature] Print Name MARK HERRICK  
Address: Box 60 Marlboro, VT 05344 Email \_\_\_\_\_
9. Signature: [Signature] Print Name MARYROSE JOHNSON  
Address: 39 Estey Circle, Brattleboro, VT 05301 Email ROZVT@Localnet.com
10. Signature: [Signature] Print Name Penny Whipple  
Address: 1519 Coolidge Hwy Guilford VT Email Penn-goddes@yahoo.com

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

Sign on back

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut


1. Signature: Flynn Johnson Print Name Flynn Johnson  
Address: 35 Fairview Rd. Wardsboro, VT 05355 email flynn@sover.net
2. Signature: A. Michaud Print Name Andrew Michaud  
Address: PO Box 1955 Brattleboro VT 05302 email \_\_\_\_\_
3. Signature: Mareka Ohe Print Name MAREKA OHLSON  
Address: PO Box 464 Putney VT email \_\_\_\_\_
4. Signature: M. Kehoe Print Name M. KEHOE  
Address: 63 Hyde St Brattleboro Falls 05101 email \_\_\_\_\_
5. Signature: Ian Bigelow Print Name Ian Bigelow  
Address: 1013 Thomas Hill Rd Bratt, 05301 email Sanityassassin9@yahoo
6. Signature: Bethy Knowles Print Name Bethy Knowles  
Address: PO box 921 Putney Vt. 05346 email tinkerbethy@yahoo.com
7. Signature: Katy Hughes Print Name Katy Hughes  
Address: Moss Hollow Ln Newfane VT 05345 email \_\_\_\_\_
8. Signature: Sandra Thompson Print Name Sandra Thompson  
Address: 755 Maltese Rd, Stamford, VT 05352 email \_\_\_\_\_
9. Signature: Greg Harrison Print Name Greg Harrison  
Address: 171 Green Meadow Bratt email \_\_\_\_\_
10. Signature: John S Warren Print Name John S Warren  
Address: 325 Partridge Rd, E. Brattleboro, VT 05346 email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

Note  
Gander



1

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Anne Latchis  
Address: 125 Pine St. Brattleboro VT Email
2. Signature: [Signature] Print Name Melissa Hays  
Address: 360 South St Email mel-hays@hotmail.com
3. Signature: [Signature] Print Name [Signature] Email
4. Signature: [Signature] Print Name BARBARA ROCKY  
Address: PO Box 462 Brattleboro VT Email
5. Signature: [Signature] Print Name CAROL MAYER  
Address: 1343 Upper Dunsmuir Rd. Email
6. Signature: [Signature] Print Name Richard Mayer  
Address: 1343 Upper Dunsmuir Rd Email
7. Signature: [Signature] Print Name SUSAN DUNNING  
Address: PO Box 104 Ludlow, VT. 05749 Email susandunning@tds.net
8. Signature: [Signature] Print Name PETER DUNNING  
Address: 178 MILE HILL FARM Springfield, VT. 05156 Email
9. Signature: [Signature] Print Name Georgette Beight  
Address: 126 Sunny Acres, Bratt Email jankei@adelphia.net
10. Signature: [Signature] Print Name James Beight  
Address: Same as above Email same as above

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

To Do

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Michaelene P. Cronin Print Name Michaelene P Cronin  
Address: 162 Streeter Hill Rd. Brattleboro VT 05301 Email: mfpepera@aol.com
2. Signature: Priscilla A Barnard Print Name Priscilla Barnard  
Address: 107 Glen ST Email: \_\_\_\_\_
- ? 3. Signature: Theodore Talcott Print Name Theodore Talcott  
Address: School for Laboratory Training Email: theo.talcott@mail.sit.edu  
Kepling Road Brattleboro VT
- ? 4. Signature: Tammi Nell Print Name Tammi Nell  
Address: Brattleboro VT 05301 Email: \_\_\_\_\_
- ? 5. Signature: Kathleen MacArthur Print Name KATHLEEN Mac ARTHUR  
Address: Brattleboro VT 05301 Email: \_\_\_\_\_
6. Signature: Jan McPherson Print Name JAN M'PHERSON  
Address: 65 Green St VT. 05301 Email: \_\_\_\_\_
7. Signature: Mary E. Small Print Name: \_\_\_\_\_  
Address: \_\_\_\_\_ Email: \_\_\_\_\_
8. Signature: Jessica Riley Print Name Jessica Riley  
Address: 1392 Hinesburg Rd Brattleboro VT 05301 Email: \_\_\_\_\_
9. Signature: Veronica E. Riley Print Name Veronica E. Riley  
Address: 1392 Hinesburg Rd Brattleboro VT 05301 Email: \_\_\_\_\_
10. Signature: Sallyann Engel Print Name Sallyann Engel  
Address: 21 Sherwood Cir Email: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

To NH

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Alex MacFarlane Print Name ALEX MACFARLANE  
(603) 478-3445

Address: 92 Shedd Road  
Hillsborough, NH 03244

2. Signature: Joan MacFarlane Print Name Joan MacFarlane

Address: 92 Shedd Rd Hillsborough NH 03244

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Amey K. Slow Print Name Amey K. Slow  
Address: 1085 Sullivan Hill Rd Montpelier VT Email \_\_\_\_\_
- Signature: Earl L. Fechter Print Name EARL L. FECHTER  
Address: 4 TRACY ST MONTPELIER Email \_\_\_\_\_
- Signature: Kristin Schuyler Print Name KRISTIN SCHUYLER  
Address: 8 COURT ST MONTPELIER Email \_\_\_\_\_
- Signature: Brianne Peter Print Name Brianne Peter  
Address: 32 Cliff St Email \_\_\_\_\_
- Signature: Any Hunter Print Name ANYA HUNTER  
Address: 3 Wilder St Montpelier Email \_\_\_\_\_
- Signature: Michael Gora Print Name \_\_\_\_\_  
Address: 212 Chestnut Hill Rd Mont. VT Email \_\_\_\_\_
- Signature: Terri R. Vest Print Name Terri R. Vest  
Address: PO Box 829, Hardwick VT Email \_\_\_\_\_
- Signature: Julia Colman Print Name Julia Colman  
Address: 30 Liberty St Montpelier VT 05602 Email \_\_\_\_\_
- Signature: Kinny Connell Print Name KINNY CONNELL  
Address: PO Box 76A Warren VT 05674 Email \_\_\_\_\_
- Signature: Richard Gzapinski Print Name Richard Gzapinski  
Address: Box 50 Adamant VT 05440 Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: **Independent Safety Assessment of Maine Yankee Atomic Power Company**, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Karen Campos Print Name Karen Campos  
Address: 1333 Dimick Rd. Greensboro Bend VT. 05842 Email \_\_\_\_\_
- Signature: Alexis Pagn Print Name Allie Pagnolino  
Address: 257 Mtn. View Rd E. Hardwick VT 05843 Email \_\_\_\_\_
- Signature: Mariah Lane Print Name Mariah Lane  
Address: 4 Cedar St Montpelier Email \_\_\_\_\_
- Signature: Jeffrey Ellis Print Name Jeffrey Ellis  
Address: 1442 Dearing Rd. Bethel VT 05832 Email N/A
- Signature: Rebecca Beidler Print Name Rebecca Beidler  
Address: 1442 Dearing Rd Bethel VT 05832 Email N/A
- Signature: SEAN SACKS Print Name SEAN SACKS  
Address: 565 Muzzys RD Email \_\_\_\_\_
- Signature: Amy Billhime Print Name Amy Billhime  
Address: 154 Barre St. Montpelier Email \_\_\_\_\_
- Signature: Sarah Albert Print Name Sarah Albert  
Address: 900 Piney Rd Plainfield VT 05667 Email OSkeT
- Signature: Vicky Mazur Print Name Vicky Mazur  
Address: 59 E. State St., #3 Email \_\_\_\_\_
- Signature: Lise E. Markus Print Name Lise E. Markus  
Address: 45 Dover Rd Montpelier 05602 Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Rosalee Dorfman Print Name Rosalee Dorfman  
Address: 94 Elmore St. Email Rosalee.Dorfman@morrisville.org
- Signature: Rhoda Lusk Print Name RHODA LUSK  
Address: PO BOX 74 Hyde Park 05655 Email \_\_\_\_\_
- Signature: Gretchen Frost Print Name Gretchen Frost  
Address: PO Box 30 Plainfield VT 05667 Email \_\_\_\_\_
- Signature: Sharon Batdorff Print Name Sharon Batdorff  
Address: 2687 Bridgman Hill Hardwick 05647 Email \_\_\_\_\_
- Signature: Jo Collier Print Name Jo Collier  
Address: 117 E Bear Swamp Rd Middlebury VT Email \_\_\_\_\_
- Signature: Paul Parker Print Name \_\_\_\_\_  
Address: 625 Cherry Tree Hill E. Mont. VT Email \_\_\_\_\_
- Signature: Kyle Parker Print Name Kyle Parker  
Address: 135 State St. Email \_\_\_\_\_
- Signature: Joe Rothstein Print Name Joe Rothstein  
Address: Red Box 26 Hardwick, VT 05646 Email \_\_\_\_\_
- Signature: Carole E. Welch Print Name Carole E. Welch  
Address: 22 Valerie Ave, Montpelier Email \_\_\_\_\_
- Signature: Tony Redington Print Name Tony Redington  
Address: 9 LIBERTY SP MONTPELIER VT 05602 Email Tony.RVT@13PWBS.COM

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Marilyn M. Rollins Print Name Marilyn M. Rollins  
Address: 288 Cityside Dr. #64 N. Pl. Email msrvt@aol.com
2. Signature: William S. Rollins Print Name WILLIAM S. ROLLINS  
Address: 288 Cityside Dr #64 N. Pl. Email msrvt@aol.com
3. Signature: Rebecca Roy Print Name Rebecca Roy  
Address: 97 Whitcomb Island Rd, Hyde Park, VT 05655 Email
4. Signature: Karen Case Print Name KAREN CASE  
Address: 140 Upper Sunnybrook N. Pl. Email karencase@together.net
5. Signature: Ali Masatpula Print Name ALI MASATPULA  
Address: 87 E. Lape 4 Montpelier Email
6. Signature: Lori Stroutsos Print Name Lori Stroutsos  
Address: 104 College St Montpelier Email
7. Signature: Frank Peterson Print Name Frank Peterson  
Address: Hampshire Hill R. VT Email
8. Signature: Joseph Kiefer Print Name JOSEPH KIEFER  
Address: 136 Morse Rd. Montpelier VT 05602 Email jos.kiefer@aol.com
9. Signature: Frank Burnett Print Name Frank Burnett  
Address: P.O. Box 10 Plainfield, VT 05667 Email
10. Signature: Rosalee and Darvinne Dorfman Print Name Darvinne Dorfman  
Address: 914 Elmore St. Morrisville 05661 Email darvinne.dorfman@morrisville.org

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name EDWARD DUPERE  
Address: 2004 Twin Ponds Rd Email MOJAY100@AOL
2. Signature: [Signature] Print Name \_\_\_\_\_  
Address: 14 Hubbard Pt Dr. Mont. VT Email \_\_\_\_\_
3. Signature: [Signature] Print Name Kent Gallagher  
Address: Main Bethel VT. Email Kelln@msn.com
4. Signature: Rose Chossman Print Name Rose Chossman  
Address: 754 Elmore Rd Worcester VT Email \_\_\_\_\_
5. Signature: [Signature] Print Name Beth Holtzman  
Address: 133 S. Bear Swamp Rd Middlesex 05602 Email \_\_\_\_\_
6. Signature: [Signature] Print Name Peter Meyer  
Address: [Redacted] Email [Redacted]
7. Signature: [Signature] Print Name Laini Fordiller  
Address: 979 Snyder Brook Email laini@sona.net
8. Signature: [Signature] Print Name Susan Mesner  
Address: 26 Liberty, Montpelier Email \_\_\_\_\_
9. Signature: [Signature] Print Name CATHERINE KLARICH  
Address: 3008 MAPLE HILL RD Email \_\_\_\_\_  
RAINFIELD, VT 05687
10. Signature: [Signature] Print Name Angela Talbert  
Address: 140 Upper Sunnybrook Rd Email \_\_\_\_\_  
Widdlessex VT, 05602

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: **Independent Safety Assessment of Maine Yankee Atomic Power Company**, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

tion<sup>1</sup>

**TO:** The Honorable  
Service Board: Vermont

Ont: Members of the Vermont Legislature; Vermont Public  
Department of Public Service;

**FROM:** The undersigned

nt

**WHEREAS**, Lot

lied to super-load nuclear fuel in the Vermont  
Yankee Nuclear Power Plant's original 1973 license, and

Yankee Nuclear Power

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**,  
similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Eric V. Weisenberger Print Name ERIC V. WEISENBERGER  
Address: 1718 Western Ave. Brat., VT. 05301 e-mail: \_\_\_\_\_
- Signature: Sean Young Print Name Sean Young  
Address: 33 Pine Street, Brattleboro, VT 05301 e-mail: \_\_\_\_\_
- Signature: Mariana Syrotiak Print Name MARIANA SYROTIK  
Address: PO Box 1311, Brattleboro, VT 05302 e-mail: mariana.syrotiak@sit.edu
- Signature: Amy Travis Print Name Amy Travis  
Address: PO Box 1313 Brattleboro, VT 05302 e-mail: amy.travis@mar.sit.edu
- Signature: Tukathia Poirer Print Name Tukathia Poirer  
Address: 49 Cedar St. #2, Brattleboro, VT e-mail: poj.75@hotmail.com
- Signature: Jaime Tincher Print Name Jaime Tincher  
Address: PO Box 1313, Brattleboro, VT 05302 e-mail: \_\_\_\_\_
- Signature: R. Suzanne Belleci Print Name R Suzanne Belleci  
Address: PO Box 1313 Brattleboro VT e-mail: belleci@yahoo.co
- Signature: Monroe Whitaker Print Name Monroe Whitaker  
Address: 267 Western Ave. Brattleboro VT e-mail: \_\_\_\_\_
- Signature: Sarah Edwards Print Name SARAH EDWARDS  
Address: 44 Chapin St Brattleboro e-mail: sedwards1515@yahoo.com
- Signature: Javed Chaudhri Print Name Javed Chaudhri  
Address: 18 Reginald #18, Brattleboro 05301 e-mail: jchaudhri@keene.edu

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: John Calogero Print Name John Calogero  
Address: 877 Kipling Road Brattleboro, VT (SU) e-mail: calogero@rockisland.com
2. Signature: Michelle Bos Lun Print Name Michelle Bos Lun  
Address: 50 Highland Vn Dellow Falls VT 05101 e-mail: mboslun@meetingschool.org
3. Signature: Andrie Le Marks Print Name Andrie 3579@aol.com  
Address: 96 Western Avenue Brattleboro, VT e-mail: Andrie Marks
4. Signature: Clair's Helverson Print Name Clair's Helverson  
Address: 840 Sutton Farm Rd Denmark VT e-mail: clairch@sover.net
5. Signature: Janet Hulnick Print Name Janet Hulnick  
Address: 85 New England Drive Brat, VT 05301 e-mail: janetfelipe@adelphia.net
6. Signature: Malika Khan Print Name Malika Khan  
Address: 98 Oak Grove Ave Bratt e-mail: malika.khan@cit.edu
7. Signature: Lana Gorman Print Name LANA GORMAN  
Address: 16 School St Apt #3, Brattleboro, VT 05301 e-mail: LANA GORMAN@perscape.wes
8. Signature: Samantha Stanley Print Name Samantha Stanley  
Address: 342 North Ave. Burlington, VT 05401 e-mail: SStanley@smcvt.edu  
Samantha.Stanley@mail.sit.edu
9. Signature: Lasse Schmiot Print Name LASSE SCHMIOT  
Address: Kipling Road Brattleboro, VT 05301 e-mail: LASSCH@HOTMAIL.COM
10. Signature: Marin Aldrich Print Name MARIN ALDRICH  
Address: 36 Chapin St #1 Brattleboro VT e-mail: marinaldrich@mail.sit.edu

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature;  
Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Stephanie Madoff Print Name Stephanie Madoff  
Address: 218 Bullock Rd. Guilford, VT 05301 email Stephm@together.net
2. Signature: Jane Michaud Print Name Jane Michaud  
Address: 125 Forest St., Apt. 3, Brattleboro, VT 05301 email janemichaud29@hotmail.com
3. Signature: Lorna Lyons Print Name Lorna Lyons  
Address: P.O. Box 1832, Bratt email LornaLyons@together.net
4. Signature: Spring Knower Print Name SPRING KNOWER  
Address: 975 Smith Bratt. VT 05301 email \_\_\_\_\_
5. Signature: Robyn Enright Print Name Robyn Enright  
Address: PO Box 141 Brattleboro, VT 05302 email \_\_\_\_\_
6. Signature: Karen B. Boucher Print Name KAREN B. BOUCHER  
Address: 51 Main ST Brattleboro, VT. 05301 email \_\_\_\_\_
7. Signature: Sarah C. Gagnon Print Name Sarah C. Gagnon  
Address: 41 Clark Avenue, Brattleboro email \_\_\_\_\_
8. Signature: Victoria Roach Print Name Victoria Roach  
Address: 19 Left Bank Way, Bratt. email \_\_\_\_\_
9. Signature: Allison Gruptill Print Name Allison Gruptill  
Address: Box B #64 Marlboro College Marlboro VT email allison@marlboro.edu
10. Signature: Virginia Goodman Print Name Virginia Goodman  
Address: 64 Fuller Drive Bratt email christina15@earthlink.net

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: Joel Eisenkraver Print Name Joel Eisenkraver  
Address: 3078 Tater Ln. Guilford, VT. 05301 Email nezuu:desk@bob6.com
2. Signature: Harrington S. Kupp Print Name HARRINGTON S. KUPP  
Address: 30 Chase St Brattleboro, VT 05301 Email \_\_\_\_\_
3. Signature: Lisa J Merton Print Name LISA J MERTON  
Address: P.O. Box Marlboro VT. 05344 Email mfilmpro@vernet.net
4. Signature: Ben Cople Print Name Ben Cople  
Address: \_\_\_\_\_ Email \_\_\_\_\_
5. Signature: Keith Muller Print Name KEITH MULLER  
Address: Box 910 NORWICH VT Email \_\_\_\_\_
6. Signature: Ann Haskins Print Name Ann Haskins  
Address: PO Box 678 Bratt VT 05301 Email \_\_\_\_\_
7. Signature: John Letourneau Print Name John Letourneau  
Address: 4350 W.W. Rd Putney VT Email \_\_\_\_\_
8. Signature: S. TEAGAN CAYR Print Name S. TEAGAN CAYR  
Address: P.O. box 6561 Brattleboro VT. Email \_\_\_\_\_
9. Signature: Nathan Paine Print Name Nathan Paine  
Address: 54 Pauls Rd. Bratt VT. Email paineless@hotmail.com
10. Signature: Christine Ceglia Print Name Christine Ceglia  
Address: P.O. Box 2516 Brattleboro 05303 Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: Kathleen Chastain Print Name Kathleen Chastain

Address: 11300 Cheney Rd Winotham VT 05355 Email \_\_\_\_\_

2. Signature: David Beck Print Name DAVID BECK

Address: 14 Valley St Brattleboro VT 05301 Email \_\_\_\_\_

3. Signature: Sheri Fortune Print Name Sheri Fortune

Address: 50 Terrace St Brattleboro VT 05301 Email earthqu2@hotmail.com

4. Signature: Deborah Tewksbury Print Name Deborah Tewksbury

Address: 112 Snow Mt. Lane, Brattleboro 05301 Email \_\_\_\_\_

5. Signature: Marjorie B. Runnion Print Name MARJORIE B. RUNNION

Address: 16 Allen Tom Ave, Brattleboro, VT 05301 Email \_\_\_\_\_

6. Signature: Virginia Brown Print Name VIRGINIA BROWN

Address: 204 Greenleaf St. Brattleboro Email \_\_\_\_\_

7. Signature: Jma Print Name Jennifer Maiocco

Address: 410 River Rd. Newfane, VT 05345 Email \_\_\_\_\_

8. Signature: Keely Eastley Print Name Keely Eastley

Address: P.O. Box 101 Williamsville, VT 05362 Email \_\_\_\_\_

9. Signature: Peter Luyckx Print Name PETER LUYCKX

Address: 111 High St #8, Brattleboro, VT 05301 Email PeterL@Fugalgreen.com

10. Signature: Tracy Greeno Print Name Tracy Greeno

Address: 197 Western Ave #2 Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

Tim

## A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: Cara Benedetto Print Name Cara Benedetto  
Address: 18 Chapin #2 Brattleboro NC 05301 Email \_\_\_\_\_
2. Signature: Nancy A. Anderson Print Name Nancy A. Anderson  
Address: 27 Tudor Ln Brattleboro, VT 05301 Email MTTOPVTN@adelphia.net
3. Signature: Mark Zita Print Name Mark Zita  
Address: 37 Signal Pkwy Putney VT Email \_\_\_\_\_
4. Signature: GENOVEFFA COREA Print Name GENOVEFFA COREA  
Address: 25 High Bridge Rd, Dummerston, VT Email genoveffa@sover.net
5. Signature: VICTOR BURDO Print Name VICTOR BURDO  
Address: 496 RICE FARM RD, DUMMERSTON VT Email vtbath@sover.net
6. Signature: Patty Cuyler Print Name Patty Cuyler  
Address: 5748 Hollister Hill, Marshfield 05658 Email patty.cuyler54@yahoo.com
7. Signature: Bridget Struthers Print Name Bridget Struthers  
Address: 160 Ranning Rd Putney, VT 05346 Email bridgetthomidget@yahoo.com
8. Signature: Lynn Mantley Print Name Lynn Mantley  
Address: 20 First Level Drive #21 Email poet/lynn @ sover.net
9. Signature: Meghan Duff Print Name Meghan Duff  
Address: 46 Wildwood Acres Newfane Email \_\_\_\_\_
10. Signature: TERRY SYLVESTER Print Name TERRY SYLVESTER  
Address: 11 DRUM ST, BRATTLEBORO Email htj @ sover.net

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

one MA ✓

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name: Mark McLaughlin  
Address: 898 Pine Banks Rd, Putney email: \_\_\_\_\_
2. Signature: [Signature] Print Name: GINA FARO  
Address: 60 BROOK ST BRATTLEBORO VT 05301 email: \_\_\_\_\_
3. Signature: [Signature] Print Name: CONNIE WOODBERRY  
Address: 103 Partridge Rd. E Dummerston VT 05346 email: \_\_\_\_\_
4. Signature: [Signature] Print Name: Tim Wessel  
Address: P.O. Box 325 Putney VT 05346 email: \_\_\_\_\_
5. Signature: [Signature] Print Name: Nora Riley - Perks  
Address: 78 Dorset Hill Putney VT 05346 email: \_\_\_\_\_
6. Signature: [Signature] Print Name: Jon Taylor  
Address: 77 Taylor Road, Putney, VT 05346 email: \_\_\_\_\_
7. Signature: [Signature] Print Name: Laura Taylor  
Address: 77 Taylor Rd Putney 05346 email: \_\_\_\_\_
8. Signature: [Signature] Print Name: Frederick Smith  
Address: P.O. Box 605 Sartons River email: \_\_\_\_\_
9. Signature: [Signature] Print Name: ANNE GILBERT  
Address: 35 New South St. 301 Northampton, MA 01060 email: \_\_\_\_\_
10. Signature: [Signature] Print Name: Barbara Kurbul  
Address: PO Box 104 Sartons River VT email: barbie @ sovernet

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Peter A. Cooper Print Name Peter A. Cooper  
Address: 736 Bonnyvale Road, Brattleboro, VT 05301
2. Signature: Gail Cooper Print Name GAIL COOPER  
Address: 736 Bonnyvale Rd. Brattleboro, VT 05301
3. Signature: Jane Findley Print Name Jane Findley  
Address: 114 Bonnyvale Rd Brattleboro VT 05301
4. Signature: Mart Jers Print Name Martin Jerser  
Address: 22 Prospect St., Brattleboro, VT 05301
5. Signature: Rick Hubbard Print Name RICK HUBBARD  
Address: 12 WOODBINE ST, SO. BURLINGTON, VT 05403
6. Signature: Hope G. Criss Print Name Hope G. Criss  
Address: 55 E. Bear Swamp Rd, Middlesex, VT 05602
7. Signature: Marjorie Tower Print Name Marjorie Tower  
Address: 67 Independence Green, Montpelier VT 05602
8. Signature: Thelma C. Perkins Print Name THELMA C. PERKINS  
Address: 6 Rachel DR. Rutland VT 05701
9. Signature: Lyn Rothwell Print Name LYN ROTHWELL  
Address: 425 South Willard St. Burlington Vt. 05401
10. Signature: Deborah Richter Print Name Deborah Richter  
Address: 161 State St Montpelier VT 05602 (over)

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature, Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant black out; and
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Janet B. Wallstein Print Name Janet B. Wallstein

Address: POB 244 Newfane, VT 05345

2. Signature: Chip Greenberg Print Name Chip Greenberg

Address: 441 Miller Rd, Putney, VT. 05346

3. Signature: Frances Lee Alerninway Print Name Frances Lee Alerninway

Address: 72 Hog Farm Rd Putney VT

4. Signature: Bettina Krampetz Print Name Bettina Krampetz

Address: P.O. Box 462 Wilmington VT 05363

5. Signature: Cheri Lynn Goldstein Print Name Cheri Lynn Goldstein

Address: 101 Harris Hill Worcester VT 05682

6. Signature: Bethany J. Krampetz Print Name Bethany J. Krampetz

Address: P.O. Box 263 Montpelier, VT 05601

7. Signature: Geoff S. Jones Print Name Geoff S. Jones

Address: 104 Rollin St. Bennington VT 05201

8. Signature: Linda R. Jones Print Name Linda Jones

Address: 104 Rollin St. Bennington, VT 05201

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-charge nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore.

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Timothy Guarente

Address: 55 Upper Forest St Brattleboro VT 05301

2. Signature: [Signature] Print Name Derrick C. Hartzmayer

Address: 960 Miller Rd E. Dummerston, VT 05346

3. Signature: [Signature] Print Name Michael Gigante

Address: 53 Myrtle St Brattleboro VT 05301

4. Signature: [Signature] Print Name WAYNE LONDON

Address: 135 Main St (602) Brattleboro, VT 05301

5. Signature: [Signature] Print Name Tom Robertson

Address: 83 Oak St Brattleboro VT 05301

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: Rupa Cousins 372 Canoebrook Rd E. Dummerston, VT 05346

7. Signature: [Signature] Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: [Signature] Print Name David Cookbeth

Address: PO Box 1653 Brattleboro, VT 05301

9. Signature: [Signature] Print Name Ellie Capy-Goldfarb

Address: 1401 Lee Rd Guilford, VT 05301

10. Signature: [Signature] Print Name Gabriel Capy-Goldfarb

Address: 1401 Lee Rd Guilford VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Marie Davis Print Name MARIE DAVIS  
Address: 78 ROSE ST. BURL. VT-05401
2. Signature: Stephen Crowley Print Name Stephen Crowley  
Address: 12 Pleasant Ave, South Burlington, VT 05403
3. Signature: Darlene Sweeney Print Name Darlene Sweeney  
Address: 992 Falls Rd Shelburne VT 05482
4. Signature: Bob Allan Print Name BOB ALLAN  
Address: 285 1/2 WEAVER ST. WINOCH, VT 05404
5. Signature: Kaija Helmetag Print Name Kaija Helmetag  
Address: Green St Burlington, VT
6. Signature: Sheryl Bellman Print Name Sheryl Bellman  
Address: 140 Lyman Ave BURL
7. Signature: Brent Lyman Print Name Brent Lyman  
Address: #122 Buell St. #2a Burl. Vt. 05401
8. Signature: Megan Morrison Print Name Megan Morrison  
Address: 384 Paul St Burlington, VT 05401
9. Signature: Jewel Print Name Jewel  
Address: Burlington VT
10. Signature: Dan Rossman Print Name Dan Rossman  
Address: 39 E. Terr., S. Burlington, VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: David P. Davidson Print Name DAVID DAVIDSON  
Address: P.O. Box 1812 Burlington VT 05402
2. Signature: Meaghan M Parrott Print Name Meaghan M Parrott  
Address: 27 Adams School Rd Grand Isle VT 05458
3. Signature: Noodle Laderer Print Name Noodle Laderer  
Address: 4 Buxty Hill P.O. Box 8 Essex VT 05452
4. Signature: Joanne Littler Print Name Joanne Littler  
Address: 103 Leche Rd. Fairfax VT 05454
5. Signature: Math Lereith Print Name Math Lereith  
Address: 67 Union St #2A Winooski, VT 05404
6. Signature: Dana L. Parselitti Print Name Dana L. Parselitti  
Address: 81 Adams St Burlington VT 05401
7. Signature: Molly Segelin Print Name Molly Segelin  
Address: 67 Union St. #2A Winooski, VT 05404
8. Signature: Kate Pennells Print Name Kate Pennells  
Address: 67 CLARE POINT BURLINGTON 05401
9. Signature: Chelsea Clark Print Name Chelsea Clark  
Address: P.O. Box 1773 Burlington VT 05402
10. Signature: Rebecca Bonnick Print Name Rebecca Bonnick  
Address: 7A Allen St Burlington VT 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Karl J. Novak Print Name KARL J. NOVAK  
Address: 826 BURRITT RD HANESBURG VT 05461
2. Signature: Lisa Dandon Print Name Lisa Dandon  
Address: 981 Big Hollow Rd Starksboro VT 05487
3. Signature: Emily Kastor Print Name EMILY KASTOR  
Address: 991 Jerusalem RD Bristol VT 05443
4. Signature: Marcus Denise Print Name MARCUS DENISE  
Address: 510 Pine Shore Dr. Hinesburg VT 05461
5. Signature: Julie Rubaud Print Name Julie Rubaud  
Address: 205 Cemetery Rd Starksboro VT 05487
6. Signature: George Damico Print Name GEORGE DAMICO  
Address: 57 Charlotte Road Hinesburg 05461
7. Signature: Timothy Douglas Print Name TIMOTHY DOUGLAS  
Address: 129 CAROLINE ST., BURLINGTON, VT 05401
8. Signature: Kathleen Bradley Print Name Kathleen Bradley  
Address: 129 Caroline St Burlington VT 05401
9. Signature: Robert W. Musser Print Name ROBERT W. MUSSER  
Address: 18 Perrotta Pl. Burl. VT.
10. Signature: Susan Henry Print Name Susan Henry  
Address: 161 Austin Dr #137 Burlington, VT 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Eileen Underwood Print Name Eileen Underwood  
Address: 18 Perrotta Place, Burlington, VT 05401
2. Signature: Ruth P. Henney Print Name RUTH HENNEY  
Address: 161 Austin Dr H21, Burlington, VT 05401
3. Signature: Richard T. Kemp Print Name RICHARD T. KEMP  
Address: 288 Flynn Ave #20 Burlington VT
4. Signature: Dennis Willmott Print Name DENNIS WILLMOTT  
Address: 1617 Hayden Hill Rd. Hinesburg, VT 05461
5. Signature: Andrew Barker Print Name ANDREW BARKER  
Address: 4 Perrotta Place, Burlington VT 05401
6. Signature: Jeff Gorman Print Name Jeff Gorman  
Address: 178 Corn Ave Burlington VT 05401
7. Signature: Sue Johnson Print Name Sue Johnson  
Address: 378 Baldwin Rd Hinesburg VT 05461
8. Signature: Marian Kuschel Print Name MARIAN KUSCHEL  
Address: 9 Spaulding Dr Burlington VT 05401
9. Signature: Daniel Barker Print Name Daniel Barker  
Address: Box 2483 Gore Rd Highgate VT 05459
10. Signature: Dawn Morin-Boucher Print Name DAWN MORIN-BOUCHER  
Address: 2483 Gore Rd Highgate VT 05459

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: S. Blaise Print Name Simone Blaise  
Address: 256 Oak Circle, Colchester VT
2. Signature: Bl Kaler Print Name Robert Kaler  
Address: 41 Bower St. S. Burl VT
3. Signature: Judy Gilbert Print Name Judy Gilbert  
Address: 297 College St #8 Burlington VT 05401
4. Signature: M Bly Print Name Melissa Bly  
Address: 5467 Rte 7 Apt 1 Ferrisburgh VT 05456
5. Signature: Amy L. Yandow Print Name Amy L. Yandow  
Address: 170 W. Winooski Ave. Burlington, VT 05401
6. Signature: David A. Schaefer Print Name DAVID SCHAEFER  
Address: #248 70 S. Winooski Ave., Burlington, VT 05401
7. Signature: Allison Goldfarb Print Name ALLISON GOLDFARB  
Address: 425 ST. PAUL ST, BURLINGTON, VT 05401
8. Signature: Lisa Modica Print Name Lisa Modica  
Address: 1750 Lakeshore Dr, Apt C, Colchester VT 05446
9. Signature: Brian Walden Print Name Brian Walden  
Address: 200 Colchester rd Essex VT 05452
10. Signature: Brian Merrill Print Name Brian Merrill  
Address: 1750 W 31 LAKE SHORE DR. Apt. C Colchester VT 05446

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Marcia Ancker

Address: 183 N. Willard St. Burlington, VT

2. Signature: [Signature] Print Name Janice M. Fead

Address: P.O. Box 29, Bristol VT 05443

3. Signature: [Signature] Print Name Med Strianese

Address: 491 1/2 St Paul St. Burlington, VT

4. Signature: [Signature] Print Name Cardyn Porter

Address: 3 Weatherfield Bow, Essex St VT

5. Signature: [Signature] Print Name Monika Mac

Address: 142 Cochran Rd. Richmond VT 05477

6. Signature: [Signature] Print Name BRIAN MAC

Address: 142 COCHRAN RICHMOND VT 05477

7. Signature: [Signature] Print Name Heather Margolis

Address: 15 Laporte St.

8. Signature: [Signature] Print Name Michelle Senna

Address: 82 marcos St. Burlington, VT 05401

9. Signature: [Signature] Print Name Michael Harrigan

Address: 90 N. Windaski Ave. #4 Burlington VT 05401

10. Signature: [Signature] Print Name Katherine Hanson

Address: 80 Austin Dr, 175 Burlington 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Kathryn McCurdy Print Name Kathryn McCurdy  
Address: 12 Browns Ct. Burlington, VT 05401
2. Signature: S. Borsky Print Name S. Borsky  
Address: 61 Howard, Burlington
3. Signature: Edwin Scatchard Print Name Edwin Scatchard  
Address: 152 Hillside Ter, Shelburne, VT 05482
4. Signature: George B. Laramore Jr. Print Name George B. LARAMORE JR.  
Address: P.O. Box 80 So. Barre, VT. 05670
5. Signature: Goviinda Serchan Print Name Goviinda Serchan  
Address: 60 Spruce St. #1, Burlington, VT. 05401
6. Signature: Madelyn Holmes Print Name Madelyn Holmes  
Address: 572 S. Willard St Burlington VT 05401
7. Signature: Donald H. Taylor Print Name Donald H. Taylor  
Address: 213 St. Paul St #1 Burlington, VT 05401
8. Signature: Paul Glowaski Print Name Paul Glowaski  
Address: 280 Maple St. #3 Burlington, VT 05401
9. Signature: Maggie Phelan Print Name Maggie Phelan  
Address: 280 Maple St. #3 Burlington VT 05401
10. Signature: Chris Caswell Print Name Chris Caswell  
Address: 29 1/2 Pomeroy St. Burlington, VT 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Renee Lemmah Print Name Renee Lemmah  
Address: 88 Maple St Apt P Burlington VT 05401
- Signature: William Eickner Print Name WILLIAM EICKNER  
Address: 216 LAKE ST #304 05401
- Signature: Katherine Desautels Print Name Katherine Desautels  
Address: 132 Venus Ave Burlington, VT 05401
- Signature: Virginia Clarke Print Name Virginia Clarke  
Address: Pokerhill road, Interhill VT.
- Signature: David Booth Print Name David Booth  
Address: 16 Gersum St, apt 1 Burlington
- Signature: Evelyn Pepin Print Name EVELYNE PEPIN  
Address: 943 Richard Woodcutt Rd. Wolcott, VT 05680
- Signature: Glöcke Print Name Glöcke  
Address: 10271484. 1212 12-9271484 TOIC, VT
- Signature: J. Lawson Print Name Jessica Lawson  
Address: 179 Elmwood Ave Burlington VT
- Signature: Beth N Gama Print Name BETH N GAMMA  
Address: 50 Jay Street Dr Burlington VT 05401
- Signature: Elizabeth Curry Print Name Elizabeth Curry  
Address: 16 Crowley St. Burlington, VT 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name JANE SOREENSEN  
Address: 191 GOOSE POND ROAD FAIRFOX, VT 05454
2. Signature: [Signature] Print Name Beth G Norcross  
Address: PO BOX 546 Richmond, VT 05471
3. Signature: [Signature] Print Name Ashley Dunn  
Address: 397 St. Paul Street Burlington, VT 05401
4. Signature: [Signature] Print Name Anne Moore  
Address: 60 Wells St #4 Burlington VT 05401
5. Signature: [Signature] Print Name Joe Cleary  
Address: 280 N. St. Burlington, VT 05401
6. Signature: [Signature] Print Name Sandy Bermanohn  
Address: Pine St Burlington VT
7. Signature: [Signature] Print Name Tammy Buddh  
Address: St Paul St, Burlington
8. Signature: [Signature] Print Name VINCE CORSELLO  
Address: 300 MAIN ST. BURLINGTON, VT 05401
9. Signature: [Signature] Print Name Bonnie Fraser  
Address: 130 Mansfield Ave #404, Burlington VT 05401
10. Signature: [Signature] Print Name Maggie Randolph  
Address: 130 Mansfield Ave # 404, Burlington, VT 05402

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Elisabeth Goodrich Print Name Elisabeth Goodrich

Address: 30 Hillside Circle Essex VT 05452

2. Signature: David Goodrich Print Name David Goodrich

Address: 30 Hillside Circle Essex VT 05452

3. Signature: Brendan Perry Print Name Brendan Perry

Address: 178 North Union St. Burlington, VT 05401

4. Signature: Charles T. Bartlett Print Name CHARLES T. BARTLETT

Address: 57 Maple St., Burl., VT 05401

5. Signature: Doris Ponce Print Name Doris Ponce

Address: 1748 Portland Welden VT

6. Signature: Mark Floyd Print Name Mark Floyd

Address: 87 Howard St. Burlington VT

7. Signature: Eliza Williams Print Name Eliza Williams

Address: 379 Lower Main St. Johnson, VT 05656

8. Signature: Shane Steffens Print Name Shane Steffens

Address: 379 Lower Main St Johnson, VT 05656

9. Signature: J. Dyer Print Name J. Dyer

Address: 25 Booth Burlington 05401

10. Signature: FELYN ALEXANDER Print Name FELYN ALEXANDER

Address: 20 High Grove Court Burlington VT 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: S. Rabin Print Name Sara Rabin  
Address: 106 Rose St Burlington, VT
- Signature: Kenneth Golden Print Name Kenneth Golden  
Address: 1 Ravine Court Shelburne, VT 05482
- Signature: Bruce K. Sharrow Print Name Bruce K. Sharrow  
Address: 222 Riverside Ave #4 Burlington VT 05401
- Signature: Sue G. Golden Print Name Sue G. Golden  
Address: 1 Ravine Ct, Shelburne VT 05482
- Signature: Peter Burch Print Name Peter Burch  
Address: 9 Convent Square Burlington, VT 05401
- Signature: Karen Rosenthal Print Name Karen Rosenthal  
Address: same as above
- Signature: Joanna Renter Print Name Joanna Renter  
Address: 434 North St Burlington 05401
- Signature: Gwendolyn A. Blaine Print Name Gwendolyn A. Blaine  
Address: 75 1/2 B Hyde Street Burlington, VT 05401
- Signature: Stephen May Print Name Stephen May  
Address: 3 Glymer Street Burlington VT 05401
- Signature: Cesey Gervais Print Name Cesey Gervais  
Address: 1304 Ethan Allen Ave, Colchester VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,

similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Jean Cannon Print Name Jean Cannon  
Address: 185 Charlotte St., Burlington VT
2. Signature: Becky Rabinovitch Print Name Becky Rabinovitch  
Address: 232 Park St Burlington VT
3. Signature: David Clark Print Name David Clark  
Address: 25 Intervale Burlington VT
4. Signature: Ben Levitt Print Name Ben Levitt  
Address: Johnson, VT
5. Signature: Sean Patrick Burke Print Name Sean-Patrick Burke  
Address: 337 College St #1, Brimston, VT
6. Signature: Amelia Collins Print Name Amelia Collins  
Address: same as #5
7. Signature: Steve Bright Print Name Steve Bright  
Address: PO 5046 Burl., VT. 05402
8. Signature: Scott Frederick Print Name Scott Frederick  
Address: 10 MARBLE AVE. Burlington, VT. 05401.
9. Signature: Robin Lloyd Print Name ROBIN LLOYD  
Address: 300 Maple St. Burlington
10. Signature: Vassie Sino Pouloy Print Name VASSIE SINOPOULOU  
Address: P.O. Box 210, Woodstock VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Marcia L. Mason Print Name MARCIA L. MASON  
Address: 288 Flynn Ave #1 Burlington 05401
2. Signature: Rueh Swannert Print Name Rueh Swannert  
Address: 360 Toad Rd Charlotte VT 05445
3. Signature: Louis Cox Print Name LOUIS COX  
Address: 360 Toad Rd. Charlotte, VT 05445
4. Signature: Renée Carpenter Print Name Renée Carpenter  
Address: 2051 VT Rt 214, Dillfield, VT 05667
5. Signature: Martin B. Pincus Print Name Martin B. Pincus  
Address: 82 ZDON RD. Middlesex VT 05602
6. Signature: Roz Payne Print Name ROZ PAYNE  
Address: PO Box 164 Richmond Vermont 05477
7. Signature: Janet Balkantyne Print Name Janet Balkantyne  
Address: 156 Gardners St Shelb. VT 05482
8. Signature: David Sokol Print Name DAVID SOKOL  
Address: 156 verdens St Shelburne VT
9. Signature: Patricia Carsten Print Name PATRICIA CARSTEN  
Address: 24 MARSH LN/ Colchester VT 05446
10. Signature: Charles Delaney Print Name CHARLES DELANEY-MEGESO  
Address: 49 LEONARDO ST. BURLINGTON, VT. 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Heather Shea Print Name Heather Shea  
Address: 23 Dshg St. Burlington, VT 05401
2. Signature: Amy Hanzelka Print Name Amy Hanzelka  
Address: 44 No. Champlain St #2 Burlington, VT 05401
3. Signature: David Dudgey Print Name DAVID Dudgey  
Address: 39 Harrington Terr. Burlington VT 05401
4. Signature: Carol C. Groom Print Name CAROL C. GROOM  
Address: ~~1070~~ 508 Main Street, Warren, VT 05674
5. Signature: W. de Groot Print Name W. de GROOT  
Address: 119 CATHIN DR. S. BURLINGTON VT. 05403
6. Signature: Ar de Groot Print Name Ar de Groot  
Address: 119 Cathin Dr S. Burlington vt 05403
7. Signature: Deane Way Print Name Deane Way  
Address: Shelburne VT (388 Juniper Ridge)
8. Signature: J. B. Sargent Print Name J. B. Sargent  
Address: 417 East Rd Colchester, VT 05446
9. Signature: Lucille Sargent Print Name Lucille Sargent  
Address: 417 E Rd Colchester, Vt. 05446
10. Signature: Lisbeth E. Keeth Print Name Lisbeth E. Keeth  
Address: 34 Brewer P. S. Burlington

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Panchita Bailey Print Name Panchita Bailey  
Address: 155 main st., #209, Montpelier 05602
2. Signature: Janet Lindberg Print Name 802-859-9821  
Address: 205 Juniper Dr., So. Burlington VT
3. Signature: Carol Mauer Print Name CAROL MAUER  
Address: 161 Austin Dr. #19, Burlington, VT. 05401
4. Signature: Margaret MacDonald Print Name Margaret MacDonald  
Address: PO Box 166, Montpelier, VT 05601
5. Signature: Miriam Ward Print Name Miriam Ward  
Address: 55 Cross Pkwy, Burlington VT 05401
6. Signature: Christopher Lloyd Print Name CHRISTOPHER LLOYD  
Address: P.O. Box 210, Woodstock VT 05091
7. Signature: Genard Colby Print Name Genard Colby  
Address: 46 S. Willard St. Burlington, VT 05401
8. Signature: Charlotte Denault Print Name Charlotte Denault  
Address: 46 S Willard Burlington VT 05401
9. Signature: Bayard Littlefield Print Name Bayard Littlefield  
Address: PO Box 300 Maple Street, Burlington, VT 05401
10. Signature: Anne Petermann Print Name Anne Petermann  
Address: PO Box 412, Hinesburg, VT 05461

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: 

Print Name

DANIEL WEISS

Address:

16 EDGEMOOD Lane Burlington 05401

2. Signature: Megan A. McGee

Print Name

Megan McGee

Address:

3. Signature: Laura Becerra

Print Name

LAURA BECERRA

Address:

4. Signature: Cara Massamano

Print Name

Cara Massamano

Address:

5. Signature: Thomas A. Wales

Print Name

THOMAS A. WALES

Address:

142 Hays Ave., So. Burl., VT. 05403

6. Signature: Greg Delanty

Print Name

GREG DELANTY

Address:

3 GERRY ST, BURLINGTON, VT. 05401

7. Signature: Kiirsten Benetke

Print Name

Kiirsten Benetke

Address:

4/LASSI, Burlington, VT 05405

8. Signature: Deborah Tonne

Print Name

DEBORAH TONNE

Address:

163 Mill St. Jeffersonville, VT 05464

9. Signature: Robin Darcy

Print Name

Robin Darcy

Address:

581 Perry Lea Rd Waterbury, VT.

10. Signature: Patricia B. Novak

Print Name

Patricia B. Novak

Address:

826 Burritt Rd., Hinesburg, VT 05461

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Neil Hein Print Name Neil Heims  
Address: 48 Lakewood Terrace Burlington VT 05401
2. Signature: [Signature] Print Name Gideon TURNER  
Address: POB 8483, 05402
3. Signature: [Signature] Print Name Wendy Davidson  
Address: 337 Pearl St Burlington VT 05401
4. Signature: [Signature] Print Name JUSTIN FRANCISE  
Address: 300 MAPLE ST. BURLINGTON, VT 05401
5. Signature: Kimberly Ead Print Name Kimberly Ead  
Address: 106 Killammy Dr. Burlington VT 05401
6. Signature: Orin Langelle Print Name Orin Langelle  
Address: POB 412, Hinesburg, VT 05461
7. Signature: [Signature] Print Name GREG GUMA  
Address: 65 VICKER ST. WINOOSKI VT 05404
8. Signature: Patrick W. Bradley Print Name PATRICK W. BRADLEY  
Address: 3270 Main St., Isle La Motte, VT 05463-9815
9. Signature: [Signature] Print Name Zach Sargent  
Address: 87 Sherman St. Burlington VT 05401
10. Signature: Nick Breisford Print Name Nick Breisford  
Address: Radison Burlington VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Judith Sargent Print Name Judith Sargent  
Address: Dwinell Rd Marshfield VT 05658
- Signature: Lea Wood Print Name LEA WOOD  
Address: 155 Main St #207 Montpelier VT 05602
- Signature: Jerri Martinez Print Name JERRI MARTINEZ  
Address: 169 Holly Supple Hill Middlesex, VT 05760
- Signature: Betty Stambolian Print Name ELIZABETH STAMBOLIAN  
Address: 45 Cumberland Rd Burlington 05401
- Signature: Lucy Gluck Print Name Lucy Gluck  
Address: 51 Blodgett St, Burlington VT 05401
- Signature: Dorothy Vanyko Print Name Dorothy Vanyko  
Address: 175 Freeman St, NA, Brookline
- Signature: Vanessa Tan Print Name V. Tan  
Address: 175 Freeman St, Brookline, MA
- Signature: Nasir Arust Print Name NASIR ARUST  
Address: 280 North River Road Box #890 Manchester, (NH) 03140
- Signature: Linda Leehman Print Name LINDA LEEHMAN  
Address: 33 N. Franklin St Montpelier, VT 05602
- Signature: Gottus Farnsworth Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Raven Davis Print Name Raven Davis  
Address: 385 Toad. Rd., Charlotte, VT 05445
2. Signature: Marie J. Lemay Print Name Marie J. Lemay  
Address: 19 Kipland Terrace Burlington VT
3. Signature: Dorothy L. Coe de Hernandez Print Name Dorothy L. Coe de Hernandez  
Address: 45 Occatur St. Burlington, VT 05401
4. Signature: Nimrod Girvel Print Name Nimrod Girvel  
Address: 73 Drew St. Burlington
5. Signature: Jennifer Mamary Print Name Jennifer Mamary  
Address: 114 Park St. #2 Burlington, VT 05401
6. Signature: Mira Fakirananda Print Name Mira Fakirananda  
Address: 19 Woods St., Burlington VT 05401
7. Signature: Jane E. Ploughman Print Name Jane E. Ploughman  
Address: 112 Nashville Rd Jericho, VT 05465
8. Signature: Maggie Ryan Print Name Maggie Ryan  
Address: 116 Hayward Street Burlington VT 05401
9. Signature: Mary Mitchell Print Name MARY MITCHELL  
Address: 24C Blodgett St. Burlington VT 05401
10. Signature: Judith Joseph Print Name Judith Joseph  
Address: 254 Brighton Ave Rd Burlington, VT 05474

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Joseph Gainza Print Name JOSEPH GAINZA  
Address: 495 John Fowler Rd. PLAINFIELD VT 05667
2. Signature: SARA NORTON Print Name SARA NORTON  
Address: Muskegon VA. 05667
3. Signature: Paul Hood Print Name PAUL HOOD  
Address: 300 Maple St. BRIMLEYTON, VT, 05401
4. Signature: Iren Smolarski Print Name IREN SMOLARSKI  
Address: 48 Lakeview Ter. Burlington VT 05401
5. Signature: Christopher King Print Name Christopher King  
Address: PO Box 132 Burlington, VT 05402
6. Signature: Ellen David Friedman Print Name Ellen David Friedman  
Address: 270 Brazier Rd E. Montpelier, VT 05651
7. Signature: Elizabeth Nolan Print Name Elizabeth Nolan  
Address: 236 A N. Champlain St. Burlington VT 05401
8. Signature: Rachel Wells Print Name Rachel Wells  
Address: 236 A N. Champlain St. Burlington VT 05401
9. Signature: Suzanne E. Leavelle Print Name Suzanne E. Leavelle  
Address: Box 438 Richmond VT 05477
10. Signature: Edward A. Events Print Name Edward A. Events  
Address: 385 Todd Rd. Charlotte 05445

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

Ruby

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Radkin Print Name RADKIN  
Address: 578 Rt 2 So Albany VT 05440
2. Signature: David Epstein Print Name DAVID EPSTEIN  
Address: 465 Lincoln Hill Rd Hinesburg, VT. 05461
3. Signature: Sonia Rae Print Name SONIA RAE  
Address: 12 Spring St. Apt. 2 Montpelier, VT
4. Signature: Sylvia Field Print Name Sylvia Field (friend of VT.) [NH]  
Address: 2 Lewin Rd #6, Hanover, NH
5. Signature: Dawn Stanger Print Name Dawn Stanger  
Address: 6 Oak St Underhill VT 05489
6. Signature: Andrew L. Simon Print Name ANDREW L. SIMON  
Address: 501 Pettingill Rd Essex Jct VT 05452
7. Signature: Kate Perry Print Name Kate Perry  
Address: 501 Pettingill Essex Jct
8. Signature: Brendan O'Neill Print Name Brendan O'Neill  
Address: 300 Maple St., Burlington VT 05401
9. Signature: Robin Capuccino Print Name ROBIN CAPPUCCINO  
Address: 91 W. Wheelock Rd. Greenboro Bend VT. 05842
10. Signature: Dian Mueller Print Name Dian Mueller  
Address: 117 Morse Pl., Burlington, VT 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: [Signature] Print Name ANNE GUNDERSEN  
Address: 131 KILCAREY DR BURLINGTON
- Signature: [Signature] Print Name GEORGE WOODHURST  
Address: POB 839 RICHMOND VT. 05477
- Signature: [Signature] Print Name Emily Sloan  
Address: 320 Wood Rd WARESTER VT 05682
- Signature: [Signature] Print Name Stephen Crowley  
Address: 12 Pleasant Ave. South Burlington, VT 05403
- Signature: [Signature] Print Name Eric Goldstein  
Address: PO Box 8291 Burlington, VT 05402
- Signature: [Signature] Print Name Rosalie P. Wilson  
Address: 88 Hickok Place Burlington, VT 05401
- Signature: [Signature] Print Name Nancy Bloomer  
Address: 4 Grant St, Essex Junction VT 05452
- Signature: [Signature] Print Name Sarah Stein  
Address: 299 Colchester Ave. Burlington, VT 05401
- Signature: [Signature] Print Name April Kane  
Address: 322 DULUVM Burlington, VT 05406
- Signature: [Signature] Print Name Marla K. Zando  
Address: 25 Maple St., Burlington, VT 05401

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Merit Review Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- 23 copies  
230 signatures  
228  
2  
VT  
NHC
- Signature: Justin Seward Print Name: Justin Seward  
Address: 177A Jericho Rd, Essex Jct, VT
  - Signature: Kit Boyan Print Name: Kit Boyan + STEVE BOYAN  
Address: 200 Lake St. #6 Burlington, VT 05401
  - Signature: Kelley Garrison Print Name: Kelley Garrison  
Address: 92 Hyde Street Burlington VT 05401
  - Signature: Elizabeth J. Harrison Print Name: Elizabeth Harrison  
Address: 15 Fletcher Pl Burlington VT 05401
  - Signature: Daniel Stein Print Name: Daniel Stein  
Address: 12 Briar Lane, Essex Junction, VT 05452-3713
  - Signature: James H. Waters Print Name: JAMES H. WATERS  
Address: PO Box 963, Milton, VT 05468
  - Signature: Alicia Watson Print Name: ALICIA WATSON  
Address: 300 Converse, 75 Colchester Ave, Burlington
  - Signature: Margaret Latover-Jefferson Print Name: Margaret Latover-Jefferson  
Address: 420 Converse, 75 Colchester Avenue, Burlington
  - Signature: Sean Bailey Print Name: Sean Bailey VT 05416  
Address: 307 Red Oaks
  - Signature: Jennifer Agin Print Name: Jennifer Agin  
Address: 633 Main St., Burlington, VT 05405

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Anne Fines Print Name Anne Fines - dpe  
Address: 12 Joe Holt Way, Putney, VT 05346
2. Signature: Josh Letourneau Print Name Josh Letourneau - dpe  
Address: 4390 W.W. Rd. Putney, VT 05346
3. Signature: Vanessa Bistarelli Print Name Vanessa Bistarelli - dpe  
Address: 870 Western Ave Bldg VT 05301
4. Signature: Chris Lievense Print Name Chris Lievense - dpe  
Address: 870 Western Ave Bldg VT 05301
5. Signature: Judith A. Johnson Print Name Judith H. Johnson (friend)  
Address: 433 Orlando Avenue, State College, PA 16803
6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 22, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

777

**A CITIZEN PETITION**

**TO:** The Honorable James Douglas: Senators Jeffords and Leahy; Representative Sanders

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS,** The recent disclosure that highly lethal fuel rods are missing from Vermont Yankee, as well as the discovery of cracks in the steam dryer, both demonstrate that the usual oversight process of both Vermont Yankee and the Nuclear Regulatory Commission is insufficient to guarantee the health and safety of the public

**WE NOW URGE THE ABOVE, PUBLICLY ELECTED OFFICIALS** to demand an Independent **SAFETY** Assessment that will have the criteria listed in the Vermont Senate Resolution adopted on 4/16/04 as well as the requirement of a civilian peer review process. The limited "engineering assessment" required by the Public Service Board on 3/15/04, will not be enough to reassure Vermonters that this plant is being run safely, given these recent disclosures of outrageously incompetent oversight. How can we expect Vermont Yankee to run a plant safely at 120% of capacity if VY can't keep track of fuel rods? How can we trust the Nuclear Regulatory Commission if they don't have a process which would have required frequent checks that the fuel rods were actually inside the box, particularly after spent fuel was missing at the Millstone plant?

1. Signature Patricia R. Cavanaugh Print Name Patricia R. Cavanaugh  
Address 1359 Brook Rd, W. Halifax VT E-mail pcavanaugh@marlbboro.edu
2. Signature Jane A Southworth Print Name JANE A SOUTHWORTH  
Address 19 PROSPECT CT BRAT. 05301 E-mail morgan@sover.net
3. Signature Jon King Print Name JON KING  
Address 10 STEWART PL BRAT. VT E-Mail \_\_\_\_\_
4. Signature Sarah Kotkov Print Name Sarah Kotkov  
Address \_\_\_\_\_ E-mail \_\_\_\_\_
5. Signature Lisa Jaramillo Print Name Lisa Jaramillo  
Address 49 Cedar St. #2 Brattleboro, VT 05301 E-mail lisa.jaramillo@hotmail.com
6. Signature Jenny Langenbach Print Name Jenny Langenbach  
Address 145 High St. Apt. 201 Brat 05301 E-mail \_\_\_\_\_
7. Signature Kevin Natapow Print Name Kevin Natapow  
Address 145 High St. Apt. 201 Brattleboro VT 05301 E-mail \_\_\_\_\_



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,

similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Ann Stanton Print Name Ann Stanton  
Address: Montpelier VT 05602 e-mail: \_\_\_\_\_
- Signature: Tim Fitzgerald Print Name Tim Fitzgerald  
Address: Box 319 Putney VT 05346 e-mail: \_\_\_\_\_
- Signature: Cliff Goehring Print Name Cliff Goehring  
Address: PO Box 6053 Brattleboro VT 05302 e-mail: \_\_\_\_\_
- Signature: Kim Lier Print Name Kim Lier  
Address: 145 Maple St Brattleboro VT 05301 e-mail: \_\_\_\_\_
- Signature: Linda Rubinsten Print Name Linda Rubinsten  
Address: 441 Miller Rd. E. Danvers 05346 e-mail: \_\_\_\_\_
- Signature: Dave Alessi Print Name Dave Alessi  
Address: 32 Main St Age 4244 Brattleboro e-mail: \_\_\_\_\_
- Signature: Kristen Schroll Print Name Kristen Schroll  
Address: PO Box 401 Putney VT 05346 e-mail: \_\_\_\_\_
- Signature: Wendy Redlinger Print Name Wendy Redlinger  
Address: 2596 Tater Lane Guilford VT e-mail: \_\_\_\_\_
- Signature: Eddie McBee Print Name Eddie McBee  
Address: 517 Kipling Rd Brat. VT e-mail: \_\_\_\_\_
- Signature: Jim Herrich Print Name Jim Herrich  
Address: P.O. Box 158 Marlboro VT 05344 e-mail: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: BOBBI ANGLER Print Name BOBBI ANGLER  
Address: P.O. Box 112 Marlboro VT 05844 email \_\_\_\_\_
2. Signature: [Signature] Print Name JAMES GARFIELD  
Address: 897 Guilford St Brattleboro VT 05301 email \_\_\_\_\_
3. Signature: Raj Bhanti Print Name RAJ BHANTI  
Address: 11- Church Place Brattleboro email \_\_\_\_\_
4. Signature: [Signature] Print Name James D Taylor  
Address: 3523 Westminster West Rd. Town?? email \_\_\_\_\_
5. Signature: [Signature] Print Name Mona Jones  
Address: 5446 Westminster West Rd. email \_\_\_\_\_
6. Signature: Laura B Williams Print Name Laura Bryant Williams  
Address: 1197 Westminster W. Rd. Putney V.T. email \$
7. Signature: Mary Hayward Print Name MARY HAYWARD  
Address: 508 McKinian Rd, Putney, V.T. email \_\_\_\_\_
8. Signature: Cynthia T Larsen Print Name Cynthia T. Larsen  
Address: 171 Ridge Rd. Putney, VT 05346 email \_\_\_\_\_
9. Signature: Elaine Gordon Print Name Elaine Gordon  
Address: 40 Hartley Hill Westminster VT 05188 email \_\_\_\_\_
10. Signature: Sheila Landers Print Name Sheila Landers  
Address: 22 Elliot Terr, Brattleboro VT 05301 email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

due 1/23/04

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Tonya Lee Neven Print Name Tonya Lee Neven  
Address: 683 E. Putney Brook Rd Westminster West, VT 05346 (Westminster VT VOTER)
2. Signature: Julia Cramer Print Name Julia Cramer  
Address: 2567 South Rd. Marlboro, VT 05344
3. Signature: Jane L Sauls Print Name Jane L Sauls  
Address: 22 Hickory Ridge Rd. S., Putney VT 05346
4. Signature: Elizabeth Greenham Print Name Elizabeth Greenham  
Address: P.O. Box 191 Putney VT 05346
5. Signature: John L Crockett Print Name John L Crockett  
Address: P.O. Box 42 Putney VT 05346
6. Signature: Robert Covey Print Name ROBERT COVEY  
Address: Box 220 Putney, VT. 05346
7. Signature: Christine Greke Print Name Christine Greke  
Address: 378 Oak Rd, Putney, VT 05346
8. Signature: Jeanette Reifer Print Name Jeanette Reifer  
Address: P.O. Box 163 Putney, VT 05346
9. Signature: Tan Ameen Print Name Tan Ameen  
Address: P.O. Box 48 Putney, VT 05346
10. Signature: Ann Kerrey Print Name Ann Kerrey  
Address: P.O. Box 533, Putney, VT 05346

more pages →

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments; corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition

dec 1/23 /04

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature; Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Ellen Kaye Print Name Ellen Kaye  
Address: 167 Sunset Lake Rd. email \_\_\_\_\_
2. Signature: Barry Shaw Print Name Barry Shaw  
Address: Putney VT email \_\_\_\_\_
3. Signature: Bob Bady Print Name Bob Bady  
Address: 167 Sunset Jk Rd. email 1
4. Signature: Nicholas Keil Print Name NICHOLAS KEIL  
Address: 4109 W.W. RD, PUTNEY, VT, 05346 email KEILB3@SOVER.NET
5. Signature: Ashla Tyska McLaughlin Print Name ASHLA TYSKA MCLAUGHLIN  
Address: 898 Pine Banks Rd. Putney VT 05346 email \_\_\_\_\_
6. Signature: Hilary Slater Print Name Hilary Slater  
Address: 131 West Parrish Rd, West. West, VT email \_\_\_\_\_
7. Signature: MARTHA MATHEN Print Name MARTHA MATHEN  
Address: 1253 KIMBARK AVE ROAD SOUTH WEST WEST email \_\_\_\_\_
8. Signature: Lynne Weiner Print Name Lynne Weiner  
Address: 65 Aiken Rd Putney VT email \_\_\_\_\_
9. Signature: Lyssa Papazian Print Name Lyssa Papazian  
Address: 13 Dusty Ridge Putney VT email \_\_\_\_\_
10. Signature: Peter H. Dixon Print Name Peter H Dixon  
Address: PO Box 993 Putney, VT email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition

due 1/23/04

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Nancy Aldrich Print Name NANCY ALDRICH  
Address: P.O. Box 407 Putney VT 05346 email \_\_\_\_\_
2. Signature: Joey Morgan Print Name Joey Morgan  
Address: 123 July Rd West East email jmorgan@sover.net
3. Signature: Rick Gironi Print Name Rick Gironi  
Address: P.O. Box 303 East River, VT 00754 email \_\_\_\_\_
4. Signature: Matt Sharff Print Name Matt Sharff  
Address: 318 Earthbridge Rd. Putney email msharff@sover.net
5. Signature: Laura Witt Print Name Laura Witt  
Address: 2502 West. West Rd Apt 2 email lotsuite@yahoo.com
6. Signature: Steve Berger Print Name Steve Berger  
Address: 3463 Wheelwinder W. Rd Putney VT 05346 email \_\_\_\_\_
7. Signature: Betty Jean Wallen Print Name Betty Jean Wallen  
Address: 63 Jean Wallen Rd Putney, VT 05346 email \_\_\_\_\_
8. Signature: John A Wallen Print Name John A Wallen  
Address: 60 Leon Wood Rd PUTNEY VT email \_\_\_\_\_
9. Signature: Claire Oglesby Print Name Claire Oglesby  
Address: 43 Williston St Brattleboro, VT email \_\_\_\_\_
10. Signature: Chris Houston Print Name CHRIS HOUSTON  
Address: 12 GREGG RD PUTNEY VT 05346 email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

done 1/23/04

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;  
**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Rosalie Coven Print Name Rosalie Coven  
Address: 36 EVERGREEN RD. email \_\_\_\_\_
2. Signature: Gordon Hayward Print Name GORDON HAYWARD  
Address: 508 MCKINNON RD., PUTNEY email \_\_\_\_\_
3. Signature: Jessica Taylor Print Name Jessica Taylor  
Address: 3523 Westminister West RD Putney VT email Jessleslay@yahoo.com
4. Signature: Frances E. Herbert Print Name Frances E. Herbert  
Address: 197 Hill Rd. Dummerston, VT. 05301 email \_\_\_\_\_
5. Signature: Bryan Shaw Print Name BRYAN SHAW  
Address: 636 Kimball Hill Rd. South West, West email Shaw1@vermontel.net
6. Signature: Rachael E Peters Print Name Rachael E Peters  
Address: 686 Kimball Hill Rd S. Westminister West VT email \_\_\_\_\_
7. Signature: Geoffrey Thomas Print Name Geoffrey Thomas  
Address: 29 Parkside Ave Brattleboro VT email \_\_\_\_\_
8. Signature: Karen Blanchard Print Name KAREN BLANCHARD  
Address: 156 Walnut Way Putney, VT. 05346 email \_\_\_\_\_
9. Signature: M. Anderson Print Name M. Anderson  
Address: 218 Parkside Rd E. Dummerston VT email \_\_\_\_\_
10. Signature: Lyra Anderson Print Name Lyra Anderson  
Address: 218 Partridge Rd. E. Dummerston VT email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont State Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load ~~reactor~~ reactor in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Susan Dunning Print Name SUSAN DUNNING

Address: P.O. Box 104 LUDLOW, VT 05149

2. Signature: Ronald L. Hoffman Print Name RONALD L. HOFFMAN

Address: 17 Leonard Ave, Springfield, VT 05156

3. Signature: Cynthia Shawa-Selt Print Name Cynthia Shawa-Selt

Address: 839 Rose Rd. Chester, VT 05143

4. Signature: Adam Appel Print Name ADAM APPEL

Address: P.O. Box 201 CHELSEA, VT 05038

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

700

## A Citizen Petition<sup>1</sup>

2VT

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont State Board of Public Service: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore.

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Stuart S. Blood Print Name STUART S. BLOOD

Address: 851 Poor Farm Rd Thetford Ctr, VT 05075

2. Signature: Li Shen Print Name Li Shen

Address: Poor Farm Rd Thetford Ctr VT 05075

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



879-7141

**A Citizen Petition<sup>1</sup>**

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Sally Newton Print Name Sally Newton  
Address: PO Box 1394 W. Townsend VT 05359
2. Signature: Kay Perlman Print Name Kay Perlman  
Address: POB 452 Jamaica VT 05343
3. Signature: Annie Poherty Print Name Annie Poherty  
Address: 644 West Hill Rd Putney VT
4. Signature: Ann D. Brown Print Name Ann D. Brown  
Address: PO Box 594, Townsend, VT 05353
5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: **Independent Safety Assessment of Maine Yankee Atomic Power Company**, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

YES

Halifax, VT

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

yes

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant shutouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name LEE H. POOLE

Address: 70 GOLDEN HILL RD, ROCKINGHAM VT 05101

2. Signature: [Signature] Print Name VIRGINIA G. POOLE

Address: 70 GOLDEN HILL RD, BELLINGS FALLS, VT 05101

3. Signature: [Signature] Print Name JOYCE KING

Address: 64 GOLDEN HILL RD - BELLINGS FALLS, VT 05101

4. Signature: [Signature] Print Name STEPHEN H. KING

Address: 64 GOLDEN HILL RD BELLINGS FALLS VT 05101

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

YES

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: Donna Simons

Print Name: Donna Simons

Address: 181 Main St. (business) Thomas Hill Rd, Halifax (home)

City: Brattleboro State Vt Zip 05301

Phone: 802-257-0471 Email: dsimons@sover.net

Registered to Vote? Yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

## A Citizen Petition<sup>1</sup>

ON OTHER  
LIST

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Emily Mason Print Name EMILY MASON

Address: Box 2314 West Brattleboro VT 05303

2. Signature: Wolf Kahn Print Name Wolf Kahn

Address: Box 2314 W Bratt VT 05303

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

■ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

■ a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee?**

similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Lucia Montoya Print Name Lucia Montoya

Address: 14 Homestead Pl., Apt. 2, Bratt, VT 05301

2. Signature: R. Pearce Print Name RICHARD PEARCE

Address: 42 BEE BARN RD, GUILFORD, VT. 05301

3. Signature: EJ Wood Print Name Elizabeth Wood

Address: 11 Dutton Farm Rd, Dummerston, VT 05301

4. Signature: Robin MacArthur Print Name Robin MacArthur

Address: P.O. box 472 Marlboro VT 05344

5. Signature: Beth Ann Ortiz Print Name Beth Ann Ortiz

Address: 922 Meadowbrook Rd Bratt VT

6. Signature: Gordon W. Smith Print Name Gordon W. Smith

Address: PO Box 201 Williamsville, VT 05362

7. Signature: Jennifer Claster Print Name Jennifer Claster

Address: P.O. Box 122 Marlboro, VT 05344

8. Signature: Alysa Blum Print Name Alysa Blum

Address: 51 Grove Bratt VT

9. Signature: Matt Makawian Print Name MATT MAKAWIAN

Address: 119 Main St Brattleboro

10. Signature: Kathy Ernst Print Name Kathy Ernst

Address: 14 Abbott Rd, West Brattleboro VT 05303

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

679 ✓

## A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Citizen Petition<sup>1</sup>



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

■ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

■ a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Larry Alper Print Name Larry Alper

Address: 114 Abbott Rd, W. Brattleboro, VT 05303

2. Signature: Aylana L Katz Print Name Aylana L Katz

Address: 114 Greenleaf St, W. Brattleboro 05301

3. Signature: Emily Wendt Print Name Emily Wendt

Address: Box 151, P.O. Box B Marlboro College, Marlboro, VT 05344

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: Kerry Silsbee-Pinilla Capponcelli

Print Name: Kerry Silsbee-Pinilla Capponcelli ?

Address: PO Box 1169

City: Brookline

State: Vermont

Zip: 05345

Phone: 802 365 4267

Email: \_\_\_\_\_

Registered to Vote? yes Brookline Vermont

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_



## A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Heidi D. Nystrom

Print Name: Heidi D. Nystrom

Address: 700 Grassy Brook Rd

City: Brookline State: VT Zip: 05345

Phone: 802-365-4425 Email: \_\_\_\_\_

Registered to Vote? Yes



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Christen McLean

Print Name: Christen McLean

Address: 111 Taft Brook Rd.

City: E. Dover

State: VT

Zip: 05341

Phone: 348-6878

Email: \_\_\_\_\_

Registered to Vote? Yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Phil Bowen

Print Name: Phil Bowen

Address: PO Box 87

City: EAST DOVER

State: VT

Zip: 05341

Phone: 348 7258

Email: \_\_\_\_\_

Registered to Vote? Yes

# A Petition

✓  
see Peter

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature

*Holly Meyer*

Print Name:

Holly Meyer

Address:

619 Grassy Brook Rd.

City:

Brookline

State:

VT

Zip:

05345

Phone:

802-365-4670

Email:

N/A

Registered to Vote?

yes



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Public Service Board of Vermont: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: 

Print Name: Peter Meyer

Address: 619 Grassy Brook Rd

City: Brookline

State: VT

Zip: 05345

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? Y

# A Petition



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

Signed:

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

DAVID A. BLACK

Address: \_\_\_\_\_

92 VALLEY CEMETERY Rd

City: \_\_\_\_\_

ATHENS

State \_\_\_\_\_

VT

Zip \_\_\_\_\_

05143

Phone: \_\_\_\_\_

869-2683

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

NO

# A Petition



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

Because this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

Because this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: Heather Sperling

Print Name: Heather Sperling

Address: 134 Whitney Hill

City: Brookline

State: VT

Zip: 05345

Phone: (802) 365-9309

Email: hsperling@earthlink.net

Registered to Vote? Yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Barbara Bourne

Print Name: Barbara Bourne

Address: 24 Marsh Dr

City: Brookline

State: Vt

Zip: 05345

Phone: 802-365-7145

Email: \_\_\_\_\_

Registered to Vote? yes



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

*see Thomas*

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

655

# A Petition



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: *Laura Solomon*

Print Name: *Laura Solomon*

Address: *842 Grassy Brook Rd.*

City: *Brookline*

State: *VT.*

Zip: *05345*

Phone: *348-9300*

Email: \_\_\_\_\_

Registered to Vote? *yes*

*see Norman*

# A Petition



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

*Norman Solomon*

Print Name: \_\_\_\_\_

NORMAN SOLOMON

Address: \_\_\_\_\_

842 GRASSY BROOK RD.

City: \_\_\_\_\_

Brookline

State: \_\_\_\_\_

VT

Zip: \_\_\_\_\_

05345

Phone: \_\_\_\_\_

802 348 9300

Email: \_\_\_\_\_

C1785@SOVER.NET

Registered to Vote? \_\_\_\_\_

Yes.

# A Petition



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Jane Vancheri

Address: \_\_\_\_\_

P.O. B 148

City: \_\_\_\_\_

Williamsville

State

VT

Zip

05362

Phone: \_\_\_\_\_

348 7848

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

y

# A Petition



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

Because this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

Because this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: 

Print Name: Kenneth Schuman

Address: Rt 30

City: Newtown

State: VT

Zip: \_\_\_\_\_

Phone: 802 365-7651

Email: \_\_\_\_\_

Registered to Vote? (No)

# A Petition



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: 

Print Name: ROBERT GUDENHILL

Address: 1656 STAGE RD

City: GULFURD

State: VT

Zip: 05301

Phone: 2519940

Email: \_\_\_\_\_

Registered to Vote? YES

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: *Margit A. Black*

Print Name: DAVID A. BLACK & MARGIT A. BLACK

Address: 92 VALLEY CEMETERY RD

City: ATHENS State: VERMONT Zip: 05143

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

? 2nd done

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

*Kristie S. Henderson*

*per James*

Print Name: \_\_\_\_\_

KRISTIE S. HENDERSON

Address: \_\_\_\_\_

962 ORASSY BROOK RD

City: \_\_\_\_\_

BROOKLINE

State: \_\_\_\_\_

VT

Zip: \_\_\_\_\_

05345

Phone: \_\_\_\_\_

802-365-9399

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

*yes*

# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: Scott W. Brown Print Name SCOTT W. BROWN

Address: PO BOX 6125 BART VT 05301 Email \_\_\_\_\_

2. Signature: Jennifer Maiocco Print Name Jennifer Maiocco

Address: 410 River Rd. Newfane Email jmaiocco@earthlink.net

3. Signature: E. M. Anthes Print Name E. M. Anthes

Address: 1556 East West Rd. Dummerston Email \_\_\_\_\_

4. Signature: Ian Bigelow Print Name Ian Bigelow

Address: 1013 Thomas Hill Rd Brattleboro VT Email sanityassassin9@yahoo

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ EMail \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ EMail \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

ON  
other  
LISTS

643

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Michael Lockerby Print Name Michael Lockerby  
Address: 20 Main St., Saxtons River, Vermont 05754
2. Signature: Sara Lique Print Name Sara Lique  
Address: \_\_\_\_\_
3. Signature: Gayle Bates Print Name Gayle Bates  
Address: 4 Pine St Bellows Falls, VT
4. Signature: Teresa Savel Print Name TERESA SAVEL  
Address: 1601 Old Athens Rd. Putney, VT 05346
5. Signature: Sue Collins Print Name Sue Collins  
Address: 131 Old Athens Rd Putney VT 05346
6. Signature: Pat Washburn Print Name \_\_\_\_\_  
Address: Putney VT
7. Signature: Patricia Print Name \_\_\_\_\_  
Address: Putney VT
8. Signature: Maggie Corbin Print Name \_\_\_\_\_  
Address: 153 Aiken Rd. Putney VT 05346
9. Signature: Arthur S. Costa Print Name ARTHUR S. COSTA  
Address: 198 PUTNEY MTD. RD. PUTNEY VT 05346
10. Signature: Dean Savas Print Name DEAN SAVAS  
Address: 107 Crane St Norton, MA 02766

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Simon Mayer Print Name Simon Mayer  
Address: 7110 Holly Ave Tetrum AK MO 20912
2. Signature: JM Carroll Print Name John M. Carroll  
Address: 6801 6th ST NW Washington D.C.
3. Signature: Nadejda Pazi Roberts Print Name Nadejda Pazi Roberts  
Address: 6 Summit Rd Keene NH 03431
4. Signature: Kathleen White Print Name Kathleen White  
Address: 27 Greenhill Pkwy Brattleboro, VT 05301
5. Signature: Claude Blazej Print Name Claude Blazej  
Address: P.O. Box 523 Putney VT 05346
6. Signature: Laurea Witsch Print Name Laurea Witsch  
Address: Rockingham, VT 05101
7. Signature: Philip Clark Print Name Philip Clark  
Address: Rockingham, VT 05101
8. Signature: Wally Ames Print Name Wally Ames  
Address: Westminster, VT
9. Signature: Dana Fiske Print Name Dana Fiske  
Address: Westminster, VT
10. Signature: Natasha Weiner Print Name Natasha Weiner  
Address: P.O. Westminster West, VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,

similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Wanda J Manti Print Name Wanda J Manti  
Address: 638 Weston Andover Rd, Andover, VT
2. Signature: Maryann Morris Print Name Maryann Morris  
Address: PO 738 Londonderry VT 05148
3. Signature: Vickie Hart Print Name Vickie Hart  
Address: 12 Old County Rd Weston, VT 05161
4. Signature: Donna Kane Print Name Donna Kane  
Address: PO Box 59 Peru VT 05152
5. Signature: Alicia C Bartlett Print Name Alicia C Bartlett  
Address: 954 South Rd. Peru, VT 05152
6. Signature: Jill Soewer Print Name Jill Soewer  
Address: 480 Spruce Hill Londonderry (05148)
7. Signature: GB Scardica Print Name GB Scardica  
Address: PO Box 67 Peru VT 05152
8. Signature: D. Guers-Wood Print Name D. Guers-Wood  
Address: 34 Eves Dr Londonderry VT 05148
9. Signature: Jarosl Connolly Print Name Jarosl Connolly  
Address: 3337 Weston Andover Rd, Andover VT 05143
10. Signature: Marie Smith Print Name Marie Smith  
Address: PO Box 826 Chester VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Annie Thayer Print Name Annie Thayer  
Address: Bellows Falls VT 05101
2. Signature: Magdaline Volaitis Print Name MAGDALINE VOLAITIS  
Address: 410 DORSCH HILL Putney VT 05346
3. Signature: Annie Quest Print Name ANNIE QUEST  
Address: 60 Pine Pollen Lane Putney, VT 05346
4. Signature: Kathryn Palmer Print Name KATHRYN PALMER  
Address: 376 WEST HILL RD PUTNEY VT 05346
5. Signature: Jennifer Irion Print Name JENNIFER IRION  
Address: 2492 West Rd. Putney 05346
6. Signature: Shanon Bowoli Print Name SHANON BOWOLI  
Address: 409 Old Athens Rd Putney VT 05346
7. Signature: Dick Bexstone Print Name Dick Bexstone  
Address: 188 Newmarket Hill R Putney VT 05346
8. Signature: Mary Rodriguez Print Name MARY RODRIGUEZ  
Address: 610 Goss Rd. Putney VT 05346
9. Signature: Julie Chickering Print Name Julie Chickering  
Address: 7 Grove St Saxtons River 05154
10. Signature: Mary Head Print Name Mary Head  
Address: P.O. Box 48 Saxtons River VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Clea King Print Name Clea King  
Address: 250 Sturges Ave. Brattleboro
2. Signature: Justin Morris Print Name Justin Morris  
Address: 37 Sawmill Rd. Newfane VT 05345
3. Signature: Keri Lindvall Print Name KERI LINDVALL  
Address: 71 Elliot St Brattleboro, VT 05301
4. Signature: Matthew Betts Print Name Matthew Betts  
Address: 1179 Kipling Rd. Danvers VT. 05301
5. Signature: Elin Gunzburg Print Name Elin Gunzburg  
Address: 230 Johnsons Pasture Dr. Guilford, VT 05301
6. Signature: Ken Kail Print Name KEN KAIL  
Address: 1380 River Rd Guilford VT 05301
7. Signature: Shari Zarin Print Name Shari Zarin  
Address: 772 Sweet Pond Rd. Guilford VT 05301
8. Signature: Dina Kail Print Name DINA KAIL  
Address: 1380 River Rd. Guilford VT. 05301
9. Signature: Derek D. Lemieux Print Name Derek D. Lemieux  
Address: \_\_\_\_\_
10. Signature: Richard Bellis Print Name PO Box 26 Williamsville VT  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.  
<sup>2</sup> According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



NECNP  
- Dec

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,

similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: Gashley Deard Print Name ASHLEY SEARS  
Address: 26 Pleasant St. S.R., VT. 05154
- Signature: Roger Kahle Print Name ROGER J. Kahle  
Address: 399 Westminister West Rd. Putney, VT 05346
- Signature: Paige Pietrzak Print Name Paige Pietrzak  
Address: 206 Cherry St. Bellows Falls, VT 05101
- Signature: Anne Poth Print Name Anne Poth  
Address: 5560 W.W. Rd Putney, VT 05346
- Signature: Susan Talbot Print Name Susan Talbot  
Address: Westminister West Rd. Putney, VT
- Signature: Richard Mohr Print Name RICHARD MOHR  
Address: 51 Holden Rd Putney VT 05346
- Signature: Jeanne Bennett Print Name Jeanne Bennett  
Address: P.O. Box 435 Putney Vt 05346
- Signature: Richard Gottlieb Print Name RICHARD GOTTLIEB  
Address: 1014 Green River Rd. Guilford VT 05301
- Signature: Carol Levin Print Name CAROL LEVIN  
Address: 1014 Green River Rd. GUILFORD VT. 05301
- Signature: Kari Smith Print Name KARI SMITH  
Address: 105 Bunker Rd. Dummerston VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Kimberly Weeter

Address: 4057 Hinesburg Rd. Guilford VT 05301

2. Signature: [Signature] Print Name NAOMI LINDENFELD

Address: 330 meadowbrook Rd. Bratt. VT 05301

3. Signature: [Signature] Print Name DANISO PRSCOTT

Address: 84 South St., Bratt. VT 05301

4. Signature: [Signature] Print Name Chloe Balford

Address: Holifax VT

5. Signature: [Signature] Print Name Steven L. Zscho

Address: 1169 Sunny Acres Bratt VT 05301

6. Signature: [Signature] Print Name Jennifer Insull

Address: 40 Elliot St #1 Bratt VT 05301

7. Signature: [Signature] Print Name Elizabeth Gamfalo

Address: PO Box 811 Brattleboro, VT 05302

8. Signature: [Signature] Print Name Jean Reilly

Address: Col Streeter Mill Rd. W. Chesterfield, NH 03466

9. Signature: [Signature] Print Name Amelia Darrow

Address: 129 Augur Hole Rd - S. Newfare VT 05351

10. Signature: [Signature] Print Name Chris Darrow

Address: 129 Augur Hole Rd S. Newfare VT 05351

Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.  
According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company,  
er 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its  
and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety  
since giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and  
ment plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Rajeev Kohn

Address: 354 Threl St. Chai OH 45220

2. Signature: [Signature] Print Name TRICA BEBBERIAN

Address: 416 BEAVER POND RD Dummerston VT 05301

3. Signature: [Signature] Print Name TAMI SKIN

Address: 81 S. Main St. Brattleboro, VT 05301

4. Signature: [Signature] Print Name Kristin Stupfel

Address: 517 PO BOX 3113 Brattleboro, VT

5. Signature: JAIGAR DADO Print Name JAIME

Address: 34 GERRY ST. BRATTLEBORO, VT.

6. Signature: [Signature] Print Name Lana Dever

Address: 814 Western Ave #3 Brattleboro VT

7. Signature: [Signature] Print Name R. Brayton Brown

Address: 814 Western ave #3 Brattleboro VT. 05301

8. Signature: [Signature] Print Name Ellen Keelan

Address: 37 Beestown Dr. Williamsburg VT 05362

9. Signature: [Signature] Print Name JULIA CHASE

Address: 54 SPRUCE ST., BRATTLEBORO VT 05301

10. Signature: [Signature] Print Name William F Travers Jr

Address: 19 Saint Mary St Medford, Ma 02155

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Adrienne deBuenavista  
Address: Westminster, West VT
2. Signature: [Signature] Print Name Christina Balce  
Address: Westminster Station VT
3. Signature: [Signature] Print Name KINGA WODYLO  
Address: 4 LAKERIDGE RD GUILFORD VT
4. Signature: [Signature] Print Name RECHARD E. ABATH  
Address: 438 Brook Rd. W. HALFAY
5. Signature: [Signature] Print Name Jason M Niemszyk  
Address: 555 cross rd Westminster west VT
6. Signature: [Signature] Print Name Pam Bulluck  
Address: 51 yst mile Rd Brattleboro VT 05301
7. Signature: [Signature] Print Name Sa Arsenault  
Address: 114 High St Apt 3 Brattleboro VT 05301
8. Signature: [Signature] Print Name David M Moon  
Address: 56 Partridge Brook Rd Westmoreland NH 03467
9. Signature: [Signature] Print Name Mollie Montgomery  
Address: 9 cut-de-sac apt 3 Putney VT 05346
10. Signature: [Signature] Print Name BRET HARRIS  
Address: 325 Middle Rd JUNCTION VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name: Amayde Becker

Address: PO Box 393 Putney, V.T. 05346

2. Signature: [Signature] Print Name: LAINE SKINNER

Address: SEAN BAY RD HICKORANGI, WHANGAREI, NZ

3. Signature: [Signature] Print Name: Abigail H. Clarke

Address: 4 Railroad Ln. Newfane VT. 05345

4. Signature: [Signature] Print Name: Sonja Reitsma

Address: 71 Western Ave. apt. 102 Brattleboro VT

5. Signature: [Signature] Print Name: NANCY A. OLSON

Address: 45 Pratt Rd. Putney, VT 05346

6. Signature: [Signature] Print Name: Ingrid Schorr

Address: 4 ENSWORTH AVE Cambridge MA 02139

7. Signature: [Signature] Print Name: CHRISTINA NOVA

Address: 202 Hickory Ridge Rd, Putney, VT.

8. Signature: [Signature] Print Name: BARBARA BATES

Address: 4329 Sweet Perry Rd. Guilford VT 05304

9. Signature: [Signature] Print Name: KAREN MANSIX

Address: 1190 U.S. RT. 5 E. Dummerston, VT 05346

10. Signature: [Signature] Print Name: Rick Burke

Address: 14 E. Putney Ferry Rd. Putney VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments; corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Lil Iten Print Name Lil Iten  
Address: 4934 1/2 Warren Rd, Warren, VT 05674
2. Signature: [Signature] Print Name Kathleen Lehn  
Address: P.O. Box 141 West Wareboro VT 05360
3. Signature: [Signature] Print Name Tim Ellick  
Address: 120 Guilford St. Brattleboro VT 05301
4. Signature: Rebecca Graber Print Name Rebecca Graber  
Address: 120 Guilford St Brattleboro VT 05301
5. Signature: [Signature] Print Name John Bernstein  
Address: 575 Potter Hill Rd Guilford VT 05301
6. Signature: Catherine Mahally Print Name Catherine Mahally  
Address: Bennington College, Bennington, VT 05201
7. Signature: Elizabeth Zito Print Name Elizabeth Zito  
Address: Bennington College Bennington, VT 05201
8. Signature: Hannah Dancing Print Name Hannah Dancing  
Address: 72 Upper Forest St. Brattleboro, VT 05301
9. Signature: Shayna Landis Print Name Shayna Landis  
Address: 165 Park Loughton Rd. E. Dummerston, VT 05346
10. Signature: Adelia Sugarman Print Name ADELIA SUGARMAN  
Address: Box 8661 1 Chapin Way Northampton, MA 01063

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: David A. Radel Print Name DAVID A RADEL  
Address: PO Box 70 MARLBORO VT 05344
2. Signature: William Congleton Print Name William Congleton  
Address: 370 Meadowbrook Rd Brattleboro 05301
3. Signature: Wende Claire Mueller Print Name Wende Claire Mueller  
Address: 53 N. BELDEN HILL GUILFORD VT 05301
4. Signature: Jonathon Conety Print Name Jonathon Conety  
Address: PO Box 749 Putney VT 05346
5. Signature: Rebecca Burke Print Name Rebecca Burke  
Address: 14 E. Putney Ferry rd Putney VT 05346
6. Signature: Mariah Brown-Tirole Print Name Mariah Brown-Tirole  
Address: 448 West Hill Rd Putney
7. Signature: Frances Print Name Frances  
Address: P.O. Box 90 Putney VT 05346
8. Signature: Marge Fischer Print Name MARGE FISCHER  
Address: 76 Taylor Rd - Putney - VT - 05346
9. Signature: Anna Bond E. Dummerston Print Name Anna Bond E. Dummerston VT  
Address:
10. Signature: Ian Jenike Print Name IAN JENIKE  
Address: Box 1012, QUEBEC, VT 05059

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: John von Wodtke Print Name John von Wodtke  
Address: 772 Sweet Pond Rd Guilford VT 05301
- Signature: Kim Peavey Print Name Kim Peavey  
Address: PO Box 233 Westmoreland NH 03467
- Signature: Timothy Smith Print Name TIMOTHY SMITH  
Address: 960 Abigail Price Rd. Guilford VT 05301
- Signature: O. Flegolle Print Name O. Flegolle  
Address: 284 TP Drive Guilford VT 05301
- Signature: Eric Hoyer Print Name Eric Hoyer  
Address: 45 Old County Rd, Guilford, VT 05301
- Signature: Celestine Print Name Celestine  
Address: Rutney VT 05700
- Signature: Richard LePape Print Name Richard LePape  
Address: 239 Johnson Pasture Rd Guilford VT 05301
- Signature: Nicholas Petraska Print Name Nicholas Petraska  
Address: Guilford Vermont
- Signature: Tanya Talbot Print Name TANYA TALBOT  
Address: 682 Lake Road Guilford, VT 05301
- Signature: Nancie Schwartz Print Name Nancie Schwartz  
Address: 169 South Main St Brattleboro VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Corp October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee's design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Gail R. Haines Print Name Gail R. Haines  
Address: Putney VT 05346
2. Signature: L. Kate Conway-Biles Print Name L. Kate Conway-Biles  
Address: Dummerston VT
3. Signature: Matthew D. Malinowski Print Name Matthew D. Malinowski  
Address: Putney School, Putney VT 05346
4. Signature: John Michael Maciejowski Print Name John Michael Maciejowski  
Address: Putney VT 05346
5. Signature: Seth Collier Print Name Seth Collier  
Address: P.O. Box 35 West Dummerston
6. Signature: Gregory B. Hunt Print Name Gregory B. Hunt  
Address: 11 Johnson Pk Dr. Guilford VT, 05301
7. Signature: BARBARA MIZRATHI Print Name BARBARA MIZRATHI  
Address: 3531 GUILFORD CTR RD, GUILFORD VT 05301
8. Signature: Lisa Jablonski Print Name Lisa Jablonski  
Address: 1013 Threshill Rd. Bratt. VT 05301
9. Signature: Arthur Bigelow Print Name Arthur Bigelow  
Address: 1013 Thomas Hill Rd. Bratt. VT, 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Corp October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective action improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Tracey Vogel Print Name TRACEY VOGEL  
Address: PO BOX 367 PUTNEY VT. 05346
2. Signature: Ian Buford Print Name Ian Buford  
Address: PO BOX 154 Saxtons River, VT. 05154
3. Signature: Jennifer Murphy Print Name Jennifer Murphy  
Address: P.O. Box 492 Putney VT 05346
4. Signature: Barbara A. Morgan Print Name BARBARA A. MORGAN  
Address: 164 Old Coddington Rd. Putney, VT 05346
5. Signature: Anne Ginsberg Print Name Anne Ginsberg  
Address: 201 Abbey Rd Putney VT 05346
6. Signature: Daniel Harlow Print Name DANIEL HARLOW  
Address: P.O. Box 240 Westminster, VT 05158
7. Signature: Merrilee Harlow Print Name Merrilee Harlow  
Address: P.O. Box 134 Westminster, VT 05159
8. Signature: Jessamra Nenow Print Name Jessamra Nenow  
Address: 548 Saxtons River Rd. Bellows Falls VT 05101
9. Signature: Kara Tallman Print Name Kara Tallman  
Address: Bellows Falls VT
10. Signature: Matt Keyser Print Name Matt Keyser  
Address: Bellows Falls VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: [Signature] Print Name: Lithy Ellyson  
Address: 193 Holden Rd., Putney, VT 05346
2. Signature: [Signature] Print Name: Angelika Dodd  
Address: 559 Windmill Hill Rd S. Putney VT 05346
3. Signature: [Signature] Print Name: John Howard  
Address: \_\_\_\_\_
4. Signature: [Signature] Print Name: Jeff Dahir  
Address: 6 Colony Rd. Bellows Falls, VT 05601
5. Signature: [Signature] Print Name: Angela Daprato  
Address: 114 Warden Rd, Putney VT 05346
6. Signature: [Signature] Print Name: GREGORY N. PHILLIP  
Address: 114 Warden Rd, Putney, VT 05346
7. Signature: [Signature] Print Name: Mary Cherington  
Address: PO Box 126 Mendon, MA 01750
8. Signature: [Signature] Print Name: Elizabeth Bridgewater  
Address: 356 Chequessett Neck Rd Wrentham, MA 01967
9. Signature: [Signature] Print Name: Michael Collins  
Address: 463 Daisy Rd Westminster, VT 05356
10. Signature: [Signature] Print Name: Kathleen Wagoner  
Address: PO Box Putney VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments; corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Dina Barnham Print Name Dina Barnham  
Address: River Road South Putney VT 05346
2. Signature: [Signature] Print Name Vanessa Vincent  
Address: River Road South Putney VT 05346
3. Signature: [Signature] Print Name Elizabeth Raton  
Address: 43 Eddie Rd Putney VT 05346
4. Signature: [Signature] Print Name Nat Woodward  
Address: 43 Eddie Rd Putney VT 05346
5. Signature: Tara Moreluk Print Name Tara Moreluk ♡  
Address: 649 Grafton St.
6. Signature: [Signature] Print Name ANASTASIA Soblyeva  
Address: 12 David Rd Framingham
7. Signature: David Horcluk Print Name David Horcluk  
Address: 649 Grafton St Shrewsbury MA 01545
8. Signature: Thayer Nicolas Print Name Thayer Nicolas  
Address: 69 Shady Lane Ross CA 94057
9. Signature: Christine Wright Print Name Christine Wright  
Address: 300 Wright Way Putney VT 05346
10. Signature: Ellen Pratt Print Name Ellen Pratt  
Address: 45 WATT Pond Rd Putney VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name EMILY KOESTER  
Address: 315 S. Albany St. Apt 3 Ithaca NY 14850
2. Signature: [Signature] Print Name DAVID BOSE  
Address: 315 S. ALBANY ST APT 3
3. Signature: [Signature] Print Name BRYAN FELICE  
Address: 306 Meredith Bridge LACONIA NH 03246
4. Signature: [Signature] Print Name MARYANN ULMANN  
Address: 713 Main St, Acton, MA 01720
5. Signature: [Signature] Print Name Jason Lazar  
Address: [Signature]
6. Signature: [Signature] Print Name ROD DYRE-MEYER  
Address: 38 SIGNAL PINE RD. PUTNEY
7. Signature: [Signature] Print Name Rebecca Copolungo-Hartman  
Address: 401 Houghton Brook Rd Putney 05346
8. Signature: [Signature] Print Name Will Huenink  
Address: 104 E. Putney Falls Rd Putney 05346
9. Signature: [Signature] Print Name Jacinta Sauve  
Address: P.O. Box 29 Putney Vt. 05346
10. Signature: [Signature] Print Name Jes Snide  
Address: 540 Vernon Rd 05354

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Uri Johndrow Print Name Uri Johndrow

Address: \_\_\_\_\_

2. Signature: Alicia Brelsford Print Name Alicia Brelsford

Address: Putney, VT 05346

3. Signature: Martin Hansen Print Name MARTIN HANSEN

Address: 3471 ALSTAD NH

4. Signature: Brooke Decker Print Name Brooke Decker

Address: 238 Cross Rd Putney VT

5. Signature: Louise Gogel Print Name Louise Gogel

Address: P.O. Box 966 Manchester VT

6. Signature: 246 PUTNEY MTN RD. Print Name \_\_\_\_\_

Address: NICOLAS BLOCK

7. Signature: M B Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: Linda Phipps Print Name Linda Phipps

Address: Westminster VT

9. Signature: Sean Adams Print Name Sean Adams

Address: 29 Main St Apt 409 Brattleboro

10. Signature: Joseph Smith Print Name Joseph Smith

Address: 780 Clark St Brat

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Co October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective action improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name PETER M. WELCH

Address: 60 SPRUCE ST BRATTLEBORO VT 05301

2. Signature: [Signature] Print Name Liane Horn

Address: 922 Meadbrook Rd. Brattleboro, VT, 05301

3. Signature: [Signature] Print Name KRISTEN ATKINS

Address: 42 ABBOTT ST. GREENFIELD, MA. 01301

4. Signature: [Signature] Print Name James F. Moiney

Address: 200 Westminister Rd. Westminister VT.

5. Signature: [Signature] Print Name NORBERN

Address: Montpelier, Vermont, 05105

6. Signature: [Signature] Print Name Patricia Davis

Address: 170 Piper Hill Weston

7. Signature: [Signature] Print Name Ann Kittross

Address: 190 Academy Rd. Weston VT 05161

8. Signature: [Signature] Print Name LUCY BERGAMINI

Address: 67 CHESTER MOUNTAIN RD WESTON, VT 05161

9. Signature: [Signature] Print Name DOROTHY SULLIVAN

Address: 111 Main Rd Windham, VT 05359

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Jules Teller Ball Print Name Jules Teller Ball  
Address: Putney VT 05346
2. Signature: Paul Munsell Print Name PAUL MUNSELL  
Address: Box 334 Putney VT
3. Signature: Lou Waronker Print Name Lou Waronker  
Address: 296 S Main St Brattleboro, VT 05301
4. Signature: Ken West Print Name Ken West  
Address: 10337
5. Signature: Steve D. Haisley Print Name STEVE D. HAISLEY  
Address: 62 WESTMINSTER RD PUTNEY VT 05346
6. Signature: Andrew J. Puchalik Print Name Andrew J. Puchalik  
Address: 169 Upper Hourglass Rd Westmore West 05346
7. Signature: Lauren Adamo Li Print Name Lauren Adamo Li  
Address: 169 Upper Hourglass Rd. West. West
8. Signature: Brooke A. Paige Print Name Brooke A. Paige  
Address: 18 Chaser St Brattleboro, VT. 05301
9. Signature: CR McNeill Print Name CR McNeill  
Address: 910 E 11th St, Brattleboro, VT. 05301
10. Signature: Wendy Killian Print Name Wendy Killian  
Address: PO BOX 555 Jacksonville VT 05342

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments; corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



Ruth  
August 6

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Robert L. Shulman Print Name ROBERT L. SHULMAN  
Address: 239 JOHNSON PASTURE DRIVE GULFORD, VT 05301
2. Signature: Svetlana Nue Print Name SVELTANA NIKIE  
Address: P.O. Box 615 BONDVILLE VT 05340
3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
4. Signature: Addison Greenwood Print Name Addison Greenwood  
Address: Nest Wyndham Rd. Wyndham Vt. 05359
5. Signature: [Signature] Print Name Andrew  
Address: \_\_\_\_\_
6. Signature: Kermit Blackwood Roosevelt Print Name Kermit Blackwood Roosevelt  
Address: Kermit @marboro.edu
7. Signature: Gordon A. Norwood Print Name Gordon A. Norwood  
Address: 2227 West Rd. Westminster West Vt. 05346
8. Signature: Susan Parenti Print Name Susan Parenti  
Address: 276 SR
9. Signature: Dan Hobb Print Name Dan Hobb  
Address: Grafton
10. Signature: Jennifer A. Karpin Print Name Jennifer A. Karpin  
Address: Grafton VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible. according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Howard Weiss-Tisman  
Address: 744 Padon Rd - Putney - VT 05346
2. Signature: [Signature] Print Name Lauren Calens  
Address: 586 Westminster West Rd Putney VT 05346
3. Signature: [Signature] Print Name Christine Hume  
Address: P.O. Box 70 Saxtons River VT 05154
4. Signature: [Signature] Print Name WAIL METRICK  
Address: 436 OUR ROAD WESTMINSTER WEST
5. Signature: [Signature] Print Name CARROLL METRICK  
Address: 436 OUR RD WW, VT
6. Signature: [Signature] Print Name Lee Trapeni  
Address: 271 Patch Farm Rd Putney VT 05346
7. Signature: [Signature] Print Name Stacy Linder  
Address: 271 Patch Farm Rd Putney VT 05346
8. Signature: [Signature] Print Name Priscilla Tansley  
Address: 23 Windmill Hill Putney, VT 05346
9. Signature: [Signature] Print Name Ken Brautigam  
Address: 327 Peck Lane Putney 05346
10. Signature: [Signature] Print Name Amy E Cann  
Address: Westminster West Rd Putney

Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible. According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, December 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective action improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

405

A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Anton A. Herbert

Address: 2332 Folsom St SE CA 94110

2. Signature: [Signature] Print Name Sheila M. Hall

Address: C/O - Robert Coullion, 96 South Main Bratt.

3. Signature: [Signature] Print Name Marcea MacInnis

Address: 30 Main St. Saxtons River VT. 05154

4. Signature: [Signature] Print Name Michele Wright

Address: 50 Prospect St. Bratt VT 05301

5. Signature: [Signature] Print Name Christopher Pyatak

Address: 111 Main St Bratt VT 05301

6. Signature: [Signature] Print Name Elizabeth Castellana

Address: 516 Green St. #3D Cambridge MA 02139

7. Signature: [Signature] Print Name Halley Felker

Address: 165 Depot Rd Williamsville VT 05362

8. Signature: [Signature] Print Name Michael S. Cristofolini

Address: 231 Sherwood, Brattleboro, VT.

9. Signature: [Signature] Print Name Stephanie Salas

Address: 1108 Bullerfield Rd, Bratt 05301

10. Signature: [Signature] Print Name Kathleen Keenan

Address: 1163 Cowpath 40 Marlboro VT 05344

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: J. Greenwood Print Name Janice Greenwood

Address: 280 Upper Abourglass Rd. Putney, VT 05346

2. Signature: Matthew Ewald Print Name Matthew Ewald

Address: 603 Quarry Rd Putney Ut.

3. Signature: David E Ewald Print Name DAVID E Ewald

Address: 4 Wilamona Ln Putney VT 05346

4. Signature: Lindsay Ewald Print Name Lindsay Ewald

Address: 3400 West West Rd. Putney, VT 05346

5. Signature: Rob Kanner Print Name Rob Kanner

Address: P.O. Box 40 Putney VT

6. Signature: Kathy Glaser-Block Print Name Kathy Glaser-Block

Address: 246 Putney Main Rd. Putney VT

7. Signature: Mollie Jurewicz Print Name Mollie Jurewicz

Address: 3400 West West Rd. Putney, VT 05346

8. Signature: Alec J. Goldschmidt Print Name Alec J. Goldschmidt

Address: 508 Daiglerd. Putney VT 05346

9. Signature: Samuel Snow Print Name Samuel Snow

Address: The Putney School, Putney, VT 05346

10. Signature: Stephen Austin Print Name Stephen Austin

Address: 29 Sunderland Rd. So Deerfield ma 01373

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Delia Nash Print Name Delia Nash  
Address: 20 Grinnell St. 1B Greenfield, MA. 01301
2. Signature: Bethanie Yeake Print Name BETHANIE YEAKE  
Address: 22 PROSPECT ST. BRATTLEBORO, VT 05301
3. Signature: Amy E. Coughlin Print Name AMY E. COUGHLIN  
Address: 67 MAIN ST BRATTLEBORO VT 05301
4. Signature: Aaron Hascall Print Name Aaron Hascall  
Address: 18 Nutting Ave Amherst MA 01002
5. Signature: Jeremy Smith Print Name Jeremy Smith  
Address: 278 SIXTH ST. FORSYTH CITY, NH 03052
6. Signature: Carl W. Askegren Print Name Carl W. Askegren  
Address: P.O. Box 145- Marlboro VT 05344
7. Signature: Catherine Reid Print Name Catherine Reid  
Address: 69 Elm St Shelburne Falls MA 01370
8. Signature: H. Iglesias Print Name H Iglesias  
Address: 69 Elm Shelburne Falls MA 01370
9. Signature: Tellman H. Knudson Print Name TELLMAN H. KNUDSON  
Address: 111 MAIN STREET THE Ballroom Brattleboro, VT 05301
10. Signature: Jodina Meehan Print Name JODINA MEEHAN  
Address: 111 MAIN ST, The Ballroom Brattleboro, VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Plant, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Er McNeill Print Name Er McNeill  
Address: 90 Elliot St. Brattleboro VT 05301
2. Signature: [Signature] Print Name HARRAL HAMILTON  
Address: 16 JOHNSON PASTURE DR GUILFORD VT 05361
3. Signature: [Signature] Print Name SCOTT WUTHIAN  
Address: Box 315 Orcutt, MA 02588
4. Signature: [Signature] Print Name Karen Dwiré  
Address: 2247 Saddlehorn Rd Grand Jct CO 81503
5. Signature: [Signature] Print Name JORGE BATLE  
Address: P.O. BOX 162, MARLBORO, VT. 05344
6. Signature: [Signature] Print Name Driel Cheney  
Address: RR #1 Box 190 Windham VT 05359
7. Signature: [Signature] Print Name KEVIN FRY  
Address: 90 ELLIOT ST BRATTLEBORO, VT 05301
8. Signature: [Signature] Print Name JAY VANSTEDMAN  
Address: 5061 Westminister Way Rd, Putney, VT 05346
9. Signature: [Signature] Print Name Shannon Simrell  
Address: 19 TYLER ST Brattleboro, VT 05301
10. Signature: [Signature] Print Name MESSA HASKINS  
Address: 48 Central Street, BRATT.

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible. according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its sign and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: MARIA DOMINGUEZ Print Name M. D.

Address: \_\_\_\_\_

2. Signature: [Signature] Print Name John Stout

Address: 1440 East Mountain Rd Guilford VT 05301

3. Signature: [Signature] Print Name SARA D. SMITH

Address: 29 HIGH ST. # 306 BRATTLEBORO, VT 05301

4. Signature: [Signature] Print Name DAVID LONG

Address: 29 High St #306 brattleboro VT 05301

5. Signature: [Signature] Print Name Amy Gail Angel

Address: P.O. Box 357 Townshend, VT 05353

6. Signature: [Signature] Print Name Mirinda Page

Address: P.O. Box 475 Putney VT 05346

7. Signature: [Signature] Print Name Jennifer Waryas

Address: 15 Bullock St #1 Bratt VT 05301

8. Signature: [Signature] Print Name KC PEARSON

Address: 112 MERCURY DR. BRATT VT. 05301

9. Signature: [Signature] Print Name PATRICK HAHN

Address: 53 ELIOT ST #2 BRATT. VT.

10. Signature: [Signature] Print Name Agran MacEller

Address: 275 North Beckon Hill Drive Guilford VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Le Borofsky  
Address: 18 South St. Bellows Falls, VT 05101
2. Signature: [Signature] Print Name Karen Shapiro  
Address: 727 River Rd S, Putney, VT 05346
3. Signature: [Signature] Print Name Elizabeth Bourne  
Address: 708 1/2 Westminster West Rd Putney VT 05346
4. Signature: [Signature] Print Name NICK RACCO  
Address: 727 RIVER RD S PUTNEY VT. 05346
5. Signature: [Signature] Print Name Julie Dolan  
Address: 3463 Westminster West Rd Putney, VT 05346
6. Signature: [Signature] Print Name Don Aldrich  
Address: 86 Burgh Rd, Westminster, VT 05346
7. Signature: [Signature] Print Name CHARLES ROBERTS  
Address: 30 KESTREL LN. AMHERST. MA 01002
8. Signature: [Signature] Print Name L. PURDUM  
Address: 89 Florence St., Leeds, MA
9. Signature: [Signature] Print Name KRIS NELSON  
Address: 30 Kestrel Lane. Amherst, MA 01002
10. Signature: [Signature] Print Name Chrystyna Young  
Address: 13 Landgrave Rd Londonderry, VT 05148

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Alex Weldon Print Name Alex Weldon  
Address: Landmark College, Pobox 391
2. Signature: Chris Lapar Print Name CHRIS LAPAR  
Address: 16 Locust Lane, Putney VT 05346
3. Signature: Edward Calder Childs Print Name Edward Calder Childs  
Address: 1299 Black Mt. Rd., Brattleboro, VT 05301
4. Signature: Vinfield P. Colby Print Name Vinfield P. Colby  
Address: 29 Webb Street, Bellows Falls VT 05410
5. Signature: Craig Putney Print Name Putney, VT  
Address: \_\_\_\_\_
6. Signature: David Babbitt Print Name David Babbitt  
Address: BUTNEY VT
7. Signature: Shauna Wall Print Name Shauna Wall  
Address: 129 Great Meadows Rd, Putney VT 05346
8. Signature: Basha Freudenberg Print Name Basha Freudenberg  
Address: 229 E Town Farm Rd, Putney VT
9. Signature: Amy Mottar Print Name AMY MOTAR  
Address: 38 Baker Rd., Shutesbury, MA 01072
10. Signature: Josh Horner Print Name Josh Horner  
Address: Putney VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Co. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Dorothy Osterhoff Print Name Dorothy Osterhoff  
Address: 137 Cross Rd Westminster West VT
2. Signature: Maria Basescu Print Name MARIA BASESCU  
Address: 610 CROSS RD. PUTNEY VT 05346
3. Signature: Daniel Crocker Print Name Daniel Crocker  
Address: 444 Burnett Rd Putney, VT 05346
4. Signature: Christine Crocker Print Name Christine Crocker  
Address: 444 Burnett Rd Putney, VT 05346
5. Signature: THOMAS COWLES Print Name THOMAS COWLES  
Address: 40 Wherry Way P.O. Box 65 Putney VT 05346
6. Signature: Ellen Hanger Print Name Ellen Hanger  
Address: 3 Barley Vale Jamaica Plain MA 02130
7. Signature: Jennifer Collins Print Name Jennifer Collins  
Address: 486 W.W. Rd. Putney, VT 05346
8. Signature: Trisha Seibach Print Name Trisha Seibach  
Address: 1215 Morse Brook Rd Putney 05346
9. Signature: Matthew Broad Print Name Matthew Broad  
Address: 1215 Morse Brook Rd Putney VT 05346
10. Signature: Caitlin A. Bancroft Print Name Caitlin A. Bancroft  
Address: P.O. Box 673 Walpole, NH 03608

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Jillanne MacQueen Print Name Jillanne MacQueen

Address: P.O. Box 158 Saxtons River, VT 05154

2. Signature: Dawn Blake Print Name DAWN BLAKE

Address: PO 82 CAMBRIDGEPORT, VT 05141

3. Signature: Sarah Hibler Print Name Sarah Hibler

Address: Vermont Academy Saxtons River VT 05154

4. Signature: Silvestre Gallegos Print Name Silvestre Gallegos

Address: \_\_\_\_\_

5. Signature: Jean Charrier Print Name Jean Charrier

Address: Bellows Falls

6. Signature: John E. Gould Print Name John E. Gould

Address: 3400 W. West Rd Westminster West, VT

7. Signature: Sylvia Harris Print Name Sylvia Harris

Address: PO Box 352 Putney VT 05301

8. Signature: Kim Hatch Print Name KIM HATCH

Address: 2 SOLAR AVE TURNERS FALLS, MA 01376

9. Signature: Christine Grede Print Name Christine Grede

Address: 378 Our Rd Putney, VT 05346

10. Signature: Holly Tippe H Print Name Holly Tippe H

Address: 26 Pleasant St Bratt, VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Laurie Albert Print Name Laurie Albert  
Address: PO Box 258 Westminster VT. 05158
2. Signature: Carol Corcoran Print Name CAROL CORCORAN  
Address: 67 Jones Rd Putney 05346
3. Signature: J. T. Baker Print Name J. T. Baker  
Address: Putney VT
4. Signature: Eric Rhomberg Print Name Eric Rhomberg  
Address: 807 Old Coddling Rd. Westminster, VT 05346
5. Signature: Mary L. Johnson Print Name MARY L. JOHNSON  
Address: 29 S. Windmill Hill, Putney, VT 05346
6. Signature: Elizabeth J. Allen Print Name ELIZABETH J. ALLEN  
Address: P.O. BOX 282 PUTNEY, VT. 05346
7. Signature: Laura Sperazi Print Name LAURA SPERAZI  
Address: Box 324 Putney, VT 05346 (Main St, Carriage Hse #3)
8. Signature: Andrea Schindler Print Name ANDREA SCHINDLER  
Address: 28 Backman Way Putney, VT 05346
9. Signature: Juliet Cuming Print Name JULIET CUMING  
Address: 98 Falk Rd. Colchester VT 05346
10. Signature: Jane DeNeefe Print Name Jane DeNeefe  
Address: 61 Grove St. Brattleboro VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Jim Seapker  
Address: 116 Esterly St Apt 1 Brattleboro VT 05301
2. Signature: [Signature] Print Name Tom Welch  
Address: 11 Pleasant St, # 5
3. Signature: [Signature] Print Name LISA SIEVERTS  
Address: PO Box 338 Hamlinville NH 03450
4. Signature: [Signature] Print Name Shawn Hadden  
Address: 121 Spruce St Brattleboro VT
5. Signature: [Signature] Print Name Sam Bergman  
Address: 22 Thomas St. Brattleboro VT 05301
6. Signature: [Signature] Print Name STAR DUST MYRTLE  
Address: Brattleboro
7. Signature: [Signature] Print Name Irene Bergman  
Address: 22 Thomas St Brattleboro VT 05301
8. Signature: [Signature] Print Name Christine A. Drake  
Address: 61 S Main St, Brattleboro, VT 05301
9. Signature: [Signature] Print Name Robert Siegel  
Address: P.O. Box 123 Putney, VT. 05346
10. Signature: [Signature] Print Name RICHARD S. GARANT  
Address: 124 HIGH ST BRATTLEBORO VT

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Daniel Long

Address: 118 Prospect St. Apt 2 Brattleboro, VT 05301

2. Signature: [Signature] Print Name Mickey Abraham

Address: \_\_\_\_\_

3. Signature: [Signature] Print Name Dana Wigdor

Address: P.O. Box 1483 Brattleboro VT 05302

4. Signature: [Signature] Print Name Scot Bonfady

Address: 68 Main St. #509, Brattleboro, VT 05301

5. Signature: [Signature] Print Name Robin Johnson

Address: 506 Ashted Brattleboro VT 05302

6. Signature: [Signature] Print Name JARED Ralston

Address: P.O. Box 2 Putney VT

7. Signature: [Signature] Print Name Chuck Davison

Address: Box 217 Lanesville VT 05148

8. Signature: [Signature] Print Name A. STRATTON

Address: \_\_\_\_\_

9. Signature: [Signature] Print Name Theresa Davison

Address: 207 Stone Arch Way Townshend VT 05353

10. Signature: [Signature] Print Name Shelby Gittens

Address: 126 Blackberry Lane, Pittsford, VT 05763

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: W Phelps Print Name WALTER PHELPS  
Address: WILLIAMSBURG, VT 05362
2. Signature: Betsy Hall Print Name \_\_\_\_\_  
Address: 158 Green Ct. Brattleboro VT 05301
3. Signature: [Signature] Print Name \_\_\_\_\_  
Address: 98 High St Brattleboro 05301
4. Signature: [Signature] Print Name \_\_\_\_\_  
Address: 4 High St. BRATTLEBORO
5. Signature: Clay A. Turnbull Print Name CLAY A. TURNBULL  
Address: 118 Prospect St. BRATTLEBORO VT 05301
6. Signature: Sara Kimball Print Name Sara Kimball  
Address: 1799 Simpson Brook Rd Townshend, VT 05553
7. Signature: Ian Bigelow Print Name Ian Bigelow  
Address: 1013 Thomas Hill RD Brattleboro VT 05301
8. Signature: Ashley Flagg Print Name Ashley Flagg  
Address: 55 Upper Forest St. Apt. 1 Brattleboro
9. Signature: Jesse Cross-Nickerson Print Name Jesse Cross-Nickerson  
Address: 55 Upper Forest St. Apt. 1 Brattleboro
10. Signature: Amber White Print Name Amber White  
Address: 11 Washington St Brattleboro VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: John Schoolfield Print Name John Schoolfield  
Address: 64 Main St, Putney VT 05346
2. Signature: Elizabeth Rossi Print Name Elizabeth Rossi  
Address: 157 Green St. Brattleboro VT 05301
3. Signature: Abraham Norrby Print Name Abraham Norrby  
Address: 5 Pineas White Ln #4 Putney, VT 05346
4. Signature: DEBORAH CORSETT Print Name DEBORAH CORSETT  
Address: 6 PHINEAS WHITE LANE, PUTNEY - VT 05346
5. Signature: Jill Noss Print Name JILL NOSS  
Address: Putney, VT. 05346
6. Signature: Linda T MacMillan Print Name LINDA T MacMillan  
Address: Box 541 Putney VT 05346
7. Signature: Cordyn Fairchild Print Name Cordyn Fairchild  
Address: 26 Plover Farm Rd Putney VT 05346
8. Signature: Michael Wright Print Name Michael Wright  
Address: 961 M.Y. Pond Rd #5 Colchester VT 05446
9. Signature: Jocelyn Petnik Print Name Jocelyn Petnik  
Address: 26 Patch Farm Rd Putney, VT 05346
10. Signature: Jennifer Vaine Print Name Jennifer Vaine  
Address: 161 S. Pine Danks Rd Putney VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: P.G. Walk Print Name PAM WALK  
Address: 9 Westminster - Street - Saxtons River, VT
2. Signature: Michelle Ruggiero Print Name Michelle Ruggiero  
Address: PO Box 627 Saxtons River VT 05754
3. Signature: Don Savel Print Name Don Savel  
Address: PO Box 345 Putney VT
4. Signature: Emily Weinberg Print Name Emily Weinberg - Drape  
Address: PO. 574 Putney VT 05346
5. Signature: Dave Bleuer Print Name DAVE BLEUER  
Address: 714 WINDMILL HILL Rd N.Y. Putney VT 05346
6. Signature: Jessica Morse Print Name Jessica Morse  
Address: Westminster, Vermont, 05158
7. Signature: Joey Powers Print Name JOEY POWERS  
Address: 492 Route 12A Langdon, NH 03602
8. Signature: Kim Dupuis Print Name Kim Dupuis  
Address: Westminster, VT.
9. Signature: Melissa McDuffie Print Name Melissa McDuffie  
Address: 272 US Rt 5 Putney VT 05346
10. Signature: Tina Labear Print Name Tina Labear  
Address: PO Box 393 Londonderry, VT 05148

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Joel A. Porter Print Name JOEL A PORTER  
Address: 60 PRATT RD. PUTNEY VT 05346
2. Signature: [Signature] Print Name DAVE DREKLER  
Address: 60 PRATT RD PUTNEY VT 05346
3. Signature: [Signature] Print Name Rebecca Willow  
Address: P.O. Box 434 Brattleboro VT 05302
4. Signature: [Signature] Print Name Pam Lysett  
Address: P.O. Box 55 Putney
5. Signature: [Signature] Print Name Emily Peyton  
Address: PO Box 821 Putney VT 05346
6. Signature: [Signature] Print Name Deborah Smith  
Address: 77 Alden Rd Putney VT 05346
7. Signature: [Signature] Print Name Rich Grumbine  
Address: 77 Alden Rd Putney VT 05346
8. Signature: Tracy Kneeland Print Name Tracy Kneeland  
Address: 51 Edgewood Dr. Vernon VT 05356
9. Signature: Judith B Print Name JUDITH BRUND  
Address: PO Box 69 Putney VT 05346
10. Signature: [Signature] Print Name Karin Bursky  
Address: 303 North Rd Walpole NH 03608

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Sheilagh O. Garity Conn Nuclear Workers  
Address: 14 Shattuck Drive CT Winham 06280
2. Signature: [Signature] Print Name Sarah Tirrell-Baker  
Address: P.O. Box 87, 125 Main St. #4 Putney VT 05346
3. Signature: [Signature] Print Name Meghan Houlahan  
Address: 75 Popkods Hill Road Putney VT 05346
4. Signature: [Signature] Print Name John Lippmann  
Address: P.O. Box 140 Haverhill, MA 01230
5. Signature: [Signature] Print Name Jacqueline Trepier  
Address: 1037 E. Putney Bk Rd., Putney, VT 05346
6. Signature: [Signature] Print Name Carrie Hudson  
Address: 972 Western Ave Bratt, VT 05301
7. Signature: [Signature] Print Name Philip A. Rumrill  
Address: 464 Piggery Rd Westminster VT 05158
8. Signature: [Signature] Print Name Amara Polak  
Address: 21 Portland Ave NH 03048
9. Signature: [Signature] Print Name Sara Stillman  
Address: Westminster West, VT
10. Signature: [Signature] Print Name Julia Jensen  
Address: 247 Beebe Rd, Westminster West

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments; corrective actions; and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name MARGARET ATKINSON

Address: 92 ESTEY ST. BRATTLEBORO VT 05301

2. Signature: [Signature] Print Name JODIE PUTNER

Address: 52 E TOWN GREEN RD 05346 (PUTNEY)

3. Signature: [Signature] Print Name MARSHALL POTTON

Address: 2 HIGH ST. BRATTLEBORO VT 05301

4. Signature: [Signature] Print Name Sarah M. Clark

Address: P.O. Box 964 Putney, VT 05346

5. Signature: [Signature] Print Name David Brilleman

Address: P.O. BOX 104,

6. Signature: [Signature] Print Name Don Fisher

Address: 27 Bellows Falls Rd. Putney VT 05346

7. Signature: [Signature] Print Name Geo Brigham

Address: Shrewsbury VT 05738

8. Signature: [Signature] Print Name Maya Zelkin

Address: Hiden Hill, Marlboro, VT 05344

9. Signature: [Signature] Print Name Amos Newton

Address: 535 W. Windham Rd. W. Townshand, VT 05739

10. Signature: [Signature] Print Name EMMA GARDNER

Address: 2 west st., Saxtons River, VT, 05134

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

225

# A Petition

Vermont

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of ~~Vermont~~, Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Len Warner

Print Name: Len Warner

Address: 2990 S. Main St.

City: Brattleboro

State: VT

Zip: 05301

Phone: 802-251-7297

Email: warnker3@yahoo.com

Registered to Vote? yes

# A Petition

VERMONT

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of ~~Vermont~~; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.


**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: 

Print Name: Julie Waters

Address: PO BOX 386

City: Bellows Falls

State: VT

Zip: 05101

Phone: 802.463.9616

Email: Julie@SONGWEAVER.COM

Registered to Vote? YES

# A Petition

✓

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and the Vermont Department of Public Service:

**FROM:** People (voters who are not residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

Signed:

Signature:



Print Name:

JANE SOUTHWORTH

Address:

1 PROSPECT CT

City:

WATLEBORO

State

VT

Zip

Phone:

Email:

Registered to Vote?

YES

## A Citizen Petition<sup>1</sup>

1 VT

2

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature, Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Safety

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 licensing and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Shirley Brog Kondo Print Name: SHIRLEY BROG KONDO

Address: 16 Bullock St., Brattleboro, VT 05301

2. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Diane Glim

Print Name: Diane Glim

Address: 1097 Westminster W. Rd.

City: Putney State: Vt Zip: 05346

Phone: 502-382-4400 Email: g.glim@worldnet.att.net

Registered to Vote? Yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Aaron Diamondstone

Print Name: Aaron Diamondstone

Address: 190 Depot Rd

City: Williamsville State: VT Zip: 05362

Phone: 802-348-7475

Email: \_\_\_\_\_

Registered to Vote? Yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont<sup>7</sup>  
Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.


**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: 

Print Name: Catrina Nuite

Address: 11 Washington St

City: Brattleboro State: VT Zip: 05301

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Registered to Vote? Yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Barbara Christie

Print Name: BARBARA CHRISTIE

Address: 45 West St

City: Brattleboro State: VT Zip: 05301

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Registered to Vote? YES

# A Petition

VERMONT

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board; ~~Vermont~~  
Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Jeanne Broom

Print Name: JEANNE BROOM

Address: 58 HIGHLAWN RD

City: BRAATTLEBORO

State Vt

Zip 05301

Phone: 802-254-5991

Email: \_\_\_\_\_

Registered to Vote? YES

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Arnold Glin

Print Name: Arnold Glin

Address: 1097 Westminster West

City: Putney State VT Zip 05346

Phone: (802) 387-4140 Email: a.glin@worldnet.att.net

Registered to Vote? Yes



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

*Sadie Holliday*

Print Name: \_\_\_\_\_

*Sadie Holliday*

Address: \_\_\_\_\_

City: \_\_\_\_\_

*Brattleboro*

State: \_\_\_\_\_

*VT*

Zip: \_\_\_\_\_

*05301*

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

*NO*

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

earthlink.net

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Hilary M. Farquhar

Print Name: Hilary M. Farquhar

Address: 104 Prospect St. #4

City: Burlington State: VT Zip: 05301

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Anna Bond

Print Name: Anna Bond

Address: 8 Woods Road

City: East Dummerston State: VT Zip: 05346

Phone: 802 387 2341 Email: anna.bond@together.net

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Lani De Felice

Print Name: Lani De Felice

Address: 3303 State Forest Rd.

City: Townshend State VT. Zip 05353

Phone: 365-7954 Email: vwandlilacs@yahoo.com

Registered to Vote? Yes



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

*yes!*

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont  
Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: 

Print Name: FRANK BUTLER

Address: 2179 EAST WEST ROAD

City: DUMMERSON State: VT Zip: 05301

Phone: \_\_\_\_\_ Email: EBONY@SOVER.NET

Registered to Vote? YES

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

200

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont  
Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Beatrice B. Coughlin

Print Name: Beatrice B. Coughlin

Address: 122 Morning Side Commons

City: Rattleboro State VT Zip 05301

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Margaret Dale Barrand

Print Name: Margaret Dale Barrand

Address: 109 Washington St.

City: Brattleboro State VT Zip 05361

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Registered to Vote? yes



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: MARTIN CORBIN

Address: 121 SPRUCE ST.

City: BRATTLEBORO State VT Zip 05301

Phone: 802-254-4102 Email: wjo7373@yahoo.com

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Jan E Meier

Print Name: Jan E. Meier

Address: 103 Upper Dummerston Rd

City: Brattleboro State: VT Zip: 05301

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Isabel J. Smith

Print Name: ISABEL J. SMITH

Address: 10 CANAL ST #9

City: BATTLEBORD State: VT Zip: 05301

Phone: 257-5266 Email: \_\_\_\_\_

Registered to Vote? NO

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Nanci Bern

Print Name: Nanci Bern

Address: 4 High Street - # 3-6

City: Brattleboro

State: VT

Zip: 05301

Phone: 802-257-9274

Email: nkbern@earthlink.net

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Jc King

Print Name: Jane King

Address: 112 Central St

City: Brattleboro State: VT Zip: 05301

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Registered to Vote? yes



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: K Busch

Print Name: Kathy Busch

Address: 122 Washington St.

City: Brattleboro State: VT Zip: 05301

Phone:                      Email:                     

Registered to Vote?

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature:

*Raleigh Thiele*

Print Name:

Raleigh Thiele

Address:

box 213

City:

bondville

State

Vt

Zip

05340

Phone:

(802) 297-2672

Email:

Registered to Vote?

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: William Chambers

Print Name: William Chambers

Address: 96 Rocky Rd.

City: Putney State: VT Zip: 05346

Phone: 802 722-4721 Email: \_\_\_\_\_

Registered to Vote? Yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

## A Petition

DW

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Carol Stack

Print Name: CAROL STACK

Address: 710 Sweet Pond Rd

City: Guilford

State: VT.

Zip: 05301

Phone: 254-5185

Email: \_\_\_\_\_

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

Signed:

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

1.75

## A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Judith H. Walker

Print Name: \_\_\_\_\_

Judith H. Walker

Address: \_\_\_\_\_

P.O. Box 472

City: \_\_\_\_\_

W. Dummerston

State: \_\_\_\_\_

VT

Zip: \_\_\_\_\_

05357

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

yes



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont  
Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear  
Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release  
at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the  
original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and  
tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at  
ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core  
will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a  
concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the  
Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety  
Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters  
provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996,  
by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its  
design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess  
operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of  
licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-  
significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Remonia North

Print Name: Remonia North

Address: 60 south main st PO box 175

City: Brattleboro State: VT Zip: 05301

Phone: 257-2005 Email: \_\_\_\_\_

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

Yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

*Lisa Farino*

Print Name: \_\_\_\_\_

*Lisa Farino*

Address: \_\_\_\_\_

*111 High St. #9*

City: \_\_\_\_\_

*Brattleboro*

State: \_\_\_\_\_

*VT*

Zip: \_\_\_\_\_

*05301*

Phone: \_\_\_\_\_

*802-254-2728*

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

*yes, and I vote in every election!*

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

*Linda A. Bailey*

Print Name: \_\_\_\_\_

Linda A. Bailey

Address: \_\_\_\_\_

1029 Upper Dummerston Rd

City: \_\_\_\_\_

Brattleboro

State: \_\_\_\_\_

VT

Zip: \_\_\_\_\_

05301

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: William C. Pearson

Print Name: William C. Pearson

Address: 152 High St

City: Braintree State: VT Zip: 05307

Phone: 257-8533 Email: pearson@vermont

Registered to Vote? Y

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Alison Taylor

Print Name: Alison Taylor

Address: 3523 Westminster West Rd

City: Putney

State: VT

Zip: 05346

Phone: 802 3875322

Email: jimardalit@msn.com

Registered to Vote? Yes



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: Michael H Szostak

Print Name: Michael Szostak

Address: 586 STAGE RD.

City: Guilford State: VT Zip: 05301

Phone: 802.257-7475 Email: mikesz45@sover.net

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont  
Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Carrie J Buettner

Print Name: CARRIE T BUETTNER

Address: 184 WEST ST

City: DUMMERSTON State VT Zip 05301

Phone: 257-7527 Email: Carrie\_buettner@hotmail.com

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Gretchen Holbrook Gerzina

Print Name: Gretchen Gerzina

Address: 2282 Stage Road

City: Guilford State VT Zip 05301

Phone: 258-2536 Email: \_\_\_\_\_

Registered to Vote? Yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State

Zip

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont  
Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

Signed:

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.


**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## Signed:

Signature: 

Print Name: Andrew Bernard

Address: P.O. Box 382

City: Townshend

State: Vermont

Zip: 05353

Phone: (802) 874-4060

Email: \_\_\_\_\_

Registered to Vote? NO

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Hope Dorsey

Print Name: Hope Dorsey

Address: 10 Marsh Dr.

City: Brookline

State: VT

Zip: 05345

Phone: 802-365-9236

Email: \_\_\_\_\_

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Public Service Board of Vernon: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Sharon Tierra

Print Name: Sharon Tierra

Address: 10 Marsh Drive

City: Brookline State VT Zip 05345

Phone: 802-365-9236 Email: \_\_\_\_\_

Registered to Vote? yes

10 N.H.  
A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Joan W. Watson

Print Name: Joan W Watson

Address: 161 Hatt Rd

City: Westmoreland State: NH Zip: 03467

Phone: 603-399-4451 Email: \_\_\_\_\_

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

*Ann R. Stokes*

Print Name: \_\_\_\_\_

*ANN R. STOKES*

Address: \_\_\_\_\_

*121 Welton Hill Rd*

City: \_\_\_\_\_

*West Chesterfield*

State \_\_\_\_\_

*NH*

Zip \_\_\_\_\_

*03466*

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

*Y*



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Jeanne Chappell

Print Name: Jeanne Chappell

Address: 85 Laura Lane

City: Keen State: NH Zip: 03451

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Richard Sever

Print Name: Richard Sever

Address: 50 Summit Rd

City: Keene

State: N.H.

Zip: 03431

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_



## A Citizen Petition<sup>1</sup>

2N14

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Nancy E. Butterfield Print Name: NANCY E. BUTTERFIELD

Address: 433 Ox-Bow Road, Hinsdale, NH 03451

2. Signature: Patricia A. Warkes Print Name: PATRICIA A. WARKES

Address: 433 Ox-Bow Rd Hinsdale, NH 03451

3. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to supply nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1980 output, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Mary K. Metcalf Print Name Mary K. Metcalf

Address: One Clifford Lane, Durham, NH 03824

2. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: John W. Parker Print Name: \_\_\_\_\_

Address: \_\_\_\_\_



Mr. John W. Parker  
170 Kensington Rd.  
Hampton Falls NH 03844-2224

2. Signature: Sara Parker Print Name: \_\_\_\_\_

Address: \_\_\_\_\_



Sara Parker  
170 Kensington Rd.  
Hampton Falls, NH 03844

3. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont  
Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear  
Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release  
at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the  
original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and  
tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at  
ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core  
will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a  
concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the  
Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety  
Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters  
provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996,  
by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its  
design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess  
operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of  
licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-  
significant findings and draw conclusions on overall performance.

## Signed:

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

132

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name John Lynch  
Address: 150 Columbia Rd. Dorchester MA
2. Signature: [Signature] Print Name Melissa Colline  
Address: 240 Tuckers Pt Pepperell MA
3. Signature: [Signature] Print Name Joe Case  
Address: 245 St Fitts MA
4. Signature: [Signature] Print Name Christopher Charlotte  
Address: 986 Suster Rd Fitch MA 01450
5. Signature: [Signature] Print Name Raymond Powers  
Address: 51 Oxcart Rd Vernon VT 05354
6. Signature: [Signature] Print Name William A. Fuhrman  
Address: 174 Labors Rd Bethlehem CT 06751
7. Signature: [Signature] Print Name Lindsey Monckton  
Address: Bailtree Hill Road, Woodbury CT 06798
8. Signature: [Signature] Print Name Jim Lee  
Address: 766 Munge Ln Bethlehem, CT 06751
9. Signature: [Signature] Print Name David Monckton  
Address: Bailtree Hill Road - Woodbury, Conn. 06798
10. Signature: [Signature] Print Name Daniel Thornton  
Address: 718 Otisco St Syr. NY 13204

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Member of the Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Safety

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has applied to supply Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Christopher Pyatak

Address: 111 Main #2 Bratt VT

2. Signature: [Signature] Print Name Ian Kiele

Address: 168 Eliot St. Apt #2 Brattleboro

3. Signature: [Signature] Print Name Acacia Fanto

Address: 71 Cedar St Bratt, VT

4. Signature: [Signature] Print Name HERIDITH J. LEVINSON

Address: PO Box 955 Manchester Ctr, VT 05255

5. Signature: [Signature] Print Name ERIC RICKSTAD

Address: PO Box 955 Manchester Ctr VT 05255

6. Signature: [Signature] Print Name Teri Baber

Address: 157 Green St. Brattleboro, VT 05301

7. Signature: [Signature] Print Name Michael Whigham

Address: Hinsburg Rd Brattleboro VT 05301

8. Signature: [Signature] Print Name Clem Johnson

Address: 29 High St Brattleboro, VT

9. Signature: [Signature] Print Name RUSA SPRAGUE

Address: 118 Washington St Bratt VT, 05301

10. Signature: [Signature] Print Name WILLIAM G KNOWLES

Address: PO Box 367 BRATTLEBORO VT 05302

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Axel Heimer Print Name Axel Heimer

Address: \_\_\_\_\_

2. Signature: Robert E. Fraser Print Name Robert E. Fraser

Address: WRS VT 05001

3. Signature: Tanya R. Fraser Print Name Tanya R. FRASER

Address: White River Jct VT 05001

4. Signature: Alysa Dykeman Print Name Alysa Dykeman

Address: 102 Canal Street, Brattleboro, VT 05301

5. Signature: Drew Porter Print Name Drew Porter

Address: 54 Barker Hill Rd Townsend MA 01469

6. Signature: Michelle Richard Print Name Michelle Richard

Address: 5 Gerard Dr Apt 3 Fitchburg MA 01420

7. Signature: Andrea Carroll Print Name Andrea Carroll

Address: 27 main St. Belchertown MA 01007

8. Signature: Melissa Howard Print Name Melissa Howard

Address: 5 Storey Ave Newburyport MA 01950

9. Signature: Mark Morin Print Name MARK Morin

Address: 47 Fairview Ave West Springfield MA

10. Signature: Joseph Lomax Print Name Joseph Lomax

Address: 32 Marlboro W Springfield MA

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name TORRENT CARTER  
Address: 36 Chapman St 2 Brattleboro VT 05301
2. Signature: [Signature] Print Name Francis Cardinale  
Address: Donner Rd Williamsville, VT 05362
3. Signature: [Signature] Print Name NICK RACCO  
Address: 727 RIVER RD. S. PUTNEY VT. 05346
4. Signature: [Signature] Print Name GEORGE SOULOS  
Address: 21 Hickory Ridge Rd So. Putney, VT 05346
5. Signature: [Signature] Print Name Harriette Reeves-Forsythe  
Address: 7 Small Meadows Lane Putney, VT 05346
6. Signature: [Signature] Print Name Sue Mansfield  
Address: 105 Windmill Hill Rd Putney, VT 05346
7. Signature: [Signature] Print Name CYNTHIA FINE  
Address: P.O. Box 153 Westminster 05158
8. Signature: [Signature] Print Name Michael Krusner  
Address: 192 Taylor Rd Putney VT 05346 - 9023
9. Signature: [Signature] Print Name LAURA ERLANGER  
Address: P.O. Box 793, Putney VT 05346
10. Signature: [Signature] Print Name Eli Bruke  
Address: 14 Greenwood Lane Putney VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name John Lynch  
Address: 150 Columbia Rd. DORCHESTER MA
2. Signature: [Signature] Print Name Melissa Colline  
Address: 24 C Tuckers + Peppertree Ln
3. Signature: [Signature] Print Name Joe O'Shea  
Address: 24 ST Fitch MA
4. Signature: [Signature] Print Name Christopher Charotte  
Address: 986 Sushan Rd Fitch MA 01450
5. Signature: [Signature] Print Name Raymond Powers  
Address: 51 Oxcart Rd Vernon VT 05354
6. Signature: [Signature] Print Name William A. Fuhrman  
Address: 174 Labor Rd Bethel CT 06751
7. Signature: [Signature] Print Name Lindsey Monckton  
Address: Bailtree Hill Road, Woodbury CT 06798
8. Signature: [Signature] Print Name JIM LEE  
Address: 366 MUNGEL LN BETHLEHEM, CT 06751
9. Signature: [Signature] Print Name David Monckton  
Address: Bailtree Hill Road - Woodbury, Conn. 06798
10. Signature: [Signature] Print Name Daniel Thornton  
Address: 718 Otisco St Syp. NY 13204

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Axel Heimer Print Name Axel Heimer

Address: \_\_\_\_\_

2. Signature: Robert E. Fraser Print Name Robert E. Fraser

Address: WRS VT 05001

3. Signature: Tanya R. Fraser Print Name Tanya R. FRASER

Address: White River Jct VT 05001

4. Signature: Alysa Dykeman Print Name Alysa Dykeman

Address: 182 Canal Street, Brattleboro, vt 05301

5. Signature: Drew Porter Print Name Drew Porter

Address: 54 Barker Hill Rd Townsend ma 01469

6. Signature: Michelle Richard Print Name Michelle Richard

Address: 5 Gerard Dr Apt 3 Fitchburg ma 01420

7. Signature: Andrea Carroll Print Name Andrea Carroll

Address: 27 main St. Belchertown Ma 01007

8. Signature: Melissa Howard Print Name Melissa Howard

Address: 5 Storey Ave Newburyport Ma 01950

9. Signature: Mark Morin Print Name MARK Morin

Address: 47 Fairview Ave West Springfield MA

10. Signature: Joseph Langer Print Name Joseph Langer

Address: 32 Marlboro W Springfield MA

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name MANUEL ROBERTS

Address: HAVERST, MASS.

2. Signature: [Signature] Print Name Ashley Carey

Address: Guilford, Vt.

3. Signature: [Signature] Print Name Barbara Hedges

Address: W. Roxbury MA

4. Signature: [Signature] Print Name Deborah Drexler

Address: 200 Park St W. Roxbury MA 02132

5. Signature: [Signature] Print Name David Drexler

Address: 200 Park St West Roxbury MA 02132

6. Signature: [Signature] Print Name K. TAYLOR

Address: 199 PARK ST. W. ROXBURY, MA 02132

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and,

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Robyn O'Brien Print Name Robyn O'Brien

Address: P.O. Box 113, Putney, VT 05346

2. Signature: Ellen Forsythe Print Name Ellen Forsythe

Address: 7 Small Meadows Lane Putney, VT 05346

3. Signature: Kevin O'Brien Print Name Kevin O'Brien

Address: Box 711 Putney, VT

4. Signature: Ruby McAdoo Print Name RUBY MCADOO

Address: 36A OLD TOWN RD, PUTNEY VT 05346 no mailing lists

5. Signature: Paula Diamondstone Newton Print Name PAULA DIAMONSTONE NEWTON

Address: P.O. Box 594, DUNDAS, VT 05353

6. Signature: Michael Beth Print Name MICHAEL BETH

Address: 327 DAIGLE RD PUTNEY VT 05346

7. Signature: Steve Belczak Print Name STEVE BELCZAK

Address: 278 South Goddard Hill Rd, Putney VT 05346

8. Signature: Virginia Whyming Print Name Virginia Whyming

Address: Westminster Vermont

9. Signature: Caroline Gelfan Print Name CAROLINE GELFAN

Address: 327 Daigle Rd Putney VT 05346

10. Signature: William Matris Print Name William Matris

Address: 90 Hickory Ridge Rd Putney

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: [Signature] Print Name Richie Brown  
Address: PO Box 396 Marlboro VT 05344 Email \_\_\_\_\_
2. Signature: [Signature] Print Name PATRICIA R. CAVANAUGH  
Address: PO Box 105, W. HALIFAX, VT 05358 Email patsteve@sover.net
3. Signature: [Signature] Print Name ALAN E. MICHICK  
Address: 45 WELLYING DR. STAFFORD N.H. 03462 Email AMICHICK@MARLBORO.EDU
4. Signature: [Signature] Print Name Lisa Christensen  
Address: PO Box 233, Marlboro, VT 05344 Email \_\_\_\_\_
5. Signature: [Signature] Print Name Sharon C. Tappan  
Address: PO Box 435, Marlboro, VT 05344 Email suntap@marlboro.edu
6. Signature: [Signature] Print Name Jodi D. Clark  
Address: P.O. Box 164 Marlboro VT 05344 Email \_\_\_\_\_
7. Signature: [Signature] Print Name JAMES TOSER  
Address: Box 62 Marlboro, VT 05344 Email \_\_\_\_\_
8. Signature: [Signature] Print Name MARGARET HUNT  
Address: 99 FAULKNER RD, WASHINGTON, VT 05361 Email mhunt@MARLBORO.EDU
9. Signature: [Signature] Print Name Dan Holby  
Address: 60 Paula Rd. Email danh@holb@marlboro.edu
10. Signature: [Signature] Print Name Anthony Schin  
Address: 7587 South Road Email anth@marlboro.edu

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



# A Citizen Petition<sup>1</sup>

NH

**Q:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**ROM:** The undersigned citizens and friends of Vermont

**/HEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore.
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**/WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Lucy Weed

Address: 28 Damon Ct, Keene, NH 03431

2. Signature: [Signature] Print Name APRIL WEED

Address: 28 Damon Ct, Keene, NH 03431

3. Signature: [Signature] Print Name Charles F. Weed

Address: 28 Damon Ct, Keene, NH 03431

4. Signature: [Signature] Print Name Jon Thompson

Address: 30 Greenbriar Road Keene, NH 03431

5. Signature: [Signature] Print Name Ben Sarterre

Address: P.O. Box 314 Harrisville, NH 03450

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

A

still to  
do

VH

432

A-6

rs of the Vermont Legislature; Vermont Public  
olic Service:

**TO:** The Honorable James Douglas, Go  
Service Board: Vermont State Nuclear Advisory Panel: 2

**FROM:** The undersigned citizens and f

**WHEREAS**, Louisiana-based **Entergy C**

**Yankee Nuclear Power Plant at Vernon to 120% v. a. .**

**uper-load nuclear fuel in the Vermont  
nal 1973 license, and**

- this increase will place new stress on Vermont Yankee's aging components .... asing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**,  
similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Jennifer L. Clark Print Name Jennifer L. Clark  
Address: 678A Main Street Marlborough, NH 03455
2. Signature: Cindy Ramos Print Name Cindy Ramos  
Address: 678A Main St. Marlborough, NH 03455
3. Signature: Philip DeVege Print Name Philip DeVege  
Address: 678A Main St Marlborough, NH 03455
4. Signature: Theresa DeMond Print Name Theresa DeMond  
Address: P.O. Box 412 Marlow NH 03456
5. Signature: Fred DeMond Print Name Fred DeMond  
Address: P.O. Box 412 Marlow NH 03456
6. Signature: Meghan Rhoades Print Name Meghan Rhoades  
Address: 9 Pinnacle Springs Rd. Chesterfield, N.H. 03443
7. Signature: Stacy White Print Name Stacy White  
Address: 21 Colonial Dr. Revere NH 03431
8. Signature: Julia Tambarrato Print Name Julia Tambarrato  
Address: P.O. Box 325 Newfane VT 05345
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

NH

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Hannah Fletcher Print Name Hannah Fletcher

Address: Keene NH

2. Signature: Shannon Clark Print Name Shannon Clark

Address: Keene, NH 03431

3. Signature: Lauren Bergstrom Print Name Lauren Bergstrom

Address: 158 Poor Rd. W. Chesterfield NH 03466

4. Signature: Emily A. Abbott Print Name Emily Abbott

Address: Keene NH

5. Signature: Jennifer Symonds Print Name Jennifer Symonds

Address: 32 Pine Ave. Keene, NH 03431

6. Signature: Kyle M Burbank Print Name Kyle M Burbank

Address: 41 Boston Pl. Keene NH 03431

7. Signature: Sasha Patnode Print Name Sasha Patnode

Address: 708 Glebe Rd. Westmoreland NH 03467

8. Signature: Signasa Patel Print Name Signasa Patel

Address: 183 Pearl St Keene, NH 03431

9. Signature: Chris Snowden Print Name Chris Snowden

Address: 66 Carriage Lane

10. Signature: Harvey Nystrom Print Name HARVEY NYSTROM

Address: 236 Falls Brook Rd, Drummerston VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

NH

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Hannah Ellsworth Print Name Hannah Ellsworth

Address: 19 Edgewood Ave Keene, NH 03431

2. Signature: Greg Ricker Print Name Greg Ricker

Address: 173 Island St. Keene NH 03431

3. Signature: Brad Edson Print Name Brad Edson

Address: 93 Ashuelot St. Keene NH 03431

4. Signature: Victoria Hughes Print Name VICTORIA Hughes

Address: 97 Walker Rd STODDARD, NH 03464

5. Signature: Vince Joyce Print Name Vince Joyce

Address: 40 Dickinson Rd, Keene, NH 03431

6. Signature: Katie Dower Print Name Katie Dower

Address: 332 South St Troy, NH 03465

7. Signature: Isaac Lacey Print Name ISAAC LACEY

Address: 230 DANIELS HILL ROAD KEENE, NH 03431

8. Signature: Colin Sutton Print Name Colin Sutton

Address: 20 Gales rd #24 marlborough, NH 03455

9. Signature: Meghan Gosselle Print Name Meghan Gosselle

Address: 678 Main St. Keene, NH 03431

10. Signature: Patrick Ericson Print Name Patrick Ericson

Address: 26 Giffin Street Keene NH 03431

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

2NY

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, joining in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: \_\_\_\_\_ Print Name WALTER PEARSON

Address: 18 FABER ST. STATEN ISLAND NY 10302

2. Signature: Bruce Gilliam Print Name BRUCE GILLIAM

Address: 28 Penbrooke Ave Staten Island NY 10302

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Citizen Petition<sup>1</sup>

To Do / 4 NY + 1 MA

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

▪ this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

▪ a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name: PATRICIA LEMON

Address: Warwick, MA 01378

2. Signature: [Signature] Print Name: Lois STURM

Address: 628 E. 14th St #6 NYC 10009

3. Signature: [Signature] Print Name: GARY CALWHITE

Address: 90 Edwards Rd Parsippany NJ 07054

4. Signature: [Signature] Print Name: Shell Shaddy

Address: 277 E. 10th St #1 NYC 10009

5. Signature: [Signature] Print Name: Antonia Macias

Address: 13216 Hillside Ave, Richmond Hill, NY, 11418

6. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

5 CT To Do

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

- Signature: William F. Marston Print Name William F. Marston  
Address: Beaverbrook Rd. Lyme, CT
- Signature: Carol L. Blacker Print Name CAROL BLACKER  
Address: 197 Cracked Oak Madison, CT 06443
- Signature: Lisa Westerman Print Name Lisa Westerman  
Address: 15 Bokum Road, Essex, CT 06426
- Signature: Richard Westerman Print Name Rich Westerman  
Address: 15 Bokum Rd Essex Ct 06426
- Signature: William Westerman Print Name WILLIAM WESTERMAN A11  
Address: 282 CEDAR LAKE RD
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
- Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company. October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

PA

# A Citizen Petition<sup>1</sup>

TO: The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

FROM: The undersigned citizens and friends of Vermont

WHEREAS, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,

a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative, therefore,

WE NOW SAY: join us in calling for a Independent Safety Assessment<sup>2</sup> of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut.

1. Signature: Glenn Fulop Print Name Glenn Fulop

Address: 223 W. Horner St. Philadelphia PA 19104 Email gzfulop@hotmail.com

2. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ Email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature;  
Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and the Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

- WHEREAS**, Louisiana-based **Entergy Corporation** has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and
- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
  - a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,

similar to those already conducted at aging nuclear plants in Maine and

Connecticut

1. Signature: Barbara Roth Print Name BARBARA ROTH  
Address: 400 Meadowbrook Rd, Brattleboro, VT 05301
2. Signature: Pat Sweeney Print Name Pat Sweeney  
Address: 27 Vine St. Brattleboro VT 05301
3. Signature: Dorothy A. Gorenflo Print Name Dorothy A. Gorenflo  
Address: 15 Marlboro Ave, Brattleboro, VT 05301
4. Signature: Judith A. Lawrence Print Name Judith A. Lawrence  
Address: 138 Green Street, Brattleboro VT 05301
5. Signature: Barbara Hodgdon Print Name Barbara Hodgdon  
Address: 70 Meadowbrook Rd. Brattleboro, VT. 05301
6. Signature: Laura F. White Print Name Laura F. White  
Address: 4057 Hinesburg Rd. Guilford, VT 05301
7. Signature: Lynn Leighton Print Name Lynn Leighton  
Address: 29 Newfane Hill Rd, Newfane Vt. 05345
8. Signature: Julie Robinson Print Name Julie Robinson  
Address: 115 Taylor Rd. Putney, VT 05346
9. Signature: Rebecca Peloso Print Name Rebecca Peloso  
Address: 1840 State Forest Rd Townshend VT 05353

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Secretary of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and the Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based **Entergy Corporation** has agreed to over-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components including increased accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Timothy R. Thies Print Name Timothy R. Thies

Address: P.O. Box 2488 Manchester Center VT 05255 email \_\_\_\_\_

2. Signature: Kristen Thies Print Name Kristen Thies

Address: P.O. Box 2488 Manchester Ctr VT 05255 email \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ email \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ email \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ email \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ email \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ email \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ email \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ email \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_ email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Heather Tognacci Print Name Heather Tognacci  
Address: Box 212 S. Stratford VT 05076
2. Signature: Joanne Messner Print Name JOANNE MESSNER  
Address: W. FAIRLEE VT 05045 needs address
3. Signature: Rebecca H. Pero Print Name Rebecca Pero  
Address: W. R. J. VT 05001 needs address
4. Signature: Matthew Buay Print Name Matt Buay  
Address: 516 Main Rd WVT VT 05001
5. Signature: Amaryllis J. Jones Print Name Amaryllis J. Jones  
Address: W. R. J. VT 05001 needs address
6. Signature: Ashley P. Fagg Print Name Ashley Fagg  
Address: Brattleboro, VT need address
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

→ PLEASE MAIL ON TUES. 11/4 TO: HEATHER FREEDMAN  
118 PROSPECT ST., #3 BRATTLEBORO VT  
05301

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name MANUEL ROBERTS d didn't enter

Address: HAVERST, MASS. STREET

2. Signature: [Signature] Print Name Ashley Carey ← entered % of Post. Str

Address: Guilford, Vt.

3. Signature: [Signature] Print Name Barbara Hedges ← did not enter

Address: W. Roxbury Ma

4. Signature: [Signature] Print Name Deborah Drexler

Address: 200 Park St W. Roxbury MA 02132

5. Signature: [Signature] Print Name David Drexler

Address: 200 Park St West Roxbury MA 02132

6. Signature: [Signature] Print Name K. TAYLOR

Address: 199 PARK ST. W. ROXBURY, MA 02132

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY,** join us in calling for a **Independent Safety Assessment of Vermont Yankee<sup>2</sup>**, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Bradford Hamner  
Address: 11740 Bemis Hill Rd. Westminster Vt.
2. Signature: [Signature] Print Name Abby Gallon  
Address: 928 State St. Rd. W. Chesterfield NH
3. Signature: [Signature] Print Name MOLLY MELLOAN  
Address: 1193 HALE RD. GUILFORD VT 05301
4. Signature: [Signature] Print Name William B. Corbett  
Address: Box 804 Belows Falls, VT. 05101
5. Signature: [Signature] Print Name SCOTT WILAND  
Address: 4811 WESTMINSTER WEST RD. PUTNEY VT. 05346
6. Signature: [Signature] Print Name JENNIFER COLLINS  
Address: 4816 W.W. Rd. Putney VT 05346
7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

689  
Turn this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.  
According to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety and performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and management plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

10. Signature: Christy Johnson Print Name Christy Johnson  
Address: 61 Washington St. Brattleboro, VT 05301

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature, Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant shutdowns that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Ellen J. Hayes Print Name Ellen J. Hayes  
Address: POB 1787 Keene, NH / 14615, Denlock Rd, Charlestown, NH
2. Signature: John Michael Dumas Print Name John Michael Dumas  
Address: 10 Foster St. Keene NH 03431
3. Signature: Martha Stephenson Print Name MARTHA STEPHENSON  
Address: P.O. Box 40 Keene, N.H. 03431 until Nov. 1 '03
4. Signature: Francis Fiske, Jr. Print Name FRANCIS FISKE, JR.  
Address: 3 LEAHY RD. KEENE N.H. 03431.
5. Signature: Mary Kelly Sa Haon MD Print Name Mary Kelly Sa Haon MD  
Address: 103 Roxbury St Keene NH 03431
6. Signature: Christa H. Patterson Print Name Christa H. Patterson  
Address: 131 Price Road, Sullivan, NH 03445
7. Signature: Gerhard F. Bedding Print Name Gerhard Bedding  
Address: 8 Green Acres Rd., Keene, NH 03431
8. Signature: Erin Stoub Print Name Erin Stoub  
Address: 15 Harrison St. Keene, NH 03431
9. Signature: John Lynch Print Name John Lynch  
Address: 15 Harrison St. KEENE, NH. 03431
10. Signature: Rev. Mary Johnson Print Name Rev. Mary Johnson  
Address: Oscar Portras E. Alstead N.H.

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- " this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- " a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Douglas Bogen Print Name Doug Bogen

Address: 404 Pleasant St. #3, Portsmouth, NH 03801

2. Signature: Peter Vandermark Print Name PETER VANDERMARK

Address: 86 RIDGES CT PORTSMOUTH, NH 03801

3. Signature: [Signature] Print Name Melissa Bernardin

Address: 358 B Islington St. Portsmouth NH 03801

4. Signature: Amy L. Antonucci Print Name Amy L. Antonucci

Address: 31A Mohammet Dr Madbury NH 03820

5. Signature: Steven Diamond Print Name Steven Diamond

Address: 14 Birch Drive Dover NH 03820

6. Signature: David Diamond Print Name David Diamond

Address: 93 Henry Law Ave Apt. 145, Dover, NH 03820

7. Signature: Tom Jackson Print Name Tom Jackson

Address: PO Box 1295 Dover, NH 03821

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Ann S. Kellogg Print Name Ann S. Kellogg

Address: 11 Cab Rd., Bow, NH, 03304

2. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Joan C. Pratt Print Name JOAN C. PRATT

Address: 66 Rowell Rd Brentwood NH 03833

2. Signature: Charles Pratt Print Name CHARLES W PRATT

Address: 66 Rowell Rd Brentwood NH 03833

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Ann Metcalf Print Name Ann Metcalf

Address: 110 New Hebron Rd. Plymouth, NH 03264

2. Signature: [Signature] Print Name Peter Papadopoulos

Address: 110 New Hebron Rd. Plymouth, NH 03264

3. Signature: Gary Newfield Print Name Gary Newfield

Address: 1270 US Route 2 Randolph, NH 03593

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Kendra L Brooks

Print Name: Kendra L. Brooks

Address: P.O. Box 1164

City: Newfane

State: VT

Zip: 05345

Phone: 365-4415

Email: +kle@Sover.net

Registered to Vote? YES

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

*Thomas R Brooks*

Print Name: \_\_\_\_\_

Thomas R Brooks

Address: \_\_\_\_\_

Po Box 166

City: \_\_\_\_\_

Newfane

State: \_\_\_\_\_

Vt

Zip: \_\_\_\_\_

05345

Phone: \_\_\_\_\_

365 94415

Email: \_\_\_\_\_

\_\_\_\_\_

Registered to Vote? \_\_\_\_\_

VCS

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Public Service Board of Vernon: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: JS Howard

Print Name: James L. Howard

Address: 11 Hemlock Hollow #1

City: Putney

State: VT

Zip: 05346

Phone: 802 387 2409

Email: Putney Town Clerk

Registered to Vote? Yes



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: Ramona Severance

Print Name: RAMONA SEVERANCE

Address: 367 GRASSY BROOK RD.

City: BROOKLINE State: VT Zip: 05345

Phone: 365-7268 Email: \_\_\_\_\_

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

Signed:

Signature: 

Print Name: Ryan Page

Address: 334 Grassy Brook Rd.

City: Brookline State Vermont Zip 05345

Phone: (802) 365-7530

Email: \_\_\_\_\_

Registered to Vote? no

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Public Service Board of Vermont: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies; a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Lynn Huston

Print Name: Lynn Huston

Address: 41 GRASSY BROOK RD

City: BROOKLINE

State: VT

Zip: 05345

Phone: 365-4116

Email: \_\_\_\_\_

Registered to Vote? YES

# A Petition



**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

*Nancy L Miller*

Print Name: \_\_\_\_\_

NANCY MILLER

Address: \_\_\_\_\_

72 Miller Rd.

City: \_\_\_\_\_

Braettonboro

State

VT

Zip

05301

Phone: \_\_\_\_\_

802 254 6925

Email: \_\_\_\_\_

\_\_\_\_\_

Registered to Vote? \_\_\_\_\_

yes



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Public Service Board of Vernon: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Andrew Smith Print Name Andrew Smith

Address: 67 Main St., #16 Brattleboro, VT 05301

2. Signature: Lynne Lewandowski Print Name LYNNE LEWANDOWSKI

Address: 67 Main St #16 Brattleboro VT 05301

3. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

to Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature;  
the Nuclear Regulatory Commission; the Vermont Nuclear Safety Advisory Panel; and The Vermont Department of Public Service;  
and friends of Vermont

Yankee Corporation has applied to super-load nuclear fuel in the  
at Vernon to 120% of the reactor's original 1973 license, and  
Yankee's aging components increasing risk of accidents and plant blackouts that  
bottom examination of Vermont Yankee is prudent, protective and conservative;  
could affect the entire state, therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont  
Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name James Jordan  
Address: 6817 Westminister Vt Rd. email james\_jordan@online.edu
2. Signature: [Signature] Print Name Collin Lee  
Address: 318 Earthbridge Rd Putney, VT email cleech@sover.net
3. Signature: [Signature] Print Name Fletcher D. Proctor  
Address: 236 Dersch Hill, Putney, VT 05346 email \_\_\_\_\_
4. Signature: [Signature] Print Name Mike Henkle  
Address: 543 Burnett Road, Putney, VT 05346 email \_\_\_\_\_
5. Signature: [Signature] Print Name THOMAS E GRIFFITH  
Address: 23 BUTENUT LANE PUTNEY 05346 email \_\_\_\_\_
6. Signature: [Signature] Print Name JOHN M. KEIL  
Address: 7118 WESTMINSTER WEST RD PUTNEY 05346 email \_\_\_\_\_
7. Signature: [Signature] Print Name BARBARA M. KEIL  
Address: 7828 WA. RD Putney, VT. email BARBARA@SOV.NET
8. Signature: [Signature] Print Name MICHAEL WELLS  
Address: Goddard Hill Rd. Putney 05346 email \_\_\_\_\_
9. Signature: [Signature] Print Name LYNNE BOUDREAU  
Address: 1659 West Hill Rd Putney VT 05346 email lbkroka.com
10. Signature: [Signature] Print Name DAVID ROHN  
Address: P O BOX 84 PUTNEY VT email rohrn@sover.net

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Melanie Thomas Print Name MELANIE THOMAS  
Address: S.I.T. 2 Lineway Kipling Rd Brattleboro email littlelily7lee@yahoo.com
2. Signature: Hanako Kubori Print Name Hanako Kubori  
Address: Kipling Road, Brattleboro email hanapyk@hotmail.com
3. Signature: [Signature] Print Name Akilah Clarke  
Address: Kipling Rd Brattleboro email \_\_\_\_\_
4. Signature: Rebecca Ruster Print Name Rebecca Ruster  
Address: 31gm Meadow Rd Bratt email \_\_\_\_\_
5. Signature: [Signature] Print Name JOHN HATION  
Address: 1083 PINE BANKS RD PUTNEY VT email \_\_\_\_\_
6. Signature: Mimi Morton Print Name MIMI MORTON  
Address: 128 Ashworth Rd Gailford email \_\_\_\_\_
7. Signature: Aaron Tabor Print Name AARON TABOR  
Address: 17 Valley St. Brattleboro VT email \_\_\_\_\_
8. Signature: Timothy Clark Print Name Timothy Clark  
Address: 34 Cross Rd., Windham email \_\_\_\_\_
9. Signature: TRESTER LAURENCE Print Name TRESTER LAURENCE  
Address: 206 DOWEN RD SINGU email evxiet@saver.net
10. Signature: Richard Evers Print Name Richard Evers  
Address: 66 Frost Place, Brattleboro email \_\_\_\_\_  
VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;  
**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Tennifer Starfield  
Address: 20 Merrill Mendell Rd email [Signature]
2. Signature: [Signature] Print Name Leah Toffolon  
Address: Map St Williamsville, VT email leah-toffolon@earthlink.net
3. Signature: [Signature] Print Name MATTHEW BLAU  
Address: 33 clay pit Rd Dummerston VT email sparran7@Sover.net
4. Signature: [Signature] Print Name Stuart Wright  
Address: 50 Prospect St. Brattleboro 05301 email sdrum@togethernet
5. Signature: [Signature] Print Name ALLEN BLAZ  
Address: 228 FARRIDGE DUMMERSTON 05345 email [Signature]
6. Signature: [Signature] Print Name ROSA CROWC  
Address: [Signature] VT email [Signature]
7. Signature: [Signature] Print Name Joe Lomowac  
Address: 35 west st Brattleboro VT email [Signature]
8. Signature: [Signature] Print Name Mira Aldridge  
Address: 1740 Ben's Hill Rd Putney VT 05346 email [Signature]
9. Signature: [Signature] Print Name Susan V. Watson  
Address: 252 Ames Hill Rd Marlboro VT email [Signature]
10. Signature: [Signature] Print Name Sharon Granick  
Address: walnut st. Brattleboro email [Signature]

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,

similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Anne Enoch Print Name Anne Enoch  
Address: 129 Landmark Hill Dr #68 Brattleboro VT 05301
2. Signature: Stephanie Salasin Print Name Stephanie Salasin  
Address: 1108 Butterfield Rd. Marlboro, VT 05344
3. Signature: Anne Moore Orell Print Name Anne Moore Orell  
Address: 144 Belmont Ave Brattleboro VT 05301
4. Signature: Margaret Barletta Print Name Margaret Barletta  
Address: 93 Landmark Hill Dr E1 Brattleboro VT 05301
5. Signature: Jonathan Prentiss Print Name Jonathan Prentiss  
Address: 80 West Hill Putney VT
6. Signature: Robin Rooney Print Name Robin Rooney  
Address: 153 Dorsch Hill Putney, VT 05346
7. Signature: Brett Witmer Print Name Brett Witmer  
Address: 416 Beaver Pond Rd. Dummerston, VT 05301
8. Signature: Kristin Cassidy Print Name Kristin Cassidy  
Address: 857 Bunker Rd. E. Dummerston
9. Signature: Lauren (Sage) Mawer Print Name Lauren (Sage) Mawer  
Address: 140 Elliot St. #2 Brattleboro, VT 05301
10. Signature: Katy Aldridge Print Name Katy Aldridge  
Address: 1740 Bemis Hill Rd Putney, VT 05346

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- \* this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- \* a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name DANIEL R Kinney  
Address: 867 Post Farm Rd South Ripton VT 05068
2. Signature: [Signature] Print Name Jeffrey D. Wolfe  
Address: P.O. Box 161 Stratford VT 05072
3. Signature: Andrew P. Olson Print Name Andrew P. Olson  
Address: 332 S. Main St Apt. 6 White River Junction VT 05001
4. Signature: Meg Gluckman Print Name Meg Gluckman  
Address: POB 841 Norwich VT 05055
5. Signature: [Signature] Print Name Angela Raraghan  
Address: 107 Maden St. Maden MA 02154
6. Signature: [Signature] Print Name Hevie Michaelson  
Address: 1050 1st Meadow Rd Gerith VT 05039
7. Signature: Therese Linehan Print Name Therese Linehan  
Address: PO Box 24 Stratford VT 05072
8. Signature: Laurie Tobey Print Name Laurie Tobey  
Address: 187 MHP Brattleboro, VT 05301
9. Signature: [Signature] Print Name Aaron Thorp  
Address: Brattleboro No address
10. Signature: [Signature] Print Name Isabel Maturachy  
Address: 74 Chapin St. Brattleboro VT 05301

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 24, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

→ PLEASE MAIL ON TUES. 11/4 TO: HEATHER FREEDMAN  
118 PROSPECT ST., #3  
BRATTLEBORO VT 05301

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont

Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Karolina Olaksiewicz Print Name Karolina Olaksiewicz  
Address: PO Box 38 Brattleboro, VT 05302 email \_\_\_\_\_
2. Signature: Jane Burgess Print Name Jane Burgess  
Address: 3031 Westminster W. Rd, Putney VT 05456 email \_\_\_\_\_
3. Signature: John Fish Print Name JOHN FISH  
Address: 688 Bullock St Guilford, VT email \_\_\_\_\_
4. Signature: Karen Icehart Print Name KAREN ICEHART  
Address: 14 Lyons Hill Rd, Leverett Ma email \_\_\_\_\_
5. Signature: Robert O. Keen Print Name ROBERT O. KEEN  
Address: PO Box 68, South Jamesport NY 11970 email \_\_\_\_\_
6. Signature: Bridget Sturges Print Name Bridget Sturges  
Address: 160 Banning Rd Putney, VT 05456 email bridgitthemidget@yahoo.com
7. Signature: Annexa Kinnor Print Name ANNEXA KINNOR  
Address: 30 Washington #2F Brattleboro VT 05301 email \_\_\_\_\_
8. Signature: Cares Simpson Print Name CARES SIMPSON  
Address: PO Box 1112, Wilmington, Vermont email 05363
9. Signature: Irene Wax Print Name Irene Wax ← MEGO STREET  
Address: Wilmington VT 05363 email \_\_\_\_\_
10. Signature: Karen Molina Print Name Karen Molina  
Address: P.O. Box 772 Wilmington, VT email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.



## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Vermont Legislature; Vermont Public Service Board: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore, a full top-to-bottom examination of Vermont Yankee is prudent, protective and conservative; therefore,

**WE NOW SAY**, join us in calling for an Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name SUZY W. CRESAND  
Address: 1825 Butterfield Rd Brattleboro email galleryinnewood@yahoo.com
2. Signature: Donna Sebastian Print Name Donna Sebastian  
Address: P.O. Box 83, Wardsboro VT 05355 email NEED 278
3. Signature: [Signature] Print Name Alice M. Wentworth  
Address: 108 Frost St. Brattleboro, VT email \_\_\_\_\_
4. Signature: [Signature] Print Name Kathleen Pell  
Address: P.O. 403 Marlboro VT email 05344
5. Signature: [Signature] Print Name WALTER PHELPS  
Address: Williamsville VT get street email \_\_\_\_\_
6. Signature: [Signature] Print Name Tim Stantard  
Address: P.O. Box 1422 W. Fairbend VT email \_\_\_\_\_
7. Signature: [Signature] Print Name JOE BONOFISKY  
Address: 68 Main St #509 Brst, VT. email \_\_\_\_\_
8. Signature: [Signature] Print Name Ann Stanton  
Address: Montpelier VT 05602 email \_\_\_\_\_
9. Signature: [Signature] Print Name LAURENCE MAZEL  
Address: 214 SERKIN DR GUILFORD VT 05301 email KMALIKMUSIC@aol.com
10. Signature: [Signature] Print Name Raymond Branagan  
Address: 92 Canal St Brattleboro V.T. email \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September 30, 2003.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A CITIZEN PETITION

**TO:** The Honorable James Douglas: Senators Jeffords and Leahy; Representative Sanders

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS,** The recent disclosure that highly lethal fuel rods are missing from Vermont Yankee, as well as the discovery of cracks in the steam dryer, both demonstrate that the usual oversight process of both Vermont Yankee and the Nuclear Regulatory Commission is insufficient to guarantee the health and safety of the public

**WE NOW URGE THE ABOVE, PUBLICLY ELECTED OFFICIALS** to demand an Independent **SAFETY** Assessment that will have the criteria listed in the Vermont Senate Resolution adopted on 4/16/04 as well as the requirement of a civilian peer review process. The limited "engineering assessment" required by the Public Service Board on 3/15/04, will not be enough to reassure Vermonters that this plant is being run safely, given these recent disclosures of outrageously incompetent oversight. How can we expect Vermont Yankee to run a plant safely at 120% of capacity if VY can't keep track of fuel rods? How can we trust the Nuclear Regulatory Commission if they don't have a process which would have required frequent checks that the fuel rods were actually inside the box, particularly after spent fuel was missing at the Millstone plant?

1. Signature [Signature] Print Name JAMES CLARKE  
Address 1009 HINESBURG RD - BRAT, VT 05301 E-mail james.clarke@sprintmail.com
2. Signature [Signature] Print Name Virginia L. Milkey  
Address 266 Meadowbrook Rd, Bratt 05301 E-mail \_\_\_\_\_
3. Signature [Signature] Print Name Edward M Arthes  
Address 1556 East West Rd Dummerston E Mail ema@sover.net
4. Signature [Signature] Print Name Andrew P. Olson  
Address 332 S. Main St. Apt. 6 <sup>White River Jct.</sup> VT 05001 E-mail \_\_\_\_\_
5. Signature Ronald Pulcer Print Name RONALD PULCER  
Address 317 countryside Dr. Rutland Town, VT 05701 E-mail rspulcer\_2k@yahoo.com
6. Signature [Signature] Print Name SARAH E Pulcer  
Address 317 countryside Dr Rutland VT 05701 E-mail \_\_\_\_\_
7. Signature [Signature] Print Name Edward C. Childs  
Address 1299 Black Mt Rd Brattleboro, VT 05301 E-mail BLKMTFRM@SOVERNET

## A CITIZEN PETITION

**TO:** The Honorable James Douglas: Senators Jeffords and Leahy; Representative Sanders

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS,** The recent disclosure that highly lethal fuel rods are missing from Vermont Yankee, as well as the discovery of cracks in the steam dryer, both demonstrate that the usual oversight process of both Vermont Yankee and the Nuclear Regulatory Commission is insufficient to guarantee the health and safety of the public

**WE NOW URGE THE ABOVE, PUBLICLY ELECTED OFFICIALS** to demand an Independent **SAFETY** Assessment that will have the criteria listed in the Vermont Senate Resolution adopted on 4/16/04 as well as the requirement of a civilian peer review process. The limited "engineering assessment" required by the Public Service Board on 3/15/04, will not be enough to reassure Vermonters that this plant is being run safely, given these recent disclosures of outrageously incompetent oversight. How can we expect Vermont Yankee to run a plant safely at 120% of capacity if VY can't keep track of fuel rods? How can we trust the Nuclear Regulatory Commission if they don't have a process which would have required frequent checks that the fuel rods were actually inside the box, particularly after spent fuel was missing at the Millstone plant?

1. Signature Jane Newton Print Name Jane Newton  
Address 8 Londonderry VT 05155 E-mail jane@sover.net
2. Signature Sally Newton Print Name Sally Newton  
Address P.O. Box 1394 W. Townshend VT 05359 E-mail \_\_\_\_\_
3. Signature John G. Tuthill Print Name John Tuthill  
Address P.O. Box 49 Acworth, NH 03601 E-Mail \_\_\_\_\_
4. Signature Margaret Gundersen Print Name Margaret Gundersen  
Address 139 Hillmaney Ave Burlington VT 05401 E-mail fairwinds@adelphia.net
5. Signature Gikahh Timberwolf Print Name Gikahh Timberwolf  
Address 88 Spring Rd Tunbridge, VT E-mail gikahh25@yahoo.com
6. Signature William C. Pearson Print Name William C. Pearson  
Address P.O. Box 58 Brattleboro VT E-mail pearson@sover.net
7. Signature Claudia Fanto Print Name Claudia Fanto  
Address 71 Cedar St., Bratt VT E-mail \_\_\_\_\_

TO: NE Coalition  
We gathered these names  
at our Town Democratic  
Caucus 9/16.

Cam Blum  
Town Chair

9/18

## A Citizen Petition<sup>1</sup>

Governor of Vermont: Members of the Vermont Legislature, Vermont Public  
iel: and The Vermont Department of Public Service:  
d friends of Vermont

V Corporation has applied to super-load nuclear fuel in the Vermont  
o 120% of the reactor's original 1973 license, and  
ont Yankee's aging components increasing risk of accidents and plant blockouts that

nt Yankee is a prudent, protective and conservative, therefore,

a Independent Safety Assessment of Vermont Yankee<sup>2</sup>,  
ilar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Carolyn O. Blum Print Name CAROLYN O. BLUM  
Address: P.O. Box 298, EAST WALLINGFORD VT 05742
2. Signature: Deborah L. Scranton Print Name Deborah L. Scranton  
Address: 170 Scranton Lane, Wallingford VT 05773
3. Signature: Abigail S. Klock Print Name Abigail S. Klock  
Address: 113 N. Main St PO Box 459 Wallingford VT 05773
4. Signature: Maria Thompson Print Name MARIA THOMPSON  
Address: PO Box 244 E. WALLINGFORD VT 05742
5. Signature: Richard L. Bruce Print Name RICHARD L. BRUCE  
Address: Box 244, E. WALLINGFORD, VT 05742
6. Signature: Carie Dinnari Print Name Carie Dinnari  
Address: 274 School St. Wallingford, VT 05773
7. Signature: Doug Blodgett Print Name Douglas Blodgett  
Address: 2918 Sugar Hill Rd. E. Wallingford, VT 05742
8. Signature: Robert L. Barker Print Name ROBERT L. BARKER  
Address: 518 WEST HILL ROAD P.O. Box 02 WALLINGFORD, VT 05773
9. Signature: Gail Fallar Print Name Gail Fallar  
Address: 515 North End Rd Timmonville, VT 05773
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: [Signature] Print Name Ford A. Deley

Address: 1485 Union Village Rd. Norwich, VT 05055

2. Signature: [Signature] Print Name ROSAMOND F. DREYER ←

Address: 1485 UNION VILLAGE RD, NORWICH VT 05055

3. Signature: [Signature] Print Name MARY MCKENNA WILDER, VT

Address: \_\_\_\_\_

4. Signature: [Signature] Print Name Amanda Cochran

Address: 1485 union village rd. NORWICH VT 05055

5. Signature: [Signature] Print Name JOHN RABER

Address: 1485 UNION VILLAGE RD NORWICH VT, 05055

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Caryn King

Print Name: Caryn King

Address: ~~100 Main~~ 16 Miller Lane

City: S. Newfane

State: VT

Zip 05357

Phone: 365-7006

Email: /

Registered to Vote? yes

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont: Members of the Public Service Board of Vernon: Vermont State Nuclear Advisory Panel: and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: 134 Whitney Hill Rd. \_\_\_\_\_

City: Brookline \_\_\_\_\_

State VT \_\_\_\_\_

Zip 05345 \_\_\_\_\_

Phone: (802) 365-9309 \_\_\_\_\_

Email: h.sperling@earthlink.net \_\_\_\_\_

Registered to Vote? ☒ \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

*Marie Tattersall*

Print Name: \_\_\_\_\_

MARIE TATTERSALL

Address: \_\_\_\_\_

394 GRASSY BROOK RD

City: \_\_\_\_\_

BROOKLYNE

State \_\_\_\_\_

VT

Zip \_\_\_\_\_

05345

Phone: \_\_\_\_\_

802-365-7377

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

YES

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

*Michael Winst*

Print Name: \_\_\_\_\_

*Michael Winst*

Address: \_\_\_\_\_

*174 Whitney Hill Rd*

City: \_\_\_\_\_

*Brookline*

State: \_\_\_\_\_

*Vt*

Zip: \_\_\_\_\_

*05345*

Phone: \_\_\_\_\_

*365 9362*

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

*yes*

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: Hildi L Winst

Print Name: HEIDI WINST

Address: 174 WHITNEY HILL

City: BROOKLINE State: VT Zip: 05345

Phone: 802 3689362

Email: \_\_\_\_\_

Registered to Vote? YES

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

**Signed:**

Signature: 

Print Name: Denise Cassidy

Address: P.O. Box 123

City: Williamsville

State: VT

Zip: 05362

Phone: 802 348-7305

Email: viola@denise@USData.net

Registered to Vote? No

## A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vernon; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible** according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

Signed:

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_



# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

# A Petition

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Public Service Board of Vermont; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** People (voters where noted) residing, working, and visiting within twenty-five miles of Entergy Nuclear Vermont Yankee Power Plant (ENVY), and others potentially affected by radioactivity from an emergency release at ENVY through the air or Connecticut River.

**Because:** the non-resident owners of ENVY have applied to super-size the aging nuclear facility to 120% of the original design, by increasing output by 110 Megawatts electrical or 330 Megawatts thermal, and

**Because** this increase will cause more stress on its aging components, already subjected to 31 years of wear and tear and shown by ENVY's own documents to be currently operating at the fringes of failure, and

**Because** this increased stress on aging parts will, at a minimum, result in more breakdowns and less reliability at ENVY, and at worst, could result in a major accident as the increased decay heat from the more radioactive core will reduce the time available for reactor operators to respond to equipment failures and operating emergencies, a concern expressed by nuclear industry workers and by the Advisory Committee on Reactor Safeguards of the Nuclear Regulatory Commission,

**Therefore, they demand that the Officials named and denoted above require that an Independent Safety Assessment of Vermont Yankee be completed as soon as possible according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of ENVY to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.**

**Signed:**

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Registered to Vote? \_\_\_\_\_

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service:

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Jeff Skelskie Print Name Jeff Skelskie

Address: 21 Taylor St Granby, MA 01033

2. Signature: Adam Skelskie Print Name Adam Skelskie

Address: 21 Taylor St Granby, MA 01033

3. Signature: Bernard Courtois Print Name BERNARD COURTOIS

Address: 1 CARVER ST GRANBY MA 01033

4. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

5. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

6. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

7. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_

Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.

## A Citizen Petition<sup>1</sup>

**TO:** The Honorable James Douglas, Governor of Vermont; Members of the Vermont Legislature; Vermont Public Service Board; Vermont State Nuclear Advisory Panel; and The Vermont Department of Public Service;

**FROM:** The undersigned citizens and friends of Vermont

**WHEREAS**, Louisiana-based Entergy Corporation has applied to super-load nuclear fuel in the Vermont Yankee Nuclear Power Plant at Vernon to 120% of the reactor's original 1973 license, and

- this increase will place new stress on Vermont Yankee's aging components increasing risk of accidents and plant blackouts that could affect the entire state, therefore,
- a full top-to-bottom examination of Vermont Yankee is a prudent, protective and conservative, therefore,

**WE NOW SAY**, join us in calling for a Independent Safety Assessment of Vermont Yankee<sup>2</sup>, similar to those already conducted at aging nuclear plants in Maine and Connecticut

1. Signature: Walworth Williams Print Name WALWORTH WILLIAMS  
Address: 15 Ledgewood Rd Winchester, MA 01890
2. Signature: Mary Lou Williams Print Name Mary Lou Williams  
Address: 15 Ledgewood Rd Winchester, MA 01890
3. Signature: Cathy Reed Print Name CATHY REED  
Address: 670 Mountain St Sharon, MA 02067
4. Signature: David Williams Print Name DAVID WILLIAMS  
Address: 94 Brigham Hill Rd. Essex Junction VT 05452
5. Signature: Linda Williams Print Name Linda Williams  
Address: 94 Brigham Hill Rd. Essex Junction, VT 05452
6. Signature: Barry Reed Print Name Barry Reed  
Address: 670 ~~Mountain St~~ Mountain St. Sharon, MA 02067
7. Signature: Sus Beekhorn Print Name SUS BECKHORN  
Address: 195 Brigham Hill Rd. Bethel, N.Y. 14817
8. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
9. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_
10. Signature: \_\_\_\_\_ Print Name \_\_\_\_\_  
Address: \_\_\_\_\_

<sup>1</sup> Return this completed petition via New England Coalition, Box 545, Brattleboro, Vermont 05302 by September, 14, 2003, if possible.

<sup>2</sup> according to the definitions and parameters provided in the report: Independent Safety Assessment of Maine Yankee Atomic Power Company, October 1996, by the Nuclear Regulatory Commission. This study shall: (1) independently assess the conformance of Vermont Yankee to its design and licensing bases including appropriate reviews at the site and corporate offices; (2) independently assess operational safety performance giving risk perspectives where appropriate; (3) evaluate the effectiveness of licensee self-assessments, corrective actions, and improvement plans; (4) determine the root cause(s) of safety-significant findings and draw conclusions on overall performance.