

NUCLEAR REGULATORY COMMISSION  
DOCKET NO. 030-05222  
February 21, 2006

Environmental Assessment Related to Issuance of a License Amendment  
of U.S. Nuclear Regulatory Commission Materials License No. 29-00139-02,  
E. R. Squibb and Sons, Inc. in Hamilton, New Jersey

## **Introduction**

The U.S. Nuclear Regulatory Commission (NRC) has prepared this environmental assessment (EA) of the amendment of the E. R. Squibb and Sons, Inc. (Squibb) Materials License Number 29-00139-02, and the release of its Hamilton site for unrestricted use. The Three Hamilton Health Place facility in Hamilton, New Jersey, is operated by Squibb. Squibb was authorized by NRC from March 1998, to use radioactive materials for research and development purposes at the site. In 2005, Squibb ceased operations with licensed materials at the Hamilton site, and requested that NRC release the facility for unrestricted use. Squibb has conducted surveys of the facility and determined that the facility meets the license termination criteria in Subpart E of 10 CFR Part 20. The NRC staff has evaluated Squibb's request and the results of the surveys, and has developed an EA in accordance with the requirements of 10 CFR Part 51. Based on the staff evaluation, the conclusion of the EA is a Finding of No Significant Impact (FONSI) on human health and the environment for the proposed licensing action.

Squibb requested release for unrestricted use of the building at Three Hamilton Health Place, Hamilton, New Jersey, as authorized by the NRC License No. 29-00139-02. The building is 18,500 square feet of general office and laboratory space located in a mixed residential/commercial area. Licensed activities were conducted in 2,200 square feet of laboratory space.

License No. 29-00139-02 was issued in 1956, and amended periodically since that time. The amendment adding the Hamilton site to the license was issued in March 1998. NRC-licensed activities performed at the Hamilton site were limited to laboratory procedures typically performed on bench tops and in hoods, using tritium, carbon-14, phosphorus-32, sulfur-35, and iodine-125. No outdoor areas were affected by the use of licensed materials.

## **The Proposed Action**

The proposed action is to amend Materials License No. 29-00139-02 and release the facility at Three Hamilton Health Place, Hamilton, New Jersey, for unrestricted use. By letter dated September 29, 2005, Squibb stated that no further actions are required to remediate the facility and requested release of the facility for unrestricted use and termination of the license. Squibb stated that licensed activities ceased completely in April 2005. Based on the licensee's historical knowledge of the site and the conditions of the facility, the licensee determined that only routine decontamination activities, in accordance with licensee radiation safety procedures, were required. A decommissioning plan was not required to be submitted to the NRC. The licensee surveyed the facility, decontaminated or remediated areas as needed, and provided documentation that the facility meets the license termination criteria specified in Subpart E of

E. R. Squibb and Sons, Inc.  
Environmental Assessment

10 CFR Part 20, and does not require additional decommissioning activities to be performed. The licensee demonstrated this using the screening criteria described in 65 FR 37186.

### **Need for the Proposed Action**

The purpose of the proposed action is to amend NRC Materials License No. 29-00139-02, to allow for the release of Three Hamilton Health Place, Hamilton, New Jersey facility for unrestricted use. The licensee needs this license change because it no longer plans to conduct licensed activities at this facility. NRC is fulfilling its responsibilities under the Atomic Energy Act to make a timely decision on a proposed license amendment for release of facilities for unrestricted use that ensures protection of public health and safety and the environment. The licensee has requested the action to reduce their regulatory burden since they no longer intend to conduct licensed activities at this location.

### **Environmental Impacts of the Proposed Action**

The affected environment was described in the Introduction. The licensee has completed all remediation at the site. The NRC staff has reviewed the surveys performed by Squibb to demonstrate compliance with the 10 CFR 20.1402 license termination criteria. Based on its review, the staff has determined that the affected environment and environmental impacts associated with the release for unrestricted use of the Squibb facilities are bounded by the impacts evaluated by the "Generic Environmental Impact Statement in Support of Rulemaking on Radiological Criteria for License Termination of NRC-Licensed Nuclear Facilities" (NUREG-1496). The staff also finds that the proposed release for unrestricted use of the Squibb facilities is in compliance with Title 10, Code of Federal Regulations, Part 20.1402, "Radiological Criteria for Unrestricted Use." The NRC has found no other activities in the area that could result in cumulative impacts.

### **Environmental Impacts of the Alternatives to the Proposed Action**

Since the facility at the Hamilton site has already been surveyed and found acceptable for release for unrestricted use, the only alternative to the proposed action of amendment of the license and release of the Hamilton site for unrestricted use is denial of the proposed action (i.e. no action). Denial of the application would result in no change in current environmental impacts. The environmental impacts of the proposed action and the alternative action are similar.

### **Agencies and Persons Consulted**

The NRC staff has determined that the proposed action will not affect listed species or critical habitat. Therefore, no further consultation is required under Section 7 of the Endangered Species Act. Likewise, the NRC staff have determined that the proposed action is not the type of activity that has the potential to cause effects on historic properties. Therefore, no further consultation is required under Section 106 of the National Historic Preservation Act.

NRC provided a draft of its Environmental Assessment to the State of New Jersey Department of Environmental Protection for review. On December 8, 2005, the State of New Jersey

E. R. Squibb and Sons, Inc.  
Environmental Assessment

Department of Environmental Protection responded by letter and agreed with the conclusions of the EA.

## **Conclusions**

Based on its review, the NRC staff has concluded that the completed action complies with 10 CFR Part 20. The NRC staff have prepared this EA in support of the proposed action to amend License No. 29-00139-02. On the basis of the EA, NRC has concluded that there are no significant environmental impacts and the license amendment does not warrant the preparation of an Environmental Impact Statement. Accordingly, it has been determined that a Finding of No Significant Impact is appropriate.

## **List of Preparers**

Betsy Ullrich, Senior Health Physicist, Division of Nuclear Materials Safety, Region I

## **List of References**

1. NRC License No. 29-00139-02 inspection and licensing records.
2. Final Status Survey for Bristol Myers Clinical Research Center, Hamilton, New Jersey, dated August 8, 2005 [ADAMS Accession No. ML052510568] and letter dated November 9, 2005 [ML053190315].
3. Federal Register Notice, Volume 65, No. 114, page 37186, dated Tuesday, June 13, 2000, "Use of Screening Values to Demonstrate Compliance With The Federal Rule on Radiological Criteria for License Termination."
4. Title 10, Code of Federal Regulations, Part 20, Subpart E, "Radiological Criteria for License Termination."
5. Title 10, Code of Federal Regulations, Part 51, "Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions."
6. NUREG-1496, "Generic Environmental Impact Statement in Support of Rulemaking on Radiological Criteria for License Termination of NRC-Licensed Nuclear Facilities."

The application for the license amendment and supporting documentation are available for inspection at NRC's Public Electronic Reading Room at <http://www.nrc.gov/reading-rm/adams.html>. Any questions with respect to this action should be referred to Betsy Ullrich, Commercial and R&D Branch, Division of Nuclear Materials Safety, Region I, 475 Allendale Road, King of Prussia, Pennsylvania 19406, telephone (610) 337-5040, fax (610) 337-5269.

E. R. Squibb and Sons, Inc.  
Environmental Assessment

Dated at King of Prussia, Pennsylvania this 21<sup>st</sup> day of February 2006.

FOR THE NUCLEAR REGULATORY COMMISSION

*/RA/*

James P. Dwyer, Chief  
Commercial and R&D Branch  
Division of Nuclear Materials Safety  
Region I

E. R. Squibb and Sons, Inc.  
Environmental Assessment

SISP Review Complete: JDwyer

DOCUMENT NAME: E:\Filenet\ML060520449.wpd

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI	N	DNMS/RI			
NAME	E Ullrich JPD1	J Dwyer						
DATE	2/21/06	2/21/06						

OFFICIAL RECORD COPY