

March 8, 2006

Paul A. Harden
Site Vice President
Nuclear Management Company, LLC
27780 Blue Star Memorial Highway
Covert, MI 49043-9530

SUBJECT: REQUEST FOR ADDITIONAL INFORMATION FOR THE REVIEW OF THE
PALISADES NUCLEAR PLANT, LICENSE RENEWAL APPLICATION
(TAC NO. MC6433)

Dear Mr. Harden:

By letter dated March 22, 2005, Nuclear Management Company, LLC, (NMC or the applicant) submitted an application pursuant to Title 10 of the *Code of Federal Regulations* Part 54 (10 CFR Part 54), to renew the operating license for Palisades Nuclear Plant (PNP), for review by the U.S. Nuclear Regulatory Commission (NRC). Subsequently, on May 5, 2005, the NRC received a supplement to the license renewal application (LRA). The NRC staff is reviewing the information contained in the LRA and supplement and has identified, in the enclosure, areas where additional information is needed to complete the review.

The question was discussed with your staff member, Mr. Robert Vincent, and a mutually agreeable date for this response is within 30 days from the date of this letter. If you have any questions, please contact me at 301-415-4063 or via e-mail at JXA3@nrc.gov.

Sincerely,

/RA/

Juan Ayala, Project Manager
License Renewal Branch A
Division of License Renewal
Office of Nuclear Reactor Regulation

Docket No. 50-255

Enclosure:
As stated

cc w/encl: See next page

March 8, 2006

Paul A. Harden
Site Vice President
Nuclear Management Company, LLC
27780 Blue Star Memorial Highway
Covert, MI 49043-9530

SUBJECT: REQUEST FOR ADDITIONAL INFORMATION FOR THE REVIEW OF THE
PALISADES NUCLEAR PLANT, LICENSE RENEWAL APPLICATION
(TAC NO. MC6433)

Dear Mr. Harden:

By letter dated March 22, 2005, Nuclear Management Company, LLC, (NMC or the applicant) submitted an application pursuant to Title 10 of the *Code of Federal Regulations* Part 54 (10 CFR Part 54), to renew the operating license for Palisades Nuclear Plant (PNP), for review by the U.S. Nuclear Regulatory Commission (NRC). Subsequently, on May 5, 2005, the NRC received a supplement to the license renewal application (LRA). The NRC staff is reviewing the information contained in the LRA and supplement and has identified, in the enclosure, areas where additional information is needed to complete the review.

The question was discussed with your staff member, Mr. Robert Vincent, and a mutually agreeable date for this response is within 30 days from the date of this letter. If you have any questions, please contact me at 301-415-4063 or via e-mail at JXA3@nrc.gov.

Sincerely,

/RA/

Juan Ayala, Project Manager
License Renewal Branch A
Division of License Renewal
Office of Nuclear Reactor Regulation

Docket No. 50-255

Enclosure:
As stated

cc w/encl: See next page

DISTRIBUTION: See next page

ADAMS Accession No.: ML060670288

Document Name: E:\Filenet\ML060670288.wpd

OFFICE	PM:RLRA:DLR	LA:RLRA:DLR	BC:RLRA:DLR
NAME	JAyala	YEdmonds	LLund (DAshley for)
DATE	03/ 06 /06	03/ 06 /06	03/ 08 /06

OFFICIAL RECORD COPY

Palisades Nuclear Plant

cc:

Robert A. Fenech, Senior Vice President
Nuclear, Fossil, and Hydro Operations
Consumers Energy Company
1945 Parnall Rd.
Jackson, MI 49201

Arunas T. Udrys, Esquire
Consumers Energy Company
1 Energy Plaza
Jackson, MI 49201

Regional Administrator, Region III
U.S. Nuclear Regulatory Commission
2443 Warrenville Road, Suite 210
Lisle, IL 60532-4351

Supervisor
Covert Township
P.O. Box 35
Covert, MI 49043

Office of the Governor
P.O. Box 30013
Lansing, MI 48909

U.S. Nuclear Regulatory Commission
Resident Inspector's Office
Palisades Plant
27780 Blue Star Memorial Highway
Covert, MI 49043

Michigan Department of Environmental
Quality
Waste and Hazardous Materials Division
Radiological Protection and Medical Waste
Section
Nuclear Facilities Unit - Lou Brandon
Constitution Hall, Lower-Level North
525 West Allegan Street
P.O. Box 30241
Lansing, MI 48909-7741

Laurie A. Lahti, Manager
Regulatory Affairs
Nuclear Management Company, LLC
Palisades Nuclear Plant
27780 Blue Star Memorial Highway
Covert, MI 49043

Stephen T. Wawro, Director of Nuclear
Assets
Consumers Energy Company
Palisades Nuclear Plant
27780 Blue Star Memorial Highway
Covert, MI 49043

Michael Sellman
President and Chief Executive Officer
Nuclear Management Company, LLC
700 First Street
Hudson, WI 54016

Jonathan Rogoff, Esquire
Vice President, Counsel & Secretary
Nuclear Management Company, LLC
700 First Street
Hudson, WI 54016

Douglas E. Cooper
Senior Vice President - Group Operations
Palisades Nuclear Plant
Nuclear Management Company, LLC
27780 Blue Star Memorial Highway
Covert, MI 49043

Robert A. Vincent
License Renewal Project Manager
Palisades Nuclear Plant
27780 Blue Star Memorial Highway
Covert, MI 49043

Mr. James Ross
Nuclear Energy Institute
1776 I Street, NW, Suite 400
Washington, DC 20006-3708

Palisades Nuclear Plant

cc:

Secretary
Federal Energy Regulatory Commission
888 First Street, NE, Room 1A
Washington, DC 20426

Chairperson
Michigan Public Service Commission
P.O. Box 30221
Lansing, MI 48909-7721

David Lewis
Pillsbury Winthrop Shaw Pittman, LLP
2300 N Street, NW
Washington, DC 20037

Letter to Paul A. Harden from Juan Ayala dated March 8, 2006

SUBJECT: REQUEST FOR ADDITIONAL INFORMATION FOR THE REVIEW OF THE
PALISADES NUCLEAR PLANT, LICENSE RENEWAL APPLICATION
(TAC NO. MC6433)

HARD COPY

DLR R/F

E-MAIL:

JFair
RWeisman
AMurphy
RPettis
GGalletti
CLi
GBagchi
SSmith (srs3)
SDuraiswamy
YL (Renee) Li
RidsNrrDlr
RidsNrrDlrRlra
RidsNrrDlrRlrb
RidsNrrDe
RidsNrrDci
RidsNrrEemb
RidsNrrDeEeeb
RidsNrrDeEqva
RidsNrrDss
RidsNrrDnrl
RidsOgcMailCenter
RidsNrrAdes
DLR Staff

MPadovan
PLougheed, RIII
J.Ellegood, RIII
JGiessner,, RIII
AStone, RIII
LRaghavan
RidOpaMail

**PALISADES NUCLEAR PLANT (PNP)
LICENSE RENEWAL APPLICATION (LRA)
REQUEST FOR ADDITIONAL INFORMATION (RAI)**

RAI 3.3-1

In LRA Sections 3.3 and 3.4, the applicant proposed to manage loss of material of carbon steel/cast iron components internally exposed to raw water/steam using only the One-Time Inspection Program. The One-Time Inspection Program provides a means of verifying that an aging effect is either not occurring or progressing so slowly as to have a negligible effect on the intended function of the structure or component. Carbon steel/cast iron is subject to significant corrosion under moisture. The staff requests the applicant to provide the justification for only using the One-Time Inspection Program.

RAI 3.3-2

In LRA Sections 3.3 and 3.4, the applicant proposed to manage loss of material of metal components exposed to oil environment using the One-Time Inspection Program. The generic aging lessons learned (GALL) report recommended that loss of material and reduction of heat transfer aging effects are to be managed by a plan specific or lubricating/fuel oil analysis AMP along with the One-Time Inspection Program to ensure the effectiveness of the AMP. The staff requests the applicant to provide the following:

1. The justification of methods used to ensure the oil remains free of contaminants, which might degrade the components.
2. The description of preventive maintenance to ensure that the reduction of heat transfer function does not reach unacceptable levels for components performing heat transfer functions.

Enclosure