



BRUCE H HAMILTON
Vice President
Oconee Nuclear Station

Duke Energy Corporation
ON01VP / 7800 Rochester Highway
Seneca, SC 29672

864 885 3487
864 885 4208 fax
bhhamilton@duke-energy.com

May 18, 2006

U. S. Nuclear Regulatory Commission
ATIN: Document Control Desk
Washington, DC 20555-0001

SUBJECT: Duke Energy Company LLC
Oconee Nuclear Station, Units 1, 2, and 3
Docket Nos. 50-269, -270, -287
Request for Relief 04-ON-006

By letter dated September 20, 2004, Duke Power Company (Duke), now Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC, submitted Request for Relief 04-ON-006, seeking relief from the requirements of the American Society of Mechanical Engineers (ASME) Boiler and Pressure Vessel Code, Section XI.

A limited visual (VT-3) examination on a Letdown Filter Housing support on each unit did not meet the 100% examination requirements due to interferences such as insulation and boron accumulation from minor leakage. Duke concluded it was not practical to resolve those interferences at the time due to existing radiation levels. Because this was the last outage in the ten year interval, this left Duke in non-compliance, so a relief was requested.

In response to a Request for Additional Information (RAI) Duke found that the percentage coverage actually obtained was not adequately documented. The Staff cannot justify approval of the relief without this information; therefore Duke wishes to withdraw the subject relief request from consideration.

Duke has entered this issue into its corrective action program. In addition, Region II investigated this issue during a recent inspection and Duke expects it will be addressed in the associated report.

A 047

U. S. Nuclear Regulatory Commission


May 18, 2006

Page 2

For your information, Duke has performed a subsequent inspection on Unit 2 which confirmed there are no functional concerns with the Letdown Filter housing supports. It is expected that interferences to completing a 100% inspection will be resolved for all units during the 4th interval inspection period.

Please refer any additional questions regarding the withdrawal to Randy Todd - ONS Regulatory Compliance at (864) 885-3418.

Sincerely,

A handwritten signature in cursive script that reads "Bruce Hamilton".

Bruce H. Hamilton

U. S. Nuclear Regulatory Commission

May 18, 2006

Page 3

xc: Mr. William D. Travers
Administrator, Region II
U.S. Nuclear Regulatory Commission
Atlanta Federal Center
61 Forsyth St., SWW, Suite 23T85
Atlanta, GA 30303

L. N. Olshan, Project Manager, Section 1
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation
U. S. Nuclear Regulatory Commission
Washington, DC 20555-0001

M. C. Shannon
Senior NRC Resident Inspector
Oconee Nuclear Station

Mr. Henry Porter
Division of Radioactive Waste Management
Bureau of Land and Waste Management
SC Dept. of Health & Environmental Control
2600 Bull St.
Columbia, SC 29201

U. S. Nuclear Regulatory Commission

May 18, 2006

Page 4

bxc: R. L. Gill, Jr.
 T. J. Coleman
 V. B. Dixon
 B. W. Carney, Jr.
 R. P. Todd
 L. C. Keith
 G. L. Brouette (ANII)
 J. J. Mc Ardle III

ISI Relief Request File
NRIA File/ELL EC050
Document Control