



**UNITED STATES  
NUCLEAR REGULATORY COMMISSION**

REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

**JUN 20 2006**

Edward M. Stevens, M.D.  
Radiation Safety Officer  
Heartland Regional Medical Center  
5325 Faraon Street  
St. Joseph, MO 64506

Dear Dr. Stevens:

Enclosed is Amendment No. 39 to your NRC Material License No. 24-18287-01 in accordance with your request dated May 19, 2006. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

**Please be advised that License Condition No. 14 was originally added to your NRC license in accordance with current licensing policy and will remain on your NRC license unless you show that the condition presents a problem with your licensed activities. The condition is on all medical NRC licenses because NRC authorizes material in 10 CFR 35.100, 35.200, 35.300 and 35.500 as needed. If in the future you wish to place limits in all categories of your NRC license, that condition may be removed.**

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).


315465

E. M. Stevens, M.D.

2

JUN 20 2006

Sincerely,

  
James R. Mullauer, M.H.S.  
Health Physicist  
Materials Licensing Branch

License No. 24-18287-01

Docket No. 030-14791

Enclosure: Amendment No. 39