

REQUEST FOR TECHNICAL ASSISTANCE (RFTA)

INSPECTOR'S NAME: WILLIAM GLOERSEN TELEPHONE #: 404-331-0425FACILITY NAME AND LOCATION: Westinghouse- Columbia, SCDOCKET NO: 70-1151 DATE OF REQUEST: 11/18/96 RFTA #: _____
(LEAVE BLANK)FEE OR NON-FEE RECOVERABLE: FEE - REPORT # 70-1151/96-03

PROVIDE APPLICATION DATE (FROM LICENSEE): _____

PLEASE CHECK: NEW LICENSE ☐ AMENDMENT ☐ RENEWAL ☐

DESCRIPTION OF WORK TO BE PERFORMED (INCLUDING SCHEDULE) (USE SEPARATE SHEET IF NEEDED): Confirmatory Measurements of split sediment samples to compare analytical results of licensee with NRC. The following analyses are required for the sediment samples: (1) gross alpha; (2) gross beta; and (3) isotopic uranium. These samples are environmental samples and expected to be below the applicable 10 CFR 20 concentration limits.

FOR CONFIRMATORY SURVEY REQUESTS, PLEASE ANSWER THE FOLLOWING: N.A.

1. HAS PRELIMINARY INFORMATION BEEN RECEIVED FROM LICENSEE? YES ☐ NO ☐
1.A HAS THIS INFORMATION BEEN REVIEWED BY NRC AND IS IT ACCEPTABLE? YES ☐ NO ☐

(NOTE: ORISE SHOULD BE PROVIDED 30 CALENDAR DAYS TO REVIEW INFORMATION AND PREPARE FOR SURVEY)

2. IS A PRELIMINARY SITE VISIT NEEDED? _____ WHEN? _____
3. DATE SURVEY PLAN NEEDED: _____
4. DATE SURVEY NEEDED: _____

AUTHORIZATION

INSPECTOR

DATE

TECHNICAL ASSISTANT

DATE

BRANCH CHIEF

DATE

EMERGENCY AUTHORIZATION (SEE INSPECTION CHAPTER 0312 FOR DEFINITION OF ACCEPTABLE EMERGENCY REQUESTS). EXPLAIN, ON SEPARATE SHEET, THE JUSTIFICATION FOR THE EMERGENCY REQUEST. *NOTE THAT THE REQUEST CANNOT BE PROCESSED WITHOUT THIS JUSTIFICATION.

DIVISION

DATE

APPROVAL

HQ TAPM

DATE

HQ TM

DATE