

# HYDRO-ENGINEERING, L.L.C.

---

4685 East Magnolia, Casper, WY 82604

PHONE: (307) 266-6597 FAX: (307) 237-8565 E-MAIL: ~~hydro@alluretech.com~~

hydro@alluretech.net

## FAX TRANSMISSION COVER SHEET

---

Date: 6/22/06

To: Steve Cohen

Fax #: 301-415-5955

Re:

Sender: Tom Michel

---

YOU SHOULD RECEIVE (10) PAGE(S), INCLUDING THIS COVER SHEET. IF YOU DO NOT RECEIVE ALL OF THE PAGES, PLEASE CALL (307) 266-6597.

---

Steve,

Attached is the updated water quality tabulation for Pathfinder Mines Corporation's Shirley Basin Mine. Tom Hargrove requested that I send this to you. We apologize for the delay in getting this to you.

Tom Michel

**TABLE 2. MONITOR WELL WATER-LEVEL AND WATER-QUALITY DATA**

Sample Point Name	Date	WL (feet)	WL_ELEV (ft-msl)	pH(f) (std. units)	Cond(f) (µmhos)	TDS (mg/l)	SO4 (mg/l)	Cl (mg/l)	Unat (mg/l)	Se (mg/l)
MC07	4/11/2005	12.52	7037.09	7.35	419	262	38	13	0.0141	0.070
	8/8/2005	12.17	7037.44	7.00	426	279	39	13	—	—
	11/7/2005	12.80	7036.81	7.57	471	310	37	12	0.0178	0.079
	1/16/2006	12.85	7036.76	6.85	529	272	40	13	0.0185	0.083
	3/27/2006	13.64	7035.97	7.41	702	284	43	18	0.0206	0.083
	5/9/2006	13.00	7036.61	7.77	493	372	41	12	0.0181	0.080
MC10	11/21/2005	14.73	7037.87	7.92	518	344	42	15	0.0303	0.035
	1/16/2006	14.75	7037.85	7.07	654	316	44	18	0.0247	0.035
	3/27/2006	15.23	7037.37	8.10	556	316	46	20	0.0254	0.036
	5/9/2006	14.34	7038.26	8.37	560	298	43	24	0.0240	0.034
MC11	4/11/2005	13.63	7042.88	6.85	1023	581	26	216	0.0483	0.001
	8/9/2005	13.02	7043.49	7.20	1096	613	26	218	—	—
	11/8/2005	13.68	7042.83	6.61	1131	627	24	211	0.0464	< 0.001
	1/16/2006	13.61	7042.90	6.37	1439	604	24	228	0.0441	0.001
	3/27/2006	14.02	7042.49	7.67	1184	614	27	222	0.0442	< 0.001
	5/9/2006	13.23	7043.28	7.22	1276	624	32	239	0.0509	0.001
MC14	4/11/2005	23.35	7061.38	7.10	530	331	23	17	0.0797	< 0.001
	8/8/2005	23.36	7061.35	7.35	570	352	21	16	—	—
	11/8/2005	23.37	7061.34	6.58	610	351	22	16	0.0812	< 0.001
	1/16/2006	23.45	7061.26	6.80	798	346	23	20	0.0647	< 0.001
	3/27/2006	23.73	7060.98	7.80	610	362	26	24	0.0797	< 0.001
	5/9/2006	23.15	7061.56	7.89	616	326	22	27	0.0812	< 0.001
NP01	4/14/2005	15.69	7036.12	7.20	575	379	85	28	0.0818	0.039
	8/15/2005	26.90	7024.91	7.45	636	406	80	16	—	—
	11/8/2005	14.38	7037.43	6.75	658	392	72	25	0.0783	0.049
	1/11/2006	14.41	7037.40	7.05	571	380	79	19	0.0723	0.057
	3/14/2006	14.56	7037.25	8.10	655	412	74	34	0.0920	0.063
	5/10/2006	13.30	7038.51	7.69	704	344	67	29	0.0754	0.063
P-6	11/10/2005	24.21	7033.99	4.76	3800	2770	577	689	0.9330	0.073
	1/11/2006	23.81	7034.39	5.98	4200	3280	600	970	0.8790	0.068
	3/14/2006	23.90	7034.30	6.88	5700	4280	703	1190	1.3100	0.074
	5/10/2006	22.25	7035.95	6.57	8810	8320	1030	2320	1.6400	0.051
RPI-8A	11/10/2005	11.39	7028.01	6.72	893	580	198	15	0.1190	0.028
	1/10/2006	11.02	7028.38	6.46	856	566	206	15	0.1490	0.035
	3/8/2006	11.11	7028.29	7.12	923	590	183	16	0.1300	0.033
	5/10/2006	10.89	7028.51	7.86	932	654	194	19	0.1510	0.033
RPI-10	11/10/2005	16.80	7032.61	8.26	889	638	283	11	0.2980	0.003
	1/9/2006	11.73	7037.68	6.02	1178	794	284	7	0.3160	0.003

**TABLE 2. MONITOR WELL WATER-LEVEL AND WATER-QUALITY DATA**

Sample Point Name	Date	WL (feet)	WL_ELEV (ft-msl)	pH(f) (std. units)	Cond(f) (µmhos)	TDS (mg/l)	SO4 (mg/l)	Cl (mg/l)	Unat (mg/l)	Se (mg/l)
RPI-10	3/8/2006	16.78	7032.63	7.36	909	668	276	11	0.2920	0.004
	5/10/2006	16.13	7033.28	7.49	934	650	276	12	0.3300	0.004
RPI-14	11/10/2005	8.21	7033.69	6.38	1327	796	284	34	0.0940	0.007
	1/9/2006	8.16	7033.74	6.73	888	780	284	31	0.0861	0.008
	3/8/2006	7.85	7034.05	7.54	1128	796	262	30	0.0822	0.008
	5/11/2006	7.75	7034.15	7.58	1294	696	232	28	0.0762	0.007
RPI-16A	11/10/2005	11.21	7036.39	6.82	608	381	71	19	0.0228	0.056
	1/12/2006	11.51	7036.09	6.69	567	396	73	33	0.0215	0.065
	3/9/2006	11.80	7035.80	7.23	555	352	62	15	0.0224	0.073
	5/11/2006	11.14	7036.46	7.89	570	300	53	16	0.0227	0.076
RPI-18A	11/10/2005	7.14	7024.71	6.29	320	283	49	11	0.0222	0.037
	1/12/2006	4.69	7027.16	6.35	428	304	57	30	0.0376	0.006
	3/9/2006	3.68	7028.17	7.10	448	276	47	10	0.0236	0.007
	5/11/2006	4.06	7027.79	7.57	453	246	41	10	0.0274	< 0.001
RPI-19B	4/14/2005	11.85	7034.96	7.10	800	538	162	15	0.0700	0.001
	8/15/2005	12.15	7034.86	7.35	1444	1030	443	12	—	—
	11/9/2005	12.13	7034.68	6.37	1018	668	238	21	0.0588	0.002
	1/9/2006	11.57	7035.24	6.93	1153	772	298	22	0.0720	0.003
	3/9/2006	11.03	7035.78	7.53	1179	726	252	22	0.0826	0.003
	5/11/2006	10.29	7036.52	7.57	925	778	209	21	0.0209	0.003
RPI-20A	4/20/2005	5.85	7025.76	6.85	674	425	100	19	0.0118	< 0.001
	8/15/2005	7.00	7024.61	7.28	837	560	151	38	—	—
	11/9/2005	5.74	7025.87	6.46	1856	1390	763	28	0.0146	< 0.001
	1/10/2006	6.80	7025.01	6.03	1440	1060	539	26	0.0182	0.001
	3/9/2006	6.54	7025.07	7.52	1439	1040	481	26	0.0192	0.001
	5/11/2006	6.13	7025.48	7.31	1484	986	454	21	0.0690	< 0.001
RPI-21B	4/20/2005	9.80	7026.84	7.25	910	608	280	12	0.0671	0.002
	8/15/2005	11.15	7025.49	6.85	907	652	270	723	—	—
	11/9/2005	11.18	7025.46	6.51	954	647	274	11	0.0679	0.002
	1/10/2006	11.44	7025.20	6.17	933	624	285	10	0.0763	0.002
	3/14/2006	11.79	7024.85	7.39	998	634	261	13	0.0916	0.002
	5/11/2006	11.38	7025.26	7.77	960	684	263	13	0.0684	< 0.001

**TABLE 2. MONITOR WELL WATER-LEVEL AND WATER-QUALITY DATA (cont'd.)**

Sample Point Name	Date	Th230 (pCi/l)	Th230(e) (pCi/l)	Ra226 (pCi/l)	Ra226(e) (pCi/l)	Ra228 (pCi/l)	Ra228(e) (pCi/l)	Ra226+228 (pCi/l)	Alpha (pCi/l)
MC07	4/11/2005	< 0.200	—	0.400	0.30	< 1.000	—	< 1.40	1.10
	11/7/2005	< 0.200	—	1.500	± 0.60	< 1.000	—	< 2.50	1.10
	1/16/2006	< 0.200	—	0.400	± 0.30	< 1.000	—	< 1.40	< 1.00
	3/27/2006	< 1.000	—	0.700	0.40	< 1.000	—	< 1.70	< 1.00
	5/9/2008	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00
MC10	11/21/2005	< 0.200	—	0.800	± 0.40	< 1.000	—	< 1.80	1.80
	1/16/2006	< 0.200	—	< 0.200	—	< 1.000	—	< 1.20	< 1.00
	3/27/2006	< 1.000	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00
	5/9/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00
MC11	4/11/2005	< 0.200	—	3.800	0.70	< 1.000	—	< 4.80	3.40
	11/8/2005	< 0.200	—	1.800	± 0.50	1.700	± 0.90	3.50	3.80
	1/16/2006	< 0.200	—	1.900	± 0.50	< 1.000	—	< 2.90	2.50
	3/27/2006	< 1.000	—	3.300	0.70	1.600	1.00	4.90	3.50
	5/9/2008	< 0.200	—	3.100	0.60	< 1.000	—	< 4.10	2.70
MC14	4/11/2005	< 0.200	—	1.200	0.40	< 1.000	—	< 2.20	1.90
	11/8/2005	< 0.200	—	4.900	± 0.80	< 1.000	—	< 5.90	1.70
	1/16/2006	< 0.200	—	0.600	± 0.30	< 1.000	—	< 1.80	1.00
	3/27/2006	< 1.000	—	0.500	0.30	< 1.000	—	< 1.50	1.00
	5/9/2006	< 0.200	—	0.700	0.30	< 1.000	—	< 1.70	< 1.00
NP01	4/14/2005	< 0.200	—	0.600	0.30	< 1.000	—	< 1.60	< 1.00
	11/8/2005	< 0.200	—	1.200	± 0.40	< 1.000	—	< 2.20	1.20
	1/11/2006	< 0.200	—	0.800	0.30	4.500	1.00	5.30	1.10
	3/14/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00
	5/10/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00
P-6	11/10/2005	< 0.200	—	2.500	± 0.50	4.100	± 1.00	6.60	2.20
	1/11/2006	< 0.200	—	2.600	0.60	5.100	1.00	7.70	1.80
	3/14/2006	< 0.200	—	1.500	0.50	2.100	0.80	3.60	2.50
	5/10/2006	< 0.200	—	1.600	0.40	< 1.000	—	< 2.60	1.90
RPI-8A	11/10/2005	< 0.200	—	0.800	± 0.40	< 1.000	—	< 1.80	< 1.00
	1/10/2006	< 0.200	—	0.700	0.40	1.200	0.90	1.90	< 1.00
	3/8/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	1.00
	5/10/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00
RPI-10	11/10/2005	< 0.200	—	1.800	± 0.50	< 1.000	—	< 2.80	< 1.00
	1/8/2006	< 0.200	—	0.900	0.50	< 1.000	—	< 1.90	< 1.00
	3/8/2006	< 0.200	—	1.000	0.40	< 1.000	—	< 2.00	1.80
	5/10/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00
RPI-14	11/10/2005	< 0.200	—	0.700	± 0.30	1.700	± 0.90	2.40	< 1.00

**TABLE 2. MONITOR WELL WATER-LEVEL AND WATER-QUALITY DATA (cont'd.)**

Sample Point Name	Date	Th230 (pCi/l)	Th230(e) (pCi/l)	Ra228 (pCi/l)	Ra228(e) (pCi/l)	Ra228 (pCi/l)	Ra228(e) (pCi/l)	Ra228+228 (pCi/l)	Alpha (pCi/l)
RPI-14	1/9/2006	< 0.200	—	0.500	0.30	< 1.000	—	< 1.50	< 1.00
	3/8/2006	< 0.200	—	0.600	0.40	< 1.000	—	< 1.60	1.20
	5/11/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00
RPI-18A	11/10/2005	< 0.200	—	0.500	± 0.30	< 1.000	—	< 1.50	< 1.00
	1/12/2006	0.200	—	0.600	0.30	4.100	1.00	4.70	< 1.00
	3/9/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	1.10
	5/11/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00
RPI-18A	11/10/2005	< 0.200	—	< 0.200	—	< 1.000	—	< 1.20	< 1.00
	1/12/2006	< 0.200	—	0.500	0.30	5.400	1.00	5.90	< 1.00
	3/9/2006	< 0.200	—	0.300	0.30	< 1.000	—	< 1.30	1.30
	5/11/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00
RPI-19B	4/14/2005	< 0.200	—	0.600	0.30	< 1.000	—	< 1.60	1.50
	11/9/2005	< 0.200	—	1.200	± 0.40	1.600	± 0.90	2.80	1.40
	1/9/2006	< 0.200	—	0.800	0.60	< 1.000	—	< 1.80	< 1.00
	3/9/2006	< 0.200	—	0.700	0.40	< 1.000	—	< 1.70	1.60
	5/11/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00
RPI-20A	4/20/2005	0.200	0.200	0.200	0.30	< 1.000	—	< 1.20	< 1.00
	11/9/2005	< 0.200	—	2.300	± 0.50	1.700	± 0.90	4.00	2.20
	1/10/2006	< 0.200	—	1.400	0.40	1.300	0.90	2.70	< 1.00
	3/9/2006	< 0.200	—	0.500	0.30	< 1.000	—	< 1.50	1.20
	5/11/2006	< 0.200	—	0.500	0.30	< 1.000	—	< 1.50	1.00
RPI-21B	4/20/2005	0.200	0.200	0.800	0.40	< 1.000	—	< 1.80	< 1.00
	11/9/2005	< 0.200	—	1.100	± 0.40	< 1.000	—	< 2.10	1.10
	1/10/2006	< 0.200	—	0.700	0.40	1.300	1.00	2.00	< 1.00
	3/14/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00
	5/11/2006	< 0.200	—	< 0.200	0.20	< 1.000	—	< 1.20	< 1.00

**TABLE 2. MONITOR WELL WATER-LEVEL AND WATER-QUALITY DATA (cont'd.)**

Sample Point Name	Date	As (mg/l)	Ba (mg/l)	Be (mg/l)	Cd (mg/l)	Cr (mg/l)	Mo (mg/l)	Pb (mg/l)	Ni (mg/l)	NO3+NO2 (mg/l)
MC07	4/11/2005	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.40
	8/8/2005	—	—	—	—	—	—	—	—	0.50
	11/7/2005	0.0050	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	1/16/2006	0.0030	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.30
	3/27/2006	0.0040	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	—	< 0.0500	0.50
	5/9/2006	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.30
MC10	11/21/2005	0.0030	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.70
	1/16/2006	0.0060	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	1.10
	3/27/2006	0.0080	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	—	< 0.0500	0.50
	5/9/2006	0.0060	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.20
MC11	4/11/2005	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	8/9/2005	—	—	—	—	—	—	—	—	< 0.10
	11/8/2005	0.0020	0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	1/16/2006	0.0020	0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	3/27/2006	0.0020	0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	—	< 0.0500	< 0.10
	5/9/2006	0.0020	0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
MC14	4/11/2005	0.0040	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	8/9/2005	—	—	—	—	—	—	—	—	< 0.10
	11/8/2005	0.0040	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	1/16/2006	0.0030	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	3/27/2006	0.0030	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	—	< 0.0500	< 0.10
	5/9/2006	0.0040	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
NP01	4/14/2005	0.0050	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.50
	8/15/2005	—	—	—	—	—	—	—	—	0.30
	11/8/2005	0.0060	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.80
	1/11/2006	0.0060	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	1.00
	3/14/2006	0.0050	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.30
	5/10/2006	0.0050	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
P-6	11/10/2005	0.0040	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	4.30
	1/11/2006	0.0040	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	5.30
	3/14/2006	0.0050	0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	1.80
	5/10/2006	0.0060	0.2000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	2.60
RPI-8A	11/10/2005	0.0030	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	1.10
	1/10/2006	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.60
	3/8/2006	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	1.60
	5/10/2006	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
RPI-10	11/10/2005	0.0030	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.30
	1/9/2006	0.0010	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.20

**TABLE 2. MONITOR WELL WATER-LEVEL AND WATER-QUALITY DATA (cont'd.)**

Sample Point Name	Date	As (mg/l)	Ba (mg/l)	Be (mg/l)	Cd (mg/l)	Cr (mg/l)	Mo (mg/l)	Pb (mg/l)	Ni (mg/l)	NO3+NO2 (mg/l)
RPI-10	3/8/2006	0.0010	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.20
	5/10/2006	0.0010	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
RPI-14	11/10/2005	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.80
	1/9/2006	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.60
	3/8/2006	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.80
	5/11/2006	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
RPI-16A	11/10/2005	0.0090	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.90
	1/12/2006	0.0080	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.60
	3/9/2006	0.0090	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	1.00
	5/11/2006	0.0080	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
RPI-18A	11/10/2005	0.0070	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.30
	1/12/2006	0.0050	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	3/9/2006	0.0050	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	5/11/2006	0.0050	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
RPI-19B	4/14/2005	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	8/15/2005	—	—	—	—	—	—	—	—	0.10
	11/9/2005	0.0030	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.20
	1/9/2006	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.20
	3/9/2006	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.10
	5/11/2006	0.0050	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
RPI-20A	4/20/2005	0.0230	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	8/15/2005	—	—	—	—	—	—	—	—	< 0.10
	11/9/2005	0.0240	0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	1/10/2006	0.0210	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	3/9/2006	0.0210	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	5/11/2006	0.0020	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
RPI-21B	4/20/2005	0.0030	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.10
	8/15/2005	—	—	—	—	—	—	—	—	< 0.10
	11/9/2005	0.0040	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.20
	1/10/2006	0.0040	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	0.20
	3/14/2006	0.0040	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10
	5/11/2006	0.0170	< 0.1000	< 0.0100	< 0.0100	< 0.0500	< 0.1000	< 0.0500	< 0.0500	< 0.10