

From: "wilbur jackson" <JacksonWR@msn.com>
To: "James Davis" <jad@nrc.gov>, "Peter Wen" <PXW@nrc.gov>
Date: Sun, May 28, 2006 7:53 PM
Subject: Question for NRC About the Reactor Head Closure Studs AMP (XI.M3) as described in the GALL Report

Gentlemen --

I want to know if you agree with me that the following situation reflects an error in the GALL Report.

Background:

The 1995 Edition of ASME Section XI, Table IWB-2500-1, Examination Category B-G-1, Item B6.30 (Reactor Vessel Closure Studs, when removed) required both a surface AND a volumetric examination. The requirement for both examinations was correctly reflected in the description of the Detection of Aging Effects program element for the Reactor Head Closure Studs AMP in the GALL Report, Revision 0, which was based on the 1995 Edition of ASME Section XI through the 1996 addenda.

Between 1996 and 2001 there was a change in the ASME Section XI requirements for Examination Category B-G-1.

The 2001 Edition of ASME Section XI, Table IWB-2500-1, Examination Category B-G-1, Item B6.30 (Reactor Vessel Closure Studs, when removed) requires a surface OR a volumetric examination. However, the wording has not been changed to reflect the code change in the description of the Detection of Aging Effects program element for the Reactor Head Closure Studs AMP in the GALL Report, Revision 1, which is based on the 2001 Edition through 2003 addenda of ASME Section XI. So, now the GALL Report recommends more examinations than the ASME Section XI code edition on which Revision 1 of the GALL Report is based.

I consider the failure to change the description in this program element to be a error in the GALL Report, Revision 1.

QUESTION:

Do you agree with me?

=====

Is there any NRC process [similar to a licensee's procedure or drawing discrepancy process] whereby one documents errors of this sort in NUREGS?

Best regards,

Bob Jackson
6165-826-7542

CC: "Erach Patel" <erachp@comcast.net>

Mail Envelope Properties (447A37D7.E09 : 19 : 32265)

Subject: Question for NRC About the Reactor Head Closure Studs AMP (XLM3)
as described in the GALL Report

Creation Date Sun, May 28, 2006 7:52 PM

From: "wilbur jackson" <JacksonWR@msn.com>

Created By: JacksonWR@msn.com

Recipients

nrc.gov

OWGWPO01.HQGWDO01

JAD (James Davis)

nrc.gov

TWGWPO04.HQGWDO01

PXW (Peter Wen)

comcast.net

erachp CC (Erach Patel)

Post Office

OWGWPO01.HQGWDO01

TWGWPO04.HQGWDO01

Route

nrc.gov

nrc.gov

comcast.net

Files

MESSAGE

TEXT.htm

Mime.822

Size

1736

2978

7059

Date & Time

Sunday, May 28, 2006 7:52 PM

Options

Expiration Date:

None

Priority:

Standard

ReplyRequested:

No

Return Notification:

None

Concealed Subject:

No

Security:

Standard

Junk Mail Handling Evaluation Results

Message is eligible for Junk Mail handling

This message was not classified as Junk Mail

Junk Mail settings when this message was delivered

Junk Mail handling disabled by User

Junk Mail handling disabled by Administrator

Junk List is not enabled

Junk Mail using personal address books is not enabled

Block List is not enabled