

## ACCEPTANCE REVIEW MEMO (ARM)

Licensee: New World Technology

License No.: 04-27745-01

Docket No.: 030-36174

Mail Control No.: 471062

Type of Action: Amend

Date of Requested Action: 08-02-06

Reviewer  
Assigned:

ARM reviewer(s): Torres

Response	Deficiencies Noted During Acceptance Review
	<ul style="list-style-type: none"><li>[ ] Open ended possession limits. Limit possession. Submit inventory.</li><li>[ ] Submit copies of most recent leak test results.</li><li>[ ] Add - delete IC license condition. Add IC paragraph in cover letter.</li><li>[ ] Split license from cover letter. Add SUNSI marking to license.</li><li>[ ] Ask the licensee if they have any type-amount of EPAct Material.</li></ul>

Reviewer's Initials:                     

Date:                     

- ☐ Yes ☐ No      Unrestricted release Group 2 or >: Transfer memo to FCDB within 10 days.
- ☐ Yes ☐ No      Decommissioning notification should be completed within 30 days.
- ☐ Yes ☐ No      Termination request < 90 days from date of expiration
- ☐ Yes ☐ No      Expedite (medical emergency, no RSO, location of use/storage not on license, RAM in possession not on license, other)
- ☐ Yes ☐ No      TAR needed to complete action.

Branch Chief's and/or Sr. HP's Initials:                     

Date:                     

### SUNSI Screening according to RIS 2005-31

☐ Yes ☒ No      Non-Publicly Available, Sensitive if any item below is checked

General guidance:

- ☐ RAM = or > than Category 3 (Table 1, RIS 2005-31), use Unity Rule
- ☐ Exact location of RAM (whether = or > than Category 3 or not)
- ☐ Design of structure and/or equipment (site specific)
- ☐ Information on nearby facilities
- ☐ Detailed design drawings and/or performance information
- ☐ Emergency planning and/or fire protection systems

Specific guidance for medical, industrial and academic (above Category 3):

- ☐ RAM quantities and inventory
- ☐ Manufacturer's name and model number of sealed sources & devices
- ☐ Site drawings with exact location of RAM, description of facility
- ☐ RAM security program information (locks, alarms, etc.)
- ☐ Emergency Plan specifics (routes to/from RAM, response to security events)
- ☐ Vulnerability/security assessment/accident-safety analysis/risk assess
- ☐ Mailing lists related to security response

Branch Chief's and/or Sr. HP's Initials:                     

Date: 8/4/06

**Applicant Information:****Control No. 471062**

Name: New World Technology	Type of Request: Amend Program Code(s):
Location: CA	License No.: 04-27745-01      Docket No.: 030-36174

**STEP 1—Radioactive Materials and Quantities Requested:**

<b>Instructions for Step 1: Complete Step 1 for all applications.</b> If all your responses in Step 1 are "No" then do not complete Step 2 (Screening Criteria). Sign and date the completed step-sheet and add it as the sensitive and non-publicly available OAR in ADAMS. If a "yes" response is indicated for any item in Step 1, also complete Step 2. If the type of use is subject to a Security Order or the requirements for increased controls, complete Step 3 (Item A or Item B) without delay.		Yes or No
A.	The request is from a new applicant.	NO
B.	NUREG-1556, Volume 20, Section 4.9 indicates a licensing site visit is needed for the requested type of use, e.g., (1) Type A broad scope license, (2) panoramic irradiator containing > 10000 curies, (3) manufacturers or distributors using unsealed radioactive material or significant quantities of sealed material, (4) radioactive waste brokers, (5) radioactive waste incinerators, (6) commercial nuclear laundries, and (7) any other application that in the judgement of the reviewer and cognizant supervisor involves complex technical issues, complex safety questions, or unprecedented issues that warrant a site visit.	NO
C.	The applicant requested certain radionuclides and quantities that equal or exceed the Risk Significant Quantity (TBq) values in the table, below, that have been "highlighted" by the reviewer	NO

**Table of Risk Significant Quantities**

(Category 2 Quantities, IAEA Safety Guide No. RS-G-1.9, Categorization of Radioactive Sources, August 2005)

Radionuclide	Risk Significant Quantity (TBq <sup>1</sup> )	Risk Significant Quantity (Ci <sup>1</sup> )	Radionuclide	Risk Significant Quantity (TBq <sup>1</sup> )	Risk Significant Quantity (Ci <sup>1</sup> )
Am-241	0.6	16	Pm-147	400	11,000
Am-241/Be	0.6	16	Pu-238	0.6	16
Cf-252	0.2	5.4	Pu-239/Be	0.6	16
Cm-244	0.5	14	Ra-226 <sup>2</sup>	0.4	11
Co-60	0.3	8.1	Se-75	2	54
Cs-137	1	27	Sr-90 (Y-90)	10	270
Gd-153	10	270	Tm-170	200	5,400
Ir-192	0.8	22	Yb-169	3	81

<sup>1</sup> The primary values are TBq. The curie (Ci) values are for informational purposes only.<sup>2</sup> The Atomic Energy Act, as amended by the Energy Policy Act of 2005, authorizes NRC to regulate Ra-226 and NRC is in the process of amending its regulations for discrete sources of Ra-226.

Calculations of the Total Activity or the Unity Rule are attached to document whether or not the screening criteria in Step 2 were also completed to evaluate the application. <b>NOTE—If an amendment of an existing license is being requested, the calculations will include the previously authorized quantities for the radionuclide(s).</b>	Yes, No, or Not Applicable (NA)
Total Activity—multiple activities are requested for a single radionuclide and the sum of the activities equals or exceeds the quantity of concern for the radionuclide	—
Unity Rule—multiple radionuclides are requested and the sum of the ratios equals or exceeds unity, e.g., [(total activity for radionuclide A) ÷ (risk significant quantity for radionuclide A)] + [(total activity for radionuclide B) ÷ (risk significant quantity for radionuclide B)] ≥ 1.0.	—

**Signature and Date for Step 1:**

*ATC* 8/4/06  
 License Reviewer and Date

**From:** Roberto Torres  
**To:** Colleen Murnahan  
**Date:** 08/02/2006 2:37:51 PM  
**Subject:** Please set up

Colleen:

Please set up the following amendment actions. Use this email as incoming correspondence. Thanks.

*RTU*  
**JJS Engineers, Inc., (42-27777-01, 030-36593). Reason: Remove license condition 16 (exemption) and update condition according to revised 10 CFR 30.35(c)(5).**

**Mactec Development, Corp., (05-27748-01, 030-36204). Reason: Remove license condition 16 (exemption) and update condition according to revised 10 CFR 30.35(c)(5).**

**MKM engineers, Inc., (42-27737-01, 030-36062). Reason: Remove license condition 16 (exemption) and update condition according to revised 10 CFR 30.35(c)(5).**

*☆* **New World Environmental, Inc, (04-27745-01, 030-36174). Reason: Remove license condition 17 (exemption) and update condition according to revised 10 CFR 30.35(c)(5).**

**PIKA International, Inc., (42-27787-01, 030-36709). Reason: Remove license condition 16 (exemption) and update condition according to revised 10 CFR 30.35(c)(5).**

**Roberto J. Torres  
Senior Health Physicist  
U.S. Nuclear Regulatory Commission, Region IV  
Division of Nuclear Materials Safety  
Nuclear Materials Licensing Branch  
611 Ryan Plaza Drive, Suite 400  
Arlington, Texas 76011  
Telephone 817-860-8189  
Facsimile 817-860-8188  
rjt@nrc.gov**

**CC:** Rachel Browder

(FOR LEMS USE)  
 INFORMATION FROM LTS  
 -----

```
.....
Program Code: 03234
Status Code : 0
Fee Category: 4B 3N 2C 1D
Exp. Date: 20130228
Fee Comments:
Decom Fin Assur Regd: N
.....
```

```
: Decom Fin Assur Req'd: N_____
```

```
: Decom Fin Assur Req'd: N_____
```

- ```
: Decom Fin Assur Req'd: N_____
```

```
: Decom Fin Assur Req'd: N_____
```

- ```
: Decom Fin Assur Req'd: N_____
```

```
: Decom Fin Assur Req'd: N_____
```

- ```
: Decom Fin Assur Req'd: N_____
```

```
: Decom Fin Assur Req'd: N_____
```

- ```
: Decom Fin Assur Req'd: N_____
```

- ```
: Decom Fin Assur Req'd: N_____
```

- ```
: Decom Fin Assur Req'd: N_____
```

- ```
: Decom Fin Assur Req'd: N_____
```

```
: Decom Fin Assur Req'd: N_____
```