



August 14, 2006
Ref. No. 2501-088

J-7

Mr. James Kottan
U.S. Nuclear Regulatory Commission, Region I
Division of Nuclear Materials Safety
475 Allendale Road
King of Prussia, PA 19406

SMA-1018
04007455

**Subject: Addendum to the Final Status Survey Plan for Section 2 of the
Whittaker Corporation Waste and Slag Storage Area
EnergySolutions Document No. 82A9564, Revision 3**

Dear Mr. Kottan:

EnergySolutions has completed remediation of the excavated pit located in the southern end of Section 2 of the Whittaker site. This pit was excavated to a depth below the groundwater level and, as result, the groundwater hampered remediation of some radioactive materials. In discussions with Marjorie McLaughlin and Marie Miller during an on-site inspection in May 2006, EnergySolutions agreed to prepare an addendum to the approved Section 2 Final Status Survey Plan (FSSP) (referenced above) to address the release of the pit so that it could be backfilled quickly. The open pit hinders other remediation activities in the area.

Enclosed is a survey and sampling plan for the excavated pit area that is consistent with the methods described in the Section 2 FSSP.

Sincerely,

Kevin E. Taylor, PE, CHP
EnergySolutions Project Health Physicist

KET/lhc
Enclosures
cc: G. Toumey

FULL COST RECOVERY ACTION

TAC NO. U01715

RECEIVED
REGION I
2006 AUG 17 AM 9:33



August 7, 2006
Effective Date

ADDENDUM AUTHORIZATION

Document Title: Final Status Survey Plan – Section 2 of the Whittaker Site Document No. 82A9564, Rev. 3
Addendum No.: 1 Originator Kevin E. Taylor
For Site/Utility: Whittaker Site, Greenville, PA

Description of Addendum:

Final Status Survey Plan for the groundwater pit.

Reason for Change:

Addendum required by US NRC.

CONTROLLED COPY No. 693

APPROVALS:

<u>Title</u>	<u>Signature</u>	<u>Date</u>
<u>Project Manager</u>	<u>[Signature]</u>	<u>8/11/06</u>
<u>Field Services RSO</u>	<u>[Signature]</u>	<u>8/8/06</u>
<u>Operations Manager</u>	<u>[Signature]</u>	<u>8/7/06</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

Approvals for the Addendum shall at least be equal to the approvals of the base document and may include customer sign off.

Distribute to all Controlled Copy holders of affected document and NONE.

A copy of this authorization shall be attached to the affected document.

ADDENDUM 1**FINAL STATUS SURVEY PLAN (FSSP)****SECTION 2 OF THE WHITTAKER CORPORATION
WASTE AND SLAG STORAGE AREA
REYNOLDS INDUSTRIAL PARK
TRANSFER, PENNSYLVANIA****ENERGYSOLUTIONS DOCUMENT NO. 82A9564, REVISION 3**




Prepared by:

EnergySolutions, LLC
Field Services Division
143 West Street
New Milford, CT 06776

August 2006

<i>Project Application</i>	<i>Prepared By</i>	<i>Date</i>
<u>2501</u>	<u>Kevin Taylor, PE, CHP</u>	<u>8/7/06</u>

APPROVALS:

<i>Title</i>	<i>Signature</i>	<i>Date</i>
<u>Project Manager</u>	<u> Gerard M. Toumey</u>	<u>8/11/06</u>
<u>Field Services RSO</u>	<u> Kenneth M. Kasper, CIH, CHP</u>	<u>8/8/06</u>
<u>Operations Manager</u>	<u> Lee G. Penney</u>	<u>8/7/06</u>

1.0 INTRODUCTION

At the request of the U.S. Nuclear Regulatory Commission (NRC) made during a May 2006 site inspection, EnergySolutions has prepared a survey and sampling plan to address the final survey of a specific area within Section 2 of the Whittaker Site. This survey and sampling plan is submitted as an addendum to the Final Status Survey Plan (FSSP) approved on June 23, 2006 by the NRC through Amendment 13 of NRC License Number SMA-1018 (EnergySolutions Document No. 82A9564, Revision 3).

This addendum addresses an area of about 800 square feet in the southern area of Section 2 of the Whittaker Site. In this area, contaminated materials were excavated to a depth below the groundwater level resulting in a pit which was infiltrated by groundwater. Because of the presence of the groundwater, the complete remediation of the contaminated material using an excavator was nearly impossible as the excavator would cause the fine contaminated material to become suspended in the water. As a result, the groundwater, containing the suspended material was pumped through a sand/gravel filter into a tank. The filter removed some of the suspended solids and the remaining solids were allowed to settle out in the tank. This series of activities resulted in the removal of the contaminated material from the pit.

The location of the pit currently hinders other site remediation activities. Therefore, EnergySolutions wishes to perform a final survey and sampling effort of the pit area and backfill the area as soon as possible.

2.0 SURVEY AND SAMPLING METHODOLOGY

2.1 RELEASE CRITERIA

The NRC has approved the site DCGLs as provided in Table 2-1. The DCGLs are radionuclide concentrations in soils and slag in picocuries per gram (pCi/g). The DCGLs were developed and presented to the NRC in Sciencetech Document No. 82A9534, "Dose Assessment in Support of Establishing Derived Concentration Guideline Levels for the Whittaker Decommissioning Site," (Sciencetech 2004) and will also be presented in the Decommissioning Plan. The DCGLs were developed based on an industrial exposure scenario.

**TABLE 2-1
WHITTAKER SITE DCGLS**

	Thorium-232+D	Uranium-238+D	Uranium-238
DCGL (pCi/g)	7.0	9.7	166.5
Peak Dose (mrem/yr)	24.9	24.9	6.30

While these DCGLs were not developed specifically for the situation presented at the soil/groundwater interface, the RESRAD model presented in Scientech Document No. 82A9534 was adjusted to account for a deeper contaminated zone (7.5 meters) and a shallower groundwater intake depth (also 7.5 meters) to see if the Table 2-1 criteria are applicable. The resulting dose for Th-232+D was 24.9 mrem/yr and 24.8 mrem/yr for U-238+D. The resulting RESRAD output files are included as appendices to this addendum. Therefore, the previously-approved DCGLs are applicable to the Section 2 pit. All parameters except depth remained consistent with the original model.

2.2 WALKOVER SURVEY

The pit area survey unit (about 800 square feet) will receive a 100% walkover survey using 2-inch by 2-inch sodium iodide (2x2 NaI) detectors. The detectors will be encased in a water-tight housing such as a PVC pipe with a pipe cap on one end. A minimum detectable concentration for the walkover survey (ScanMDC) will be determined using background measurements collected in the Shenango River using the same water-tight housing. The method for determining the ScanMDC is presented in the Section 2 FSSP.

The walkover survey will be documented on a standard survey form. Both the average and maximum gamma count rates observed in a survey section. The survey unit will be divided into at least 12 survey sections.

2.3 SAMPLING AND ANALYSIS

The pit area will be sampled using a random-start systematic triangular sampling pattern. As described in the FSS, a minimum of eleven samples will be collected from the area. The samples will be collected using clean sampling tools and dried.

A 500-ml sample aliquot will then be analyzed using an on-site gamma spectroscopy system. The system will be energy and efficiency calibrated using a NIST-traceable 500-ml multi-peak standard. A minimum of two of the samples will be sent off-site for quality assurance analysis at an independent laboratory. The on-site gamma spectroscopy will have a minimum detectable concentration (MDC) of not more than 1 pCi/g for both uranium-238+D (radium-226 daughters) and thorium-232+D.

Figure 2-1 provides the layout of the sample locations.

2.4 REFERENCE AREA MEASUREMENTS


The approach to the release of a survey unit relies on the ability of the survey and sampling effort to demonstrate that the contaminant concentrations in the survey unit are not statistically greater than the concentrations in a background reference area. The Wilcoxon Rank Sum (WRS) test is the preferred statistical test because the site contaminants are also present naturally in background.

The reference area for the pit samples will be in a non-impacted section of the site near the river where samples of similar soil type and moisture content can be collected. A minimum of eleven reference area samples will be prepared and analyzed in the same manner as the survey unit samples. At least two reference area samples will be sent off-site for quality assurance analysis at an independent laboratory.

2.5 GAMMA SPECTROSCOPY ANALYSIS REPORTS

As a minimum, each gamma spectroscopy report will include the specific sample/location information (identification number, mass, location, etc.), the peak locate report, peak area correction report, the efficiency report, the nuclide identification report, and the minimum detectable activity report. The combined report should be printed immediately after spectrum analysis. An electronic file of the spectrum should be saved onto the computer hard drive. Spectra files should be backed up to a removable media device at least once per day.

Figure 2-1
Whittaker Section 2 Pit Area - Samples Collected on July 7, 2006



Sample Locations

Sample No.	X	Y
1	5.5	3.5
2	14.7	3.5
3	23.8	3.5
4	33.0	3.5
5	0.9	11.4
6	10.1	11.4
7	19.3	11.4
8	28.4	11.4
9	37.6	11.4
10	5.5	19.4
11	14.7	19.4
12	23.8	19.4
13	33.0	19.4

Random Start Point

X = 33.0
Y = 3.5

Area = 800 sq ft
L = 9.2 ft
R = 7.9

APPENDIX A
RESRAD OUTPUT FILES
TH-232+D

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 1.000E+00	10
Time = 3.000E+00	11
Time = 1.000E+01	12
Time = 3.000E+01	13
Time = 1.000E+02	14
Time = 3.000E+02	15
Time = 1.000E+03	16
Dose/Source Ratios Summed Over All Pathways	17
Single Radionuclide Soil Guidelines	17
Dose Per Nuclide Summed Over All Pathways	18
Soil Concentration Per Nuclide	18

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Dose Conversion Factor (and Related) Parameter Summary

File: FGR 13 MCRBILITY

Menu	Parameter	Current Value	Base Case*	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ra-228+D	5.078E-03	4.770E-03	DCF2(1)
B-1	Th-228+D	3.454E-01	3.420E-01	DCF2(2)
B-1	Th-232	1.640E+00	1.640E+00	DCF2(3)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ra-228+D	1.442E-03	1.440E-03	DCF3(1)
D-1	Th-228+D	8.086E-04	3.960E-04	DCF3(2)
D-1	Th-232	2.730E-03	2.730E-03	DCF3(3)
D-34	Food transfer factors:			
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(1,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(1,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(1,3)
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(2,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(2,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(2,3)
D-34	Th-232 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(3,1)
D-34	Th-232 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(3,2)
D-34	Th-232 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(3,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ra-228+D , fish	5.000E+01	5.000E+01	BIOFAC(1,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(1,2)
D-5	Th-228+D , fish	1.000E+02	1.000E+02	BIOFAC(2,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(2,2)
D-5	Th-232 , fish	1.000E+02	1.000E+02	BIOFAC(3,1)
D-5	Th-232 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(3,2)

*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.410E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	7.500E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Ra-228	7.000E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Th-228	7.000E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Th-232	7.000E+00	0.000E+00	---	S1(3)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Th-232	not used	0.000E+00	---	W1(3)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.250E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.500E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	9.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	9.800E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	2.000E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	4.900E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.500E+04	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.700E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	5.000E+01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	4.700E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	7.500E+00	1.000E+01	---	DWIBWT

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m ³ /yr)	not used	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	4.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm ³)	1.500E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Ra-228				
R016	Contaminated zone (cm ³ /g)	7.000E+01	7.000E+01	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm ³ /g)	7.000E+01	7.000E+01	---	DCNUCU(1,1)
R016	Saturated zone (cm ³ /g)	7.000E+01	7.000E+01	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	7.392E-05	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SCLUBK(1)
R016	Distribution coefficients for Th-228				
R016	Contaminated zone (cm ³ /g)	6.000E+04	6.000E+04	---	DCNUCC(2)
R016	Unsaturated zone 1 (cm ³ /g)	6.000E+04	6.000E+04	---	DCNUCU(2,1)
R016	Saturated zone (cm ³ /g)	6.000E+04	6.000E+04	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.639E-08	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SCLUBK(2)
R016	Distribution coefficients for Th-232				
R016	Contaminated zone (cm ³ /g)	6.000E+04	6.000E+04	---	DCNUCC(3)
R016	Unsaturated zone 1 (cm ³ /g)	6.000E+04	6.000E+04	---	DCNUCU(3,1)
R016	Saturated zone (cm ³ /g)	6.000E+04	6.000E+04	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.639E-08	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SCLUBK(3)
R017	Inhalation rate (m ³ /yr)	1.169E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m ³)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	5.512E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	2.300E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.000E-01	2.500E-01	---	FCTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	nct used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	nct used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	nct used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	nct used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	nct used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	nct used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	nct used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	5.100E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	nct used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	nct used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DRCOT
R019	Drinking water fraction from ground water	1.000E-00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	6.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSNI
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSNI
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	0.000E+00	---	CC2F
STCR	Storage times of contaminated foodstuffs (days):				
STCR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STCR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STCR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STCR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STCR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STCR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STCR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STCR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STCR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TECV

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA (1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA (2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	suppressed

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g	
Area: 14100.00 square meters	Ra-228	7.000E+00
Thickness: 7.50 meters	Th-228	7.000E+00
Cover Depth: 0.00 meters	Th-232	7.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDCSE(t):	2.193E+01	2.493E+01	2.493E+01	2.492E+01	2.492E+01	2.492E+01	2.492E+01	2.491E+01
M(t):	9.972E-01	9.972E-01	9.971E-01	9.969E-01	9.967E-01	9.966E-01	9.966E-01	9.966E-01

Maximum TDOSE(t): 2.493E+01 mrem/yr at t = 0.000E+00 years

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Scil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	1.081E+01	0.4338	6.993E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.251E-01	0.0050
Th-228	1.284E+01	0.5150	3.482E-02	0.0014	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.719E-02	0.0023
Th-232	6.191E-01	0.0248	1.974E-01	0.0079	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.377E-01	0.0095
Total	2.427E+01	0.9736	2.392E-01	0.0096	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.199E-01	0.0168

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.095E+01	0.4391
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.293E+01	0.5186
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.054E+00	0.0423
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.493E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	1.325E+01	0.5314	1.613E-02	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.272E-01	0.0051
Th-228	8.936E+00	0.3585	2.423E-02	0.0010	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.981E-02	0.0016
Th-232	2.087E+00	0.0837	1.988E-01	0.0080	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.529E-01	0.0101
Total	2.427E+01	0.9736	2.392E-01	0.0096	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.199E-01	0.0166

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.339E+01	0.5372
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.000E+00	0.3610
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.538E+00	0.0101
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.493E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	1.444E+01	0.5794	2.361E-02	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.179E-01	0.0047
Th-228	4.330E+00	0.1737	1.174E-02	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.929E-02	0.0008
Th-232	5.497E+00	0.2205	2.038E-01	0.0082	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.827E-01	0.0113
Total	2.427E+01	0.9736	2.392E-01	0.0096	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.199E-01	0.0168

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.458E+01	0.5850
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.361E+00	0.1749
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.983E+00	0.2400
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.493E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	8.484E+00	0.3404	1.632E-02	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.082E-02	0.0024
Th-228	3.428E-01	0.0138	3.295E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.527E-03	0.0001
Th-232	1.544E+01	0.6194	2.219E-01	0.0089	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.575E-01	0.0143
Total	2.426E+01	0.9736	2.392E-01	0.0096	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.199E-01	0.0168

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.561E+00	0.3435
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.452E-01	0.0139
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.602E+01	0.6426
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.492E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	8.058E-01	0.0323	1.586E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.652E-03	0.0002
Th-228	2.443E-04	0.0000	6.625E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.088E-06	0.0000
Th-232	2.345E+01	0.9412	2.376E-01	0.0095	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.142E-01	0.0166
Total	2.426E+01	0.9736	2.392E-01	0.0096	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.198E-01	0.0168

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.130E-01	0.0326
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.461E-04	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.410E+01	0.9674
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.492E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	1.736E-04	0.0000	3.417E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.217E-06	0.0000
Th-228	2.362E-15	0.0000	6.406E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.052E-17	0.0000
Th-232	2.426E+01	0.9735	2.392E-01	0.0096	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.198E-01	0.0168
Total	2.426E+01	0.9736	2.392E-01	0.0096	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.198E-01	0.0168

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.751E-04	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.379E-15	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.492E+01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.492E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	5.787E-15	0.0000	1.139E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.059E-17	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	2.426E+01	0.9736	2.392E-01	0.0096	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.198E-01	0.0168
Total	2.426E+01	0.9736	2.392E-01	0.0096	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.198E-01	0.0168

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.839E-15	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.492E+01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.492E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	2.425E+01	0.9736	2.392E-01	0.0096	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.198E-01	0.0166
Total	2.425E+01	0.9736	2.392E-01	0.0096	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.198E-01	0.0166

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.491E+01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.491E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)								
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
Ra-228+D	Ra-228+D	1.000E+00	1.223E+00	1.084E+00	8.518E-01	3.661E-01	3.280E-02	7.063E-06	2.355E-16	0.000E+00	
Ra-228+D	Th-228+D	1.000E+00	3.405E-01	8.288E-01	1.232E+00	8.569E-01	8.334E-02	1.796E-05	5.986E-16	0.000E+00	
Ra-228+D	ΣDSR(j)		1.564E+00	1.913E+00	2.083E+00	1.223E+00	1.161E-01	2.502E-05	8.341E-16	0.000E+00	
Th-228+D	Th-228+D	1.000E+00	1.847E+00	1.286E+00	6.229E-01	4.932E-02	3.515E-05	3.399E-16	0.000E+00	0.000E+00	
Th-232	Th-232	1.000E+00	6.115E-02	6.115E-02	6.115E-02	6.115E-02	6.115E-02	6.115E-02	6.115E-02	6.115E-02	
Th-232	Ra-228+D	1.000E+00	7.521E-02	2.141E-01	4.464E-01	9.317E-01	1.265E+00	1.298E+00	1.298E+00	1.298E+00	
Th-232	Th-228+D	1.000E+00	1.424E-02	8.735E-02	3.472E-01	1.295E+00	2.117E+00	2.201E+00	2.201E+00	2.200E+00	
Th-232	ΣDSR(j)		1.506E-01	3.626E-01	8.547E-01	2.288E+00	3.443E+00	3.559E+00	3.559E+00	3.559E+00	

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t =	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-228		1.599E+01	1.307E+01	1.200E+01	2.044E+01	2.152E+02	9.993E+05	*2.726E+14	*2.726E+14
Th-228		1.353E+01	1.944E+01	4.013E+01	5.069E+02	7.112E+05	*8.195E+14	*8.195E+14	*8.195E+14
Th-232		1.660E+02	6.894E+01	2.925E+01	1.093E+01	7.260E+00	7.024E+00	7.024E+00	7.024E+00

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Ra-228	7.000E+00	2.698 ± 0.005	2.087E+00	1.198E+01	1.564E+00	1.599E+01
Th-228	7.000E+00	0.000E+00	1.847E+00	1.353E+01	1.847E+00	1.353E+01
Th-232	7.000E+00	119.5 ± 0.2	3.559E+00	7.024E+00	1.506E-01	1.660E+02

Summary : Whittaker Site - Deep Contamination - Th-232+D

File : Whittaker deep - Th.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-228	Ra-228	1.000E+00	8.562E+00	7.589E+00	5.963E+00	2.563E+00	2.296E-01	4.944E-05	1.648E-15	0.000E+00	
Ra-228	Th-232	1.000E+00	5.265E-01	1.499E+00	3.125E+00	6.522E+00	8.854E+00	9.083E+00	9.083E+00	9.083E+00	
Ra-228	ΣDOSE(j)		9.089E+00	9.088E+00	9.087E+00	9.085E+00	9.084E-00	9.083E+00	9.083E+00	9.083E+00	
Th-228	Ra-228	1.000E+00	2.384E+00	5.802E+00	8.621E+00	5.998E+00	5.834E-01	1.257E-04	4.190E-15	0.000E+00	
Th-228	Th-228	1.000E+00	1.293E+01	9.000E+00	4.361E+00	3.452E-01	2.461E-04	2.379E-15	0.000E+00	0.000E+00	
Th-228	Th-232	1.000E+00	9.966E-02	6.114E-01	2.430E+00	9.065E+00	1.482E-01	1.540E+01	1.540E+01	1.540E+01	
Th-228	ΣDOSE(j)		1.541E+01	1.541E+01	1.541E+01	1.541E+01	1.540E-01	1.540E+01	1.540E+01	1.540E+01	
Th-232	Th-232	1.000E+00	4.281E-01	4.281E-01	4.281E-01	4.281E-01	4.281E-01	4.281E-01	4.281E-01	4.281E-01	

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-228	Ra-228	1.000E+00	7.000E-00	6.205E+00	4.875E+00	2.095E+00	1.877E-01	4.042E-05	1.348E-15	0.000E+00	
Ra-228	Th-232	1.000E+00	0.000E+00	7.949E-01	2.124E+00	4.902E+00	6.808E+00	6.996E+00	6.996E+00	6.995E+00	
Ra-228	ΣS(j):		7.000E+00	7.000E+00	6.999E+00	6.997E+00	6.996E+00	6.996E+00	6.996E+00	6.995E+00	
Th-228	Ra-228	1.000E+00	0.000E+00	1.997E+00	3.769E+00	2.861E+00	2.812E-01	6.059E-05	2.020E-15	0.000E+00	
Th-228	Th-228	1.000E+00	7.000E+00	4.872E+00	2.361E+00	1.869E-01	1.332E-04	1.288E-15	0.000E+00	0.000E+00	
Th-228	Th-232	1.000E+00	0.000E+00	1.305E-01	8.702E-01	3.950E+00	6.715E+00	6.996E+00	6.996E+00	6.995E+00	
Th-228	ΣS(j):		7.000E+00	7.000E+00	6.999E+00	6.998E+00	6.996E+00	6.996E+00	6.996E+00	6.995E+00	
Th-232	Th-232	1.000E+00	7.000E+00	7.000E+00	7.000E+00	7.000E+00	7.000E+00	7.000E+00	7.000E+00	6.999E+00	

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 1.33 seconds

APPENDIX B
RESRAD OUTPUT FILES
U-238+D

ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ

[illegible]

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	4
Summary of Pathway Selections	8
Contaminated Zone and Total Dose Summary	9
Total Dose Components	
Time = 0.000E+00	10
Time = 1.000E+00	11
Time = 3.000E+00	12
Time = 1.000E+01	13
Time = 3.000E+01	14
Time = 1.000E+02	15
Time = 3.000E+02	16
Time = 1.000E+03	17
Dose/Source Ratios Summed Over All Pathways	18
Single Radionuclide Soil Guidelines	18
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	21

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker deep - U-238D.RAD

Dose Conversion Factor (and Related) Parameter Summary

File: FGR 13 MORBIDITY

Menu	Parameter	Current Value	Base Case*	Parameter Name

B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Pb-210+D	2.320E-02	1.360E-02	DCF2(1)
B-1	Ra-226+D	8.594E-03	8.580E-03	DCF2(2)
B-1	Th-230	3.260E-01	3.260E-01	DCF2(3)
B-1	U-234	1.320E-01	1.320E-01	DCF2(4)
B-1	U-238	1.180E-01	1.180E-01	DCF2(5)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2(6)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Pb-210+D	7.276E-03	5.370E-03	DCF3(1)
D-1	Ra-226+D	1.321E-03	1.320E-03	DCF3(2)
D-1	Th-230	5.480E-04	5.480E-04	DCF3(3)
D-1	U-234	2.830E-04	2.830E-04	DCF3(4)
D-1	U-238	2.550E-04	2.550E-04	DCF3(5)
D-1	U-238+D	2.687E-04	2.550E-04	DCF3(6)
D-34	Food transfer factors:			
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(1,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(1,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(1,3)
D-34				
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(2,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(2,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(2,3)
D-34				
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(3,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(3,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(3,3)
D-34				
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(4,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(4,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(4,3)
D-34				
D-34	U-238 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(5,1)
D-34	U-238 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(5,2)
D-34	U-238 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(5,3)
D-34				
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(6,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(6,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(6,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Pb-210+D , fish	3.000E-02	3.000E+02	BIOFAC(1,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E-02	1.000E+02	BIOFAC(1,2)
D-5				
D-5	Ra-226+D , fish	5.000E-01	5.000E+01	BIOFAC(2,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E-02	2.500E+02	BIOFAC(2,2)
D-5				
D-5	Th-230 , fish	1.000E-02	1.000E+02	BIOFAC(3,1)
D-5	Th-230 , crustacea and mollusks	5.000E-02	5.000E+02	BIOFAC(3,2)

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker deep - U-238D.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

File: FGR 13 MORBIDITY

Menu	Parameter	Current Value	Base Case*	Parameter Name
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC(4,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(4,2)
D-5				
D-5	U-238 , fish	1.000E+01	1.000E+01	BIOFAC(5,1)
D-5	U-238 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(5,2)
D-5				
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC(6,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(6,2)

ff

*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : Whittaker Site - Deep Contamination - U-238-D

File : Whittaker deep - U-238D.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name

R011	Area of contaminated zone (m**2)	1.410E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	7.500E+00	2.000E+00	---	THICKO
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)

R012	Initial principal radionuclide (pCi/g): Pb-210	9.700E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Ra-226	9.700E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Th-230	9.700E+00	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): U-234	9.700E+00	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): U-238	9.700E+00	0.000E+00	---	S1(5)
R012	Concentration in groundwater (pCi/L): Pb-210	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Th-230	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1(4)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1(5)

R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVERD
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E+03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E+03	1.000E+03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.250E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.500E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	9.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	9.800E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	2.000E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	4.900E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.500E+04	1.000E+08	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS

R014	Density of saturated zone (g/cm**3)	1.700E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	5.000E+01	1.000E+02	---	HCSZ

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker deep - U-238D.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
AA					
R014	Saturated zone hydraulic gradient	4.700E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	7.500E+00	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	not used	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	4.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC(1)
R016	Unsat. zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.177E-05	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(2)
R016	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	7.392E-05	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(3)
R016	Unsat. zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.639E-08	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC(4)
R016	Unsat. zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.034E-04	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC(5)
R016	Unsat. zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(5,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.034E-04	ALEACH(5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(5)
R017	Inhalation rate (m**3/yr)	1.169E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
<div style="border: 1px solid black; height: 1.2em; width: 100%;"></div>					
R017	Shielding factor, external gamma	5.512E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	2.300E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.000E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	5.100E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E-01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E-01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E-02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LS1
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSX
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSX
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	0.000E+00	---	CC2F
STOR	Storage times of contaminated foodstuffs (days):				
STCR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STCR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STCR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STCR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STCR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STCR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STCR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STCR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STCR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker deep - U-238D.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name

R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)

TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection

1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	suppressed

Summary : Whittaker Site - Deep Contamination - U-238-D

File : Whittaker deep - U-238D.RAD

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g	
Area: 14100.00 square meters	Pb-210	9.700E+00
Thickness: 7.50 meters	Ra-226	9.703E+00
Cover Depth: 0.00 meters	Th-230	9.700E+00
	U-234	9.700E+00
	U-238	9.700E+00

Total Dose TD0SE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years)	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TD0SE(t)	2.479E+01	2.478E+01	2.478E+01	2.477E+01	2.473E+01	2.461E+01	2.428E+01	2.334E+01
M(t)	9.915E-01	9.914E-01	9.912E-01	9.907E-01	9.893E-01	9.843E-01	9.710E-01	9.335E-01

Maximum TD0SE(t): 2.479E+01 mrem/yr at t = 0.000E+00 years

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker deep - U-238D.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Radio-	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA
Pb-210	1.272E-02	0.0005	3.803E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.371E-01	0.0338
Ra-226	2.322E+01	0.9366	1.490E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.674E-01	0.0068
Th-230	7.586E-03	0.0003	5.429E-02	0.0022	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.406E-02	0.0026
U-234	8.543E-04	0.0000	2.198E-02	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.306E-02	0.0013
U-238	3.159E-01	0.0127	1.966E-02	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.139E-02	0.0013
ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff
Total	2.355E+01	0.9502	1.012E-01	0.0041	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.133E+00	0.0457

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Radio-	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.536E-01	0.0344
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.338E+01	0.9434
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.259E-01	0.0051
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.590E-02	0.0023
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.669E-01	0.0148
ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.479E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker deep - U-238D.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Radio-	XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	1.233E-02	0.0005	3.687E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.114E-01	0.0327
Ra-226	2.320E-01	0.9362	1.606E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.929E-01	0.0078
Th-230	1.764E-02	0.0007	5.429E-02	0.0022	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.414E-02	0.0026
U-234	8.543E-04	0.0000	2.198E-02	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.306E-02	0.0013
U-238	3.159E-01	0.0127	1.965E-02	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.139E-02	0.0013
iiiiiii	iiiiiii	iiiiii	iiiiiii	iiiiii	iiiiiii	iiiiii	iiiiiii	iiiiii	iiiiiii	iiiiii	iiiiiii	iiiiii	iiiiiii	iiiiii
Total	2.355E+01	0.9502	1.012E-01	0.0041	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.133E+00	0.0457

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Radio-	XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.274E-01	0.0334
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.340E+01	0.9441
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.361E-01	0.0055
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.589E-02	0.0023
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.669E-01	0.0148
iiiiiii	iiiiiii	iiiiii	iiiiiii	iiiiii	iiiiiii	iiiiii	iiiiiii	iiiiii	iiiiiii	iiiiii	iiiiiii	iiiiii	iiiiiii	iiiiii
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.478E-01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker deep - U-238D.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Radio-	AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA
Pb-210	1.159E-02	0.0005	3.464E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.624E-01	0.0308
Ra-226	2.318E+01	0.9354	1.826E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.416E-01	0.0097
Th-230	3.773E-02	0.0015	5.429E-02	0.0022	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.433E-02	0.0026
U-234	8.546E-04	0.0000	2.198E-02	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.305E-02	0.0013
U-238	3.158E-01	0.0127	1.965E-02	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.138E-02	0.0013
ffffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff
Total	2.355E+01	0.9502	1.012E-01	0.0041	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.133E+00	0.0457

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Radio-	AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.775E-01	0.0314
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.342E+01	0.9453
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.563E-01	0.0063
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.588E-02	0.0023
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.668E-01	0.0148
ffffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.478E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker deep - U-238D.RAD

Total Dose Contributions TD0SE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	9.319E-03	0.0004	2.786E-03	0.0001	0.000E-00	0.0000	0.000E+00	0.0000	0.000E-00	0.0000	0.000E-00	0.0000	6.131E-01	0.0248
Ra-226	2.310E+01	0.9327	2.496E-03	0.0001	0.000E-00	0.0000	0.000E+00	0.0000	0.000E-00	0.0000	0.000E-00	0.0000	3.895E-01	0.0157
Th-230	1.079E-01	0.0044	5.429E-02	0.0022	0.000E-00	0.0000	0.000E+00	0.0000	0.000E-00	0.0000	0.000E+00	0.0000	6.529E-02	0.0026
U-234	8.586E-04	0.0000	2.196E-02	0.0009	0.000E-00	0.0000	0.000E+00	0.0000	0.000E-00	0.0000	0.000E+00	0.0000	3.303E-02	0.0013
U-238	3.156E-01	0.0127	1.964E-02	0.0008	0.000E-00	0.0000	0.000E+00	0.0000	0.000E-00	0.0000	0.000E-00	0.0000	3.136E-02	0.0013
ffffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff
Total	2.353E+01	0.9502	1.012E-01	0.0041	0.000E-00	0.0000	0.000E+00	0.0000	0.000E-00	0.0000	0.000E+00	0.0000	1.132E+00	0.0457

Total Dose Contributions TD0SE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E-00	0.0000	6.252E-01	0.0252
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E-00	0.0000	2.349E+01	0.9485
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.275E-01	0.0092
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.595E-02	0.0023
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E-00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.666E-01	0.0148
ffffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E-00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.477E+01	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Radio-	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
AAAAAA	AAAAAA	AAAAA	AAAAAA	AAAAA	AAAAAA	AAAAA	AAAAAA	AAAAA	AAAAAA	AAAAA	AAAAAA	AAAAA	AAAAAA	AAAAA
Pb-210	5.000E-03	0.0002	1.495E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.289E-01	0.0133
Ra-226	2.287E+01	0.9248	3.753E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.677E-01	0.0270
Th-230	3.070E-01	0.0124	5.431E-02	0.0022	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.998E-02	0.0028
U-234	8.941E-04	0.0000	2.193E-02	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.298E-02	0.0013
U-238	3.149E-01	0.0127	1.960E-02	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.130E-02	0.0013
ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff
Total	2.350E+01	0.9502	1.011E-01	0.0041	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.131E+00	0.0457

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Radio-	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA	AAAAA
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
AAAAAA	AAAAAA	AAAAA	AAAAAA	AAAAA	AAAAAA	AAAAA	AAAAAA	AAAAA	AAAAAA	AAAAA	AAAAAA	AAAAA	AAAAAA	AAAAA
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.354E-01	0.0136
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.354E+01	0.9520
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.313E-01	0.0174
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.580E-02	0.0023
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.658E-01	0.0148
ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff	ffffiff
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.473E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker deep - U-238D.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Radio-	XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
XXXXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXX
Pb-210	5.655E-04	0.0000	1.690E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.720E-02	0.0015
Ra-226	2.208E+01	0.8972	4.914E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.288E-01	0.0377
Th-230	9.882E-01	0.0402	5.441E-02	0.0022	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.565E-02	0.0039
U-234	1.296E-03	0.0001	2.180E-02	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.278E-02	0.0013
U-238	3.126E-01	0.0127	1.946E-02	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.108E-02	0.0013
ffffff	ffffff	ffff	ffffff	ffff	ffffff	ffff	ffffff	ffff	ffffff	ffff	ffffff	ffff	ffffff	ffff
Total	2.338E+01	0.9502	1.068E-01	0.0041	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.126E+00	0.0457

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Radio-	XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXX	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
XXXXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXX
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.794E-02	0.0015
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.301E-01	0.0352
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.138E+00	0.0463
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.588E-02	0.0023
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.632E-01	0.0148
ffffff	ffffff	ffff	ffffff	ffff	ffffff	ffff	ffffff	ffff	ffffff	ffff	ffffff	ffff	ffffff	ffff
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.461E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker deep - U-238D.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Radio-	AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA
Pb-210	1.117E-06	0.0000	3.339E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.350E-05	0.0000
Ra-226	1.995E+01	0.8218	4.595E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.733E-01	0.0360
Th-230	2.804E+00	0.1155	5.473E-02	0.0023	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.745E-01	0.0072
U-234	4.679E-03	0.0002	2.144E-02	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.234E-02	0.0013
U-238	3.062E-01	0.0126	1.907E-02	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.046E-02	0.0013
ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff
Total	2.306E+01	0.9501	9.983E-02	0.0041	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.111E+00	0.0458

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Radio-	AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.495E-05	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.083E+01	0.8580
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.033E+00	0.1249
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.845E-02	0.0024
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.558E-01	0.0147
ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.428E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - U-238-D

File : Whittaker deep - U-238D.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Radio-	AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA
Pb-210	3.828E-16	0.0000	1.144E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.519E-14	0.0000
Ra-226	1.399E+01	0.5994	3.222E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.124E-01	0.0262
Th-230	7.862E+00	0.3369	5.555E-02	0.0024	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.958E-01	0.0170
U-234	3.785E-02	0.0016	2.023E-02	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.180E-02	0.0014
U-238	2.849E-01	0.0122	1.778E-02	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.840E-02	0.0012
ffffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff
Total	2.217E-01	0.9501	9.679E-02	0.0041	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.068E+00	0.0458

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Radio-	AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA		AAAAAAAAAAAAAAAA	
Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA	AAAAAAAA	AAAAAA
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.568E-14	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.460E+01	0.6258
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.313E-00	0.3562
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.988E-02	0.0039
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.311E-01	0.0142
ffffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff	ffffff	fffff
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.334E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker deep - U-238D.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)								
0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03				
AAAAAAAA	AAAAAAAA	AAAAAAAA	AAAAAAAA	AAAAAAAA	AAAAAAAA	AAAAAAAA	AAAAAAAA	AAAAAAAA	AAAAAAAA	AAAAAAAA	AAAAAAAA
Pb-210+D	Pb-210+D	1.000E+00	8.800E-02	8.530E-02	8.015E-02	6.445E-02	3.458E-02	3.911E-03	7.727E-06	2.648E-15	
Ra-226+D	Ra-226+D	1.000E+00	2.409E+00	2.408E+00	2.406E+00	2.397E+00	2.373E+00	2.290E+00	2.069E+00	1.451E+00	
Ra-226+D	Pb-210+D	1.000E+00	1.374E-03	4.066E-03	9.200E-03	2.481E-02	5.422E-02	8.223E-02	7.787E-02	5.461E-02	
Ra-226+D	äDSR(j)		2.411E+00	2.412E+00	2.415E+00	2.422E+00	2.427E+00	2.372E+00	2.147E+00	1.506E+00	
Th-230	Th-230	1.000E+00	1.246E-02	1.246E-02	1.246E-02	1.246E-02	1.246E-02	1.245E-02	1.243E-02	1.235E-02	
Th-230	Ra-226+D	1.000E+00	5.219E-04	1.565E-03	3.651E-03	1.093E-02	3.159E-02	1.022E-01	2.906E-01	8.152E-01	
Th-230	Pb-210+D	1.000E+00	1.990E-07	1.381E-06	7.151E-06	5.959E-05	4.154E-04	2.642E-03	9.678E-03	2.943E-02	
Th-230	äDSR(j)		1.298E-02	1.403E-02	1.612E-02	2.345E-02	4.447E-02	1.173E-01	3.127E-01	8.570E-01	
U-234	U-234	1.000E+00	5.763E-03	5.762E-03	5.761E-03	5.757E-03	5.744E-03	5.702E-03	5.582E-03	5.182E-03	
U-234	Th-230	1.000E+00	5.608E-08	1.682E-07	3.925E-07	1.177E-06	3.415E-06	1.121E-05	3.313E-05	1.060E-04	
U-234	Ra-226+D	1.000E+00	1.566E-09	1.096E-08	5.791E-08	5.173E-07	4.344E-06	4.649E-05	3.989E-04	3.844E-03	
U-234	Pb-210+D	1.000E+00	4.485E-13	6.683E-12	7.681E-11	1.931E-09	4.086E-08	9.604E-07	1.201E-05	1.343E-04	
U-234	äDSR(j)		5.763E-03	5.762E-03	5.761E-03	5.758E-03	5.752E-03	5.760E-03	6.026E-03	9.266E-03	
U-238	U-238	5.400E-05	2.765E-07	2.765E-07	2.764E-07	2.762E-07	2.756E-07	2.736E-07	2.680E-07	2.493E-07	
U-238+D	U-238+D	9.999E-01	3.783E-02	3.782E-02	3.782E-02	3.779E-02	3.771E-02	3.744E-02	3.667E-02	3.411E-02	
U-238+D	U-234	9.999E-01	8.168E-09	2.450E-08	5.716E-08	1.713E-07	4.967E-07	1.625E-06	4.757E-06	1.472E-05	
U-238+D	Th-230	9.999E-01	5.299E-14	3.709E-13	1.960E-12	1.753E-11	1.476E-10	1.594E-09	1.405E-08	1.480E-07	
U-238+D	Ra-226+D	9.999E-01	1.110E-15	1.665E-14	1.941E-13	5.142E-12	1.253E-10	4.426E-09	1.141E-07	3.722E-06	
U-238+D	Pb-210+D	9.999E-01	2.546E-19	7.850E-18	1.954E-16	1.463E-14	9.225E-13	7.668E-11	3.143E-09	1.260E-07	
U-238+D	äDSR(j)		3.783E-02	3.782E-02	3.782E-02	3.779E-02	3.771E-02	3.744E-02	3.668E-02	3.413E-02	
ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff

The DSR includes contributions from associated (half-life 6 180 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA
Pb-210	2.841E+02	2.931E+02	3.119E+02	3.879E+02	7.230E+02	6.392E+03	3.236E+06	*7.634E+13	
Ra-226	1.037E+01	1.036E+01	1.035E+01	1.032E+01	1.030E+01	1.054E+01	1.164E+01	1.660E+01	
Th-230	1.926E+03	1.782E+03	1.551E+03	1.066E+03	5.622E+02	2.131E+02	7.995E+01	2.917E+01	
U-234	4.338E+03	4.339E+03	4.339E+03	4.342E+03	4.346E+03	4.340E+03	4.149E+03	2.698E+03	
U-238	6.609E+02	6.609E+02	6.611E+02	6.616E+02	6.629E+02	6.677E+02	6.816E+02	7.325E+02	
ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff

*At specific activity limit

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker: deep - U-238D.RAD

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide	Initial	tmin	DSR(i,tmin)	G(i,tmin)	DSR(i,tmax)	G(i,tmax)
(i)	(pCi/g)	(years)		(pCi/g)		(pCi/g)
AAAAAA	AAAAAA	AAAAAAAAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA
Pb-210	9.700E+00	0.000E+00	8.800E-02	2.841E+02	8.800E-02	2.841E+02
Ra-226	9.700E+00	25.61 A 0.05	2.428E+00	1.030E+01	2.411E+00	1.037E+01
Th-230	9.700E+00	1.000E+03	8.570E-01	2.917E+01	1.298E-02	1.926E+03
U-234	9.700E+00	1.000E+03	9.266E-03	2.698E+03	5.763E-03	4.338E+03
U-238	9.700E+00	0.000E+00	3.783E-02	6.609E+02	3.783E-02	6.609E+02
iiiiiii	iiiiiii	iiiiiiiiiiiiiiii	iiiiiii	iiiiiii	iiiiiii	iiiiiii

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker deep - U-238D.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide Parent	THF(i)	DOSE(j,t), mrem/yr									
(j)	(i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	
Pb-210	Pb-210	1.000E+00	8.536E-01	8.274E-01	7.775E-01	6.252E-01	3.354E-01	3.794E-02	7.495E-05	2.568E-14	
Pb-210	Ra-226	1.000E+00	1.333E-02	3.944E-02	8.924E-02	2.406E-01	5.259E-01	7.976E-01	7.554E-01	5.297E-01	
Pb-210	Th-230	1.000E+00	1.930E-06	1.339E-05	6.937E-05	5.780E-04	4.030E-03	2.563E-02	9.388E-02	2.855E-01	
Pb-210	U-234	1.000E+00	4.351E-12	6.483E-11	7.450E-10	1.873E-08	3.964E-07	9.316E-06	1.165E-04	1.302E-03	
Pb-210	U-238	9.999E-01	2.470E-18	7.614E-17	1.895E-15	1.419E-13	8.949E-12	7.438E-10	3.048E-08	1.222E-06	
Pb-210	«DOSE(j)		8.669E-01	8.669E-01	8.668E-01	8.664E-01	8.654E-01	8.612E-01	8.495E-01	8.165E-01	
Ra-226	Ra-226	1.000E+00	2.337E+01	2.336E+01	2.334E+01	2.325E+01	2.302E+01	2.222E+01	2.007E+01	1.407E+01	
Ra-226	Th-230	1.000E+00	5.063E-03	1.518E-02	3.541E-02	1.060E-01	3.065E-01	9.918E-01	2.819E+00	7.907E+00	
Ra-226	U-234	1.000E+00	1.519E-08	1.063E-07	5.618E-07	5.018E-06	4.214E-05	4.509E-04	3.869E-03	3.729E-02	
Ra-226	U-238	9.999E-01	1.077E-14	1.615E-13	1.883E-12	4.988E-11	1.216E-09	4.293E-08	1.107E-06	3.610E-05	
Ra-226	«DOSE(j)		2.338E+01	2.337E+01	2.337E+01	2.336E+01	2.332E+01	2.321E+01	2.290E+01	2.202E+01	
Th-230	Th-230	1.000E+00	1.209E-01	1.209E-01	1.209E-01	1.209E-01	1.208E-01	1.208E-01	1.205E-01	1.198E-01	
Th-230	U-234	1.000E+00	5.440E-07	1.632E-06	3.807E-06	1.142E-05	3.313E-05	1.087E-04	3.214E-04	1.028E-03	
Th-230	U-238	9.999E-01	5.141E-13	3.598E-12	1.902E-11	1.700E-10	1.432E-09	1.546E-08	1.362E-07	1.436E-06	
Th-230	«DOSE(j)		1.209E-01	1.209E-01	1.209E-01	1.209E-01	1.209E-01	1.209E-01	1.209E-01	1.208E-01	
U-234	U-234	1.000E+00	5.590E-02	5.589E-02	5.588E-02	5.584E-02	5.572E-02	5.531E-02	5.414E-02	5.026E-02	
U-234	U-238	9.999E-01	7.923E-08	2.377E-07	5.544E-07	1.662E-06	4.818E-06	1.576E-05	4.614E-05	1.428E-04	
U-234	«DOSE(j)		5.590E-02	5.589E-02	5.588E-02	5.584E-02	5.572E-02	5.532E-02	5.419E-02	5.041E-02	
U-238	U-238	5.400E-05	2.682E-06	2.682E-06	2.681E-06	2.679E-06	2.674E-06	2.654E-06	2.600E-06	2.418E-06	
U-238	U-238	9.999E-01	3.669E-01	3.669E-01	3.668E-01	3.666E-01	3.658E-01	3.632E-01	3.557E-01	3.309E-01	
U-238	«DOSE(j)		3.669E-01	3.669E-01	3.668E-01	3.666E-01	3.658E-01	3.632E-01	3.557E-01	3.309E-01	
ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	

THF(i) is the thread fraction of the parent nuclide.

Summary : Whittaker Site - Deep Contamination - U-238+D

File : Whittaker Deep - U-238D.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide Parent	THF(i)	Sig(t), pCi/g									
(j)	(i)	t= 0.000E+00 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03									
AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA	AAAAAA
Pb-210	Pb-210	1.000E+00	9.700E+00	9.403E+00	8.835E+00	7.105E+00	3.812E+00	4.311E-01	8.517E-04	2.919E-13	
Pb-210	Ra-226	1.000E+00	0.000E+00	2.968E-01	8.629E-01	2.584E+00	5.827E+00	8.920E+00	8.454E+00	5.928E+00	
Pb-210	Th-230	1.000E+00	0.000E+00	6.462E-05	5.696E-04	5.892E-03	4.382E-02	2.848E-01	1.049E+00	3.193E+00	
Pb-210	U-234	1.000E+00	0.000E+00	1.944E-10	5.167E-09	1.813E-07	4.234E-06	1.030E-04	1.299E-03	1.456E-02	
Pb-210	U-238	9.999E-01	0.000E+00	1.380E-16	1.104E-14	1.305E-12	9.394E-11	8.176E-09	3.392E-07	1.366E-05	
Pb-210	AS(j):		9.700E+00	9.699E+00	9.698E+00	9.695E+00	9.683E+00	9.636E+00	9.505E+00	9.136E+00	
Ra-226	Ra-226	1.000E+00	9.700E+00	9.695E+00	9.685E+00	9.651E+00	9.554E+00	9.220E+00	8.331E+00	5.842E+00	
Ra-226	Th-230	1.000E+00	0.000E+00	4.201E-03	1.260E-02	4.191E-02	1.251E-01	4.096E-01	1.168E+00	3.280E+00	
Ra-226	U-234	1.000E+00	0.000E+00	1.891E-08	1.701E-07	1.887E-06	1.692E-05	1.853E-04	1.600E-03	1.546E-02	
Ra-226	U-238	9.999E-01	0.000E+00	1.787E-14	4.823E-13	1.784E-11	4.799E-10	1.755E-08	4.571E-07	1.496E-05	
Ra-226	AS(j):		9.700E+00	9.699E+00	9.698E+00	9.693E+00	9.679E+00	9.630E+00	9.500E+00	9.137E+00	
Th-230	Th-230	1.000E+00	9.700E+00	9.700E+00	9.700E+00	9.699E+00	9.697E+00	9.691E+00	9.674E+00	9.612E+00	
Th-230	U-234	1.000E+00	0.000E+00	8.731E-05	2.619E-04	8.727E-04	2.615E-03	8.682E-03	2.575E-02	8.246E-02	
Th-230	U-238	9.999E-01	0.000E+00	1.238E-10	1.114E-08	1.237E-08	1.111E-07	1.229E-06	1.090E-05	1.151E-04	
Th-230	AS(j):		9.700E+00	9.700E+00	9.700E+00	9.700E+00	9.700E+00	9.700E+00	9.699E+00	9.695E+00	
U-234	U-234	1.000E+00	9.700E+00	9.699E+00	9.697E+00	9.693E+00	9.669E+00	9.597E+00	9.396E+00	8.722E+00	
U-234	U-238	9.999E-01	0.000E+00	2.749E-05	8.247E-05	2.747E-04	8.223E-04	2.721E-03	7.994E-03	2.476E-02	
U-234	AS(j):		9.700E+00	9.699E+00	9.697E+00	9.693E+00	9.670E+00	9.600E+00	9.404E+00	8.747E+00	
U-238	U-238	5.400E-05	5.238E-04	5.237E-04	5.236E-04	5.233E-04	5.222E-04	5.184E-04	5.078E-04	4.723E-04	
U-238	U-238	9.999E-01	9.699E+00	9.698E+00	9.696E+00	9.689E+00	9.669E+00	9.600E+00	9.403E+00	8.747E+00	
U-238	AS(j):		9.700E+00	9.699E+00	9.697E+00	9.693E+00	9.670E+00	9.600E+00	9.404E+00	8.747E+00	
ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff	ffffff

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 1.24 seconds

This is to acknowledge the receipt of your letter/application dated

8/14/2006, and to inform you that the initial processing which includes an administrative review has been performed.

☒ Amendment SMA-1018/04007455
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

☐ Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned Mail Control Number 139281.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.