



Entergy Operations, Inc.
River Bend Station
5485 U.S. Highway 61N
St. Francisville, LA 70775
Tel 225 381 4157
Fax 225 635 5068
dlorfin@entergy.com

David N. Lorfing
Manager-Licensing

August 15, 2006

U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, DC 20555

Subject: River Bend Station - Unit 1
Docket No. 50-458
License No. NPF-47
River Bend Station Fitness-For-Duty Program
Six-Month Performance Data Report

File No.: G9.5, G1.51

RBG-46609
RBF1-06-0132

Gentlemen:

Pursuant to 10CFR26.71 (d) "Recordkeeping requirements," enclosed is River Bend Station's Fitness-for-Duty (FFD) Six-Month Program Performance Data Report for the report period January 1, 2006, through June 30, 2006. This report contains statistical data and trend analysis compiled by the Fitness-for-Duty Department.

Should you have any questions regarding the attached, please contact Ms. Dee Childress at (225) 381-3655 or Mr. Bill Fountain of my staff at (225) 381-4625.

Sincerely,

A handwritten signature in black ink, appearing to read "David N. Lorfing".

David N. Lorfing

DNL/wjf
enclosure

A021

River Bend Station Fitness-For-Duty Program
Six-Month Performance Data Report
RBG-46609
Page 2 of 2

cc: U. S. Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011

NRC Resident Inspector (w/o)
P. O. Box 1050
St. Francisville, LA 70775

Mr. Bhalchandra Vaidya, NRR Project Manager
U.S. Nuclear Regulatory Commission
M/S OWFN / 7D-1
Washington, DC 20555

FITNESS FOR DUTY PROGRAM PERFORMANCE DATA PERSONNEL SUBJECT TO 10CFR26

Entergy Operations, Inc. _____ Company	June 30, 2006 6 Months Ending																
River Bend Station _____ Location																	
Dee Childress _____ Contact Name	(225) 381-3655 Phone (Include Area Code)																
<table style="width: 100%; border: none;"> <tr> <td style="width: 15%;">Cutoffs:</td> <td style="width: 35%;">Screen / Confirmation</td> <td style="width: 15%; text-align: center;"><input type="checkbox"/> Appendix A to 10CFR26</td> <td style="width: 35%;"></td> </tr> <tr> <td>Marijuana</td> <td>100 and 50 / 15</td> <td>Amphetamines</td> <td>1000 / 500 N / A /</td> </tr> <tr> <td>Cocaine</td> <td>300 / 150</td> <td>Phencyclidine</td> <td>25 / 25 N / A /</td> </tr> <tr> <td>Opiates</td> <td>300 / 300</td> <td>Alcohol (%BAC)</td> <td>0.04% N / A /</td> </tr> </table>		Cutoffs:	Screen / Confirmation	<input type="checkbox"/> Appendix A to 10CFR26		Marijuana	100 and 50 / 15	Amphetamines	1000 / 500 N / A /	Cocaine	300 / 150	Phencyclidine	25 / 25 N / A /	Opiates	300 / 300	Alcohol (%BAC)	0.04% N / A /
Cutoffs:	Screen / Confirmation	<input type="checkbox"/> Appendix A to 10CFR26															
Marijuana	100 and 50 / 15	Amphetamines	1000 / 500 N / A /														
Cocaine	300 / 150	Phencyclidine	25 / 25 N / A /														
Opiates	300 / 300	Alcohol (%BAC)	0.04% N / A /														

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
Average Number with Unescorted Access	767.62		N / A		531.26	
Categories	# Tested	# Positive	# Tested	# Positive	# Tested	# Positive
Pre-Access	58	0	N / A	N / A	745	6
For-Cause (Post accident)	0	0	N / A	N / A	3	0
For-Cause (Behavior)	1	0	N / A	N / A	2	0
Random	184	0	N / A	N / A	129	0
Follow-Up	13	0	N / A	N / A	7	0
Other	1	0	N / A	N / A	1	0
Total	257	0	N / A	N / A	887	6

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES

January – June 2006

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal to Test	1	2	3	4	5	
<input type="checkbox"/> Licensee <input type="checkbox"/> Employees	0	0	0	0	0	0	0	N/A	N/A	N/A	N/A	N/A	
Long-Term Contractor	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Short-Term Contractor	4	2	0	0	0	0	1	N/A	N/A	N/A	N/A	N/A	
Total	4	2	0	0	0	0	1	N/A	N/A	N/A	N/A	N/A	7

Fitness for Duty Program Six Month Performance Report January – June 2006

PROGRAM SUMMARY:

The River Bend Station annual random testing rate is 50 percent. During this reporting period, approximately 24.1 percent of the population has been randomly tested. The rate of positive tests from random testing is 0 percent.

POSITIVE RESULTS:

During this six month reporting period, 1,144 samples were collected and tested. Six samples were confirmed positive for illegal drugs. One short-term contractor provided a sample with a low temperature and refused to provide another sample.

MANAGEMENT ACTIONS:

There were six for-cause tests conducted this period:

- One was an observed behavior of an Entergy employee whose sample came back negative. Subject was mandated to the Employee Assistance Program. Unescorted access was reinstated after evaluation results were received.
- Two were observed behaviors of contract employees whose samples came back negative.
- Three contract employees were tested post accident and the results were negative.

EVENTS REPORTED TO THE NRC:

During this reporting period, there were no violations of the fitness for duty program that were reportable.

PROGRAM EVALUATION:

No programmatic problems were identified during this reporting period.