



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

AUG 03 2006

George S. Predeteanu, M.D.
Radiation Safety Officer
Cardiology Institute of Michigan
1031 Suncrest Drive
Lapeer, MI 48446

Dear Dr. Predeteanu:

Enclosed is Amendment No. 04 to your NRC Material License No. 21-32530-01 in accordance with your request received June 23, 2006. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note the following concerning your request in letter received by the Commission on June 23, 2006; (1) this amendment was completed concurrently with the issuance of License No. 21-32624-01 issued to Cardiology Consultants of East Michigan; (2) Drs. Brill and Breece are no longer listed on your NRC license as authorized users and RSO (Dr. Brill); (3) THE 1031 Suncrest Drive, Lapeer, Michigan facility was removed from your NRC license as requested and now appears on License No. 21-32624-01; and (4) License Condition No. 15 was added to your NRC license in accordance with current licensing policy.


You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

G. S. Predeteanu, M.D.

2

Sincerely,


James R. Mullauer, M.H.S.
Health Physicist
Materials Licensing Branch

License No. 21-32530-01
Docket No. 030-36632

Enclosure: Amendment No. 04