

<b>U.S. NUCLEAR REGULATORY COMMISSION</b>  <b>TELEPHONE CONVERSATION RECORD</b>		Date: 8/24/06  Time: 9:10 a.m.									
Mail Control	2006-001	License No(s). 29-00102-07									
or Report No(s).		Docket No(s). 03020802									
Name of Licensee: Newark Beth Israel Medical Center  Name of Participant(s): Michael Mink  Telephone No. (908)788-9440  Subject: Waste return at St. Barnabas <small>(NOTE: This will be used as the Documents Title in ADAMS)</small>											
Summary: Mr. Mink is a consultant to Newark Beth Israel Medical Center. According to him, the Bicron portal monitor used to survey outgoing waste is checked monthly, but is not calibrated. The trigger level is twice background. Workers are told to wait 15 seconds before moving the waste from in front of the detector. If anything is detected they are to hold it for 3 days.											
Action Required: Send to ADAMS.											
<table style="width: 100%; border: none;"> <tr> <td style="width: 30%;">Document Availability:</td> <td style="width: 30%; text-align: center;"><input checked="" type="checkbox"/> Publicly Available</td> <td style="width: 40%; text-align: center;"><input type="checkbox"/> Non-Publicly Available</td> </tr> <tr> <td><input checked="" type="checkbox"/> Non-Sensitive</td> <td><input type="checkbox"/> Non-Sensitive Copyright</td> <td><input type="checkbox"/> Sensitive <input type="checkbox"/> Sensitive Copyright</td> </tr> <tr> <td><input type="checkbox"/> Immediate Release</td> <td><input checked="" type="checkbox"/> Normal Release</td> <td><input type="checkbox"/> Delay Release Date</td> </tr> </table>			Document Availability:	<input checked="" type="checkbox"/> Publicly Available	<input type="checkbox"/> Non-Publicly Available	<input checked="" type="checkbox"/> Non-Sensitive	<input type="checkbox"/> Non-Sensitive Copyright	<input type="checkbox"/> Sensitive <input type="checkbox"/> Sensitive Copyright	<input type="checkbox"/> Immediate Release	<input checked="" type="checkbox"/> Normal Release	<input type="checkbox"/> Delay Release Date
Document Availability:	<input checked="" type="checkbox"/> Publicly Available	<input type="checkbox"/> Non-Publicly Available									
<input checked="" type="checkbox"/> Non-Sensitive	<input type="checkbox"/> Non-Sensitive Copyright	<input type="checkbox"/> Sensitive <input type="checkbox"/> Sensitive Copyright									
<input type="checkbox"/> Immediate Release	<input checked="" type="checkbox"/> Normal Release	<input type="checkbox"/> Delay Release Date									
Prepared & SUNSI Review Completed By: rwm1 <span style="float: right;">/ RA / Date: 8/24/08</span>											