

August 15, 2007

Mr. Britt T. McKinney  
Sr. Vice President  
and Chief Nuclear Officer  
PPL Susquehanna, LLC  
769 Salem Blvd., NUCSB3  
Berwick, PA 18603-0467

SUBJECT: SUSQUEHANNA STEAM ELECTRIC STATION, UNITS 1 AND 2  
(SSES 1 AND 2) - DRAFT ENVIRONMENTAL ASSESSMENT AND FINDING  
OF NO SIGNIFICANT IMPACT RELATED TO PROPOSED EXTENDED  
POWER UPRATE (TAC NOS. MD3309 AND MD3310)

Dear Mr. McKinney:

Enclosed is a copy of the Draft Environmental Assessment and Finding of No Significant Impact related to your application dated October 11, 2006, as supplemented by letters dated October 25, December 4 and 26, 2006, February 13, March 14 and 22, April 13, 17, 23, 26, and 27, May 3, 14, 9, and 21, and June 1, 4, 8, 14, 20, and 27, July 6, 12, 13, 30, 31, and August 3, 2007, for SSES 1 and 2. The proposed amendment would authorize increasing the maximum steady-state reactor core power level from 3489 megawatts thermal (MWt) to 3952 MWt, which is an increase of approximately 13 percent thermal power. The proposed increase in power level is considered an extended power uprate.

The assessment is being forwarded to the Office of the Federal Register for publication. In this regard, the comment period will expire on September 20, 2007.

Sincerely,

**/RA/**

Richard V. Guzman, Senior Project Manager  
Plant Licensing Branch I-1  
Division of Operating Reactor Licensing  
Office of Nuclear Reactor Regulation

Docket Nos. 50-387 and 50-388

Enclosure:  
Draft Environmental Assessment

cc w/encl: See next page

August 15, 2007

Mr. Britt T. McKinney  
Sr. Vice President  
and Chief Nuclear Officer  
PPL Susquehanna, LLC  
769 Salem Blvd., NUCSB3  
Berwick, PA 18603-0467

SUBJECT: SUSQUEHANNA STEAM ELECTRIC STATION, UNITS 1 AND 2  
(SSES 1 AND 2) - DRAFT ENVIRONMENTAL ASSESSMENT AND FINDING  
OF NO SIGNIFICANT IMPACT RELATED TO PROPOSED EXTENDED  
POWER UPRATE (TAC NOS. MD3309 AND MD3310)

Dear Mr. McKinney:

Enclosed is a copy of the Draft Environmental Assessment and Finding of No Significant Impact related to your application dated October 11, 2006, as supplemented by letters dated October 25, December 4 and 26, 2006, February 13, March 14 and 22, April 13, 17, 23, 26, and 27, May 3, 14, 9, and 21, and June 1, 4, 8, 14, 20, and 27, July 6, 12, 13, 30, 31, and August 3, 2007, for SSES 1 and 2. The proposed amendment would authorize increasing the maximum steady-state reactor core power level from 3489 megawatts thermal (MWt) to 3952 MWt, which is an increase of approximately 13 percent thermal power. The proposed increase in power level is considered an extended power uprate.

The assessment is being forwarded to the Office of the Federal Register for publication. In this regard, the comment period will expire on September 20, 2007.

Sincerely,

/RA/

Richard V. Guzman, Senior Project Manager  
Plant Licensing Branch I-1  
Division of Operating Reactor Licensing  
Office of Nuclear Reactor Regulation

Docket Nos. 50-387 and 50-388

Enclosure:  
Draft Environmental Assessment

cc w/encl: See next page

\*EA input provided by memo. No substantive changes made.

Accession Number: ML071840997

Draft EA: ML071841085

Package: ML071841027

OFFICE	LPLI-1\PM	LPLI-1\LA	REBA\BC	OGC	LPLI-1\BC
NAME	RGuzman	SLittle	EBenner*	LSubin	MKowal
DATE	8/13/07	8/14/07	5/11/07 EA DTD	8/13/07	8/15/07

OFFICIAL RECORD COPY

DISTRIBUTION:

PUBLIC

LPLI-1 Reading File

C. Haney

J. Lubinski

M. Kowal

R. Guzman

E. Benner

T. Alexion

ACRS

RidsOgcRp

RidsRgn1MailCenter

RidsNrrDorl

RidsNrrDorl

RidsNrrDorlLpli-1

RidsNrrPMRGuzman

RidsNrrDirReba

RidsNrrPMTAlexion

RidsAcrcAcnwMailCenter

cc: Plant Mailing List

Susquehanna Steam Electric Station, Unit Nos. 1 and 2

cc:

Robert A. Saccone  
General Manager - Nuclear Operations  
PPL Susquehanna, LLC  
769 Salem Blvd., NUCSB3  
Berwick, PA 18603-0467

Terry L. Harpster  
General Manager - Plant Support  
PPL Susquehanna, LLC  
769 Salem Blvd., NUCSA4  
Berwick, PA 18603-0467

Rocco R. Sgarro  
Manager - Nuclear Regulatory Affairs  
PPL Susquehanna, LLC  
Two North Ninth Street, GENPL4  
Allentown, PA 18101-1179

Supervisor -  
Nuclear Regulatory Affairs  
PPL Susquehanna, LLC  
769 Salem Blvd., NUCSA4  
Berwick, PA 18603-0467

Michael H. Crowthers  
Supervising Engineer  
Nuclear Regulatory Affairs  
PPL Susquehanna, LLC  
Two North Ninth Street, GENPL4  
Allentown, PA 18101-1179

Steven M. Cook  
Manager - Quality Assurance  
PPL Susquehanna, LLC  
769 Salem Blvd., NUCSB2  
Berwick, PA 18603-0467

Luis A. Ramos  
Community Relations Manager,  
Susquehanna  
PPL Susquehanna, LLC  
634 Salem Blvd., SSO  
Berwick, PA 18603-0467

Bryan A. Snapp, Esq  
Assoc. General Counsel  
PPL Services Corporation  
Two North Ninth Street, GENTW3  
Allentown, PA 18101-1179

Supervisor - Document Control Services  
PPL Susquehanna, LLC  
Two North Ninth Street, GENPL4  
Allentown, PA 18101-1179

Richard W. Osborne  
Allegheny Electric Cooperative, Inc.  
212 Locust Street  
P.O. Box 1266  
Harrisburg, PA 17108-1266

Director - Bureau of Radiation Protection  
Pennsylvania Department of  
Environmental Protection  
P.O. Box 8469  
Harrisburg, PA 17105-8469

Senior Resident Inspector  
U.S. Nuclear Regulatory Commission  
P.O. Box 35, NUCSA4  
Berwick, PA 18603-0035

Regional Administrator, Region 1  
U.S. Nuclear Regulatory Commission  
475 Allendale Road  
King of Prussia, PA 19406

Board of Supervisors  
Salem Township  
P.O. Box 405  
Berwick, PA 18603-0035

Dr. Judith Johnsrud  
National Energy Committee  
Sierra Club  
443 Orlando Avenue  
State College, PA 16803