

September 12, 2007

Mr. David A. Christian  
Senior Vice President  
and Chief Nuclear Officer  
Virginia Electric and Power Company  
Innsbrook Technical Center  
5000 Dominion Boulevard  
Glen Allen, VA 23060-6711

SUBJECT: NORTH ANNA POWER STATION, UNIT NO. 2 - COMPLETION OF ACTIONS  
FOR CONFIRMATORY ACTION LETTER NRR-07-021 (TAC NO. MD4164)

Dear Mr. Christian:

On March 29, 2007, the U.S. Nuclear Regulatory Commission (NRC) issued Confirmatory Action Letter (CAL) No. NRR-07-021, (Agencywide Documents Access and Management System (ADAMS) Accession No. ML070820079) regarding dissimilar metal welds in the pressurizers at North Anna Power Station, Unit Nos. 1 and 2 (North Anna Units 1 and 2). This letter acknowledges receipt of your letter dated May 16, 2007 (ML071410300), informing the NRC of actions taken at North Anna Unit 2 in response to the CAL.

In your letter, you stated that six full structural mitigative preemptive weld overlays (PWOLs) for the North Anna Unit 2 pressurizer safety, spray, relief, and surge nozzles were performed during the spring 2007 refueling outage (N2R18) in accordance with relief request CMP-023R1. The surface and volumetric examinations of the weld and base material were completed with no recordable indications. The examinations resulted in 100-percent coverage in accordance with relief request CMP-023R1 for both the preservice and inservice examination volumes. There were no repairs necessary to the weld overlay material or base metal during the installation of the PWOLs.

Based on your letter, the NRC staff concluded that all commitments listed in the CAL and the supporting commitment letter dated February 26, 2007 (ML070570535) have been met for North Anna Unit 2. With respect to North Anna Unit 2, no further response is required regarding the CAL and it is no longer necessary to implement enhanced inspection and leakage monitoring requirements for the reactor coolant system. This action closes TAC No. MD4164.

Thank you for informing us of the actions documented in your letter. These actions may be examined during a future NRC inspection of your facility.

Since the CAL addressed both North Anna units, it will remain open until all CAL commitments pertaining to North Anna Unit 1 are complete. TAC No. MD4163 for Unit 1 will also remain open.

Current NRC guidance regarding CALs is contained in the NRC Enforcement Policy and the NRC Enforcement Manual, which are available at the NRC web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement.html> (click on Enforcement Policy or Enforcement Guidance) or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

In accordance with Title 10 of the *Code of Federal Regulations*, Part 2, "Rules of Practice," Section 2.390, a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm.html>.

Sincerely,

**/RA/**

Catherine Haney, Director  
Division of Operating Reactor Licensing  
Office of Nuclear Reactor Regulation

Docket No. 50-339

cc: See next page

In accordance with Title 10 of the *Code of Federal Regulations*, Part 2, "Rules of Practice," Section 2.390, a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm.html>.

Sincerely,

**/RA/**

Catherine Haney, Director  
Division of Operating Reactor Licensing  
Office of Nuclear Reactor Regulation

Docket No. 50-339

cc: See next page

Distribution:

PUBLIC	LPL2-1 R/F	RidsNrrPMRJervy
RidsNrrLAMO'Brien	RidsNrrDorLpl2-1(EMarinos)	RidsOgcRp
RidsAcrsAcnwMailCenter	RidsRgn2MailCenter(CCasto)	RidsNrrOd(JDyer)
RidsNrrPMBMoroney	RidsNrrDci(MEvans)	RidsNrrDirs
RidsOEMailCenter	RidsEdoMailCenter	SCampbell, EDO Region 2
KClark,OPA, Region 2	RPascarelli, NRR	RidsNrrAdes(JGrobe)
TLupold, NRR	ESullivan, NRR	RidsNrrDciCpnb(TChan)
RTrojanowski, Region 2 State Liaison Officer		
RidsNrrDorl(CHaney/JLubinski/TMcGinty)		
ADAMS Accession No. ML072130002		

OFFICE	DCI/CPNB Lead Eng	DCI/CPNB	LPL2-1/PM	LPL2-1/LA	LPL2-1/BC
NAME	TLupold	TChan	RJervy	MO'Brien	EMarinos
DATE	8/23/07	8/23/07	08/14/07	8/20/07	8/22/07

OFFICE	DCI/D	DRP/D, RGN2	DORL/D
NAME	MEvans	CCasto	CHaney
DATE	8/27/07	9/11/07	9/12/07

OFFICIAL RECORD COPY

North Anna Power Station, Units 1 & 2

cc:

Mr. David A. Christian  
Senior Vice President  
and Chief Nuclear Officer  
Virginia Electric and Power Company  
Innsbrooks Technical Center  
5000 Dominion Boulevard  
Glen Allen, VA 23060-6711

Mr. C. Lee Lintecum  
County Administrator  
Louisa County  
Post Office Box 160  
Louisa, Virginia 23093

Ms. Lillian M. Cuoco, Esq.  
Senior Counsel  
Dominion Resources Services, Inc.  
Building 475, 5th floor  
Rope Ferry Road  
Waterford, Connecticut 06385

Dr. W. T. Lough  
Virginia State Corporation Commission  
Division of Energy Regulation  
Post Office Box 1197  
Richmond, Virginia 23218

Old Dominion Electric Cooperative  
4201 Dominion Blvd.  
Glen Allen, Virginia 23060

Mr. Chris L. Funderburk, Director  
Nuclear Licensing & Operations Support  
Dominion Resources Services, Inc.  
Innsbrook Technical Center  
5000 Dominion Blvd.  
Glen Allen, Virginia 23060-6711

Office of the Attorney General  
Commonwealth of Virginia  
900 East Main Street  
Richmond, Virginia 23219

Senior Resident Inspector  
North Anna Power Station  
U. S. Nuclear Regulatory Commission  
P. O. Box 490  
Mineral, Virginia 23117

Mr. Daniel G. Stoddard  
Site Vice President  
North Anna Power Station  
Virginia Electric and Power Company  
Post Office Box 402  
Mineral, Virginia 23117-0402

Dr. Robert B. Stroube, MD, MPH  
State Health Commissioner  
Office of the Commissioner  
Virginia Department of Health  
Post Office Box 2448  
Richmond, Virginia 23218