

August 27, 2007

Mr. M. R. Blevins
Senior Vice President and Chief Nuclear Officer
TXU Power
Comanche Peak Steam Electric Station
ATTN: Regulatory Affairs Department
P.O. Box 1002
Glen Rose, TX 76043

SUBJECT: COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1 - COMPLETION OF
ACTIONS FOR CONFIRMATORY ACTION LETTER NRR-07-007 (TAC NO.
MD4143)

Dear Mr. Blevins:

On March 20, 2007, the U.S. Nuclear Regulatory Commission (NRC) issued Confirmatory Action Letter (CAL) No. NRR-07-007 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML070730620) regarding dissimilar metal welds in the pressurizer at Comanche Peak Steam Electric Station (CPSES), Units 1 and 2. This letter acknowledges receipt of your letters dated April 5, and June 19, 2007 (ADAMS Accession Nos. ML071020040 and ML071770137, respectively) informing the NRC of actions taken in response to this CAL.

In your letters, you stated pressurizer Alloy 82/182 butt weld structural weld overlays were completed for CPSES Unit 1 during refueling outage 1RF12 which ended April 20, 2007. The weld overlays included four safety/relief nozzles, a spray nozzle, and a surge nozzle, and that ultrasonic examination of the Unit 1 pressurizer weld overlays was completed on March 23, 2007.

Based on your letters, the NRC has found that all the commitments listed in the CAL and supporting commitment letter (ADAMS Accession No. ML070530211) have been met for CPSES Unit 1. With respect to CPSES Unit 1, no further response is required regarding the CAL, and it is no longer necessary to implement enhanced inspection and leakage monitoring requirements for the reactor coolant system at CPSES Unit 1. This closes TAC No. MD4143.

Thank you for informing us of the actions documented in your letter. These actions may be examined during a future NRC inspection of your facility.

Since the CAL addressed both CPSES units, it will remain open until all CAL commitments pertaining to CPSES Unit 2 are complete. Therefore, TAC No. MD4144 for Unit 2 will also remain open.

Current NRC guidance regarding CALs is contained in the NRC Enforcement Policy and the NRC Enforcement Manual, which are available at the NRC web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement.html> (click on Enforcement Policy or

M. R. Blevins

-2-

Enforcement Guidance) or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm.html>.

Sincerely,

/RA/

Catherine Haney, Director
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket No. 50-445

cc: See next page

M. R. Blevins

-2-

Enforcement Guidance) or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm.html>.

Sincerely,

/RA/

Catherine Haney, Director
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket No. 50-445

cc: See next page

DISTRIBUTION:

PUBLIC

LPL4 R/F

RidsAcrsAcnwMailCenter

RidsEdoMailCenter

RidsNrrDci

RidsNrrDciCpnb

RidsNrrDirs

RidsNrrDorl(Haney/Lubinski)

RidsNrrDorlLpl4

RidsNrrLAJBurkhardt

RidsNrrOd

RidsNrrPMBMoroney

RidsNrrPMBSingal

RidsOEMailCenter

RidsOgcRp

RidsRgn4MailCenter

MKunowski, EDO RIV

VDricks, OPA, RIV

WMaier, State Liaison Officer, RIV

ESullivan, NRR/DCI

TLupold, NRR/DCI/CPNB

ADAMS Accession No.: ML072130003

*Conurrence via e-mail

OFFICE	NRR/DCI/CPNB	NRR/DCI/CPNB/BC	NRR/DORL/LPL4/PM	NRR/DORL/LPL4/LA
NAME	TLupold, Tchan for	TChan	BSingal	JBurkhardt
DATE	8/9/07	8/9/07	8/7/07	8/7/07
OFFICE	NRR/DORL/LPL4/BC	NRR/DCI/D	DRS/D, RIV *	NRR/DORL/D
NAME	THiltz	MEvans	Dchamberlain, Wjones for	CHaney
DATE	8/8/07	8/9/07	8/21/07	8/27/07

OFFICIAL RECORD COPY

Comanche Peak Steam Electric Station

cc:

Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 2159
Glen Rose, TX 76403-2159

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011

Mr. Fred W. Madden, Director
Regulatory Affairs
TXU Generation Company LP
P.O. Box 1002
Glen Rose, TX 76043

George L. Edgar, Esq.
Morgan Lewis
1111 Pennsylvania Avenue, NW
Washington, DC 20004

County Judge
P.O. Box 851
Glen Rose, TX 76043

Environmental and Natural
Resources Policy Director
Office of the Governor
P.O. Box 12428
Austin, TX 78711-3189

Mr. Richard A. Ratliff, Chief
Bureau of Radiation Control
Texas Department of Health
1100 West 49th Street
Austin, TX 78756-3189

Mr. Brian Almon
Public Utility Commission
William B. Travis Building
P.O. Box 13326
1701 North Congress Avenue
Austin, TX 78701-3326

Ms. Susan M. Jablonski
Office of Permitting, Remediation
and Registration
Texas Commission on Environmental
Quality
MC-122
P.O. Box 13087
Austin, TX 78711-3087

Terry Parks, Chief Inspector
Texas Department of Licensing
and Regulation
Boiler Program
P.O. Box 12157
Austin, TX 78711