

September 12, 2007

Mr. Bruce H. Hamilton
Vice President, Oconee Site
Duke Power Company LLC
7800 Rochester Highway
Seneca, SC 29672

SUBJECT: OCONEE NUCLEAR STATION, UNIT 2 - COMPLETION OF ACTIONS FOR
CONFIRMATORY ACTION LETTER NRR-07-022 (TAC NO. MD4166)

Dear Mr. Hamilton:

On March 27, 2007, the U.S. Nuclear Regulatory Commission (NRC) issued Confirmatory Action Letter (CAL) No. NRR-07-022 (ML070790113) regarding dissimilar metal welds in the pressurizers at Oconee Nuclear Generating Station, Units 2 and 3. This letter acknowledges receipt of your letter dated May 29, 2007 (ML071560504) informing the NRC of actions taken at Oconee Unit 2 in response to this CAL.

In your letter, you informed the NRC that the mitigative repairs for Oconee Unit 2, as listed on Enclosure 3 of your commitment letter dated January 31, 2007 (ML070390049), as supplemented on February 22, 2007 (ML070600169), had been completed during the 2EOC22 refueling outage. Thus, the actions required to satisfy the CAL for Unit 2 were complete.

Based on your letter, the NRC staff concluded that all the commitments listed in the CAL and supporting commitment letters have been met for Oconee Unit 2. With respect to Oconee Unit 2, no further response is required regarding the CAL and it is no longer necessary to implement enhanced inspection and leakage monitoring requirements for the reactor coolant system. This action closes TAC No. MD4166.

Thank you for informing us of the actions documented in your letter. These actions may be examined during a future NRC inspection of your facility.

Since the CAL addressed Oconee Units 2 and 3, it will remain open until all CAL commitments pertaining to Oconee Unit 3 are complete. TAC No. MD4167 for Unit 3 will also remain open.

Current NRC guidance regarding CALs is contained in the NRC Enforcement Policy and the NRC Enforcement Manual, which are available at the NRC web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement.html> (click on Enforcement Policy or Enforcement Guidance) or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

B. Hamilton

-2-

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm.html>.

Sincerely,

/RA/

Catherine Haney, Director
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket No. 50-270

cc: See next page

B. Hamilton

-2-

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm.html>.

Sincerely,

/RA/

Catherine Haney, Director
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket No. 50-270

cc: See next page

Distribution:

PUBLIC	LPL2-1 R/F	RidsNrrPMLOlshan
RidsNrrLAMO'Brien	RidsNrrDorlLpl2-1 (EMarinos)	RidsOgcRp
RidsAcrsAcnwMailCenter	RidsRgn2MailCenter (CCasto)	RidsNrrOd (JDyer)
RidsNrrDciOd (MEvans)	RidsNrrDircsOd (ECollins)	RidsOEMailCenter
RidsEdoMailCenter	SCampbell, EDO Region 2	KClark, OPA, Region 2
TLupold, NRR	ESullivan, NRR	RidsNrrPMBMoroney
RidsNrrDciCpnb (TChan)	RidsNrrAdes (JGrobe)	
RidsNrrDorl (CHaney/JLubinski/TMcGinty)		
RTrojanowski, Region 2 State Liaison Officer		

ADAMS Accession No. ML072130497

OFFICE	DCI/CPNB Lead Eng	DCI/CPNB	LPL2-1/PM	LPL2-1/LA	LPL2-1/BC
NAME	TLupold	TChan	LOlshan:nc	MO'Brien	EMarinos
DATE	8/21/07	8/21/07	8/29/07	8/20/07	8/21/07

OFFICE	DCI/D	DRP/D, RGN2	DORL/D
NAME	MEvans	CCasto	CHaney
DATE	8/23/07	9/11/07	9/12/07

OFFICIAL RECORD COPY

Oconee Nuclear Station, Units 1, 2, and 3

cc:

Mr. Bruce H. Hamilton
Vice President, Oconee Site
Duke Power Company LLC
7800 Rochester Highway
Seneca, SC 29672

Ms. Lisa F. Vaughn
Associate General Counsel and Managing
Attorney
Duke Energy Carolinas, LLC
526 South Church Street - EC07H
Charlotte, North Carolina 28202

Manager, LIS
NUS Corporation
2650 McCormick Dr., 3rd Floor
Clearwater, FL 34619-1035

Senior Resident Inspector
U.S. Nuclear Regulatory Commission
7812B Rochester Highway
Seneca, SC 29672

Mr. Henry Porter, Director
Division of Radioactive Waste Management
Bureau of Land and Waste Management
Dept. of Health and Env. Control
2600 Bull St.
Columbia, SC 29201-1708

Mr. Michael A. Schoppman
Framatome ANP
1911 North Ft. Myer Dr.
Suite 705
Rosslyn, VA 22209

Mr. B. G. Davenport
Regulatory Compliance Manager
Oconee Nuclear Site
Duke Energy Corporation
ON03RC
7800 Rochester Highway
Seneca, SC 29672

Mr. Leonard G. Green
Assistant Attorney General
NC Department of Justice
P.O. Box 629
Raleigh, NC 27602

Mr. R. L. Gill, Jr.
Manager - Nuclear Regulatory
Issues and Industry Affairs
Duke Power Company LLC
526 S. Church St.
Mail Stop EC05P
Charlotte, NC 28202

Division of Radiation Protection
NC Dept of Environment, Health, & Natural
Resources
3825 Barrett Dr.
Raleigh, NC 27609-7721

Mr. Peter R. Harden, IV
VP-Customer Relations and Sales
Westinghouse Electric Company
6000 Fairview Road
12th Floor
Charlotte, NC 28210

Mr. Henry Barron
Group Vice President, Nuclear Generation
and Chief Nuclear Officer
P.O. Box 1006-EC07H
Charlotte, NC 28201-1006

Mr. Charles Brinkman
Director, Washington Operations
Westinghouse Electric Company
12300 Twinbrook Parkway, Suite 330
Rockville, MD 20852

Ms. Kathryn B. Nolan
Senior Counsel
Duke Energy Carolinas, LLC
526 South Church Street - EC07H
Charlotte, NC 28202