

ENCLOSURE 1

REVISED PAGES OF RENEWED FACILITY OPERATING LICENSE NOS.

DPR-42 AND DPR-60

DOCKET NO.50-282 AND 50-306

PRAIRIE ISLAND NUCLEAR GENERATING PLANT, UNITS 1 AND 2

Replace the following pages of the Renewed Facility Operating Licenses. The revised pages are identified by the date of the letter issuing these pages and contain marginal lines indicating the areas of change.

REMOVE

License DPR-42
Page 4

License DPR-60
Page 4

INSERT

License DPR-42
Page 4
Page 5

License DPR-60
Page 4
Page 5

(4) Fire Protection

NMC shall implement and maintain in effect all provisions of the approved fire protection program as described and referenced in the Updated Safety Analysis Report for the Prairie Island Nuclear Generating Plant, Units 1 and 2, and as approved in Safety Evaluation Reports dated February 14, 1978, September 6, 1979, April 21, 1980, December 29, 1980, July 28, 1981, October 27, 1989, and October 6, 1995, subject to the following provision:

NMC may make changes to the approved Fire Protection Program without prior approval of the Commission only if those changes would not adversely affect the ability to achieve and maintain safe shutdown in the event of a fire.

(5) Additional Conditions

The Additional Conditions contained in Appendix B, as revised through Amendment No. 161, are hereby incorporated into this license. NMC shall operate the facility in accordance with the Additional Conditions.

(6) Mitigation Strategy License Condition

Develop and maintain strategies for addressing large fires and explosions and that include the following key areas:

- (a) Fire fighting response strategy with the following elements:
 - 1. Pre-defined coordinated fire response strategy and guidance
 - 2. Assessment of mutual aid fire fighting assets
 - 3. Designated staging areas for equipment and materials
 - 4. Command and control
 - 5. Training of response personnel
- (b) Operations to mitigate fuel damage considering the following:
 - 1. Protection and use of personnel assets
 - 2. Communications
 - 3. Minimizing fire spread
 - 4. Procedures for implementing integrated fire response strategy
 - 5. Identification of readily-available pre-staged equipment
 - 6. Training on integrated fire response strategy
 - 7. Spent fuel pool mitigation measures
- (c) Actions to minimize release to include consideration of:
 - 1. Water spray scrubbing
 - 2. Dose to onsite responders

2. D. This license is effective as of the date of issuance and shall expire at midnight August 9, 2013.

FOR THE ATOMIC ENERGY COMMISSION

Original Signed by
Roger s. Boyd

A. Giambusso, Deputy Director
for Reactor Projects
Directorate of Licensing

Attachments:

1. Appendix A - Technical Specifications
2. Appendix B - Additional Conditions

Date of Issuance: April 5, 1974

(4) Fire Protection

NMC shall implement and maintain in effect all provisions of the approved fire protection program as described and referenced in the Updated Safety Analysis Report for the Prairie Island Nuclear Generating Plant, Units 1 and 2, and as approved in Safety Evaluation Reports dated February 14, 1978, September 6, 1979, April 21, 1980, December 29, 1980, July 28, 1981, October 27, 1989, and October 6, 1995, subject to the following provision:

NMC may make changes to the approved Fire Protection Program without prior approval of the Commission only if those changes would not adversely affect the ability to achieve and maintain safe shutdown in the event of a fire.

(5) Additional Conditions

The Additional Conditions contained in Appendix B, as revised through Amendment No. 152, are hereby incorporated into this license. NMC shall operate the facility in accordance with the Additional Conditions.

(6) Mitigation Strategy License Condition

Develop and maintain strategies for addressing large fires and explosions and that include the following key areas:

- (a) Fire fighting response strategy with the following elements:
 - 1. Pre-defined coordinated fire response strategy and guidance
 - 2. Assessment of mutual aid fire fighting assets
 - 3. Designated staging areas for equipment and materials
 - 4. Command and control
 - 5. Training of response personnel
- (b) Operations to mitigate fuel damage considering the following:
 - 1. Protection and use of personnel assets
 - 2. Communications
 - 3. Minimizing fire spread
 - 4. Procedures for implementing integrated fire response strategy
 - 5. Identification of readily-available pre-staged equipment
 - 6. Training on integrated fire response strategy
 - 7. Spent fuel pool mitigation measures
- (c) Actions to minimize release to include consideration of:
 - 1. Water spray scrubbing
 - 2. Dose to onsite responders

2. D. This license is effective as of the date of issuance and shall expire at midnight October 29, 2014.

FOR THE ATOMIC ENERGY COMMISSION

Original Signed by
A. Giambusso

A. Giambusso, Deputy Director
for Reactor Projects
Directorate of Licensing

Attachments:

1. Appendix A - Technical Specifications
2. Appendix B - Additional Conditions

Date of Issuance: October 29, 1974