

**MATERIAL SAFETY DATA SHEET****PRODUCT****NALCO 1336****EMERGENCY TELEPHONE NUMBER(S)****(800) 424-9300 (24 Hours) CHEMTREC****1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION****PRODUCT NAME :** **NALCO 1336****APPLICATION :** **CORROSION INHIBITOR****COMPANY IDENTIFICATION :** Nalco Company  
1601 W. Diehl Road  
Naperville, Illinois  
60563-1198**EMERGENCY TELEPHONE NUMBER(S) :** (800) 424-9300 (24 Hours) CHEMTREC**NFPA 704M/HMIS RATING****HEALTH :** 3 / 3 **FLAMMABILITY :** 1 / 1 **INSTABILITY :** 0 / 0 **OTHER :**

0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

Our hazard evaluation has identified the following chemical substance(s) as hazardous. Consult Section 15 for the nature of the hazard(s).

Hazardous Substance(s)	CAS NO	% (w/w)
Sodium Tolyltriazole	64665-57-2	30.0 - 60.0

**3. HAZARDS IDENTIFICATION****\*\*EMERGENCY OVERVIEW\*\*****WARNING**

Irritating to eyes. Harmful if swallowed.

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of water.

Wear suitable protective clothing.

May evolve oxides of carbon (COx) under fire conditions. May evolve oxides of nitrogen (NOx) under fire conditions.

**PRIMARY ROUTES OF EXPOSURE :**

Eye, Skin

**HUMAN HEALTH HAZARDS - ACUTE :****EYE CONTACT :**

May cause severe irritation or tissue damage depending on the length of exposure and the type of first aid administered.



## MATERIAL SAFETY DATA SHEET

PRODUCT

**NALCO 1336**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

### SKIN CONTACT :

May cause severe irritation or tissue damage depending on the length of exposure and the type of first aid administered.

### INGESTION :

Not a likely route of exposure. Corrosive; causes chemical burns to the mouth, throat and stomach. Harmful if swallowed.

### INHALATION :

Not a likely route of exposure. Irritating, in high concentrations, to the eyes, nose, throat and lungs.

### SYMPTOMS OF EXPOSURE :

#### Acute :

A review of available data does not identify any symptoms from exposure not previously mentioned.

#### Chronic :

A review of available data does not identify any symptoms from exposure not previously mentioned.

### AGGRAVATION OF EXISTING CONDITIONS :

A review of available data does not identify any worsening of existing conditions.

### HUMAN HEALTH HAZARDS - CHRONIC :

No adverse effects expected other than those mentioned above.

## 4. FIRST AID MEASURES

### EYE CONTACT :

PROMPT ACTION IS ESSENTIAL IN CASE OF CONTACT. Immediately flush eye with water for at least 15 minutes while holding eyelids open. Get immediate medical attention.

### SKIN CONTACT :

Immediately flush with plenty of water for at least 15 minutes. For a large splash, flood body under a shower. Remove contaminated clothing. Wash off affected area immediately with plenty of water. Get immediate medical attention. Contaminated clothing, shoes, and leather goods must be discarded or cleaned before re-use.

### INGESTION :

DO NOT INDUCE VOMITING. If conscious, washout mouth and give water to drink. Get immediate medical attention.

### INHALATION :

Remove to fresh air, treat symptomatically. Get medical attention.

### NOTE TO PHYSICIAN :

Probable mucosal damage may contraindicate the use of gastric lavage. Based on the individual reactions of the patient, the physician's judgement should be used to control symptoms and clinical condition.



## MATERIAL SAFETY DATA SHEET

PRODUCT

**NALCO 1336**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

### 5. FIRE FIGHTING MEASURES

FLASH POINT : Not flammable

EXTINGUISHING MEDIA :

Not expected to burn. Use extinguishing media appropriate for surrounding fire. Water mist may be used to cool closed containers.

FIRE AND EXPLOSION HAZARD :

May evolve oxides of carbon (COx) under fire conditions. May evolve oxides of nitrogen (NOx) under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTING :

In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.

### 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS :

Restrict access to area as appropriate until clean-up operations are complete. Ensure clean-up is conducted by trained personnel only. Ventilate spill area if possible. Do not touch spilled material. Stop or reduce any leaks if it is safe to do so. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Notify appropriate government, occupational health and safety and environmental authorities.

METHODS FOR CLEANING UP :

SMALL SPILLS: Soak up spill with absorbent material. Place residues in a suitable, covered, properly labeled container. Wash affected area. LARGE SPILLS: Contain liquid using absorbent material, by digging trenches or by diking. Reclaim into recovery or salvage drums or tank truck for proper disposal. Wash site of spillage thoroughly with water. Contact an approved waste hauler for disposal of contaminated recovered material. Dispose of material in compliance with regulations indicated in Section 13 (Disposal Considerations).

ENVIRONMENTAL PRECAUTIONS :

Do not contaminate surface water.

### 7. HANDLING AND STORAGE

HANDLING :

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Avoid generating aerosols and mists. Do not mix with acids. Keep the containers closed when not in use. Have emergency equipment (for fires, spills, leaks, etc.) readily available.

STORAGE CONDITIONS :

Protect product from freezing. Store the containers tightly closed. Store separately from acids. Store in suitable labelled containers.

SUITABLE CONSTRUCTION MATERIAL :

Stainless Steel 304, Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use.



## MATERIAL SAFETY DATA SHEET

PRODUCT

**NALCO 1336**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### OCCUPATIONAL EXPOSURE LIMITS :

At present, no exposure limit applies to this product. However, good manufacturing practices should emphasize exposure avoidance.

#### ENGINEERING MEASURES :

General ventilation is recommended. Use local exhaust ventilation if necessary to control airborne mist and vapor.

#### RESPIRATORY PROTECTION :

If significant mists, vapors or aerosols are generated an approved respirator is recommended. A dust, mist, fume cartridge may be used. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

#### HAND PROTECTION :

Neoprene gloves, Nitrile gloves, PVC gloves, Butyl gloves, Rubber gloves

#### SKIN PROTECTION :

Wear chemical resistant apron, chemical splash goggles, impervious gloves and boots. A full slicker suit is recommended if gross exposure is possible.

#### EYE PROTECTION :

Wear a face shield with chemical splash goggles.

#### HYGIENE RECOMMENDATIONS :

Eye wash station and safety shower are necessary. If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse.

#### HUMAN EXPOSURE CHARACTERIZATION :

Based on our recommended product application and personal protective equipment, the potential human exposure is: Moderate

### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid
APPEARANCE	Light Amber
ODOR	Characteristic
SPECIFIC GRAVITY	1.19 - 1.21
DENSITY	10 lb/gal
SOLUBILITY IN WATER	Miscible
pH (100 %)	12
VISCOSITY	55 cps @ 61 °F / 16 °C
FREEZING POINT	18 - 23.00 °F / -7.8 - -5 °C
BOILING POINT	222 °F / 106 °C



## MATERIAL SAFETY DATA SHEET

PRODUCT

**NALCO 1336**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

VAPOR PRESSURE 18.8 mm Hg Same as water

VOC CONTENT 0 % Calculated

Note: These physical properties are typical values for this product and are subject to change.

### 10. STABILITY AND REACTIVITY

**STABILITY :**

Stable under normal conditions.

**HAZARDOUS POLYMERIZATION :**

Hazardous polymerization will not occur.

**CONDITIONS TO AVOID :**

Freezing temperatures.

**MATERIALS TO AVOID :**

Contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic, sulfonic) may generate heat, splattering or boiling and toxic vapors. Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.

**HAZARDOUS DECOMPOSITION PRODUCTS :**

Under fire conditions: Oxides of carbon, Oxides of nitrogen

### 11. TOXICOLOGICAL INFORMATION

The following results are for the product.

**ACUTE ORAL TOXICITY :**

Species	LD50	Test Descriptor
Rat	640 mg/kg	Product

**ACUTE DERMAL TOXICITY :**

Species	LD50	Test Descriptor
Rabbit	> 2,000 mg/kg	Product

**SENSITIZATION :**

This product is not expected to be a sensitizer.

**CARCINOGENICITY :**

None of the substances in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the American Conference of Governmental Industrial Hygienists (ACGIH).

**HUMAN HAZARD CHARACTERIZATION :**

Based on our hazard characterization, the potential human hazard is: High

**MATERIAL SAFETY DATA SHEET****PRODUCT****NALCO 1336****EMERGENCY TELEPHONE NUMBER(S)****(800) 424-9300 (24 Hours) CHEMTREC****12. ECOLOGICAL INFORMATION****ECOTOXICOLOGICAL EFFECTS :**

The following results are for the product.

**ACUTE FISH RESULTS :**

Species	Exposure	LC50	Test Descriptor
Bluegill Sunfish	96 hrs	191.2 mg/l	Product
Rainbow Trout	96 hrs	23.7 mg/l	Product
Inland Silverside	96 hrs	93.2 mg/l	Product
Zebra Danio	96 hrs	122 mg/l	Product
Bluegill Sunfish	96 hrs	173 mg/l	Product

**ACUTE INVERTEBRATE RESULTS :**

Species	Exposure	LC50	EC50	Test Descriptor
Daphnia magna	48 hrs	420 mg/l		Product
Mysid Shrimp (Mysidopsis bahia)	96 hrs	89.8 mg/l		Product

**AQUATIC MICROORGANISM RESULTS :**

Species	Exposure	EC50/LC50	Test Descriptor
Pseudomonas putida		500 mg/l	Product

**PERSISTENCY AND DEGRADATION :**

Total Organic Carbon (TOC) : 270,000 mg/l

Chemical Oxygen Demand (COD) : 750,000 mg/l

The organic portion of this preparation is expected to be poorly biodegradable.

**MOBILITY :**

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models. If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	Water	Soil/Sediment
<5%	30 - 50%	50 - 70%

The portion in water is expected to be soluble or dispersible.

**BIOACCUMULATION POTENTIAL**

This preparation or material is not expected to bioaccumulate.

**MATERIAL SAFETY DATA SHEET****PRODUCT****NALCO 1336****EMERGENCY TELEPHONE NUMBER(S)****(800) 424-9300 (24 Hours) CHEMTREC****ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION**

Based on our hazard characterization, the potential environmental hazard is: Moderate

Based on our recommended product application and the product's characteristics, the potential environmental exposure is: High

If released into the environment, see CERCLA/SUPERFUND in Section 15.

**13. DISPOSAL CONSIDERATIONS**

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

As a non-hazardous waste, it is not subject to federal regulation. Consult state or local regulation for any additional handling, treatment or disposal requirements. For disposal, contact a properly licensed waste treatment, storage, disposal or recycling facility.

**14. TRANSPORT INFORMATION**

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper Shipping Name / Hazard Class may vary by packaging, properties, and mode of transportation. Typical Proper Shipping Names for this product are as follows.

**LAND TRANSPORT :**

Proper Shipping Name :	CAUSTIC ALKALI LIQUID, N.O.S.
Technical Name(s) :	SODIUM TOLYLTRIAZOLE
UN/ID No :	UN 1719
Hazard Class - Primary :	8
Packing Group :	II

Flash Point :	Not flammable
---------------	---------------

**AIR TRANSPORT (ICAO/IATA) :**

Proper Shipping Name :	CAUSTIC ALKALI LIQUID, N.O.S.
Technical Name(s) :	SODIUM TOLYLTRIAZOLE
UN/ID No :	UN 1719
Hazard Class - Primary :	8
Packing Group :	II
IATA Cargo Packing Instructions :	813
IATA Cargo Aircraft Limit :	30 L (Max net quantity per package)

**MARINE TRANSPORT (IMDG/IMO) :**

Proper Shipping Name :	CAUSTIC ALKALI LIQUID, N.O.S.
Technical Name(s) :	SODIUM TOLYLTRIAZOLE
UN/ID No :	UN 1719
Hazard Class - Primary :	8

**MATERIAL SAFETY DATA SHEET**

PRODUCT

**NALCO 1336**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

Packing Group :

II

**15. REGULATORY INFORMATION**

NATIONAL REGULATIONS, USA :

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200 :

Based on our hazard evaluation, the following substance(s) in this product is/are hazardous and the reason(s) is/are shown below.

Sodium Tolyltriazole : Irritant, Eye irritant

CERCLA/SUPERFUND, 40 CFR 117, 302 :

Notification of spills of this product is not required.

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (TITLE III) - SECTIONS 302, 311, 312, AND 313 :

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355) :

This product does not contain substances listed in Appendix A and B as an Extremely Hazardous Substance.

SECTIONS 311 AND 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370) :

Our hazard evaluation has found this product to be hazardous. The product should be reported under the following indicated EPA hazard categories:

X	Immediate (Acute) Health Hazard
-	Delayed (Chronic) Health Hazard
-	Fire Hazard
-	Sudden Release of Pressure Hazard
-	Reactive Hazard

Under SARA 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are: 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372) :

This product does not contain substances on the List of Toxic Chemicals.

TOXIC SUBSTANCES CONTROL ACT (TSCA) :

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15 / formerly Sec. 307, 40 CFR 116.4 / formerly Sec. 311 :

This product may contain trace levles (<0.1% for carcinogens, <1% all other substances) of the following substance(s) listed under the regulation:

Substance(s)	Citations
• Sodium Hydroxide	Sec. 311





## MATERIAL SAFETY DATA SHEET

PRODUCT

**NALCO 1336**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

CLEAN AIR ACT, Sec. 111 (40 CFR 60, Volatile Organic Compounds), Sec. 112 (40 CFR 61, Hazardous Air Pollutants), Sec. 602 (40 CFR 82, Class I and II Ozone Depleting Substances) :

None of the substances are specifically listed in the regulation.

CALIFORNIA PROPOSITION 65 :

This product does not contain substances which require warning under California Proposition 65.

MICHIGAN CRITICAL MATERIALS :

None of the substances are specifically listed in the regulation.

STATE RIGHT TO KNOW LAWS :

The following substances are disclosed for compliance with State Right to Know Laws:

Sodium Tolyltriazole

64665-57-2

Sodium Hydroxide

1310-73-2

NATIONAL REGULATIONS, CANADA :

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS) :

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS CLASSIFICATION :

E - Corrosive Material

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) :

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.

INTERNATIONAL CHEMICAL CONTROL LAWS

AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

CHINA

All substances in this product comply with the Chemical Control Law and are listed on the Inventory of Existing Chemical Substances China (IECSC).

EUROPE

The substances in this preparation have been reviewed for compliance with the EINECS or ELINCS inventories.

JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Ministry of International Trade & Industry List (MITI).



## MATERIAL SAFETY DATA SHEET

PRODUCT

**NALCO 1336**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

### KOREA

All substances in this product comply with the Toxic Chemical Control Law (TCCL) and are listed on the Existing Chemicals List (ECL)

This product's trade name is registered with the Korean Ministry of Environment (KMOE).

### THE PHILIPPINES

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippine Inventory of Chemicals & Chemical Substances (PICCS).

## 16. OTHER INFORMATION

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to insure safe workplace operations. Please consult your local sales representative for any further information.

### REFERENCES

Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices, American Conference of Governmental Industrial Hygienists, OH., (Ariel Insight# CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS# CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS# CD-ROM Version), Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Title 29 Code of Federal Regulations, Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA), (Ariel Insight# CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH, (TOMES CPS# CD-ROM Version), Micromedex, Inc., Englewood, CO.

Ariel Insight# (An integrated guide to industrial chemicals covered under major regulatory and advisory programs), North American Module, Western European Module, Chemical Inventories Module and the Generics Module (Ariel Insight# CD-ROM Version), Ariel Research Corp., Bethesda, MD.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS# CD-ROM Version), Micromedex, Inc., Englewood, CO.



## MATERIAL SAFETY DATA SHEET

PRODUCT

**NALCO 1336**

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

---

Prepared By : Product Safety Department

Date issued : 07/22/2005

Version Number : 2.4