CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Station Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971 - 2000



38
SOUTH CAROLINA

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE
NATIONAL CLIMATIC DATA CENTER
ASHEVILLE, NC



(This Page Intentionally Left Blank)



SOUTH CAROLINA

NOTES

Product Description:
This Climatography includes 1971-2000 normals of monthly and annual maximum, minimum, and mean temperature (degrees F), monthly and annual total precipitation (inches), and heating and cooling degree days (base 65 degrees F). Normals stations include both National Weather Service Cooperative Network and Principal Observation (First-Order) locations in the 50 states, Puerto Rico, the Virgin Islands, and Pacific Islands.

Abbreviations:

No. = Station Number in State Map
COOP ID = Cooperative Network ID (1:2=State ID, 3:6=Station Index)
WBAN ID = Weather Bureau Army Navy ID, if assigned
Elements = Input Elements (X=Maximum Temperature, N=Minimum Temperature, P=Precipitation)
Call = 3-Letter Station Call Sign, if assigned
MAX = Normal Maximum Temperature (degrees Fahrenheit)
MEAN = Average of MAX and MIN (degrees Fahrenheit)
MIN = Normal Minimum Temperature (degrees Fahrenheit)
HDD = Total Heating Degree Days (base 65 degrees Fahrenheit)
CDD = Total Cooling Degree Days (base 65 degrees Fahrenheit)
Latitude = Latitude in degrees, minutes, and hemisphere (N=North, S=South)
Longitude = Longitude in degrees, minutes, and hemisphere (W=West, E=East)
Elev = Elevation in feet above mean sea level
Flag 1 = * if a published *Local Climatological Data* station
Flag 2 = + if WMO Fully Qualified (see *Note* below)

HIGHEST MEAN/YEAR = Maximum Mean Monthly Value/Year, 1971-2000
MEDIAN = Median Mean Monthly Value/Year, 1971-2000
LOWEST MEAN/YEAR = Minimum Mean Monthly Value/Year, 1971-2000
MAX OBS TIME ADJUSTMENT = Add to MAX to Get Midnight Obs. Schedule
MIN OBS TIME ADJUSTMENT = Add to MIN to Get Midnight Obs. Schedule

Note: In 1989, the World Meteorological Organization (WMO) prescribed standards of data completeness for the 1961-1990 WMO Standard Normals. For full qualification, no more than three consecutive year-month values can be missing for a given month or no more than five overall values can be missing for a given month (out of 30 values). Stations meeting these standards are indicated with a '+' sign in Flag 2. Otherwise, stations are included in the normals if they have at least 10 year-month values for each month and have been active since January 1999 or were a previous normals station.

Map Legend: Numbers correspond to 'No.' in Station Inventory; Shaded Circles indicate Temperature and Precipitation Stations, Triangles (Point Up) indicate Precipitation-Only Stations, Triangles (Point Down) indicate Temperature-Only Stations, and Hexagons indicate stations with Flag 1 = *.

Computational Procedures:

A climate normal is defined, by convention, as the arithmetic mean of a climatological element computed over three consecutive decades (WMO,1989). Ideally, the data record for such a 30-year period should be free of any inconsistencies in observational practices (*e.g.*, changes in station location, instrumentation, time of observation, *etc*.) and be serially complete (*i.e*., no missing values). When present, inconsistencies can lead to a non-climatic bias in one period of a station's record relative to another, yielding an "inhomogeneous" data record. Adjustments and estimations can make a climate record "homogeneous" and serially complete, and allow a climate normal to be calculated simply as the average of the 30 monthly values.

The methodology employed to generate the 1971-2000 normals is not the same as in previous normals, as it addresses inhomogeneity and missing data value problems using several steps. The technique developed by Karl *et al.* (1986) is used to adjust monthly maximum and minimum temperature observations of conterminous U.S. stations to a consistent midnight-to-midnight schedule. All monthly temperature averages and precipitation totals are cross-checked against archived daily observations to ensure internal consistency. Each monthly observation is evaluated using a modified quality control procedure (Peterson *et al*.,1998), where station observation departures are computed, compared with neighboring stations, and then flagged and estimated where large differences with neighboring values exist. Missing or discarded temperature and precipitation observations are replaced using a weighting function derived from the observed relationship between a candidate's monthly observations and those of up to 20 neighboring stations whose observations are most strongly correlated with the candidate site. For temperature estimates, neighboring stations were selected from the U.S. Historical Climatology Network (USHCN; Karl *et al.* 1990). For precipitation estimates, all available stations were potential neighbors, maximizing station density for estimating the more spatially variable precipitation values.

Peterson and Easterling (1994) and Easterling and Peterson (1995) outline the method for adjusting temperature inhomogeneities. This technique involves comparing the record of the candidate station with a reference series generated from neighboring data. The reference series is reconstructed using a weighted average of first difference observations (the difference from one year to the next) for neighboring stations with the highest correlation with the candidate. The underlying assumption behind this methodology is that temperatures over a region have similar tendencies in variation. If this assumption is violated, the potential discontinuity is evaluated for statistical significance. Where significant discontinuities are detected, the difference in average annual temperatures before and after the inhomogeneity is applied to adjust the mean of the earlier block with the mean of the latter block of data. Such an evaluation requires a minimum of five years between discontinuities. Consequently, if multiple changes occur within five years or if a change occurs very near the end of the normals period (*e.g.,* after 1995), the discontinuity may not be detectable using this methodology.

The monthly normals for maximum and minimum temperature and precipitation are computed simply by averaging the appropriate 30 values from the 1971-2000 record. The monthly average temperature normals are computed by averaging the corresponding monthly maximum and minimum normals. The annual temperature normals are calculated by taking the average of the 12 monthly normals. The annual precipitation and degree day normals are the sum of the 12 monthly normals. Trace precipitation totals are shown as zero. Precipitation totals include rain and the liquid equivalent of frozen and freezing precipitation (*e.g*., snow, sleet, freezing rain, and hail). For many NWS locations, indicated with an '*' next to 'HDD' and 'CDD' in the degree day table, degree day normals are computed directly from daily values for the 1971-2000 period. For all other stations, estimated degree day totals are based on a modification of the rational conversion formula developed by Thom (1966), using daily spline-fit means and standard deviations of average temperature as inputs.

References:

Easterling, D.R, and T.C. Peterson, 1995: A new method for detecting and adjusting for undocumented discontinuities in climatological time series. *Intl. J. Clim*., **15**, 369-377.
Karl, T.R., C.N. Williams, Jr., P.J. Young, and W.M. Wendland,1986: A model to estimate the time of observation bias associated with monthly mean maximum, minimum, and mean temperatures for the United States, *J. Clim. Appl. Met*., **25**, 145-160.
Peterson, T.C., and D.R. Easterling, 1994: Creation of homogeneous composite climatological reference series. *Intl. J. Clim*., **14**, 671-679.
Peterson,T.C., R. Vose, R. Schmoyer, and V. Razuvaev, 1998: Global Historical Climatology Network (GHCN) quality control of monthly temperature data. *Intl. J. Clim*., **18**, 1169-1179.
Thom, H.C.S., 1966: Normal degree days above any base by the universal truncation coefficient, *Month. Wea. Rev*., **94**, 461-465.
World Meteorological Organization, 1989: Calculation of Monthly and Annual 30-Year Standard Normals, WCDP-No. 10, WMO-TD/No. 341, Geneva: World Meteorological Organization.

Release Date: Revised 02/2002* **National Climatic Data Center/NESDIS/NOAA, Asheville, North Carolina**

38 - SOUTH CAROLINA





SOUTH CAROLINA

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
1	380074		XNP	AIKEN 4 NE		33 36 N	81 41 W	400		+
2	380126		XNP	ALLENDALE 2 NW		33 01 N	81 19 W	180		
3	380165		XNP	ANDERSON		34 32 N	82 40 W	800		+
4	380170	93846	XNP	ANDERSON CO AP	AND	34 30 N	82 43 W	760		+
5	380184		XNP	ANDREWS		33 26 N	79 34 W	35		
6	380204		P	ANTREVILLE		34 15 N	82 34 W	675		+
7	380448		XNP	BAMBERG		33 18 N	81 02 W	165		+
8	380506		P	BATESBURG		33 54 N	81 32 W	660		+
9	893831	93831	XNP	BEAUFORT MCAS		32 29 N	80 43 W	33		+
10	380559		XNP	BEAUFORT WWTP		32 24 N	80 42 W	25		+
11	380736		XNP	BISHOPVILLE 8 NNW		34 20 N	80 18 W	249		+
12	380764		XNP	BLACKVILLE 3 W		33 22 N	81 20 W	324		+
13	380777		P	BLAIR 1 NE		34 26 N	81 23 W	450		
14	380972		P	BRANCHVILLE 6 SW		33 11 N	80 49 W	95		+
15	381093		XNP	BROOKGREEN GARDENS		33 31 N	79 06 W	20		+
16	381256		XNP	CAESARS HEAD		35 05 N	82 37 W	3200		+
17	381277		XNP	CALHOUN FALLS		34 05 N	82 35 W	530		+
18	381310		XNP	CAMDEN 3 W		34 15 N	80 39 W	140		+
19	381462		P	CATAWBA		34 51 N	80 55 W	560		+
20	381530		P	CHAPPELLS 2 NNW		34 13 N	81 53 W	475		+
21	381544	13880	XNP	CHARLESTON INTL AP	CHS	32 54 N	80 02 W	40	*	+
22	381549	13782	XNP	CHARLESTON CITY		32 47 N	79 56 W	10		+
23	381588		XNP	CHERAW		34 42 N	79 53 W	140		+
24	381633		XNP	CHESTER 1 NW		34 43 N	81 13 W	520		+
25	381726		XNP	CLARK HILL 1 W		33 40 N	82 11 W	380		+
26	381770		XNP	CLEMSON UNIVERSITY		34 40 N	82 49 W	824		+
27	381804		P	CLEVELAND 4 S		35 02 N	82 29 W	1070		+
28	381939	13883	XNP	COLUMBIA METRO AP	CAE	33 57 N	81 07 W	213	*	+
29	381944		XNP	COLUMBIA UNIV OF SC		33 59 N	81 01 W	242		+
30	381997		XNP	CONWAY		33 50 N	79 03 W	20		+
31	382260		XNP	DARLINGTON		34 18 N	79 53 W	150		+
32	382386		XNP	DILLON		34 25 N	79 23 W	115		+
33	382712		P	EDGEFIELD 3 NNE		33 50 N	81 55 W	550		+
34	382730		XNP	EDISTO ISLAND		32 28 N	80 20 W	8		
35	382757		P	EFFINGHAM		34 04 N	79 45 W	106		+
36	383106	13744	XNP	FLORENCE RGNL AP	FLO	34 12 N	79 44 W	146		+
37	383111		XNP	FLORENCE 8 NE		34 18 N	79 44 W	120		+
38	383216		P	FORT MILL 4 NW		35 01 N	81 00 W	569		+
39	383356		P	GAFFNEY 6 E		35 06 N	81 35 W	650		+
40	383433		P	GASTON SHOALS		35 08 N	81 37 W	600		+
41	383468		XNP	GEORGETOWN 2 E		33 22 N	79 13 W	10		+
42	383525		P	GIVHANS FERRY 2 ESE		33 01 N	80 21 W	55		+
43	383700		P	GREAT FALLS		34 33 N	80 53 W	356		+
44	383747	03870	XNP	GRNVL SPART AP GREER	GSP	34 54 N	82 13 W	957	*	+
45	383754		XNP	GREENWOOD 3 SW		34 12 N	82 10 W	615		+
46	383906		XNP	HAMPTON		32 52 N	81 07 W	95		+
47	384169		XNP	HILTON HEAD		32 13 N	80 45 W	15		+
48	384197		XNP	HOLLY HILL		33 20 N	80 25 W	100		
49	384581		P	JOCASSEE 8 WNW		34 59 N	83 04 W	2500		
50	384607		XNP	JOHNSTON 4 SW		33 47 N	81 51 W	620		+
51	384690		XNP	KERSHAW 2 SW		34 31 N	80 36 W	500		
52	384753		XNP	KINGSTREE 1 SE		33 39 N	79 49 W	60		+
53	384886		XNP	LAKE CITY 2 SE		33 51 N	79 44 W	75		+
54	385017		XNP	LAURENS		34 31 N	82 02 W	589		+
55	385200		XNP	LITTLE MOUNTAIN		34 12 N	81 25 W	711		+
56	385232		P	LOCKHART		34 47 N	81 27 W	400		+
57	385278		XNP	LONGCREEK		34 48 N	83 15 W	1660		
58	385306		XNP	LORIS 1 S		34 03 N	78 52 W	90		
59	385493		XNP	MANNING		33 42 N	80 14 W	100		+
60	385509		XNP	MARION		34 10 N	79 24 W	55		
61	385628		XNP	MCCLELLANVILLE		33 04 N	79 28 W	12		+
62	385633		XNP	MCCOLL 3 NNW		34 42 N	79 34 W	190		+
63	385658		P	MC CORMICK 9 E		33 55 N	82 09 W	495		
64	386153		P	MYRTLE BEACH 2		33 44 N	78 51 W	30		
65	386209		XNP	NEWBERRY		34 17 N	81 38 W	476		+
66	386293		XNP	NINETY NINE ISLANDS		35 04 N	81 30 W	500		+
67	386423		P	OAKWAY		34 36 N	83 02 W	990		
68	386527		XNP	ORANGEBURG 2		33 29 N	80 52 W	180		+
69	386616		XNP	PAGELAND		34 46 N	80 24 W	620		+
70	386688		XNP	PARR		34 18 N	81 19 W	258		+



SOUTH CAROLINA

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
71	386749		P	PEE DEE		34 12 N	79 32 W	60		
72	386775		XNP	PELION 4 NW		33 43 N	81 16 W	450		+
73	386831		XNP	PICKENS		34 53 N	82 43 W	1162		+
74	386893		XNP	PINOPOLIS DAM		33 15 N	79 59 W	50		
75	387281		XNP	RIDGELAND 5 NE		32 32 N	80 54 W	20		+
76	387313		P	RIMINI 2 SSW		33 39 N	80 32 W	80		+
77	387589		XNP	SALEM 5 NNE		34 57 N	82 57 W	1082		+
78	387631		XNP	SALUDA		34 00 N	81 46 W	480		+
79	387666		XNP	SANDHILL RESEARCH ELGIN		34 09 N	80 52 W	440		+
80	387722		XNP	SANTUCK		34 38 N	81 31 W	520		+
81	387885		XNP	SIMMS WATER PLANT		35 07 N	81 58 W	751		
82	388188		XNP	SPARTANBURG 3 SSE		34 54 N	81 55 W	610		
83	388219		P	SPRINGFIELD		33 30 N	81 17 W	300		+
84	388405		XNP	SULLIVANS ISLAND		32 46 N	79 51 W	3		
85	388426		XNP	SUMMERVILLE		32 59 N	80 11 W	35		+
86	388440		XNP	SUMTER		33 56 N	80 21 W	177		+
87	388786		XNP	UNION 8 SW		34 39 N	81 45 W	560		+
88	388887		XNP	WALHALLA		34 45 N	83 05 W	980		+
89	388922		XNP	WALTERBORO 1 SW		32 53 N	80 41 W	56		
90	388947		P	WARE SHOALS		34 24 N	82 15 W	642		
91	388951		P	WARE SHOALS 2		34 24 N	82 14 W	464		
92	388979		P	WATEREE DAM		34 20 N	80 42 W	230		+
93	389039		XNP	WEDGEFIELD		33 54 N	80 31 W	250		
94	389122		XNP	WEST PELZER 2 W		34 39 N	82 29 W	862		+
95	389218		P	WHITMIRE 4 NE		34 32 N	81 33 W	400		
96	389327		XNP	WINNSBORO		34 22 N	81 06 W	560		+
97	389350		XNP	WINTHROP UNIVERSITY		34 56 N	81 02 W	690		+
98	389412		P	WOODRUFF 5 NW		34 47 N	82 07 W	740		+
99	389469		XNP	YEMASSEE		32 41 N	80 51 W	25		+



SOUTH CAROLINA

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AIKEN 4 NE	MAX	57.7	62.7	70.7	78.6	85.1	90.9	93.7	91.7	87.0	78.1	69.3	60.6	77.2
		MEAN	45.6	49.3	56.7	63.7	71.3	78.4	81.7	80.1	74.7	64.1	55.4	47.7	64.1
		MIN	33.4	35.8	42.7	48.7	57.5	65.8	69.6	68.5	62.4	50.1	41.5	34.7	50.9
002	ALLENDALE 2 NW	MAX	57.6	62.4	69.9	77.7	84.8	90.0	93.1	91.2	86.3	78.0	69.6	60.7	76.8
		MEAN	44.9	48.4	55.6	62.7	70.4	77.1	80.9	79.3	74.2	63.9	55.5	47.5	63.4
		MIN	32.2	34.4	41.3	47.6	56.0	64.2	68.6	67.3	62.1	49.7	41.3	34.3	49.9
003	ANDERSON	MAX	52.5	57.6	65.2	73.4	80.4	87.3	90.5	88.9	83.3	73.6	64.1	54.8	72.6
		MEAN	40.1	44.1	51.2	59.4	67.7	74.9	78.6	77.4	71.4	60.2	51.0	42.4	59.9
		MIN	27.7	30.6	37.2	45.4	54.9	62.5	66.6	65.9	59.5	46.7	37.9	29.9	47.1
004	ANDERSON CO AP	MAX	52.0	56.8	64.8	73.3	80.6	87.5	90.5	88.7	82.8	73.2	63.6	54.8	72.4
		MEAN	41.7	45.4	52.9	60.6	68.8	76.4	79.7	78.4	72.2	61.2	52.0	44.4	61.1
		MIN	31.3	34.0	41.0	47.8	57.0	65.2	68.9	68.1	61.6	49.2	40.4	33.9	49.9
005	ANDREWS	MAX	57.0	60.2	67.5	74.3	81.4	86.4	89.9	88.1	83.3	75.8	67.8	59.8	74.3
		MEAN	45.9	48.1	55.4	62.0	70.4	76.6	80.6	79.2	74.0	64.5	55.7	48.3	63.4
		MIN	34.7	35.9	43.3	49.6	59.3	66.8	71.2	70.2	64.7	53.1	43.6	36.8	52.4
007	BAMBERG	MAX	57.0	61.8	69.8	76.6	82.9	88.0	90.8	88.6	83.7	74.8	66.6	58.8	75.0
		MEAN	46.7	50.1	57.3	63.7	71.1	77.3	80.7	79.1	74.2	64.0	55.8	48.6	64.1
		MIN	36.3	38.3	44.7	50.7	59.2	66.6	70.6	69.5	64.7	53.2	45.0	38.4	53.1
009	BEAUFORT MCAS	MAX	58.4	61.9	68.7	75.7	82.9	88.0	91.1	89.2	84.8	76.6	68.9	60.9	75.6
		MEAN	48.9	51.8	58.6	65.3	73.2	79.2	82.6	81.2	76.8	67.0	58.8	51.3	66.2
		MIN	39.3	41.6	48.4	54.8	63.4	70.3	74.1	73.2	68.8	57.4	48.7	41.7	56.8
010	BEAUFORT WWTP	MAX	58.3	61.2	67.7	74.7	81.9	87.0	89.8	88.3	83.8	76.2	68.1	60.3	74.8
		MEAN	48.5	50.7	57.3	64.5	72.8	78.6	81.7	80.5	76.1	67.2	58.5	50.9	65.6
		MIN	38.6	40.2	46.8	54.3	63.6	70.1	73.5	72.6	68.3	58.1	48.9	41.4	56.4
011	BISHOPVILLE 8 NNW	MAX	53.7	58.2	66.3	74.7	81.8	87.9	90.8	89.0	84.0	75.0	66.1	56.8	73.7
		MEAN	42.7	45.9	53.4	61.3	69.5	76.6	80.0	78.3	73.0	62.3	53.5	45.4	61.8
		MIN	31.7	33.6	40.5	47.8	57.1	65.2	69.1	67.6	62.0	49.5	40.8	33.9	49.9
012	BLACKVILLE 3 W	MAX	59.3	63.8	71.4	78.7	85.2	90.6	93.1	91.3	87.1	78.7	70.3	61.9	77.6
		MEAN	47.2	50.5	57.6	64.3	71.6	77.9	80.8	79.4	74.8	65.1	56.8	49.4	64.6
		MIN	35.0	37.2	43.8	49.8	58.0	65.1	68.5	67.5	62.5	51.4	43.3	36.9	51.6
015	BROOKGREEN GARDENS	MAX	57.6	61.0	67.9	75.0	81.8	86.9	90.4	88.6	84.6	76.5	68.5	60.3	74.9
		MEAN	47.5	50.1	56.9	63.7	71.3	77.3	81.1	79.7	75.4	65.8	57.7	50.0	64.7
		MIN	37.3	39.2	45.9	52.3	60.8	67.7	71.8	70.8	66.2	55.1	46.8	39.7	54.5
016	CAESARS HEAD	MAX	43.8	47.3	55.2	63.9	70.5	75.9	78.8	77.7	72.8	63.9	55.0	46.6	62.6
		MEAN	35.7	38.4	45.7	54.0	61.6	67.9	71.3	70.0	65.0	55.4	47.0	38.9	54.2
		MIN	27.6	29.5	36.2	44.1	52.6	59.8	63.7	62.3	57.2	46.9	39.0	31.1	45.8
017	CALHOUN FALLS	MAX	52.9	57.7	66.0	74.4	81.4	88.0	91.5	89.8	84.1	74.5	65.0	55.7	73.4
		MEAN	41.4	44.8	52.7	60.4	68.5	75.9	79.9	78.4	72.3	61.1	51.7	43.7	60.9
		MIN	29.8	31.9	39.4	46.4	55.6	63.8	68.2	67.0	60.4	47.6	38.3	31.6	48.3
018	CAMDEN 3 W	MAX	52.8	57.6	65.8	73.6	79.8	85.5	88.4	86.2	81.2	72.2	63.7	55.3	71.8
		MEAN	40.9	44.0	51.5	59.2	67.3	74.7	78.6	76.9	71.3	60.1	51.0	43.2	59.9
		MIN	28.9	30.4	37.2	44.7	54.7	63.9	68.7	67.6	61.3	47.9	38.3	31.1	47.9
021	CHARLESTON INTL AP	MAX	58.9	62.3	69.3	76.1	82.9	87.9	90.9	89.4	85.0	77.0	69.6	61.6	75.9
		MEAN	47.9	50.7	57.7	64.2	72.1	78.2	81.7	80.5	76.1	66.2	58.0	50.5	65.3
		MIN	36.9	39.1	46.0	52.2	61.3	68.5	72.5	71.6	67.1	55.3	46.4	39.3	54.7
022	CHARLESTON CITY	MAX	57.1	59.8	65.8	72.9	79.6	84.9	88.5	87.1	83.0	75.1	67.6	60.0	73.5
		MEAN	49.8	52.4	58.7	65.9	73.5	79.4	82.8	81.6	77.6	68.5	60.5	52.8	67.0
		MIN	42.4	44.9	51.5	58.8	67.4	73.8	77.0	76.1	72.2	61.9	53.4	45.5	60.4
023	CHERAW	MAX	52.6	56.9	65.1	74.1	80.7	86.9	89.9	87.9	82.8	73.7	64.9	55.8	72.6
		MEAN	41.4	44.4	52.3	60.7	68.8	76.3	80.0	78.2	72.4	61.1	52.0	43.9	61.0
		MIN	30.1	31.9	39.4	47.3	56.8	65.6	70.0	68.5	61.9	48.4	39.0	32.0	49.2
024	CHESTER 1 NW	MAX	51.7	56.5	64.5	73.0	80.0	86.4	90.1	88.2	82.9	73.7	64.2	54.8	72.2
		MEAN	40.5	43.8	51.3	59.2	67.6	75.2	79.2	77.7	71.8	60.6	51.3	43.1	60.1
		MIN	29.3	31.0	38.0	45.4	55.2	64.0	68.2	67.1	60.6	47.4	38.3	31.4	48.0
025	CLARK HILL 1 W	MAX	56.0	61.3	69.6	77.9	85.7	92.0	95.2	93.4	88.0	78.3	68.4	58.7	77.0
		MEAN	43.4	47.3	54.9	62.8	70.8	77.9	81.4	80.0	74.4	63.3	54.2	45.8	63.0
		MIN	30.7	33.3	40.2	47.7	55.9	63.7	67.6	66.5	60.7	48.2	40.0	32.9	49.0
026	CLEMSON UNIVERSITY	MAX	52.1	56.8	64.4	73.0	80.0	86.9	90.6	88.8	83.2	73.7	64.2	54.9	72.4
		MEAN	41.0	44.6	51.9	59.8	67.9	75.4	79.3	77.9	72.0	61.0	52.0	43.7	60.5
		MIN	29.8	32.3	39.4	46.6	55.7	63.8	67.9	67.0	60.8	48.2	39.7	32.5	48.6
028	COLUMBIA METRO AP	MAX	55.1	59.5	67.4	75.7	83.1	89.1	92.1	90.0	84.8	75.8	66.7	57.8	74.8
		MEAN	44.6	47.9	55.4	63.2	71.6	78.5	82.0	80.3	74.7	63.7	54.7	47.0	63.6
		MIN	34.0	36.3	43.5	50.7	60.0	67.9	71.8	70.6	64.6	51.5	42.6	36.1	52.5
029	COLUMBIA UNIV OF SC	MAX	58.1	63.2	71.3	79.5	86.3	92.0	95.2	93.3	88.3	78.7	69.2	60.7	78.0
		MEAN	47.3	51.4	58.9	66.3	73.9	80.1	83.6	82.1	77.0	66.3	57.3	49.7	66.2
		MIN	36.5	39.5	46.5	53.1	61.4	68.2	71.9	70.9	65.7	53.8	45.4	38.7	54.3
030	CONWAY	MAX	57.1	60.6	67.9	75.4	82.3	87.6	90.8	89.4	84.9	76.5	69.0	60.0	75.1
		MEAN	45.8	48.7	55.7	62.9	70.7	77.1	80.9	79.6	74.7	64.5	56.4	48.4	63.8
		MIN	34.5	36.7	43.5	50.4	59.0	66.6	70.9	69.8	64.5	52.5	43.8	36.7	52.4



SOUTH CAROLINA

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
031	DARLINGTON	MAX	55.7	60.7	68.8	77.2	83.6	88.7	91.3	88.9	84.4	75.9	67.4	58.4	75.1
		MEAN	45.4	48.9	56.3	63.9	71.4	77.9	81.3	79.4	74.4	64.0	55.6	47.8	63.9
		MIN	35.1	37.1	43.7	50.5	59.1	67.0	71.2	69.8	64.3	52.1	43.7	37.2	52.6
032	DILLON	MAX	52.7	56.7	64.7	73.1	80.0	86.0	89.2	87.5	82.6	73.5	65.0	55.7	72.2
		MEAN	42.2	45.1	52.2	60.2	68.3	75.6	79.5	77.8	72.4	61.3	52.8	44.8	61.0
		MIN	31.6	33.4	39.7	47.3	56.6	65.1	69.7	68.1	62.2	49.0	40.5	33.8	49.8
034	EDISTO ISLAND	MAX	55.9	59.1	65.5	73.2	80.0	85.7	89.4	88.2	84.4	76.4	67.7	59.2	73.7
		MEAN	47.2	49.6	56.5	63.7	71.6	78.1	81.9	80.5	76.4	66.9	58.5	50.2	65.1
		MIN	38.5	40.1	47.4	54.2	63.2	70.5	74.4	72.8	68.4	57.3	49.2	41.1	56.4
036	FLORENCE RGNL AP	MAX	54.8	59.1	67.2	75.2	82.0	87.6	90.7	89.1	84.3	75.2	66.6	57.6	74.1
		MEAN	45.0	48.4	55.8	63.1	71.0	77.6	81.2	79.8	74.7	64.1	55.4	47.5	63.6
		MIN	35.2	37.6	44.4	51.0	59.9	67.6	71.6	70.4	65.0	52.9	44.2	37.4	53.1
037	FLORENCE 8 NE	MAX	55.6	59.5	67.4	75.9	83.1	89.1	92.3	90.5	85.6	76.4	68.1	58.8	75.2
		MEAN	44.5	47.6	55.3	63.3	71.2	78.1	81.6	80.0	74.7	63.7	55.4	47.2	63.6
		MIN	33.3	35.6	43.1	50.6	59.2	67.0	70.9	69.4	63.7	50.9	42.6	35.6	51.8
041	GEORGETOWN 2 E	MAX	59.6	62.8	69.7	76.5	82.9	87.6	90.6	89.1	85.0	77.3	69.9	62.3	76.1
		MEAN	48.4	50.8	57.2	63.8	71.2	77.2	80.8	79.4	75.3	66.1	58.2	50.9	64.9
		MIN	37.2	38.7	44.7	51.0	59.4	66.7	70.9	69.7	65.6	54.9	46.4	39.5	53.7
044	GRNVL SPART AP GREER	MAX	50.2	54.8	62.7	71.0	78.2	85.1	88.8	87.1	81.1	71.4	61.3	52.7	70.4
		MEAN	40.8	44.4	51.6	59.0	67.2	74.7	78.8	77.5	71.4	60.5	51.1	43.5	60.0
		MIN	31.4	33.9	40.5	47.0	56.2	64.3	68.7	67.9	61.7	49.7	41.0	34.3	49.7
045	GREENWOOD 3 SW	MAX	52.1	57.2	65.4	73.7	80.9	87.4	90.8	88.9	83.3	73.3	64.1	54.8	72.7
		MEAN	41.0	44.5	51.9	59.5	67.7	75.3	79.0	77.6	71.7	60.4	51.4	43.5	60.3
		MIN	29.9	31.7	38.4	45.3	54.5	63.1	67.1	66.3	60.0	47.4	38.7	32.1	47.9
046	HAMPTON	MAX	60.1	64.1	71.5	78.1	84.2	89.2	91.8	90.1	85.9	78.1	70.3	62.3	77.1
		MEAN	49.1	52.2	59.2	65.4	72.6	78.6	81.8	80.4	76.0	66.4	58.4	51.2	65.9
		MIN	38.0	40.2	46.9	52.6	61.0	68.0	71.8	70.7	66.0	54.6	46.5	40.1	54.7
047	HILTON HEAD	MAX	58.4	61.1	67.2	73.8	80.4	85.3	88.2	86.8	83.0	76.0	68.3	60.3	74.1
		MEAN	47.9	50.0	56.5	63.3	71.3	77.2	80.5	79.3	75.5	66.6	57.9	49.9	64.7
		MIN	37.3	38.9	45.7	52.7	62.1	69.1	72.7	71.7	68.0	57.2	47.4	39.5	55.2
048	HOLLY HILL	MAX	58.5	62.1	69.6	77.0	83.7	88.9	92.2	90.4	85.9	77.8	69.2	61.1	76.4
		MEAN	47.0	49.7	56.7	64.2	71.8	78.0	81.6	80.3	75.8	66.2	56.8	49.3	64.8
		MIN	35.5	37.2	43.7	51.4	59.8	67.0	70.9	70.1	65.7	54.5	44.3	37.5	53.1
050	JOHNSTON 4 SW	MAX	53.8	58.3	66.2	74.5	82.1	88.5	91.8	89.7	84.4	75.1	66.1	56.6	73.9
		MEAN	41.3	44.3	51.8	59.4	67.9	75.1	78.9	77.3	72.0	61.5	52.8	44.0	60.5
		MIN	28.8	30.3	37.3	44.3	53.6	61.7	66.0	64.8	59.6	47.8	39.4	31.4	47.1
051	KERSHAW 2 SW	MAX	53.2	57.6	65.5	74.1	80.7	87.1	90.7	88.9	83.7	74.4	65.8	56.5	73.2
		MEAN	41.5	44.6	51.9	60.2	67.8	75.1	79.2	77.8	72.3	61.4	52.6	44.4	60.7
		MIN	29.7	31.6	38.3	46.2	54.9	63.1	67.6	66.6	60.8	48.3	39.4	32.3	48.2
052	KINGSTREE 1 SE	MAX	57.3	61.3	69.0	76.6	83.7	89.2	92.5	90.7	85.8	77.2	69.0	60.0	76.0
		MEAN	44.7	47.5	55.0	62.1	70.0	76.7	80.5	79.1	73.8	63.0	54.7	46.9	62.8
		MIN	32.0	33.7	40.9	47.5	56.2	64.2	68.5	67.5	61.7	48.8	40.4	33.8	49.6
053	LAKE CITY 2 SE	MAX	56.2	60.1	67.6	75.6	82.5	88.0	91.7	89.7	85.0	76.2	68.1	59.0	75.0
		MEAN	44.2	47.1	54.3	61.5	69.7	76.5	80.5	78.9	73.7	63.2	54.5	46.6	62.6
		MIN	32.1	34.0	41.0	47.4	56.8	64.9	69.3	68.1	62.3	50.1	40.9	34.2	50.1
054	LAURENS	MAX	52.4	57.2	65.4	73.9	81.2	88.1	91.4	89.7	83.9	74.0	64.7	55.3	73.1
		MEAN	40.5	43.7	51.8	59.6	67.9	75.6	79.3	77.7	71.3	59.7	50.7	42.8	60.1
		MIN	28.5	30.2	38.1	45.2	54.5	63.1	67.2	65.6	58.6	45.3	36.6	30.3	46.9
055	LITTLE MOUNTAIN	MAX	52.2	56.9	64.4	72.5	79.9	86.4	89.8	87.7	82.2	72.9	64.1	55.4	72.0
		MEAN	42.1	45.9	53.0	61.1	69.2	76.1	79.7	78.0	72.5	61.7	53.1	45.2	61.5
		MIN	32.0	34.8	41.6	49.7	58.5	65.8	69.5	68.3	62.8	50.5	42.0	34.9	50.9
057	LONGCREEK	MAX	49.6	53.4	60.8	69.4	76.1	82.6	85.9	84.3	78.9	69.8	61.1	52.3	68.7
		MEAN	38.1	41.1	47.9	56.0	63.9	71.0	74.7	73.3	67.8	57.0	48.4	40.7	56.7
		MIN	26.6	28.7	35.0	42.6	51.7	59.3	63.4	62.3	56.7	44.2	35.7	29.1	44.6
058	LORIS 1 S	MAX	56.1	59.8	67.1	75.0	81.9	87.3	90.9	89.5	84.8	76.6	68.7	59.2	74.7
		MEAN	44.5	47.1	53.8	61.2	69.2	76.0	80.0	78.7	73.6	63.3	55.0	47.0	62.5
		MIN	32.8	34.3	40.4	47.3	56.5	64.6	69.1	67.9	62.3	50.0	41.3	34.8	50.1
059	MANNING	MAX	55.2	59.8	68.1	76.5	83.8	89.3	92.5	90.8	85.2	76.0	67.4	57.9	75.2
		MEAN	45.0	48.1	55.8	63.4	71.3	77.8	81.7	80.3	74.9	64.2	56.0	47.6	63.8
		MIN	34.7	36.3	43.4	50.2	58.7	66.3	70.9	69.8	64.5	52.4	44.5	37.2	52.4
060	MARION	MAX	54.1	58.5	66.6	74.2	81.0	87.4	90.5	88.3	83.5	75.0	65.7	57.0	73.5
		MEAN	43.0	46.0	54.0	61.2	69.3	76.3	80.0	78.1	72.7	62.1	53.1	45.4	61.8
		MIN	31.8	33.4	41.3	48.1	57.6	65.2	69.4	67.8	61.9	49.2	40.5	33.8	50.0
061	MCCLELLANVILLE	MAX	57.6	60.6	67.4	74.7	81.9	87.7	91.0	89.4	84.5	76.8	68.9	60.6	75.1
		MEAN	46.8	49.1	55.8	63.0	71.2	77.9	81.5	80.0	75.1	65.7	57.2	49.6	64.4
		MIN	36.0	37.6	44.2	51.2	60.5	68.0	72.0	70.6	65.6	54.5	45.5	38.5	53.7
062	MCCOLL 3 NNW	MAX	54.4	59.3	67.2	75.9	82.7	89.0	91.5	89.3	84.5	74.9	66.0	57.1	74.3
		MEAN	43.7	47.5	54.7	62.6	70.5	77.5	80.7	78.8	73.8	62.7	54.0	46.1	62.7
		MIN	33.0	35.6	42.1	49.3	58.3	65.9	69.8	68.2	63.0	50.4	41.9	35.1	51.1



SOUTH CAROLINA

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
065	NEWBERRY	MAX	53.9	58.8	66.7	74.9	82.3	88.6	92.0	90.0	84.3	74.8	65.6	56.8	74.1
		MEAN	42.2	45.3	52.6	60.6	69.3	76.4	80.3	78.6	72.5	61.5	52.4	44.5	61.4
		MIN	30.4	31.7	38.4	46.2	56.2	64.2	68.5	67.1	60.7	48.2	39.1	32.2	48.6
066	NINETY NINE ISLANDS	MAX	50.5	55.1	62.9	71.3	77.7	83.9	87.5	86.0	80.4	71.7	62.0	53.2	70.2
		MEAN	39.0	42.3	49.6	57.1	65.2	72.6	76.8	75.7	69.5	58.5	49.0	41.4	58.1
		MIN	27.4	29.5	36.2	42.9	52.7	61.3	66.1	65.3	58.5	45.2	35.9	29.5	45.9
068	ORANGEBURG 2	MAX	56.5	60.8	68.7	76.5	83.4	89.0	92.0	90.5	85.5	76.5	68.1	59.2	75.6
		MEAN	45.1	48.2	55.7	62.9	71.0	77.6	81.0	79.7	74.4	63.7	55.2	47.3	63.5
		MIN	33.6	35.6	42.6	49.2	58.5	66.2	70.0	68.8	63.3	50.9	42.3	35.4	51.4
069	PAGELAND	MAX	54.1	59.1	66.9	75.3	81.9	88.0	90.9	88.9	83.9	75.0	65.5	56.8	73.9
		MEAN	43.9	47.7	54.8	62.7	70.2	77.0	80.5	78.7	73.4	63.0	54.2	46.4	62.7
		MIN	33.6	36.3	42.7	50.0	58.5	66.0	70.1	68.5	62.9	50.9	42.8	36.0	51.5
070	PARR	MAX	54.3	59.0	66.7	75.4	82.9	89.3	92.5	90.5	84.9	75.7	66.5	57.2	74.6
		MEAN	42.5	45.6	52.9	60.9	69.4	76.7	80.6	78.9	73.0	61.8	52.7	44.7	61.6
		MIN	30.7	32.1	39.0	46.3	55.9	64.1	68.6	67.2	61.1	47.8	38.8	32.2	48.7
072	PELION 4 NW	MAX	55.8	60.6	68.7	76.5	83.4	88.9	91.3	89.6	85.1	76.4	67.2	58.6	75.2
		MEAN	44.7	48.1	55.6	62.6	70.6	77.4	80.8	79.3	74.1	63.3	54.5	47.1	63.2
		MIN	33.5	35.5	42.4	48.7	57.8	65.9	70.3	68.9	63.0	50.2	41.8	35.5	51.1
073	PICKENS	MAX	50.5	55.2	63.2	71.6	78.8	85.3	88.7	87.0	81.3	71.8	61.6	52.5	70.6
		MEAN	40.5	44.3	51.7	59.4	67.1	74.2	77.9	76.5	70.9	60.5	50.9	42.8	59.7
		MIN	30.4	33.3	40.1	47.1	55.4	63.0	67.0	66.0	60.4	49.1	40.1	33.0	48.7
074	PINOPOLIS DAM	MAX	58.6	61.9	69.2	76.6	83.8	89.5	92.7	90.9	86.0	77.2	69.3	61.0	76.4
		MEAN	46.5	49.0	56.0	62.7	70.8	77.4	81.1	79.6	74.5	64.5	56.4	48.8	63.9
		MIN	34.4	36.0	42.7	48.7	57.7	65.2	69.4	68.3	62.9	51.7	43.4	36.6	51.4
075	RIDGELAND 5 NE	MAX	58.9	62.8	69.4	76.3	83.0	88.1	91.2	89.1	84.7	76.9	69.0	61.3	75.9
		MEAN	47.7	50.7	57.3	64.4	72.2	78.1	81.4	79.9	75.6	66.4	57.6	50.2	65.1
		MIN	36.5	38.5	45.1	52.5	61.3	68.0	71.5	70.7	66.4	55.8	46.1	39.1	54.3
077	SALEM 5 NNE	MAX	49.8	54.1	62.5	71.4	78.2	83.9	87.6	85.0	79.9	70.8	61.6	52.3	69.8
		MEAN	38.3	41.6	49.4	57.1	64.9	71.9	75.9	74.4	68.9	58.0	49.2	41.1	57.6
		MIN	26.8	29.1	36.2	42.7	51.6	59.8	64.2	63.8	57.9	45.1	36.7	29.9	45.3
078	SALUDA	MAX	53.4	58.6	66.7	75.4	82.7	89.3	92.7	90.7	85.1	75.4	65.7	56.1	74.3
		MEAN	42.1	45.7	53.5	61.5	69.7	77.4	81.1	79.5	73.5	61.9	52.7	44.6	61.9
		MIN	30.7	32.7	40.3	47.5	56.7	65.4	69.5	68.2	61.8	48.3	39.6	33.0	49.5
079	SANDHILL RESEARCH ELGIN	MAX	54.0	58.4	66.2	74.7	81.6	87.8	91.2	89.2	84.1	74.8	66.2	57.1	73.8
		MEAN	43.2	46.6	54.1	62.2	69.9	76.8	80.5	78.7	73.3	62.6	54.2	46.0	62.3
		MIN	32.4	34.7	42.0	49.6	58.2	65.7	69.8	68.2	62.4	50.4	42.1	34.8	50.9
080	SANTUCK	MAX	53.3	58.4	66.7	75.0	81.4	87.5	90.5	88.3	82.0	72.5	63.8	55.5	72.9
		MEAN	43.1	46.9	54.5	62.2	69.6	76.5	80.1	78.5	72.4	61.6	53.0	45.3	62.0
		MIN	32.9	35.3	42.2	49.4	57.8	65.4	69.6	68.6	62.7	50.7	42.1	35.1	51.0
081	SIMMS WATER PLANT	MAX	52.4	56.9	65.5	74.3	81.2	87.4	90.8	89.2	83.4	74.1	63.3	54.7	72.8
		MEAN	39.9	43.2	50.9	58.9	67.2	74.1	78.1	76.6	70.3	59.5	49.7	42.1	59.2
		MIN	27.4	29.5	36.2	43.4	53.1	60.8	65.4	64.0	57.2	44.9	36.0	29.5	45.6
082	SPARTANBURG 3 SSE	MAX	54.1	58.9	66.9	75.5	81.7	87.4	91.1	89.5	84.2	75.2	65.2	56.3	73.8
		MEAN	42.1	45.5	52.7	60.2	68.1	75.1	79.3	78.2	72.2	61.1	51.7	44.2	60.9
		MIN	30.1	32.1	38.4	44.8	54.5	62.8	67.5	66.8	60.2	46.9	38.1	32.0	47.9
084	SULLIVANS ISLAND	MAX	56.6	58.9	65.1	72.2	79.8	85.2	88.5	87.4	83.1	75.9	68.0	59.7	73.4
		MEAN	47.1	48.6	55.3	63.0	71.5	77.8	81.1	80.0	75.7	66.9	58.3	50.0	64.6
		MIN	37.5	38.2	45.4	53.7	63.2	70.3	73.7	72.5	68.3	57.9	48.6	40.2	55.8
085	SUMMERVILLE	MAX	58.2	61.8	69.3	76.2	82.8	87.8	90.8	89.4	85.0	76.8	69.4	61.0	75.7
		MEAN	46.5	49.1	56.2	62.6	70.7	77.2	80.8	79.8	75.1	64.8	56.9	49.0	64.1
		MIN	34.8	36.4	43.1	48.9	58.5	66.6	70.8	70.1	65.1	52.8	44.3	37.0	52.4
086	SUMTER	MAX	56.2	60.6	68.5	76.5	83.3	88.9	91.8	90.1	85.2	76.1	67.7	58.9	75.3
		MEAN	44.9	48.2	55.4	62.9	70.4	77.0	80.7	79.0	73.9	63.3	54.9	47.3	63.2
		MIN	33.6	35.7	42.3	49.2	57.5	65.1	69.5	67.9	62.6	50.4	42.0	35.6	51.0
087	UNION 8 SW	MAX	51.9	56.8	65.0	73.9	80.7	87.2	90.6	88.9	83.1	73.5	63.8	54.8	72.5
		MEAN	39.4	42.5	50.1	58.2	66.4	74.3	78.3	76.9	70.6	59.0	49.7	41.8	58.9
		MIN	26.8	28.2	35.1	42.5	52.1	61.3	66.0	64.9	58.0	44.4	35.5	28.8	45.3
088	WALHALLA	MAX	52.2	57.2	65.0	73.4	80.5	86.9	90.5	88.8	83.3	73.3	63.4	54.3	72.4
		MEAN	39.7	43.1	50.2	57.8	66.3	73.5	77.2	76.1	70.4	59.1	49.7	41.9	58.8
		MIN	27.2	28.9	35.3	42.2	52.1	60.0	63.8	63.4	57.5	44.9	36.0	29.4	45.1
089	WALTERBORO 1 SW	MAX	57.8	61.9	69.2	76.7	83.6	88.4	91.7	89.8	84.7	76.5	68.5	60.2	75.8
		MEAN	46.1	49.3	56.2	63.1	71.1	77.3	81.0	79.5	74.7	64.7	55.8	48.5	63.9
		MIN	34.4	36.6	43.1	49.5	58.6	66.1	70.3	69.2	64.6	52.9	43.1	36.8	52.1
093	WEDGEFIELD	MAX	55.6	60.4	67.8	76.3	82.2	87.1	90.5	89.1	84.8	76.1	67.2	58.4	74.6
		MEAN	45.0	48.5	55.3	62.9	70.2	76.4	80.0	78.5	74.0	63.8	55.3	47.1	63.1
		MIN	34.3	36.5	42.8	49.4	58.1	65.6	69.4	67.9	63.1	51.5	43.3	35.8	51.5
094	WEST PELZER 2 W	MAX	51.3	56.2	64.0	72.2	79.5	86.2	89.8	88.0	82.3	72.5	63.0	53.8	71.6
		MEAN	41.0	44.6	51.9	59.6	68.0	75.4	79.4	78.0	72.1	60.8	51.8	43.5	60.5
		MIN	30.7	32.9	39.7	47.0	56.4	64.6	68.9	68.0	61.8	49.0	40.5	33.1	49.4



SOUTH CAROLINA

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
096	WINNSBORO	MAX	52.5	57.3	65.7	74.2	81.1	87.4	90.7	88.5	82.8	73.8	64.7	55.3	72.8
		MEAN	41.8	45.3	53.2	61.3	69.2	76.3	80.2	78.4	72.4	61.7	52.9	44.5	61.4
		MIN	31.1	33.3	40.7	48.3	57.3	65.1	69.6	68.3	62.0	49.5	41.0	33.7	50.0
097	WINTHROP UNIVERSITY	MAX	51.8	56.7	65.0	73.6	80.4	86.9	90.1	88.1	82.3	72.8	63.4	54.4	72.1
		MEAN	42.2	45.8	53.5	61.5	69.3	76.5	80.1	78.5	72.6	62.0	52.9	44.8	61.6
		MIN	32.5	34.9	41.9	49.3	58.1	66.0	70.0	68.9	62.8	51.2	42.3	35.1	51.1
099	YEMASSEE	MAX	61.3	65.4	72.7	79.2	85.8	90.5	93.1	91.0	86.8	78.9	71.3	63.7	78.3
		MEAN	48.6	51.8	58.7	64.6	71.9	78.0	81.2	79.7	75.1	65.5	57.6	50.6	65.3
		MIN	35.9	38.1	44.6	50.0	57.9	65.5	69.3	68.4	63.4	52.1	43.8	37.5	52.2



SOUTH CAROLINA

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AIKEN 4 NE	5.38	4.31	5.34	3.28	3.94	5.45	4.96	5.28	4.24	3.19	3.25	3.81	52.43
002	ALLENDALE 2 NW	4.71	3.46	4.22	2.98	3.48	5.57	4.79	5.22	3.50	2.52	2.73	3.39	46.57
003	ANDERSON	5.23	4.27	5.41	3.55	4.02	3.42	4.30	3.82	4.20	3.85	4.36	4.57	51.00
004	ANDERSON CO AP	4.58	4.15	4.97	3.35	3.90	3.40	3.63	3.75	4.19	3.23	3.68	3.84	46.67
005	ANDREWS	4.54	3.47	3.84	2.89	3.90	4.74	5.51	5.59	5.03	3.53	2.81	3.55	49.40
006	ANTREVILLE	4.89	4.26	5.16	3.38	3.76	3.68	3.98	3.88	3.57	3.31	3.56	3.93	47.36
007	BAMBERG	4.53	3.82	4.26	3.02	3.56	5.48	4.91	5.56	4.28	2.80	2.84	3.51	48.57
008	BATESBURG	5.23	4.20	4.94	3.12	3.02	5.09	4.83	4.97	4.05	3.20	3.07	3.42	49.14
009	BEAUFORT MCAS	4.00	3.12	3.58	3.07	3.01	5.64	5.67	6.57	5.06	3.12	2.47	3.26	48.57
010	BEAUFORT WWTP	4.10	3.07	3.69	2.97	3.07	5.75	5.68	7.45	5.28	3.03	2.59	3.10	49.78
011	BISHOPVILLE 8 NNW	4.52	3.42	4.00	3.01	3.52	4.43	4.83	4.48	3.78	3.18	3.13	3.22	45.52
012	BLACKVILLE 3 W	4.57	3.87	4.46	2.97	3.35	5.49	4.58	5.04	3.69	3.14	2.68	3.39	47.23
013	BLAIR 1 NE	4.57	3.70	4.64	2.40	3.21	3.56	3.65	3.88	3.83	3.71	3.26	3.18	43.59
014	BRANCHVILLE 6 SW	4.24	3.58	4.12	2.83	3.72	4.73	4.92	5.44	3.61	2.71	2.65	3.38	45.93
015	BROOKGREEN GARDENS	4.70	3.53	4.22	3.10	4.01	4.96	5.89	6.43	6.44	3.89	3.25	4.15	54.57
016	CAESARS HEAD	6.55	5.65	7.52	5.52	6.73	6.58	6.46	5.85	6.11	5.63	6.76	5.95	75.31
017	CALHOUN FALLS	4.98	4.43	5.08	3.22	3.71	3.80	4.48	3.72	3.54	3.06	3.65	3.74	47.41
018	CAMDEN 3 W	4.56	3.50	4.30	2.90	3.22	4.33	5.00	5.04	4.06	3.31	3.09	3.34	46.65
019	CATAWBA	4.60	3.68	4.64	3.23	3.44	4.15	4.53	4.18	3.74	3.46	3.48	3.38	46.51
020	CHAPPELLS 2 NNW	4.69	4.07	4.74	3.00	3.46	4.11	4.15	3.80	3.64	3.57	3.31	3.56	46.10
021	CHARLESTON INTL AP	4.08	3.08	4.00	2.77	3.67	5.92	6.13	6.91	5.98	3.09	2.66	3.24	51.53
022	CHARLESTON CITY	3.62	2.62	3.83	2.44	2.77	4.96	5.50	6.54	6.13	3.02	2.18	2.78	46.39
023	CHERAW	4.46	3.61	4.42	2.92	3.45	4.74	5.33	4.94	4.17	3.70	2.91	3.19	47.84
024	CHESTER 1 NW	4.76	3.77	4.77	3.36	3.30	4.50	3.99	4.60	4.19	3.55	3.59	3.49	47.87
025	CLARK HILL 1 W	4.96	4.10	5.01	3.10	3.34	3.77	4.38	4.20	3.44	3.63	3.16	3.70	46.79
026	CLEMSON UNIVERSITY	5.59	4.84	5.81	3.91	4.36	3.70	4.24	4.66	4.09	4.01	4.22	4.58	54.01
027	CLEVELAND 4 S	5.87	4.79	5.94	4.17	5.47	5.01	5.39	5.02	4.35	4.59	4.53	4.84	59.97
028	COLUMBIA METRO AP	4.66	3.84	4.59	2.98	3.17	4.99	5.54	5.41	3.94	2.89	2.88	3.38	48.27
029	COLUMBIA UNIV OF SC	4.57	3.75	4.56	2.96	3.21	5.19	5.20	4.51	3.83	2.89	3.11	3.36	47.14
030	CONWAY	4.72	3.45	4.07	3.10	4.26	4.74	6.70	6.76	5.86	3.25	2.74	3.62	53.27
031	DARLINGTON	4.51	3.44	4.45	2.86	3.36	4.43	4.72	5.36	4.11	3.21	2.91	3.54	46.90
032	DILLON	4.16	3.29	4.41	3.19	3.36	4.47	5.44	5.27	4.13	2.99	2.80	3.54	47.05
033	EDGEFIELD 3 NNE	5.23	4.06	4.58	3.12	3.75	4.14	4.32	4.13	3.99	3.12	2.96	3.44	46.84
034	EDISTO ISLAND	3.85	3.25	3.85	2.79	3.20	4.36	5.28	6.89	5.77	3.41	2.78	3.61	49.04
035	EFFINGHAM	4.50	3.28	4.35	2.81	3.74	4.48	5.39	5.44	4.26	2.86	2.59	3.50	47.20
036	FLORENCE RGNL AP	4.09	3.02	4.00	2.79	3.31	4.27	5.28	5.33	3.67	2.94	2.59	3.47	44.76
037	FLORENCE 8 NE	4.66	3.33	4.31	2.85	3.54	4.30	5.44	5.43	4.06	3.28	2.77	3.61	47.58
038	FORT MILL 4 NW	4.45	4.07	5.22	3.27	3.52	3.90	4.57	4.37	4.63	3.80	3.64	3.67	49.11
039	GAFFNEY 6 E	4.89	4.00	5.20	3.29	4.22	3.98	3.88	4.28	3.92	4.25	3.71	3.84	49.46
040	GASTON SHOALS	4.74	4.13	5.13	3.31	4.74	4.15	3.73	4.04	3.83	4.31	3.77	3.87	49.75
041	GEORGETOWN 2 E	4.66	3.41	4.00	2.67	4.21	5.63	6.13	7.40	6.64	4.26	3.25	3.94	56.20
042	GIVHANS FERRY 2 ESE	4.39	3.60	4.53	2.96	3.30	6.11	5.88	6.54	4.72	3.08	2.82	3.58	51.51
043	GREAT FALLS	4.17	3.50	4.43	2.81	3.01	4.04	4.83	4.50	3.39	3.41	2.97	3.04	44.10
044	GRNVL SPART AP GREER	4.41	4.24	5.31	3.54	4.59	3.92	4.65	4.08	3.97	3.88	3.79	3.86	50.24
045	GREENWOOD 3 SW	4.99	4.23	4.88	3.11	3.73	3.69	3.97	3.62	3.32	3.47	3.59	3.72	46.32
046	HAMPTON	4.45	3.41	4.14	3.06	3.41	5.71	5.03	6.07	3.92	2.86	2.77	3.41	48.24
047	HILTON HEAD	4.37	3.30	3.78	3.24	2.95	5.07	6.15	8.23	5.84	3.78	2.68	3.13	52.52
048	HOLLY HILL	4.01	3.58	4.23	3.19	3.96	5.51	5.12	5.79	4.49	3.30	2.38	3.75	49.31
049	JOCASSEE 8 WNW	8.22	6.89	8.28	5.74	6.53	7.33	6.64	8.32	6.42	5.67	7.62	6.72	84.38
050	JOHNSTON 4 SW	5.12	4.22	4.88	3.38	3.45	4.54	4.29	4.97	3.96	3.16	3.17	3.51	48.65
051	KERSHAW 2 SW	4.75	3.76	4.59	3.32	3.53	4.11	5.05	4.35	4.22	3.56	3.44	3.29	47.97
052	KINGSTREE 1 SE	4.71	3.54	4.37	3.26	3.64	4.95	5.07	5.67	4.53	3.39	2.66	3.93	49.72
053	LAKE CITY 2 SE	4.44	3.48	4.61	3.05	3.37	4.24	5.56	6.27	4.75	2.92	2.62	3.79	49.10
054	LAURENS	4.99	4.25	5.20	3.35	3.86	3.58	3.43	3.74	3.65	3.72	3.87	3.86	47.50
055	LITTLE MOUNTAIN	4.86	3.98	4.87	3.07	3.31	4.15	4.88	4.75	4.27	3.36	3.21	3.56	48.27
056	LOCKHART	4.64	3.96	5.06	3.24	3.46	3.64	3.91	4.10	3.56	4.13	3.33	3.49	46.52
057	LONGCREEK	6.11	5.26	6.68	4.62	5.46	5.28	5.61	4.81	4.91	4.08	4.84	5.29	62.95
058	LORIS 1 S	4.66	3.72	4.26	2.87	4.28	5.33	5.79	6.52	5.62	2.94	2.90	3.57	52.46
059	MANNING	4.78	3.69	4.31	3.09	3.84	5.14	5.08	5.63	4.43	2.82	2.73	3.67	49.21
060	MARION	4.44	3.43	4.23	3.22	3.93	4.46	5.96	5.99	4.11	2.85	2.81	3.49	48.92
061	MCCLELLANVILLE	4.51	3.36	4.42	3.12	3.28	5.63	6.21	6.52	6.09	3.88	3.05	3.41	53.48
062	MCCOLL 3 NNW	3.71	3.27	3.74	2.21	2.82	3.72	4.20	3.75	3.60	2.50	2.76	2.76	39.04
063	MC CORMICK 9 E	5.04	4.25	4.88	3.32	3.58	4.13	4.16	3.93	3.16	3.43	3.23	3.79	46.90
064	MYRTLE BEACH 2	3.66	3.50	3.79	2.12	2.99	3.66	5.19	5.58	5.58	3.23	2.97	3.45	45.72
065	NEWBERRY	5.08	4.16	4.86	3.14	3.44	4.44	4.05	4.88	4.57	3.68	3.43	3.60	49.33
066	NINETY NINE ISLANDS	4.53	4.07	4.93	3.05	4.15	3.76	3.78	4.83	4.08	3.85	3.67	3.67	48.37
067	OAKWAY	5.93	4.86	5.67	3.49	4.20	3.61	4.64	3.80	4.14	3.92	4.28	4.28	52.82
068	ORANGEBURG 2	4.76	3.62	4.20	2.70	3.62	4.87	5.11	5.12	4.18	3.11	2.74	3.34	47.37
069	PAGELAND	4.70	3.88	4.68	3.02	3.21	4.18	5.73	4.42	4.01	3.72	3.53	3.56	48.64



SOUTH CAROLINA

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
070	PARR	4.68	3.93	4.66	2.86	3.39	4.12	4.33	4.24	4.01	3.20	2.99	3.34	45.75
071	PEE DEE	4.27	3.30	4.10	3.08	3.27	4.90	5.49	5.74	4.00	2.73	2.70	3.47	47.05
072	PELION 4 NW	4.96	4.09	4.81	3.06	3.27	5.26	5.71	5.51	4.51	3.12	3.12	3.61	51.03
073	PICKENS	5.79	4.83	5.82	3.93	4.79	4.21	4.59	4.84	3.95	4.20	4.31	4.65	55.91
074	PINOPOLIS DAM	4.63	3.29	4.16	3.02	3.91	5.60	5.63	6.43	5.24	3.10	2.52	3.48	51.01
075	RIDGELAND 5 NE	4.44	3.43	3.93	3.40	3.74	5.46	5.49	6.90	4.98	3.12	2.78	3.48	51.15
076	RIMINI 2 SSW	4.47	3.27	3.93	2.40	3.23	4.35	4.63	5.52	3.97	2.88	2.44	3.34	44.43
077	SALEM 5 NNE	6.48	5.72	6.90	4.47	5.68	5.15	5.50	5.48	5.46	4.85	5.40	5.75	66.84
078	SALUDA	5.02	4.09	4.98	3.11	3.51	4.04	4.69	4.55	3.59	3.30	3.25	3.66	47.79
079	SANDHILL RESEARCH ELGIN	4.76	3.56	4.61	3.09	3.28	3.99	5.04	4.85	4.05	3.14	3.11	3.39	46.87
080	SANTUCK	4.59	4.01	4.85	3.09	3.22	3.95	3.95	3.87	4.23	3.55	3.42	3.47	46.20
081	SIMMS WATER PLANT	4.76	4.29	5.81	3.84	5.27	3.55	4.20	4.04	3.83	4.16	3.88	4.00	51.63
082	SPARTANBURG 3 SSE	4.89	4.32	5.19	3.51	4.13	4.20	3.93	3.84	3.79	3.97	3.79	4.39	49.95
083	SPRINGFIELD	4.33	3.94	4.11	2.87	3.08	5.47	5.11	4.84	3.75	2.92	2.66	3.20	46.28
084	SULLIVANS ISLAND	4.40	3.23	4.16	2.92	2.88	4.89	4.76	6.27	5.32	3.80	3.10	3.65	49.38
085	SUMMERVILLE	4.82	3.41	4.40	3.15	3.70	6.00	6.09	6.64	5.83	3.22	2.79	3.42	53.47
086	SUMTER	4.70	3.59	4.37	2.94	3.47	5.42	5.48	5.04	4.17	3.06	2.86	3.55	48.65
087	UNION 8 SW	5.18	4.27	5.29	3.42	3.53	3.98	3.90	3.95	3.86	4.12	3.77	3.84	49.11
088	WALHALLA	5.86	5.22	6.24	4.35	5.44	4.49	4.77	5.36	4.72	4.40	4.92	4.88	60.65
089	WALTERBORO 1 SW	4.04	3.36	4.57	2.72	3.75	5.68	5.05	6.45	4.56	2.54	2.71	3.86	49.29
090	WARE SHOALS	5.12	4.16	5.01	3.25	4.01	3.46	3.38	3.35	3.56	3.81	3.47	3.70	46.28
091	WARE SHOALS 2	4.59	4.42	5.35	3.05	3.66	3.11	5.13	4.08	3.72	3.54	3.63	3.79	48.07
092	WATEREE DAM	3.79	2.99	4.00	2.61	2.73	4.06	4.14	3.57	3.22	2.84	2.64	2.92	39.51
093	WEDGEFIELD	4.89	3.10	4.27	2.51	3.50	4.73	4.70	5.00	3.98	3.26	2.81	3.06	45.81
094	WEST PELZER 2 W	5.18	4.39	5.45	3.58	4.15	3.92	4.09	3.90	4.38	3.79	3.92	4.21	50.96
095	WHITMIRE 4 NE	4.67	4.25	5.12	2.98	3.42	4.85	4.21	4.05	4.48	3.76	3.54	3.99	49.32
096	WINNSBORO	4.78	3.84	4.71	3.02	3.45	4.18	4.10	4.15	3.67	3.44	3.16	3.34	45.84
097	WINTHROP UNIVERSITY	4.64	3.97	5.04	3.33	3.42	4.33	4.12	3.88	4.68	3.80	3.59	3.52	48.32
098	WOODRUFF 5 NW	4.85	4.07	5.15	3.42	4.30	3.39	3.97	3.94	3.38	3.85	3.66	3.85	47.83
099	YEMASSEE	4.17	3.53	4.38	3.46	3.76	6.14	5.58	6.85	5.14	3.37	2.49	3.57	52.44



SOUTH CAROLINA

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AIKEN 4 NE	HDD	611	442	283	94	17	0	0	0	3	116	305	542	2413
		CDD	0	1	24	54	212	400	517	469	295	88	17	4	2081
002	ALLENDALE 2 NW	HDD	630	464	304	114	23	1	0	0	2	118	302	545	2503
		CDD	0	0	12	43	190	364	491	442	277	84	16	3	1922
003	ANDERSON	HDD	773	586	430	192	51	3	0	0	9	190	423	703	3360
		CDD	0	0	2	23	134	299	421	385	201	40	3	0	1508
004	ANDERSON CO AP	HDD	724	549	380	164	44	1	0	0	10	179	395	641	3087
		CDD	0	0	5	30	161	342	456	414	226	61	5	0	1700
005	ANDREWS	HDD	602	477	308	127	18	1	0	0	3	114	300	521	2471
		CDD	0	2	11	35	184	348	483	439	272	97	21	3	1895
007	BAMBERG	HDD	580	421	262	91	12	0	0	0	2	117	296	516	2297
		CDD	0	2	21	50	199	369	486	436	279	86	19	7	1954
009	BEAUFORT MCAS	HDD	517	379	231	69	5	0	0	0	1	76	226	437	1941
		CDD	3	8	30	77	258	425	545	502	355	139	40	13	2395
010	BEAUFORT WWTP	HDD	524	405	263	79	6	0	0	0	1	68	226	448	2020
		CDD	0	4	22	64	245	406	516	478	332	134	31	9	2241
011	BISHOPVILLE 8 NNW	HDD	691	535	368	147	32	1	0	0	5	155	356	609	2899
		CDD	0	0	9	34	170	348	464	411	244	68	10	0	1758
012	BLACKVILLE 3 W	HDD	564	408	253	79	8	0	0	0	3	104	266	492	2177
		CDD	0	2	23	56	212	386	491	446	296	106	19	10	2047
015	BROOKGREEN GARDENS	HDD	557	420	269	91	7	0	0	0	1	89	251	475	2160
		CDD	0	3	19	51	201	368	499	456	313	114	31	10	2065
016	CAESARS HEAD	HDD	909	745	599	335	147	41	12	18	69	305	540	810	4530
		CDD	0	0	0	4	40	126	206	172	69	9	0	0	626
017	CALHOUN FALLS	HDD	734	565	391	170	50	2	0	0	9	170	404	662	3157
		CDD	0	0	9	31	160	329	460	415	228	48	5	0	1685
018	CAMDEN 3 W	HDD	749	588	421	195	54	2	0	0	10	197	423	677	3316
		CDD	0	0	3	18	125	292	421	369	197	43	3	0	1471
021	CHARLESTON INTL AP	HDD*	523	394	242	95	11	1	0	0	2	69	229	439	2005
		CDD*	3	7	29	84	242	408	532	494	348	121	34	4	2306
022	CHARLESTON CITY	HDD	489	362	224	57	3	0	0	0	0	47	183	390	1755
		CDD	3	7	27	83	266	431	551	514	377	156	47	11	2473
023	CHERAW	HDD	735	576	401	158	31	1	0	0	8	179	397	654	3140
		CDD	0	0	5	29	147	337	464	410	229	55	6	0	1682
024	CHESTER 1 NW	HDD	760	596	430	192	49	2	0	0	10	190	418	679	3326
		CDD	0	0	3	17	130	306	440	392	213	52	5	0	1558
025	CLARK HILL 1 W	HDD	672	496	327	123	29	1	0	0	5	141	340	596	2730
		CDD	0	0	14	57	205	386	507	464	286	87	17	0	2023
026	CLEMSON UNIVERSITY	HDD	745	573	409	180	45	1	0	0	10	175	396	660	3194
		CDD	0	0	3	23	134	310	441	399	220	50	4	0	1584
028	COLUMBIA METRO AP	HDD*	628	485	321	131	23	0	0	0	8	121	325	552	2594
		CDD*	2	4	20	69	211	390	519	467	296	76	15	5	2074
029	COLUMBIA UNIV OF SC	HDD	562	388	217	57	4	0	0	0	0	79	255	482	2044
		CDD	0	6	28	96	278	453	575	530	360	117	24	8	2475
030	CONWAY	HDD	603	458	303	118	16	1	0	0	2	115	280	519	2415
		CDD	0	0	14	54	191	364	492	453	294	99	22	4	1987
031	DARLINGTON	HDD	616	451	284	89	12	0	0	0	2	118	299	537	2408
		CDD	0	0	13	54	208	386	504	445	282	88	15	4	1999
032	DILLON	HDD	712	559	402	178	43	3	0	0	9	178	380	627	3091
		CDD	0	0	5	33	147	320	448	396	229	62	12	0	1652
034	EDISTO ISLAND	HDD	564	436	282	92	11	0	0	0	1	76	226	470	2158
		CDD	0	4	17	53	216	393	524	480	343	133	30	9	2202
036	FLORENCE RGNL AP	HDD	634	473	302	115	20	0	0	0	5	123	307	544	2523
		CDD	0	6	17	58	203	379	501	457	294	93	19	2	2029
037	FLORENCE 8 NE	HDD	640	488	314	109	14	0	0	0	4	134	308	555	2566
		CDD	0	0	12	57	205	392	516	463	293	92	20	3	2053
041	GEORGETOWN 2 E	HDD	529	405	264	94	10	0	0	0	1	78	236	448	2065
		CDD	3	6	21	56	199	366	488	447	311	111	31	10	2049
044	GRNVL SPART AP GREER	HDD*	750	586	420	197	47	3	0	0	19	178	417	655	3272
		CDD*	0	0	5	30	127	304	430	384	207	35	3	1	1526
045	GREENWOOD 3 SW	HDD	743	576	410	186	55	2	0	0	9	192	414	668	3255
		CDD	0	0	4	21	138	309	433	392	209	48	4	0	1558
046	HAMPTON	HDD	511	367	209	62	5	0	0	0	1	77	236	439	1907
		CDD	3	7	29	73	239	409	520	477	329	118	37	10	2251
047	HILTON HEAD	HDD	543	421	277	94	9	0	0	0	1	71	238	474	2128
		CDD	0	1	12	43	203	366	478	442	317	120	24	6	2012
048	HOLLY HILL	HDD	569	431	276	85	10	0	0	0	1	80	268	496	2216
		CDD	0	1	17	61	218	389	512	474	325	116	20	10	2143



SOUTH CAROLINA

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
050	JOHNSTON 4 SW	HDD	736	580	417	192	57	3	0	0	7	163	375	650	3180
		CDD	0	0	6	24	145	305	431	380	217	52	7	0	1567
051	KERSHAW 2 SW	HDD	730	572	410	177	44	1	0	0	10	171	378	639	3132
		CDD	0	0	4	30	131	304	439	395	226	58	7	0	1594
052	KINGSTREE 1 SE	HDD	637	491	321	130	24	1	0	0	3	141	326	563	2637
		CDD	0	0	9	42	178	352	481	436	267	78	16	2	1861
053	LAKE CITY 2 SE	HDD	654	503	342	140	28	1	0	0	4	142	334	570	2718
		CDD	0	0	12	35	171	344	481	430	263	84	19	1	1840
054	LAURENS	HDD	761	597	414	187	55	3	0	0	14	208	436	688	3363
		CDD	0	0	3	22	144	322	443	392	203	42	6	0	1577
055	LITTLE MOUNTAIN	HDD	710	536	382	145	28	1	0	0	7	157	366	615	2947
		CDD	0	0	9	29	158	334	454	404	232	54	7	0	1681
057	LONGCREEK	HDD	835	670	531	278	106	15	1	3	34	268	500	754	3995
		CDD	0	0	0	7	70	193	299	260	118	20	1	0	968
058	LORIS 1 S	HDD	644	503	358	148	30	1	0	0	4	139	317	560	2704
		CDD	0	0	9	32	160	329	465	424	261	85	18	2	1785
059	MANNING	HDD	632	475	302	100	17	0	0	0	3	117	294	542	2482
		CDD	0	0	16	50	212	385	518	475	299	91	23	2	2071
060	MARION	HDD	691	534	350	147	31	1	0	0	5	159	369	608	2895
		CDD	0	0	9	31	164	340	462	405	236	68	12	0	1727
061	MCCLELLANVILLE	HDD	576	447	296	104	12	0	0	0	1	94	260	485	2275
		CDD	0	2	10	42	204	385	510	465	302	114	27	6	2067
062	MCCOLL 3 NNW	HDD	664	492	331	119	19	0	0	0	11	156	345	594	2731
		CDD	0	0	11	47	190	374	485	427	273	84	14	7	1912
065	NEWBERRY	HDD	709	553	393	164	35	1	0	0	6	160	386	636	3043
		CDD	0	0	7	32	166	344	472	420	232	51	6	0	1730
066	NINETY NINE ISLANDS	HDD	807	637	480	243	88	8	0	0	21	236	483	734	3737
		CDD	0	0	0	7	94	236	366	330	155	33	2	0	1223
068	ORANGEBURG 2	HDD	629	476	308	115	20	1	0	0	4	139	309	551	2552
		CDD	0	6	18	51	204	379	496	453	287	98	17	2	2011
069	PAGELAND	HDD	658	485	327	115	19	0	0	0	4	136	336	576	2656
		CDD	0	0	11	45	180	360	479	424	256	73	9	0	1837
070	PARR	HDD	697	545	385	156	30	1	0	0	5	162	379	630	2990
		CDD	0	0	8	31	166	352	483	429	245	61	9	0	1784
072	PELION 4 NW	HDD	639	475	308	115	19	0	0	0	3	128	329	558	2574
		CDD	0	0	14	44	193	371	489	443	274	75	14	1	1918
073	PICKENS	HDD	761	582	419	189	49	4	0	0	10	177	428	690	3309
		CDD	0	0	4	20	114	278	399	356	185	37	4	0	1397
074	PINOPOLIS DAM	HDD	585	451	295	115	14	0	0	0	2	111	278	509	2360
		CDD	0	0	14	45	192	371	497	452	286	95	20	6	1978
075	RIDGELAND 5 NE	HDD	547	402	258	78	5	0	0	0	2	89	253	469	2103
		CDD	0	1	17	60	227	391	507	462	318	131	29	9	2152
077	SALEM 5 NNE	HDD	827	655	487	250	96	7	0	0	27	245	478	741	3813
		CDD	0	0	1	10	93	213	338	291	143	27	2	0	1118
078	SALUDA	HDD	712	542	365	148	33	1	0	0	6	162	380	633	2982
		CDD	0	0	9	41	179	371	500	448	260	65	8	0	1881
079	SANDHILL RESEARCH ELGIN	HDD	677	517	347	130	24	1	0	0	4	140	336	591	2767
		CDD	0	0	8	44	176	354	480	424	251	66	9	0	1812
080	SANTUCK	HDD	678	508	338	121	26	1	0	0	7	160	367	610	2816
		CDD	0	0	11	36	169	344	467	415	228	54	5	0	1729
081	SIMMS WATER PLANT	HDD	778	610	442	199	57	4	0	0	14	209	462	710	3485
		CDD	0	0	2	15	122	277	405	359	174	38	1	0	1393
082	SPARTANBURG 3 SSE	HDD	710	545	386	163	42	2	0	0	8	174	404	646	3080
		CDD	0	0	4	17	137	305	442	408	224	50	4	0	1591
084	SULLIVANS ISLAND	HDD	568	461	321	117	15	0	0	0	1	71	229	477	2260
		CDD	0	1	18	54	216	382	499	465	321	131	27	10	2124
085	SUMMERVILLE	HDD	586	447	289	122	18	0	0	0	2	109	275	504	2352
		CDD	0	2	17	48	193	367	490	456	304	102	29	8	2016
086	SUMTER	HDD	634	472	319	121	21	0	0	0	4	130	319	557	2577
		CDD	0	0	21	57	189	360	485	434	271	75	15	6	1913
087	UNION 8 SW	HDD	796	631	466	220	69	3	0	0	15	222	463	719	3604
		CDD	0	0	2	15	113	281	413	369	181	33	2	0	1409
088	WALHALLA	HDD	784	615	461	225	69	3	0	0	14	215	463	718	3567
		CDD	0	0	0	8	108	257	376	344	175	32	2	0	1302
089	WALTERBORO 1 SW	HDD	598	443	293	106	15	0	0	0	1	102	298	515	2371
		CDD	0	1	19	49	202	368	495	449	291	92	22	3	1991
093	WEDGEFIELD	HDD	629	463	313	113	25	1	0	0	3	125	309	562	2543
		CDD	0	1	13	48	184	341	463	419	271	88	15	7	1850



SOUTH CAROLINA

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
094	WEST PELZER 2 W	HDD	745	573	413	178	39	1	0	0	8	173	403	667	3200
		CDD	0	0	6	16	130	313	444	404	220	43	4	0	1580
096	WINNSBORO	HDD	719	551	372	147	35	1	0	0	8	165	370	636	3004
		CDD	0	0	6	35	165	339	470	416	231	60	6	0	1728
097	WINTHROP UNIVERSITY	HDD	709	538	366	138	31	1	0	0	7	147	369	628	2934
		CDD	0	0	8	31	163	344	466	418	233	53	5	0	1721
099	YEMASSEE	HDD	525	377	228	79	8	0	0	0	2	101	258	456	2034
		CDD	0	6	30	67	220	391	502	457	306	116	34	10	2139



SOUTH CAROLINA

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	AIKEN 4 NE	HIGHEST MEAN	58.4	56.6	63.0	68.3	75.6	82.9	86.1	84.1	78.3	70.6	64.2	57.2	86.1
		MEDIAN	45.3	49.0	56.7	63.3	71.0	78.4	81.7	80.1	74.8	64.1	55.1	47.7	64.1
		LOWEST MEAN	37.0	41.3	50.9	58.0	68.0	74.1	78.0	77.0	70.7	57.9	49.8	40.1	37.0
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1998	1986	1987	1980	1984	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1981	1983	1997	1972	1975	1981	1981	1988	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.9	-0.6	-0.5	-0.4	-0.3	-0.3	-0.5	-0.7	-1.1	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.8	-1.8	-2.1	-1.8	-1.2	-1.0	-0.8	-0.9	-1.4	-1.7	-1.4	-1.3	
002	ALLENDALE 2 N	HIGHEST MEAN	57.3	55.4	62.5	67.2	74.8	81.7	85.5	82.7	77.8	69.5	62.9	56.3	85.5
		MEDIAN	45.0	49.0	55.0	62.1	70.5	77.4	81.2	79.1	73.8	63.6	55.8	47.0	63.3
		LOWEST MEAN	34.7	40.1	50.5	58.2	66.9	72.8	77.1	76.8	71.8	57.6	48.2	39.9	34.7
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1998	1993	1999	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1975	1976	1984	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	1.1	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	-0.4	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
003	ANDERSON	HIGHEST MEAN	50.2	50.6	56.3	65.2	71.4	79.7	83.2	82.4	75.7	67.5	58.6	49.2	83.2
		MEDIAN	40.0	44.2	50.9	58.9	67.6	75.2	78.9	77.0	71.5	60.7	51.3	41.5	59.6
		LOWEST MEAN	29.4	35.8	45.1	54.4	63.6	69.8	75.0	74.1	68.1	54.5	44.7	33.7	29.4
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1982	1981	1993	1999	1998	1984	1985	1998	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1979	1992	1975	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.0	1.0	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	0.4	0.4	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
004	ANDERSON CO A	HIGHEST MEAN	52.1	51.8	58.9	67.4	74.6	82.3	84.3	82.1	76.1	69.2	59.8	52.4	84.3
		MEDIAN	41.9	46.2	53.1	60.5	68.4	76.5	79.8	78.0	71.7	61.3	51.7	43.8	61.1
		LOWEST MEAN	30.2	37.4	47.2	55.8	65.3	72.8	75.4	75.0	69.8	54.5	43.7	36.0	30.2
		HIGHEST MEAN YEAR	1974	1990	1997	1981	1982	1981	1993	1980	1998	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1979	1971	1993	1989	1972	1984	1978	2000	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
005	ANDREWS	HIGHEST MEAN	58.0	56.4	60.7	66.4	75.1	81.3	84.6	82.9	77.4	70.7	64.6	56.3	84.6
		MEDIAN	45.5	48.3	54.9	61.8	69.9	76.6	80.2	79.0	73.9	64.1	56.1	48.2	63.1
		LOWEST MEAN	35.3	38.1	49.7	57.5	67.1	72.3	76.6	75.6	71.3	58.4	47.4	40.3	35.3
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1998	1986	1999	1980	1985	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1971	1972	1972	1975	1976	1984	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	1.1	1.0	0.0	0.0	0.0	0.3	0.4	0.4	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
007	BAMBERG	HIGHEST MEAN	58.9	57.5	63.6	67.2	74.6	81.0	85.0	82.3	77.8	69.6	63.8	56.8	85.0
		MEDIAN	46.2	50.6	57.1	63.5	70.7	77.4	80.6	78.8	74.0	63.9	56.4	48.3	63.9
		LOWEST MEAN	36.8	41.7	51.0	59.3	67.6	72.8	78.0	76.6	71.7	57.9	48.8	39.3	36.8
		HIGHEST MEAN YEAR	1974	1990	1997	1999	1991	1981	1986	1987	1980	1985	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1992	1997	1975	1981	1984	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.0	-1.0	-1.0	-0.6	-0.5	-0.4	-0.3	-0.3	-0.5	-0.7	-1.0	-1.1	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.2	-1.8	-1.4	-0.8	-0.7	-0.6	-0.7	-1.0	-0.8	-0.9	-0.8	
009	BEAUFORT MCAS	HIGHEST MEAN	61.9	58.1	65.0	70.0	77.9	83.9	87.0	83.5	80.7	73.7	67.7	59.1	87.0
		MEDIAN	48.2	52.2	58.1	65.0	73.2	79.6	82.5	81.3	76.8	66.9	58.7	50.6	66.1
		LOWEST MEAN	38.4	42.0	52.8	61.3	69.1	74.8	79.9	76.7	73.3	60.2	50.3	42.4	38.4
		HIGHEST MEAN YEAR	1974	1990	1997	1991	1991	1981	1993	1999	1980	1985	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1976	1974	1976	1976	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
010	BEAUFORT WWTP	HIGHEST MEAN	61.8	57.0	65.5	70.1	77.3	84.3	85.3	85.5	80.0	71.9	65.7	58.6	85.5
		MEDIAN	48.5	51.1	56.7	64.3	72.5	78.7	81.7	80.3	75.8	67.2	58.6	50.6	65.4
		LOWEST MEAN	38.2	41.6	51.9	60.3	69.3	74.9	78.3	77.3	73.3	61.0	50.3	42.3	38.2
		HIGHEST MEAN YEAR	1974	1990	1997	1999	1998	1998	1998	1999	1998	1985	1985	1998	1999
		LOWEST MEAN YEAR	1977	1978	1971	1983	1992	1972	1975	1976	1984	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.8	1.9	0.9	0.0	0.0	0.0	0.3	0.3	0.4	1.1	1.3	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
011	BISHOPVILLE 8	HIGHEST MEAN	55.2	55.0	59.9	66.1	74.2	81.4	85.3	82.6	77.7	69.3	62.5	54.2	85.3
		MEDIAN	42.5	46.2	53.2	61.3	69.3	76.9	79.8	77.9	73.0	61.7	53.3	44.9	61.6
		LOWEST MEAN	32.0	37.6	47.7	56.2	65.3	72.3	77.2	75.2	69.5	56.9	46.7	37.1	32.0
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1981	1986	1999	1980	1984	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1993	1994	1972	1975	1981	1994	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.8	1.9	1.0	0.0	0.0	0.0	0.3	0.4	0.4	1.1	1.2	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
012	BLACKVILLE 3	HIGHEST MEAN	59.3	58.4	65.1	68.4	74.7	82.0	85.4	82.4	78.7	71.8	63.6	58.8	85.4
		MEDIAN	46.5	50.6	57.6	64.3	71.8	78.1	80.8	79.6	74.4	65.2	56.4	48.5	64.6
		LOWEST MEAN	38.1	42.5	51.9	60.5	67.9	74.5	76.6	76.8	71.5	58.3	49.8	40.5	38.1
		HIGHEST MEAN YEAR	1974	1990	1997	1981	1991	1981	1986	1983	1980	1984	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1996	1983	1999	1999	1975	1996	1999	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.0	-1.1	-1.0	-0.6	-0.5	-0.4	-0.3	-0.3	-0.5	-0.7	-1.1	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.3	-1.8	-2.2	-1.9	-1.3	-1.0	-0.8	-0.9	-1.3	-1.3	-1.4	-1.4	



SOUTH CAROLINA

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
015	BROOKGREEN GA	HIGHEST MEAN	60.7	58.1	62.9	68.1	76.2	81.5	85.0	82.0	78.6	71.8	66.3	58.3	85.0
		MEDIAN	46.6	50.6	56.6	63.2	71.3	77.3	81.4	79.6	75.5	65.9	58.1	49.4	64.5
		LOWEST MEAN	37.0	40.8	50.9	59.3	68.7	72.8	77.9	76.0	72.3	60.5	49.6	41.4	37.0
		HIGHEST MEAN YEAR	1974	1990	1997	1991	1991	1981	1986	1987	1980	1985	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1972	1972	1974	1976	1981	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.1	-1.0	-0.6	-0.6	-0.4	-0.3	-0.4	-0.6	-0.8	-1.2	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.4	-1.9	-1.8	-2.0	-1.4	-1.1	-0.9	-0.9	-1.4	-1.4	-1.5	-1.4	
016	CAESARS HEAD	HIGHEST MEAN	48.1	45.1	51.9	58.6	66.1	71.9	76.9	74.5	70.6	61.4	55.5	47.0	76.9
		MEDIAN	35.5	37.9	45.8	54.0	61.8	68.0	71.1	69.5	64.3	55.4	46.9	38.5	54.1
		LOWEST MEAN	23.3	30.8	37.4	49.8	57.5	62.6	67.5	66.4	62.1	50.9	40.7	31.3	23.3
		HIGHEST MEAN YEAR	1974	1990	1997	1986	2000	1981	1993	1983	1998	1984	1985	1984	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1992	1974	1984	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.8	1.7	1.0	0.0	0.0	-0.1	0.3	0.3	0.9	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	0.0	0.0	0.1	
017	CALHOUN FALLS	HIGHEST MEAN	52.7	51.1	59.4	65.2	73.5	79.5	84.5	82.7	76.7	67.1	59.6	51.8	84.5
		MEDIAN	42.1	44.6	52.6	60.1	68.2	76.2	79.7	78.0	71.8	61.2	51.3	43.2	60.9
		LOWEST MEAN	32.3	37.4	47.0	55.7	62.0	69.9	76.4	73.9	69.1	56.1	45.1	36.7	32.3
		HIGHEST MEAN YEAR	1974	1990	1997	1981	1975	1986	1993	1980	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1998	1983	1997	1997	1984	1997	1999	1987	1997	2000	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.7	1.7	1.0	0.0	0.1	0.0	0.3	0.3	0.8	1.0	1.1	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
018	CAMDEN 3 W	HIGHEST MEAN	53.6	51.0	57.5	63.2	71.6	79.0	83.4	80.5	75.9	66.6	58.5	52.6	83.4
		MEDIAN	40.3	45.0	51.5	58.9	67.4	74.9	78.5	76.6	71.2	59.8	51.8	42.8	59.7
		LOWEST MEAN	30.7	35.4	46.2	54.6	63.3	70.5	75.2	74.4	68.8	54.0	44.5	35.4	30.7
		HIGHEST MEAN YEAR	1974	1990	1997	1999	1991	1981	1993	1999	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1975	1994	1984	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.7	1.7	1.6	1.0	0.8	0.5	0.6	0.7	0.9	1.0	1.2	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
021	CHARLESTON IN	HIGHEST MEAN	61.4	57.8	64.3	68.0	75.6	82.8	85.2	83.2	79.7	71.2	66.2	58.3	85.2
		MEDIAN	47.8	51.3	56.8	64.1	71.9	78.4	81.9	80.6	75.9	66.2	59.0	50.2	65.2
		LOWEST MEAN	38.3	42.5	51.9	59.8	69.2	73.9	78.0	77.0	72.1	60.2	50.5	41.9	38.3
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1998	1986	1999	1980	1985	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1974	1976	1984	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
022	CHARLESTON CI	HIGHEST MEAN	61.7	58.9	65.0	69.2	78.5	85.6	86.0	84.3	81.3	72.7	68.0	59.7	86.0
		MEDIAN	49.4	52.7	58.0	65.6	73.4	79.4	82.7	81.7	77.6	68.5	61.2	52.4	66.9
		LOWEST MEAN	40.4	43.3	53.7	61.5	70.5	75.0	80.3	79.0	74.1	63.2	53.3	44.5	40.4
		HIGHEST MEAN YEAR	1974	1990	1997	1977	1998	1998	1998	1999	1998	1985	1985	1971	1998
		LOWEST MEAN YEAR	1977	1978	1971	1993	1997	1997	1974	1976	1984	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
023	CHERAW	HIGHEST MEAN	53.4	51.5	58.4	64.6	72.9	81.1	84.3	81.5	76.9	67.0	60.7	53.0	84.3
		MEDIAN	41.2	44.9	51.6	60.8	68.6	76.6	79.6	78.2	72.1	60.6	52.7	43.3	60.6
		LOWEST MEAN	31.6	36.8	47.6	55.5	64.7	72.1	77.2	75.5	69.4	55.3	45.2	35.6	31.6
		HIGHEST MEAN YEAR	1974	1990	1976	1977	1975	1981	1986	1999	1980	1984	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1979	1984	1981	1984	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.9	1.9	1.1	0.0	0.1	0.0	0.3	0.4	0.4	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	0.0	0.1	0.2	
024	CHESTER 1 NW	HIGHEST MEAN	53.0	52.1	56.4	63.9	71.2	79.0	83.1	81.0	75.9	68.6	59.4	52.9	83.1
		MEDIAN	40.3	43.5	51.5	59.3	67.6	75.3	79.1	77.0	71.4	60.3	51.1	43.0	59.9
		LOWEST MEAN	30.7	37.0	46.3	54.8	62.6	71.5	76.7	74.8	68.5	53.6	45.3	34.2	30.7
		HIGHEST MEAN YEAR	1974	1976	1976	1977	1975	1981	1993	1980	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1993	1997	1997	1997	1984	1992	1994	1987	1997	2000	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.9	1.9	1.1	0.0	0.1	0.0	0.3	0.4	0.5	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
025	CLARK HILL 1	HIGHEST MEAN	56.5	54.4	60.2	68.3	74.6	83.2	85.7	83.7	77.9	71.0	63.5	55.2	85.7
		MEDIAN	42.4	47.3	55.5	62.8	70.8	78.1	80.9	79.8	74.0	63.3	54.7	45.7	63.1
		LOWEST MEAN	34.2	39.4	47.5	57.8	61.8	73.2	77.8	76.5	70.7	57.2	47.2	38.5	34.2
		HIGHEST MEAN YEAR	1974	1976	1976	1981	1975	1981	1993	1980	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1996	1997	1997	1997	1996	1992	1999	1987	1996	2000	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.0	1.1	0.0	-0.4	-0.3	-0.2	-0.2	-0.3	0.4	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
026	CLEMSON UNIVE	HIGHEST MEAN	51.7	50.3	56.6	65.1	71.6	79.3	83.4	81.6	75.7	67.8	59.7	50.7	83.4
		MEDIAN	41.1	45.0	51.5	59.8	67.9	75.6	79.2	77.6	71.5	60.6	51.7	43.2	60.4
		LOWEST MEAN	30.5	37.3	46.4	55.0	63.7	71.4	74.8	75.1	69.2	54.6	46.4	36.5	30.5
		HIGHEST MEAN YEAR	1974	1990	1997	1981	1991	1981	1993	1980	1980	1984	1985	1984	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1974	1984	1992	1982	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.0	1.0	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	0.4	0.4	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	



SOUTH CAROLINA

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
028	COLUMBIA METR	HIGHEST MEAN	58.5	56.0	61.5	67.9	75.6	83.3	87.2	84.0	78.5	70.9	62.9	55.9	87.2
		MEDIAN	43.9	48.6	55.2	62.9	71.3	78.6	81.6	80.3	74.7	62.9	55.1	46.3	63.6
		LOWEST MEAN	35.9	38.6	49.4	58.8	67.7	73.9	78.9	76.9	71.8	57.0	47.6	38.4	35.9
		HIGHEST MEAN YEAR	1974	1990	1997	1981	1987	1986	1986	1987	1973	1984	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1973	1972	1975	1981	1994	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
029	COLUMBIA UNIV	HIGHEST MEAN	60.1	58.4	65.3	70.3	77.5	84.6	88.4	86.8	81.3	72.0	65.2	58.9	88.4
		MEDIAN	46.4	52.6	58.5	66.4	73.5	80.5	83.2	81.7	76.5	66.2	57.6	49.5	66.0
		LOWEST MEAN	37.2	42.7	53.5	61.1	70.4	75.6	80.9	78.8	74.7	61.3	50.9	40.0	37.2
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1986	1986	1983	1980	1984	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1992	1997	1984	1981	2000	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.1	-1.0	-0.6	-0.5	-0.4	-0.3	-0.4	-0.6	-0.7	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.3	-1.8	-2.2	-1.9	-1.3	-1.0	-0.8	-0.9	-1.4	-1.4	-1.4	-1.4	
030	CONWAY	HIGHEST MEAN	58.4	55.1	61.0	67.7	74.7	82.7	84.2	83.3	78.7	70.5	65.7	55.9	84.2
		MEDIAN	44.8	49.5	55.2	62.1	70.9	77.7	80.9	79.5	74.5	64.3	56.9	47.9	63.5
		LOWEST MEAN	35.6	40.3	49.9	57.5	67.2	72.8	77.8	75.7	72.0	58.2	49.4	37.8	35.6
		HIGHEST MEAN YEAR	1974	1990	1997	1981	1991	1981	1986	1999	1980	1984	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1972	1976	1976	1976	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	1.1	1.0	0.0	0.0	0.0	0.3	0.4	0.5	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
031	DARLINGTON	HIGHEST MEAN	58.9	57.1	62.1	67.8	75.1	82.7	85.2	82.7	78.1	70.8	64.3	56.8	85.2
		MEDIAN	44.9	49.3	56.4	63.5	71.0	78.2	81.1	79.3	74.0	63.6	55.8	46.9	63.7
		LOWEST MEAN	35.2	40.3	51.1	59.9	66.8	74.0	78.3	77.3	71.8	58.1	48.8	39.6	35.2
		HIGHEST MEAN YEAR	1974	1990	1997	1981	1991	1981	1993	1983	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1972	1972	1975	1994	1994	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.1	-1.0	-0.7	-0.6	-0.4	-0.3	-0.4	-0.6	-0.8	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.4	-1.9	-2.3	-2.0	-1.4	-1.2	-0.9	-1.0	-1.5	-1.4	-1.5	-1.4	
032	DILLON	HIGHEST MEAN	54.5	53.0	59.6	64.6	73.5	80.2	84.5	82.0	77.0	66.3	62.3	53.1	84.5
		MEDIAN	41.6	45.3	52.3	60.2	68.1	75.4	79.7	77.4	72.6	62.0	53.2	44.3	60.9
		LOWEST MEAN	31.1	36.2	46.4	55.0	64.1	69.6	76.2	74.1	68.0	55.2	44.7	36.2	31.1
		HIGHEST MEAN YEAR	1974	1990	1997	1999	1991	1998	1993	1999	1980	1990	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1972	1972	1974	1981	1984	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	1.1	1.1	0.0	0.0	0.0	0.3	0.3	0.5	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
034	EDISTO ISLAND	HIGHEST MEAN	59.8	56.4	63.7	67.2	76.2	83.5	85.0	84.0	79.4	72.2	65.6	56.6	85.0
		MEDIAN	47.2	49.1	55.8	63.5	70.9	78.0	82.0	80.4	76.5	67.1	58.5	50.0	65.1
		LOWEST MEAN	36.7	39.7	51.7	58.3	68.5	73.9	78.4	77.5	72.6	61.7	51.3	41.7	36.7
		HIGHEST MEAN YEAR	1974	1990	1997	1991	1998	1998	1986	1999	1987	1985	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1997	1984	1976	1984	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.8	1.9	1.0	0.0	0.1	0.0	0.3	0.3	0.4	1.1	1.3	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
036	FLORENCE RGNL	HIGHEST MEAN	59.8	56.8	62.7	68.9	76.0	82.8	85.8	84.1	79.6	69.2	63.7	55.5	85.8
		MEDIAN	44.8	48.5	55.3	62.7	71.0	77.5	81.3	79.3	74.3	63.9	55.9	46.9	63.2
		LOWEST MEAN	34.3	38.5	49.1	58.8	67.7	71.9	77.7	76.5	70.2	57.6	48.5	38.8	34.3
		HIGHEST MEAN YEAR	1974	1976	1976	1981	1975	1981	1993	1975	1973	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1971	1979	1984	1981	1984	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
037	FLORENCE 8 NE	HIGHEST MEAN	57.4	54.5	60.8	68.1	74.5	82.5	85.9	82.8	79.9	70.5	65.0	56.7	85.9
		MEDIAN	44.0	47.9	55.4	62.7	71.4	78.6	81.3	79.9	74.2	63.1	55.4	46.8	63.4
		LOWEST MEAN	34.8	39.4	50.0	58.9	67.1	74.2	78.8	77.3	71.9	56.4	49.0	38.3	34.8
		HIGHEST MEAN YEAR	1974	1990	1976	1981	2000	1981	1993	1987	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1996	1993	1992	1997	1975	1997	1999	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.1	1.1	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
041	GEORGETOWN 2	HIGHEST MEAN	61.7	58.4	63.2	68.6	75.2	81.3	85.0	83.0	78.1	71.6	66.4	58.8	85.0
		MEDIAN	47.9	51.0	57.2	63.5	71.2	77.6	81.0	79.2	75.5	65.9	58.3	50.7	64.7
		LOWEST MEAN	37.5	40.9	51.8	59.4	67.9	73.1	77.3	76.6	72.3	60.0	51.1	42.2	37.5
		HIGHEST MEAN YEAR	1974	1990	1997	1994	1991	1981	1993	1987	1980	1985	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1992	1997	1975	1976	1984	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.1	-1.0	-0.6	-0.6	-0.4	-0.3	-0.4	-0.5	-0.7	-1.2	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.4	-1.9	-1.8	-1.9	-1.4	-1.1	-0.8	-0.9	-1.4	-1.4	-1.5	-1.4	
044	GRNVL SPART A	HIGHEST MEAN	51.5	50.7	57.2	63.6	71.5	80.0	83.2	81.5	74.4	67.8	58.4	50.2	83.2
		MEDIAN	40.4	44.5	51.9	58.7	67.0	75.0	78.6	76.9	71.4	60.5	51.0	43.2	59.9
		LOWEST MEAN	30.4	36.5	46.2	54.1	61.9	70.0	74.7	74.3	67.5	54.4	43.5	35.8	30.4
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1981	1993	1999	1977	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1976	1979	1976	1976	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	



SOUTH CAROLINA

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
045	GREENWOOD 3 S	HIGHEST MEAN	53.7	51.2	57.9	63.8	73.4	79.9	83.4	81.5	76.3	67.9	60.1	51.8	83.4
		MEDIAN	40.9	45.1	52.0	59.4	67.5	75.4	79.0	77.5	71.3	60.2	51.5	43.1	60.1
		LOWEST MEAN	31.6	36.0	46.8	54.6	63.0	71.1	76.0	74.5	69.2	54.3	45.3	36.3	31.6
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1981	1993	1980	1980	1984	1985	1984	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1971	1971	1976	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.8	1.8	1.0	0.0	0.1	0.0	0.3	0.3	0.9	1.0	1.2	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
046	HAMPTON	HIGHEST MEAN	62.8	58.8	65.9	69.7	76.3	82.8	85.8	83.9	79.6	71.5	65.3	58.6	85.8
		MEDIAN	48.7	52.7	59.0	65.4	72.4	78.8	81.9	80.3	75.7	66.5	58.2	50.5	66.0
		LOWEST MEAN	39.1	43.2	53.9	61.2	69.0	75.0	78.2	77.7	73.1	60.3	50.3	42.2	39.1
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1998	1993	1999	1980	1985	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1981	1983	1976	1976	1971	1976	1976	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-1.0	-0.6	-0.5	-0.3	-0.3	-0.3	-0.5	-0.7	-1.1	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.3	-1.8	-2.2	-1.8	-1.1	-0.9	-0.7	-0.8	-1.2	-1.2	-1.4	-1.4	
047	HILTON HEAD	HIGHEST MEAN	59.9	56.4	62.4	67.7	75.2	82.2	83.4	82.2	79.3	72.0	65.0	56.6	83.4
		MEDIAN	47.7	50.4	55.9	62.9	71.1	77.3	80.4	79.3	75.6	66.6	57.8	49.3	64.4
		LOWEST MEAN	38.1	41.4	51.2	59.3	68.6	73.3	77.6	76.7	72.5	60.6	50.0	42.1	38.1
		HIGHEST MEAN YEAR	1974	1990	1997	1999	1991	1998	1993	1987	1980	1985	1985	1984	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1997	1975	1976	1984	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.8	1.9	0.9	0.0	0.0	0.0	0.3	0.3	0.4	1.1	1.3	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
048	HOLLY HILL	HIGHEST MEAN	58.7	57.9	65.0	68.2	76.2	81.5	86.0	84.3	80.3	71.6	64.5	58.7	86.0
		MEDIAN	46.7	49.8	56.5	64.2	71.6	78.5	81.1	80.0	75.7	65.8	56.7	48.8	64.8
		LOWEST MEAN	36.4	41.5	52.0	59.2	67.8	74.0	77.6	77.9	72.9	61.1	50.3	38.8	36.4
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1981	1986	1987	1980	1984	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1972	1975	1974	1976	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	1.1	0.0	-0.4	-0.3	-0.3	-0.1	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
050	JOHNSTON 4 SW	HIGHEST MEAN	53.2	52.2	59.5	64.5	73.9	79.7	84.8	82.2	76.7	67.7	60.9	51.7	84.8
		MEDIAN	40.6	44.7	51.3	59.3	67.3	75.3	79.0	77.0	71.7	61.3	52.8	43.7	60.4
		LOWEST MEAN	30.6	35.8	44.8	54.7	64.0	70.4	75.6	74.1	69.3	55.1	46.0	36.0	30.6
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1998	1993	1999	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1971	1979	1971	1981	1974	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.8	1.8	1.0	0.0	0.1	0.0	0.3	0.3	0.9	1.0	1.2	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
051	KERSHAW 2 SW	HIGHEST MEAN	53.1	51.3	58.1	64.9	72.4	80.1	83.7	81.5	76.5	68.7	61.7	54.7	83.7
		MEDIAN	40.7	44.7	51.8	60.7	67.3	75.3	79.1	77.5	72.4	60.7	51.8	43.7	60.8
		LOWEST MEAN	31.8	36.3	47.1	55.3	63.5	71.3	76.2	75.0	67.5	53.8	46.7	34.3	31.8
		HIGHEST MEAN YEAR	1974	1976	1997	1981	1991	1981	1993	1999	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1989	1972	1975	1981	1984	1988	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.6	1.0	1.1	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
052	KINGSTREE 1 S	HIGHEST MEAN	58.2	53.1	61.5	66.6	74.2	82.5	85.2	84.0	77.5	68.8	64.0	55.3	85.2
		MEDIAN	44.2	48.2	54.8	61.6	70.0	77.0	80.5	79.0	73.7	62.8	54.4	46.3	62.7
		LOWEST MEAN	35.1	39.1	49.6	58.0	65.8	71.9	76.0	76.3	70.7	57.5	47.8	36.8	35.1
		HIGHEST MEAN YEAR	1974	1990	1997	1981	1991	1981	1986	1999	1980	1985	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1993	1992	1972	1975	1976	1984	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	1.9	1.0	0.0	0.0	0.0	0.3	0.4	0.4	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
053	LAKE CITY 2 S	HIGHEST MEAN	57.2	53.9	60.5	65.4	73.8	80.8	84.6	83.5	78.4	69.8	65.7	54.3	84.6
		MEDIAN	43.8	47.5	54.5	61.1	69.1	76.7	80.4	78.7	73.8	62.7	54.9	46.6	62.5
		LOWEST MEAN	32.7	37.7	46.9	56.3	66.4	72.3	77.8	75.6	70.5	57.0	45.9	37.0	32.7
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1981	1986	1999	1980	1985	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1975	1976	1984	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	1.1	1.0	0.0	0.0	0.0	0.3	0.4	0.4	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
054	LAURENS	HIGHEST MEAN	52.5	49.9	57.1	63.5	72.2	79.8	83.6	81.9	75.1	67.3	59.0	50.0	83.6
		MEDIAN	40.6	43.7	51.6	59.5	67.4	75.6	79.1	77.3	71.0	59.4	50.8	42.3	60.1
		LOWEST MEAN	31.5	36.5	46.5	54.7	62.1	70.3	75.5	74.7	68.0	54.4	43.6	35.3	31.5
		HIGHEST MEAN YEAR	1974	1976	1976	1981	1987	1981	1993	1987	1973	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1993	1997	1997	1997	1979	1981	1975	1987	1997	2000	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.0	1.1	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	0.4	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
055	LITTLE MOUNTA	HIGHEST MEAN	54.2	54.1	58.8	66.0	73.0	81.2	83.9	82.6	77.0	69.3	61.3	54.1	83.9
		MEDIAN	42.3	46.3	53.1	61.0	69.1	76.4	79.6	77.8	72.0	61.5	53.2	45.2	61.4
		LOWEST MEAN	31.4	37.3	47.4	56.9	65.3	71.4	76.7	74.5	69.5	55.2	46.4	36.7	31.4
		HIGHEST MEAN YEAR	1974	1976	1997	1981	2000	1981	1986	1980	1980	1984	1985	1984	1986
		LOWEST MEAN YEAR	1977	1978	1996	1997	1997	1997	1975	1994	1994	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.0	1.1	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	



SOUTH CAROLINA

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
057	LONGCREEK	HIGHEST MEAN	47.1	46.4	52.6	60.8	68.1	74.9	78.9	77.2	71.8	63.2	57.1	48.2	78.9
		MEDIAN	38.1	41.0	48.4	55.7	63.9	71.2	74.8	73.1	67.4	57.3	47.9	39.9	56.4
		LOWEST MEAN	27.9	33.6	42.8	51.3	59.0	65.0	71.7	69.2	63.6	51.6	40.8	33.3	27.9
		HIGHEST MEAN YEAR	1974	1976	1997	1981	2000	1981	1993	1999	1998	1984	1985	1984	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1972	1979	1974	1974	1988	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.7	1.7	1.0	0.0	0.1	0.5	0.3	0.3	0.9	1.0	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
058	LORIS 1 S	HIGHEST MEAN	56.9	53.9	60.1	65.2	72.7	80.8	83.0	81.8	78.0	69.8	65.3	54.9	83.0
		MEDIAN	43.3	47.7	53.8	61.4	69.5	76.1	80.3	78.7	73.3	63.1	54.9	46.6	62.2
		LOWEST MEAN	34.4	37.8	46.1	56.3	64.0	71.0	76.7	76.3	71.0	56.9	48.5	36.8	34.4
		HIGHEST MEAN YEAR	1974	1990	1997	1977	1991	1981	1986	1999	1980	1985	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1971	1971	1972	1971	1971	1994	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	1.1	1.1	0.0	0.0	0.0	0.3	0.4	0.5	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
059	MANNING	HIGHEST MEAN	58.0	56.7	62.1	67.0	75.7	81.8	85.9	84.8	79.8	70.0	65.7	55.5	85.9
		MEDIAN	44.9	48.2	55.3	63.1	71.4	78.2	81.7	80.1	74.7	64.0	56.0	47.1	63.8
		LOWEST MEAN	34.8	39.6	49.8	58.8	66.2	73.7	78.9	77.8	72.2	57.4	49.2	39.6	34.8
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1998	1986	1999	1980	1984	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1981	1983	1989	1972	1974	1981	1981	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	1.1	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
060	MARION	HIGHEST MEAN	56.3	52.4	60.9	65.4	74.1	80.3	84.2	81.9	76.7	68.6	61.5	53.0	84.2
		MEDIAN	42.4	46.5	53.6	61.4	69.2	76.3	79.7	77.7	72.6	62.0	53.9	45.4	61.9
		LOWEST MEAN	31.8	34.9	47.5	56.4	65.7	71.2	76.7	74.2	70.1	56.7	43.7	37.2	31.8
		HIGHEST MEAN YEAR	1974	1990	1997	1999	1991	1998	1993	1999	1993	1985	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1988	1972	1971	1976	1981	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.4	1.9	1.1	1.0	0.0	0.0	0.0	0.3	0.4	0.5	1.2	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
061	MCCLELLANVILL	HIGHEST MEAN	59.3	56.5	61.3	67.5	77.6	82.3	83.6	83.0	77.4	71.9	66.2	57.7	83.6
		MEDIAN	46.6	49.5	55.6	62.7	70.6	78.1	81.6	79.5	74.9	65.7	57.6	49.0	64.4
		LOWEST MEAN	36.1	37.8	50.6	58.7	68.5	73.7	78.8	76.7	72.4	59.9	49.1	40.6	36.1
		HIGHEST MEAN YEAR	1974	1990	1997	1991	1991	1981	1993	1999	1977	1985	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1972	1975	1976	1984	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
062	MCCOLL 3 NNW	HIGHEST MEAN	57.2	54.7	60.4	67.8	74.0	81.8	85.0	83.1	78.5	69.8	62.6	56.1	85.0
		MEDIAN	43.5	47.1	54.9	62.4	70.9	77.7	80.2	78.4	73.3	62.7	54.4	45.9	62.9
		LOWEST MEAN	33.9	37.9	49.1	56.5	66.2	73.1	77.6	75.2	68.3	54.1	47.3	37.2	33.9
		HIGHEST MEAN YEAR	1974	1976	1974	1985	1985	1986	1986	1980	1978	1984	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1981	1983	1992	1997	1988	1976	1999	1988	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.2	-1.0	-0.7	-0.6	-0.5	-0.4	-0.4	-0.7	-0.9	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.2	-2.0	-1.8	-2.0	-1.5	-1.2	-0.9	-1.0	-1.3	-1.1	-1.5	-1.4	
065	NEWBERRY	HIGHEST MEAN	54.8	52.4	57.9	65.6	72.9	80.6	84.7	82.1	76.4	68.0	60.7	52.1	84.7
		MEDIAN	41.9	45.4	52.6	60.6	69.3	76.6	80.3	77.9	72.1	61.4	52.6	44.1	61.2
		LOWEST MEAN	32.6	37.9	45.8	56.5	63.8	71.7	76.2	76.2	70.3	56.5	45.7	34.8	32.6
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1998	1981	1993	1999	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1996	1983	1997	1972	1975	1976	1976	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.8	1.8	1.0	0.0	0.1	0.0	0.3	0.4	0.9	1.1	1.2	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
066	NINETY NINE I	HIGHEST MEAN	50.0	48.6	54.1	61.4	70.3	76.9	81.2	79.4	73.1	65.8	57.0	49.6	81.2
		MEDIAN	38.8	43.0	49.5	57.1	64.9	73.0	76.6	75.3	69.4	58.7	49.2	40.7	58.1
		LOWEST MEAN	28.5	34.0	44.1	52.5	60.7	68.2	73.7	72.9	66.8	52.2	42.0	34.1	28.5
		HIGHEST MEAN YEAR	1974	1990	2000	1999	1991	1986	1993	1999	1973	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1979	1997	1984	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
068	ORANGEBURG 2	HIGHEST MEAN	56.8	55.8	64.2	68.3	75.6	82.4	84.6	84.5	77.6	68.9	63.3	54.9	84.6
		MEDIAN	44.4	49.1	55.4	62.4	70.3	77.7	81.0	78.9	74.7	64.5	55.3	46.4	63.3
		LOWEST MEAN	33.7	39.3	48.5	58.0	67.3	72.9	78.0	76.3	70.4	57.8	47.3	39.8	33.7
		HIGHEST MEAN YEAR	1974	1990	1997	1999	1998	1998	1993	1999	1998	1995	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1971	1979	1979	1981	1984	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.8	1.9	1.0	0.0	0.0	0.0	0.3	0.3	0.4	1.1	1.2	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
069	PAGELAND	HIGHEST MEAN	56.4	55.2	60.4	67.3	73.5	81.1	84.6	82.5	76.9	69.7	62.3	55.3	84.6
		MEDIAN	43.2	48.0	54.6	62.5	70.6	77.4	80.1	78.8	73.3	63.1	54.6	45.7	62.5
		LOWEST MEAN	33.7	39.7	49.9	57.7	66.2	73.2	77.1	75.1	70.7	56.6	48.0	38.2	33.7
		HIGHEST MEAN YEAR	1974	1976	1997	1981	2000	1981	1993	1983	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1992	1997	1975	1981	1994	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.1	-0.9	-0.6	-0.6	-0.4	-0.3	-0.4	-0.6	-0.8	-1.1	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.8	-2.1	-2.0	-1.4	-1.1	-0.9	-0.9	-1.3	-1.1	-1.4	-1.3	



SOUTH CAROLINA

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
			NORMALS STATISTICS												
070	PARR	HIGHEST MEAN	55.2	52.4	59.1	64.9	73.0	80.8	85.0	82.6	76.4	68.2	62.7	52.2	85.0
		MEDIAN	42.4	46.3	52.9	60.8	69.4	77.0	80.6	78.4	73.0	61.7	52.7	44.1	61.5
		LOWEST MEAN	31.9	36.8	47.7	56.1	65.7	72.0	76.7	76.5	69.9	55.2	45.5	36.0	31.9
		HIGHEST MEAN YEAR	1974	1990	1997	1999	1991	1998	1993	1987	1993	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1973	1972	1972	1981	1976	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.8	1.8	1.0	0.0	0.1	0.0	0.3	0.4	0.4	1.1	1.2	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
072	PELION 4 NW	HIGHEST MEAN	57.0	55.6	61.4	67.7	74.4	81.5	85.3	82.7	77.7	68.9	62.8	55.8	85.3
		MEDIAN	44.3	48.7	55.1	62.6	70.1	77.5	80.7	79.0	73.9	63.0	55.0	46.5	63.1
		LOWEST MEAN	33.5	38.5	50.1	57.5	66.8	73.3	77.5	76.9	71.5	57.8	47.5	38.3	33.5
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1986	1986	1987	1980	1985	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1992	1972	1975	1981	1984	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.0	-1.1	-1.0	-0.6	-0.5	-0.4	-0.3	-0.3	-0.5	-0.7	-1.1	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.3	-1.8	-2.2	-1.9	-1.3	-1.0	-0.8	-0.9	-1.3	-1.3	-1.4	-1.3	
073	PICKENS	HIGHEST MEAN	51.0	51.5	56.6	64.0	71.1	78.7	82.2	81.5	74.5	67.3	58.7	51.2	82.2
		MEDIAN	40.2	44.2	52.1	59.2	67.1	74.5	77.9	76.4	70.3	60.3	51.4	42.5	59.6
		LOWEST MEAN	30.2	37.4	46.0	54.0	63.4	69.5	74.2	72.8	68.4	55.4	44.8	34.6	30.2
		HIGHEST MEAN YEAR	1974	1976	1974	1994	2000	1994	1993	1999	1980	1984	1985	1984	1993
		LOWEST MEAN YEAR	1977	1978	1971	1997	1997	1974	1979	1992	1974	1976	1995	2000	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
074	PINOPOLIS DAM	HIGHEST MEAN	59.2	56.3	61.6	66.5	74.2	82.0	84.9	82.6	78.2	69.6	64.3	57.2	84.9
		MEDIAN	46.0	49.8	56.0	62.6	70.8	77.5	80.9	79.3	74.4	64.4	56.8	48.5	63.8
		LOWEST MEAN	36.8	39.8	50.4	57.8	66.9	72.7	78.2	76.5	71.0	59.0	49.3	41.3	36.8
		HIGHEST MEAN YEAR	1974	1990	1997	1991	1991	1981	1986	1999	1980	1985	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1993	1992	1972	1975	1976	1984	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.8	1.9	1.0	0.0	0.1	0.0	0.3	0.3	0.4	1.1	1.3	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
075	RIDGELAND 5 N	HIGHEST MEAN	60.9	57.0	62.2	68.4	75.4	83.2	84.6	83.2	80.9	73.2	66.3	58.6	84.6
		MEDIAN	47.6	51.4	57.1	64.1	72.5	78.1	81.1	79.9	75.4	66.2	57.3	49.5	65.2
		LOWEST MEAN	38.4	42.2	51.8	60.2	67.9	74.1	77.9	77.3	72.9	59.3	51.8	41.3	38.4
		HIGHEST MEAN YEAR	1974	1990	1997	1981	1991	1981	1977	1983	1980	1985	1985	1971	1977
		LOWEST MEAN YEAR	1977	1978	1996	1993	1997	1997	1975	1996	1994	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	1.1	0.0	-0.4	-0.3	-0.2	-0.1	-0.3	-0.4	0.5	0.6	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
077	SALEM 5 NNE	HIGHEST MEAN	49.6	47.6	54.0	62.1	69.6	75.5	80.5	77.7	72.5	62.8	56.7	48.4	80.5
		MEDIAN	38.1	41.9	48.4	56.8	64.8	72.2	75.8	74.2	68.8	57.9	48.8	40.6	57.1
		LOWEST MEAN	28.2	33.5	43.8	52.5	59.9	67.5	72.7	71.7	65.2	51.2	42.6	33.2	28.2
		HIGHEST MEAN YEAR	1974	1990	1997	1994	1991	1981	1993	1995	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1984	1981	1984	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.0	1.0	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	0.4	0.4	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	0.0	0.0	0.2	
078	SALUDA	HIGHEST MEAN	53.7	50.9	60.0	66.2	74.0	82.2	85.4	83.7	78.4	69.4	61.2	54.2	85.4
		MEDIAN	42.2	45.9	53.7	61.4	69.4	77.5	80.9	78.9	73.4	61.4	52.4	44.5	61.9
		LOWEST MEAN	32.6	37.2	47.2	56.0	65.4	73.5	77.7	76.3	69.8	55.4	45.8	36.1	32.6
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1981	1993	1980	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1975	1976	1983	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.0	1.1	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	0.4	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
079	SANDHILL RESE	HIGHEST MEAN	54.8	53.7	60.5	66.9	74.1	81.7	85.6	83.1	77.3	69.1	61.6	53.6	85.6
		MEDIAN	42.5	46.9	53.9	61.9	70.0	76.7	80.6	78.2	73.0	62.9	54.3	45.2	62.0
		LOWEST MEAN	33.2	38.0	48.6	57.1	66.3	72.8	77.3	75.4	70.3	56.8	48.0	37.6	33.2
		HIGHEST MEAN YEAR	1974	1976	1997	1981	2000	1998	1993	1999	1980	1984	1985	1984	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1972	1972	1984	1981	1974	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	1.1	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
080	SANTUCK	HIGHEST MEAN	55.0	54.1	59.5	66.8	73.6	80.5	84.7	82.1	76.3	68.8	61.0	53.3	84.7
		MEDIAN	43.0	47.5	54.7	62.2	69.5	76.6	80.1	78.0	71.8	61.4	53.0	44.9	61.8
		LOWEST MEAN	32.8	39.1	49.3	58.2	65.8	72.8	76.9	75.5	69.9	55.8	46.9	36.8	32.8
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1981	1993	1987	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1979	1971	1992	1994	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.9	-0.6	-0.5	-0.4	-0.3	-0.4	-0.6	-0.7	-1.0	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.2	-1.7	-1.5	-0.9	-0.8	-0.6	-0.7	-0.8	-1.4	-0.9	-0.8	
081	SIMMS WATER P	HIGHEST MEAN	51.0	49.9	56.3	63.2	72.1	78.6	82.3	79.7	74.4	66.2	58.5	49.5	82.3
		MEDIAN	39.9	43.8	50.4	58.7	66.8	74.4	78.0	76.5	70.2	59.5	49.3	41.3	59.0
		LOWEST MEAN	29.6	35.3	45.5	54.6	62.8	69.4	75.3	74.0	67.0	53.0	43.5	34.6	29.6
		HIGHEST MEAN YEAR	1974	1990	1997	1981	1991	1981	1993	1999	1998	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1984	1992	1974	1988	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.9	-0.6	-0.5	-0.4	-0.3	-0.4	-0.6	-0.8	-1.0	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.2	-1.6	-1.6	-0.9	-0.8	-0.5	-0.7	-0.8	-1.1	-0.9	-0.8	



SOUTH CAROLINA

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
082	SPARTANBURG 3	HIGHEST MEAN	53.7	52.3	57.5	64.1	72.3	79.3	83.2	82.1	76.0	68.4	59.8	52.5	83.2
		MEDIAN	41.8	45.5	52.8	59.8	68.1	75.3	78.9	78.0	71.8	60.8	51.7	43.6	60.8
		LOWEST MEAN	32.2	37.5	48.3	56.1	64.1	71.3	76.7	75.0	68.9	55.1	45.3	36.1	32.2
		HIGHEST MEAN YEAR	1974	1976	1997	1981	1991	1986	1986	1987	1980	1984	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1996	1983	1997	1972	1975	1992	1994	1988	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-1.1	-0.9	-0.6	-0.6	-0.4	-0.3	-0.4	-0.6	-0.8	-1.1	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.7	-1.8	-2.1	-2.0	-1.4	-1.1	-0.8	-0.9	-1.3	-1.6	-1.4	-1.3	
084	SULLIVANS ISL	HIGHEST MEAN	59.7	56.7	64.5	68.1	76.0	82.8	83.6	84.2	78.9	72.1	65.6	58.6	84.2
		MEDIAN	45.9	48.6	55.3	62.6	70.7	77.9	80.9	79.9	75.8	67.2	58.2	49.3	64.2
		LOWEST MEAN	37.9	38.8	47.9	58.5	68.1	74.0	78.5	76.9	72.2	61.7	51.2	41.2	37.9
		HIGHEST MEAN YEAR	1974	1990	1997	1979	2000	1998	1999	1999	1998	1985	1985	1971	1999
		LOWEST MEAN YEAR	1977	1978	1971	1993	1994	1997	1973	1976	1979	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.8	2.0	1.0	0.0	0.0	0.0	0.3	0.6	0.4	0.9	1.3	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	0.2	-0.1	-0.2	0.2	
085	SUMMERVILLE	HIGHEST MEAN	59.9	56.6	62.5	68.3	75.9	81.9	84.8	82.5	79.3	70.8	65.7	58.0	84.8
		MEDIAN	46.2	49.0	55.7	62.4	70.4	77.5	80.8	79.8	75.2	64.6	57.4	48.5	64.1
		LOWEST MEAN	36.4	40.1	50.3	57.7	66.6	72.7	77.7	77.0	71.4	58.9	50.1	40.5	36.4
		HIGHEST MEAN YEAR	1974	1990	1997	1991	1991	1981	1993	1980	1980	1985	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1974	1976	1984	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.8	2.0	1.0	0.0	0.0	0.0	0.3	0.3	0.4	1.2	1.3	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
086	SUMTER	HIGHEST MEAN	60.0	56.3	62.2	67.8	74.4	80.7	85.1	82.3	78.9	69.0	62.9	57.4	85.1
		MEDIAN	44.2	48.4	55.1	63.0	70.6	77.5	80.5	78.8	73.6	63.2	55.1	47.7	62.9
		LOWEST MEAN	35.7	41.2	50.0	57.1	65.3	73.0	77.8	74.5	69.9	56.3	49.3	37.7	35.7
		HIGHEST MEAN YEAR	1974	1976	1974	1977	2000	1981	1993	1999	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1996	1983	1992	1992	1975	1981	1981	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.8	1.9	1.0	0.0	0.1	0.0	0.3	0.3	0.4	1.1	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
087	UNION 8 SW	HIGHEST MEAN	51.7	49.2	55.3	62.7	70.9	79.0	83.1	80.5	74.9	65.6	58.2	49.7	83.1
		MEDIAN	39.3	43.1	49.8	58.1	66.2	74.1	78.4	76.6	70.0	58.8	49.6	41.4	58.8
		LOWEST MEAN	29.9	35.2	44.9	52.9	62.1	70.4	75.0	73.9	67.8	52.1	44.0	34.4	29.9
		HIGHEST MEAN YEAR	1974	1976	1974	1999	2000	1981	1993	1999	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1979	1994	1994	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.8	1.8	1.0	0.0	0.1	0.0	0.3	0.3	0.9	1.1	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
088	WALHALLA	HIGHEST MEAN	51.0	48.4	54.9	61.8	70.5	77.2	81.4	79.5	74.6	66.1	58.5	49.5	81.4
		MEDIAN	39.5	43.5	49.7	57.6	66.5	73.5	77.2	75.8	70.0	59.0	49.1	41.1	58.9
		LOWEST MEAN	30.5	36.0	44.3	53.6	61.5	69.1	74.6	73.0	68.0	52.5	44.1	35.2	30.5
		HIGHEST MEAN YEAR	1974	1990	1974	1999	1987	1986	1986	1983	1998	1984	1985	1984	1986
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1979	1992	1982	1988	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.2	1.7	1.7	1.0	0.0	0.1	0.5	0.3	0.3	0.9	1.0	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
089	WALTERBORO 1	HIGHEST MEAN	58.8	57.1	61.9	67.9	75.0	81.4	85.1	83.0	77.2	71.8	64.5	56.2	85.1
		MEDIAN	45.5	49.5	55.9	62.9	71.1	77.3	81.1	79.5	74.8	64.8	56.5	47.8	63.6
		LOWEST MEAN	35.1	40.3	48.0	59.5	66.8	72.5	76.7	76.5	71.5	58.7	48.4	40.6	35.1
		HIGHEST MEAN YEAR	1974	1990	1997	1994	1991	1981	1993	1983	1977	1985	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1971	1972	1971	1971	1981	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	1.1	0.0	-0.4	-0.3	-0.3	-0.1	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.1	0.2	
093	WEDGEFIELD	HIGHEST MEAN	57.0	56.8	62.1	66.6	74.5	80.6	85.1	83.6	77.8	70.0	63.3	55.7	85.1
		MEDIAN	44.6	49.3	54.8	62.8	69.4	76.2	79.9	78.1	73.7	63.4	55.4	46.5	63.0
		LOWEST MEAN	34.4	39.8	48.9	57.4	66.7	72.4	76.9	75.7	71.0	57.4	48.2	36.2	34.4
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1998	1993	1999	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1972	1972	1984	1976	2000	1988	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.0	-1.0	-1.0	-0.6	-0.5	-0.4	-0.3	-0.3	-0.5	-0.7	-1.1	-1.1	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.2	-1.8	-1.5	-0.9	-0.7	-0.6	-0.7	-1.0	-0.8	-0.9	-0.8	
094	WEST PELZER 2	HIGHEST MEAN	53.4	50.9	56.8	64.2	71.4	79.3	84.4	81.8	75.5	68.3	59.9	51.4	84.4
		MEDIAN	41.0	44.6	51.9	59.7	67.8	75.5	79.4	77.4	71.5	60.5	51.1	43.1	60.4
		LOWEST MEAN	31.1	37.4	46.5	55.8	63.8	70.9	75.4	76.0	68.6	55.9	45.7	36.0	31.1
		HIGHEST MEAN YEAR	1974	1976	1974	1981	1991	1981	1993	1988	1973	1984	1985	1984	1993
		LOWEST MEAN YEAR	1977	1978	1996	1997	1997	1972	1979	1992	2000	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.0	1.0	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	0.4	0.4	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
096	WINNSBORO	HIGHEST MEAN	53.1	53.2	60.0	65.5	73.2	80.3	85.5	82.7	77.1	69.4	60.7	52.5	85.5
		MEDIAN	41.6	45.9	53.4	61.1	69.4	76.5	80.4	78.1	72.1	61.5	53.3	44.0	61.2
		LOWEST MEAN	30.9	36.7	48.0	56.2	65.4	72.1	76.1	75.2	69.7	55.0	46.1	36.6	30.9
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1981	1993	1999	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1997	1972	1975	1976	1976	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	1.3	1.0	1.1	0.0	-0.4	-0.3	-0.3	-0.2	-0.3	-0.4	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	



SOUTH CAROLINA

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
097	WINTHROP UNIV	HIGHEST MEAN	53.2	53.3	59.2	65.7	75.3	81.3	85.9	81.7	75.8	67.9	59.3	52.6	85.9
		MEDIAN	41.5	46.5	53.5	61.6	68.9	76.3	79.8	78.3	72.1	62.1	53.1	44.3	61.6
		LOWEST MEAN	31.1	37.1	47.9	55.9	65.7	71.5	76.1	75.2	68.5	56.6	45.6	36.5	31.1
		HIGHEST MEAN YEAR	1974	1990	1997	1981	1991	1986	1993	1987	1980	1984	1985	1971	1993
		LOWEST MEAN YEAR	1977	1978	1971	1983	1972	1972	1971	1971	1974	1987	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.9	-0.6	-0.5	-0.4	-0.3	-0.4	-0.6	-0.7	-1.0	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.2	-1.7	-1.6	-0.9	-0.8	-0.6	-0.7	-0.8	-0.6	-0.9	-0.8	
099	YEMASSEE	HIGHEST MEAN	62.1	58.5	64.7	68.9	75.8	83.6	84.9	82.2	79.0	70.3	65.8	58.0	84.9
		MEDIAN	48.3	52.2	58.3	64.3	72.0	78.4	81.1	79.8	75.3	65.5	57.7	50.3	65.2
		LOWEST MEAN	39.3	42.5	52.1	60.7	68.4	73.4	78.3	77.1	72.5	59.4	50.6	41.6	39.3
		HIGHEST MEAN YEAR	1974	1990	1974	1981	1991	1981	1986	1999	1980	1984	1985	1971	1986
		LOWEST MEAN YEAR	1977	1978	1971	1993	1997	1997	1975	1996	1976	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	-1.1	-1.1	-1.0	-0.6	-0.5	-0.4	-0.3	-0.3	-0.5	-0.7	-1.2	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.8	-2.2	-2.4	-1.9	-1.4	-1.1	-0.9	-0.9	-1.4	-1.7	-2.0	-2.1	