

August 27, 2007

LICENSEE: PPL Susquehanna, LLC

FACILITY: Susquehanna Steam Electric Station, Units 1 and 2

SUBJECT: SUMMARY OF TELEPHONE CONFERENCE CALL HELD ON
AUGUST 16, 2007, BETWEEN THE U.S. NUCLEAR REGULATORY
COMMISSION AND PPL SUSQUEHANNA, LLC, CONCERNING REQUESTS
FOR ADDITIONAL INFORMATION PERTAINING TO THE SUSQUEHANNA
STEAM ELECTRIC STATION, UNITS 1 AND 2, LICENSE RENEWAL
APPLICATION

The U.S. Nuclear Regulatory Commission (NRC or the staff) and representatives of PPL Susquehanna, LLC held a telephone conference call on August 16, 2007, to discuss and clarify the staff's requests for additional information (RAIs) concerning the Susquehanna Steam Electric Station, Units 1 and 2, license renewal application. The telephone conference call was useful in clarifying the intent of the staff's RAIs.

Enclosure 1 provides a listing of the participants and Enclosure 2 contains a listing of the RAIs discussed with the applicant, including a brief description on the status of the items.

The applicant had an opportunity to comment on this summary.

/RA/

Evelyn Gettys, Project Manager
License Renewal Branch A
Division of License Renewal
Office of Nuclear Reactor Regulation

Docket Nos. 50-387 and 50-388

Enclosures:

1. List of Participants
2. List of Requests for Additional
Information

cc w/encls: See next page

August 27, 2007

LICENSEE: PPL Susquehanna, LLC

FACILITY: Susquehanna Steam Electric Station, Units 1 and 2

SUBJECT: SUMMARY OF TELEPHONE CONFERENCE CALL HELD ON
AUGUST 16, 2007, BETWEEN THE U.S. NUCLEAR REGULATORY
COMMISSION AND PPL SUSQUEHANNA, LLC, CONCERNING REQUESTS
FOR ADDITIONAL INFORMATION PERTAINING TO THE SUSQUEHANNA
STEAM ELECTRIC STATION, UNITS 1 AND 2, LICENSE RENEWAL
APPLICATION

The U.S. Nuclear Regulatory Commission (NRC or the staff) and representatives of PPL Susquehanna, LLC held a telephone conference call on August 16, 2007, to discuss and clarify the staff's requests for additional information (RAIs) concerning the Susquehanna Steam Electric Station, Units 1 and 2, license renewal application. The telephone conference call was useful in clarifying the intent of the staff's RAIs.

Enclosure 1 provides a listing of the participants and Enclosure 2 contains a listing of the RAIs discussed with the applicant, including a brief description on the status of the items.

The applicant had an opportunity to comment on this summary.

/RA/

Evelyn Gettys, Project Manager
License Renewal Branch A
Division of License Renewal
Office of Nuclear Reactor Regulation

Docket Nos. 50-387 and 50-388

Enclosures:

1. List of Participants
2. List of Requests for Additional Information

cc w/encls: See next page

DISTRIBUTION: See next page

ADAMS Accession No.: ML072330414

OFFICE	PM:RLRA:DLR	LA:DLR	BC:RLRA:DLR
NAME	EGettys	SFigueroa	LLund
DATE	08/22/07	08/22/07	08/27/07

OFFICIAL RECORD COPY

**TELEPHONE CONFERENCE CALL
SUSQUEHANNA STEAM ELECTRIC STATION, UNITS 1 AND 2
LICENSE RENEWAL APPLICATION**

LIST OF PARTICIPANTS
AUGUST 16, 2007

PARTICIPANTS

James Medoff
Evelyn Gettys
Duane Filchner
Michael Detamore
Jeffrey Weik

AFFILIATIONS

U.S. Nuclear Regulatory Commission (NRC)
NRC
PPL Susquehanna, LLC
PPL Susquehanna, LLC
PPL Susquehanna, LLC

REQUESTS FOR ADDITIONAL INFORMATION
SUSQUEHANNA STEAM ELECTRIC STATION, UNITS 1 AND 2
LICENSE RENEWAL APPLICATION

August 16, 2007

The U.S. Nuclear Regulatory Commission (NRC or the staff) and representatives of PPL Susquehanna, LLC, (PPL) held a telephone conference call on August 16, 2007, to discuss and clarify the following requests for additional information (RAIs) concerning the Susquehanna Steam Electric Station (SSES), Units 1 and 2, license renewal application (LRA).

RAI 4.1.3 Identification of Exemptions

Paragraph §54.21(c)(2) of Title 10, *Code of Federal Regulations*, Part 54 (10 CFR 54.21(c)(2)) requires an applicant for license renewal of its facilities to identify all exemptions in effect that have been granted in accordance with Paragraph §50.12 of Title 10, *Code of Federal Regulations*, Part 50 (10 CFR 50.12) and are based on time-limited aging assumptions. PPL has identified in LRA Section 4.2 that the pressure-temperature (P-T) limits and the upper-shelf energy (USE) assessments for SSES, Units 1 and 2 are time-limited aging analysis (TLAAs) for the LRA. The TLAAs are required pursuant to the requirements of Appendix G to Part 50 of Title 10, *Code of Federal Regulations* (10 CFR Part 50, Appendix G)

The staff has reviewed the current licensing basis (CLB) for SSES, Units 1 and 2, and has determined that the CLB includes the following exemptions that were granted to PPL in lieu of meeting the requirements of 10 CFR Part 50, Appendix G:

- (1) Paragraph 2E of Operating License NPF-14 for SSES, Unit 1
- (2) The NRC letter of February 7, 2002, from D. S. Collins (NRC) to R. G. Byram (PPL), granting PPL an exemption to use methods of ASME Code Case N-640 in the generation of the P-T limits for SSES, Units 1 and 2.

The staff has also determined that these exemptions were granted in accordance with 10 CFR 50.12 and are associated with analyses that involve time-limited aging assumptions.

Part A: Clarify whether the exemptions listed above have been withdrawn from the applicable dockets for SSES, such that the exemptions would no longer be in effect for the CLB. If not, pursuant to 10 CFR 54.21(c)(2), PPL is required to amend the LRA to identify the exemptions listed in items (1) and (2) above as exemptions in effect that were granted in accordance with 10 CFR 50.12 and are based on time-limited aging assumptions.

Part B: Clarify whether the 10 CFR Part 50, Appendix G-based exemption referred to in Paragraph 2E of Operating License NPF-14 for SSES, Unit 1 was granted relative to the USE requirements that are promulgated in Section IV.A.1 of 10 CFR Part 50, Appendix G, or the P-T limit requirements that are promulgated in Section IV.A.2 of 10 CFR Part 50, Appendix G.

Enclosure 2

Part C: Provide your regulatory basis that justifies whether or not the exemptions granted on the 10 CFR Part 50, Appendix G requirements, as referred to in Paragraph 2E of Operating License NPF-14 for SSES, Unit 1 and in the NRC's letter of February 7, 2002, are needed for the period of extended operation.

Discussion:

The applicant agreed to amend the responses in letter PLA-6222 of June 12, 2007, to identify the exceptions that are based on TLAA's and amend the LRA accordingly. The applicant also agreed to clarify that the exemptions referred to in 2E of the operating license NPR-14 as not based on a TLAA but on the Reactor Vessel Surveillance Program.

Letter to PPL, Susquehanna, from E. Gettys, dated August 27, 2007

SUBJECT: SUMMARY OF TELEPHONE CONFERENCE CALL HELD ON
AUGUST 16, 2007, BETWEEN THE U.S. NUCLEAR REGULATORY
COMMISSION AND PPL SUSQUEHANNA, LLC, CONCERNING REQUESTS
FOR ADDITIONAL INFORMATION PERTAINING TO THE SUSQUEHANNA
STEAM ELECTRIC STATION, UNITS 1 AND 2, LICENSE RENEWAL
APPLICATION

DISTRIBUTION:

HARD COPY:

DLR RF

E-MAIL:

PUBLIC

SSmith (srs3)

SDuraiswamy

RidsNrrDlr

RidsNrrDlrRlra

RidsNrrDlrRlrb

RidsNrrDlrRlrc

RidsNrrDlrReba

RidsNrrDlrRebb

RidsNrrDci

RidsNrrDra

RidsNrrDe

RidsNrrDeEemb

RidsNrrDeEeeb

RidsNrrDss

RidsOgcMailCenter

RidsNrrAdes

YDiaz

RGuzman

BRogers

EGettys

Susquehanna Steam Electric Station,
Units 1 and 2

cc:

Robert A. Saccone
Vice President - Nuclear Operations
PPL Susquehanna, LLC
769 Salem Blvd., NUCSB3
Berwick, PA 18603-0467

Terry L. Harpster
General Manager - Plant Support
PPL Susquehanna, LLC
769 Salem Blvd., NUCSA4
Berwick, PA 18603-0467

Rocco R. Sgarro
Manager - Nuclear Regulatory Affairs
PPL Susquehanna, LLC
Two North Ninth Street, GENPL4
Allentown, PA 18101-1179

Walter E. Morrissey
Supervising Engineer
Nuclear Regulatory Affairs
PPL Susquehanna, LLC
769 Salem Blvd., NUCSA4
Berwick, PA 18603-0467

Michael H. Crowthers
Supervising Engineer
Nuclear Regulatory Affairs
PPL Susquehanna, LLC
Two North Ninth Street, GENPL4
Allentown, PA 18101-1179

Steven M. Cook
Manager - Quality Assurance
PPL Susquehanna, LLC
769 Salem Blvd., NUCSB2
Berwick, PA 18603-0467

Luis A. Ramos
Community Relations Manager,
Susquehanna
PPL Susquehanna, LLC
634 Salem Blvd., SSO
Berwick, PA 18603-0467

Bryan A. Snapp, Esq.
Associate General Counsel
PPL Services Corporation
Two North Ninth Street, GENTW3
Allentown, PA 18101-1179

Supervisor - Document Control Services
PPL Susquehanna, LLC
Two North Ninth Street, GENPL4
Allentown, PA 18101-1179

Richard W. Osborne
Allegheny Electric Cooperative, Inc.
212 Locust Street
P.O. Box 1266
Harrisburg, PA 17108-1266

Director, Bureau of Radiation Protection
Pennsylvania Department of
Environmental Protection
Rachel Carson State Office Building
P.O. Box 8469
Harrisburg, PA 17105-8469

Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 35, NUCSA4
Berwick, PA 18603-0035

Regional Administrator, Region 1
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Board of Supervisors
Salem Township
P.O. Box 405
Berwick, PA 18603-0035

Dr. Judith Johnsrud
National Energy Committee
Sierra Club
443 Orlando Avenue
State College, PA 16803

Susquehanna Steam Electric Station,
Units 1 and 2

-2-

cc:

Ms. Julie Keys
Nuclear Energy Institute
1776 I Street, NW, Suite 400
Washington, DC 20006-3708