



UNITED STATES  
**NUCLEAR REGULATORY COMMISSION**  
REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

August 30, 2007

Docket No. 03037454  
Control No. 140789

License No. 52-31241-01

Edwin Marshall, M.D.  
President and CEO  
Centro Cardiovascular del Este, CSP  
PMB 202  
P.O. Box 70005  
Fajardo, PR 00738

SUBJECT: CENTRO CARDIOVASCULAR DEL ESTE, CSP, LICENSE AMENDMENT,  
CONTROL NO. 140789

Dear Dr. Marshall:

This refers to your license amendment request. Enclosed with this letter is the amended license revising the facility description and removing 10 CFR 35.100/35.300 uses.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material**; then **Regulations, Guidance, and Communications**. You may also obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-866-512-1800. The GPO is open from 7:00 a.m. to 8:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

***Original signed by Penny Lanzisera***

Penny Lanzisera  
Senior Health Physicist  
Medical Branch  
Division of Nuclear Materials Safety

Enclosure:  
Amendment No. 1

E. Marshall  
Centro Cardiovascular del Este, CSP

2

cc:  
David Rhoe, Radiation Safety Officer

E. Marshall  
Centro Cardiovascular del Este, CSP

3

DOCUMENT NAME: C:\FileNet\ML072430866.wpd

**SUNSI Review Complete: MSimmons**

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	<input checked="" type="checkbox"/> N	DNMS/RI	<input type="checkbox"/>	DNMS/RI	<input type="checkbox"/>		
NAME	MSimmons/PL for		PLanzisera/PL					
DATE	8/30/07		08/30/07					

OFFICIAL RECORD COPY

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Centro Cardiovascular del Este, CSP</p> <p>2. PMB 202 P.O. Box 70005 Fajardo, PR 00738</p>	<p>July 9, 2007,</p> <p>3. License number 52-31241-01</p> <p>4. Expiration date June 30, 2017</p> <p>5. Docket No. 03037454 Reference No.</p>	
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.200</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p>
<p>9. Authorized use:</p> <p>A. Any imaging and localization study permitted by 10 CFR 35.200.</p>		

**CONDITIONS**

10. Licensed material may be used or stored only at the licensee's facilities located at General Valero Avenue, #375 Suite 102, Fajardo, Puerto Rico.
11. The Radiation Safety Officer for this license is David Rhoe.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
52-31241-01Docket or Reference Number  
03037454

1

12. Licensed material is only authorized for use by, or under the supervision of:

- A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.
- B. The following individuals are authorized users for medical use as indicated:

Authorized UsersMaterial and Use

Rene Baez Carattini, M.D.

35.200

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated April 3, 2007 [ML071130361]

For the U.S. Nuclear Regulatory Commission

Date August 30, 2007

By

***Original signed by Penny Lanzisera***

Penny Lanzisera  
Medical Branch  
Division of Nuclear Materials Safety  
Region I  
King of Prussia, Pennsylvania 19406