

Holtec International Final Safety Analysis Report for the HI-STORM 100 Cask System*

by

Holtec International
Holtec Center
555 Lincoln Drive West
Marlton, NJ 08053
(holtecinternational.com)

USNRC Docket No.: 72-1014
Holtec Report No.: HI-2002444
Quality Designation: Safety Significant

* This document is a copyrighted intellectual property of Holtec International. All rights reserved. Excerpting any part of this document, except for public domain citations included herein, by any person or entity except for the USNRC, without written consent of Holtec International is unlawful.

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
i through xi	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

<u>Page(s)</u>	<u>Revision</u>
1.0-1 through 1.0-31	6
1.1-1 through 1.1-4	6
Fig. 1.1.1	0
Fig. 1.1.1A	1
Fig. 1.1.1B	2
Fig. 1.1.2	0
Fig. 1.1.3 through 1.1.3A	1
Fig. 1.1.3B	2
Fig 1.1.4 through 1.1.5	1
1.2-1 through 1.2-40	6
Fig. 1.2.1	1
Fig. 1.2.1A	2
Fig. 1.2.2	4
Fig. 1.2.3	3
Fig. 1.2.4	4
Fig. 1.2.5 through 1.2.6	0
Fig. 1.2.7	1
Fig. 1.2.8 through 1.2.8A	1
Fig. 1.2.9 through 1.2.9A	1
Fig. 1.2.10 through 1.2.12	0
Fig. 1.2.13 through 1.2.15	Deleted
Fig. 1.2.16a through 1.2.16f	0
Fig. 1.2.17a through 1.2.17d	5
Fig. 1.2.18	1
1.3-1	5
1.4-1 through 1.4-3	1
Fig. 1.4.1 through 1.4.2	0
1.5-1 through 1.5-2	6
Drawings	See Section 1.5
Bills-of-Material	See Section 1.5
1.6-1 through 1.6-2	3
1.A-1 through 1.A-7	4
Fig. 1.A.1 through 1.A.5	0
1.B-1 through 1.B-3	3
1.C-1	2
1.C-2 through 1.C-5	Deleted
1.D-1 through 1.D-8	6
1.I-1	6
1.II-1 through 1.II-4	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

<u>Page(s)</u>	<u>Revision</u>
2.0-1 through 2.0-35	6
2.1-1 through 2.1-66	6
Fig. 2.1.1	3
Fig. 2.1.2 through 2.1.2C	1
Fig. 2.1.2D	3
Fig. 2.1.3 through 2.1.5	0
Fig. 2.1.6 through 2.1.8	Deleted
Fig. 2.1.9	3
2.2-1 through 2.2-58	6
2.3-1 through 2.3-22	5
Fig. 2.3.1 through 2.3.4	0
2.4-1 through 2.4-3	3
2.5-1	0
2.6-1 through 2.6-3	3
2A-1 through 2.A-5	2
Fig. 2.A.1	1
2.B-1 through 2.B-4	3
Fig. 2.B.1	3
2.C-1 through 2.C-2	3
Fig. 2.C.1	3
2.I-1	6
2.II-1 through 2.II-5	6
Fig. 2.II.1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
3.0-1 through 3.0-10	4
3.1-1 through 3.1-46	5
Fig. 3.1.1 through 3.1.3	1
3.2-1 through 3.2-14	4
3.3-1 through 3.3-11	5
3.4-1 through 3.4-135	6
Fig. 3.4.1	0
Fig. 3.4.2	1
Fig. 3.4.3 through 3.4.4	0
Fig. 3.4.5	1
Fig. 3.4.6 through 3.4.9	0
Fig. 3.4.10	1
Fig. 3.4.11 through 3.4.29	0
Fig. 3.4.30 through 3.4.49	1
3.5-1	6
Fig. 3.5.1 through 3.5.9	Deleted
3.6-1 through 3.6-9	3
3.7-1 through 3.7-8	3
3.8-1 through 3.8-2	6
3.A-1 through 3.A-15	1
Fig. 3.A.1 through 3.A.18	0
Fig. 3.A.19 through 3.A.30	Deleted
3.I-1	6
3.II-1 through 3.II-18	6
Fig. 3.II.1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
4.0-1 through 4.0-2	3
4.1-1 through 4.1-5	3
4.2-1 through 4.2-10	3
Fig. 4.2.1 through 4.2.2	Deleted
Fig. 4.2.3	3
4.3-1 through 4.3-2	3
4.4-1 through 4.4-65	3
Fig. 4.4.1 through 4.4.6	0
Fig. 4.4.7	2
Fig. 4.4.8	Deleted
Fig. 4.4.9	1
Fig. 4.4.10	0
Fig. 4.4.11	Deleted
Fig. 4.4.12 through 4.4.13	0
Fig. 4.4.14 through 4.4.15	Deleted
Fig. 4.4.16 through 4.4.17	1
Fig. 4.4.18	Deleted
Fig. 4.4.19 through 4.4.20	1
Fig. 4.4.21 through 4.4.23	Deleted
Fig. 4.4.24	0
Fig. 4.4.25 through 4.4.26	1
Fig. 4.4.27	3
4.5-1 through 4.5-24	5
Fig. 4.5.1	0
Fig. 4.5.2	1
4.6-1 through 4.6-2	3
4.7-1 through 4.7-3	3
4.A-1	Deleted
4.B-1 through 4.B-9	3
Fig. 4.B.1 through 4.B.8	1
4.I-1	6
4.II-1 through 4.II-8	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
5.0-1 through 5.0-4	5
5.1-1 through 5.1-26	6
Fig. 5.1.1	1
Fig. 5.1.2	0
Fig. 5.1.3	3
Fig. 5.1.4	0
Fig. 5.1.5	0
Fig. 5.1.6	0
Fig. 5.1.7	0
Fig. 5.1.8	0
Fig. 5.1.9	0
Fig. 5.1.10	0
Fig. 5.1.11	0
Fig. 5.1.12	1
Fig. 5.1.13	2
5.2-1 through 5.2-58	6
5.3-1 through 5.3-15	4
Fig. 5.3.1	1
Fig. 5.3.2 through Fig. 5.3.3	0
Fig. 5.3.4	2
Fig. 5.3.5	0
Fig. 5.3.6	0
Fig. 5.3.7	1
Fig. 5.3.8 through Fig. 5.3.9	0
Fig. 5.3.10	3
Fig. 5.3.11	1
Fig. 5.3.12	4
Fig. 5.3.13	4
Fig. 5.3.14	4
Fig. 5.3.15	1
Fig. 5.3.16	1
Fig. 5.3.17	1
Fig. 5.3.18	1
Fig. 5.3.19	2
Fig. 5.3.20	1
Fig. 5.3.21	1
Fig. 5.3.22	2
Fig. 5.3.23	4
5.4-1 through 5.4-35	4
5.5-1	0
5.6-1 through 5.6-3	3
5.A-1 through 5.A-4	0
5.B-1 through 5.B-7	0
5.C-1 through 5.C-61	0
5.D-1 through 5.D-6	1
5.E-1 through 5.E-4	1
5.F-1 through 5.F-4	3
Fig. 5.F.1 through 5.F.7	3
5.I-1	6
5.II-1 through 5.II-12	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

<u>Page(s)</u>	<u>Revision</u>
6.1-1 through 6.1-19	6
6.2-1 through 6.2-64	5
6.3-1 through 6.3-19	3
Fig. 6.3.1	1
Fig. 6.3.1A	1
Fig. 6.3.2	1
Fig. 6.3.3	0
Fig. 6.3.4	1
Fig. 6.3.5	1
Fig. 6.3.6	0
Fig. 6.3.7	1
6.4-1 through 6.4-34	6
Fig. 6.4.1	Deleted
Fig. 6.4.2 through 6.4.15	1
Fig. 6.4.16	3
Fig. 6.4.17	3
6.5-1	0
6.6-1	0
6.7-1 and 6.7-2	1
6.A-1 through 6.A-20	2
Fig. 6.A.1 through 6.A.5	0
Fig. 6.A.6	2
6.B-1 and 6.B-2	0
6.C-1 through 6.C-16	6
6.D-1 through 6.D-35	1
6.I-1	6
6.II-1 through 6.II-6	6
Fig. 6.II.1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
7.0-1	6
7.1-1 through 7.1-8	6
Fig. 7.1.1	0
7.2-1	3
7.3-1	3
7.4-1 through 7.4-2	5
7.A-1	Deleted
7.I-1	6
7.II-1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
8.0-1 through 8.0-6	6
8.1-1 through 8.1-42	5
Fig. 8.1.1	4
Fig. 8.1.2a and 8.1.2b	0
Fig. 8.1.2c	4
Fig. 8.1.2d	1
Fig. 8.1.2e and 8.1.2f	0
Fig. 8.1.3	0
Fig. 8.1.4	4
Fig. 8.1.5 and 8.1.6	0
Fig. 8.1.7	1
Fig. 8.1.8 through 8.1.11	0
Fig. 8.1.12 and 8.1.13	1
Fig. 8.1.14 through 8.1.17	0
Fig. 8.1.18 and 8.1.19	1
Fig. 8.1.20	4
Fig. 8.1.21	1
Fig. 8.1.22a and 8.1.22b	1
Fig. 8.1.23	1
Fig. 8.1.24	0
Fig. 8.1.25	1
Fig. 8.1.26	4
Fig. 8.1.27 through 8.1.28	1
Fig. 8.1.29a and 8.1.29b	1
Fig. 8.1.30	1
Fig. 8.1.31	4
Fig. 8.1.32	0
Fig. 8.1.33	4
Fig. 8.1.34a	1
Fig. 8.1.34b	Deleted
Fig. 8.1.35 and 8.1.36	0
Fig. 8.1.37	4
8.2-1	4
8.3-1 through 8.3-11	5
Fig. 8.3.1	5
Fig. 8.3.2a	4
Fig. 8.3.2b	5
Fig. 8.3.2c through 8.3.2d	0
Fig. 8.3.3	0
Fig. 8.3.4	Deleted
8.4-1 through 8.4-3	4
Fig. 8.4.1a	0
Fig. 8.4.1b	4
8.5-1 through 8.5-5	4
Fig. 8.5.1	0
8.6-1	1
8.I-1	6
8.II-1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
9.0-1	4
9.1-1 through 9.1-30	6
9.2-1 through 9.2-4	6
9.3-1	1
9.4-1	0
9.I-1	6
9.II-1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
10.1-1 through 10.1-8	5
Fig. 10.1.1	4
10.2-1	3
10.3-1 through 10.3-43	5
Fig. 10.3.1a	4
Fig. 10.3.1b	4
Fig. 10.3.1c	4
Fig. 10.3.1d	4
Fig. 10.3.1e	4
10.4-1 through 10.4-5	3
10.5-1	0
10.I-1	6
10.II-1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

<u>Page(s)</u>	<u>Revision</u>
11.1-1 through 11.1-18	5
11.2-1 through 11.2-51	6
Fig. 11.2.1	0
Fig. 11.2.2 through 11.2.5	Deleted
Fig. 11.2.6	1
11.3-1	1
11.I-1	6
11.II-1 through 11.II-14	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
12.0-1	0
12.1-1 through 12.1-3	3
12.2-1 through 12.2-8	3
12.3-1	0
12.4-1	0
12.5-1	0
Appendix 12.A Cover	3
TS Bases TOC	5
B 3.0-1 through B 3.0-9	0
B 3.1.1-1 through B 3.1.1-7	5
B 3.1.2-1 through B 3.1.2-7	3
B 3.1.3-1 through B 3.1.3-3	5
B 3.1.4-1 through B 3.1.4-3	3
B 3.2.1-1	3
B 3.2.2-1 through B 3.2.2-3	1
B 3.2.3-1	3
B 3.3.1-1 through B 3.3.1-5	6
Appendix 12.B	Deleted
12.I-1	6
12.II-1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
13.0-1 through 13.0-2	4
13.1-1	Deleted
13.2-1	Deleted
13.3-1	Deleted
13.4-1	Deleted
13.5-1	Deleted
13.6-1	4
13.I-1	6
13.II-1	6

HI-STORM 100 FSAR

TABLE OF CONTENTS

CHAPTER 1: GENERAL DESCRIPTION	1.0-1
1.0 GENERAL INFORMATION	1.0-1
1.0.1 Engineering Change Orders	1.0-3
1.1 INTRODUCTION	1.1-1
1.2 GENERAL DESCRIPTION OF HI-STORM 100 SYSTEM	1.2-1
1.2.1 System Characteristics	1.2-1
1.2.2 Operational Characteristics	1.2-21
1.2.3 Cask Contents	1.2-28
1.3 IDENTIFICATION OF AGENTS AND CONTRACTORS	1.3-1
1.4 GENERIC CASK ARRAYS	1.4-1
1.5 DRAWINGS	1.5-1
1.6 REFERENCES	1.6-1
APPENDIX 1.A: ALLOY X DESCRIPTION	
APPENDIX 1.B: HOLTITE™ MATERIAL DATA	
APPENDIX 1.C: MISCELLANEOUS MATERIAL DATA	
APPENDIX 1.D: REQUIREMENTS ON HI-STORM 100 SHIELDING CONCRETE	
1.I SECTION RESERVED FOR FUTURE USE	1.1-1
1.II GENERAL DESCRIPTION OF HI-STORM 100 SYSTEM FOR IP1	1.II-1
1.II.0 General Information	1.II-1
1.II.1 Introduction	1.II-1
1.II.2 General Description of HI-STORM 100 System for IP1	1.II-1
1.II.3 Identification of Agents and Contractors	1.II-2
1.II.4 Generic Cask Arrays	1.II-2
1.II.5 Drawings	1.II-3
CHAPTER 2: PRINCIPAL DESIGN CRITERIA	2.0-1
2.0 PRINCIPAL DESIGN CRITERIA	2.0-1
2.0.1 MPC Design Criteria	2.0-1
2.0.2 HI-STORM 100 Overpack Design Criteria	2.0-5
2.0.3 HI-TRAC Transfer Cask Design Criteria	2.0-8
2.0.4 Principal Design Criteria for the ISFSI Pad	2.0-10
2.1 SPENT FUEL TO BE STORED	2.1-1
2.1.1 Determination of The Design Basis Fuel	2.1-1
2.1.2 Intact SNF Specifications	2.1-2
2.1.3 Damaged SNF and Fuel Debris Specifications	2.1-2
2.1.4 Deleted	2.1-3

HI-STORM 100 FSAR

TABLE OF CONTENTS (continued)

2.1.5	Structural Parameters for Design Basis SNF	2.1-3
2.1.6	Thermal Parameters for Design Basis SNF	2.1-3
2.1.7	Radiological Parameters for Design Basis SNF.....	2.1-4
2.1.8	Criticality Parameters for Design Basis SNF.....	2.1-5
2.1.9	Summary of Authorized Contents	2.1-5
2.2	HI-STORM 100 DESIGN CRITERIA	2.2-1
2.2.1	Normal Condition Design Criteria.....	2.2-2
2.2.2	Off-Normal Conditions Design Criteria	2.2-5
2.2.3	Environmental Phenomena and Accident Condition Design Criteria.....	2.2-7
2.2.4	Applicability of Governing Documents.....	2.2-14
2.2.5	Service Limits	2.2-15
2.2.6	Loads.....	2.2-16
2.2.7	Load Combinations.....	2.2-16
2.2.8	Allowable Stresses	2.2-17
2.3	SAFETY PROTECTION SYSTEMS.....	2.3-1
2.3.1	General.....	2.3-1
2.3.2	Protection by Multiple Confinement Barriers and Systems.....	2.3-2
2.3.3	Protection by Equipment and Instrumentation Selection.....	2.3-3
2.3.4	Nuclear Criticality Safety	2.3-17
2.3.5	Radiological Protection.....	2.3-18
2.3.6	Fire and Explosion Protection.....	2.3-20
2.4	DECOMMISSIONING CONSIDERATIONS	2.4-1
2.5	REGULATORY COMPLIANCE.....	2.5-1
2.6	REFERENCES	2.6-1
	APPENDIX 2.A: GENERAL DESIGN AND CONSTRUCTION REQUIREMENTS FOR THE ISFSI PAD FOR HI-STORM 100A	
	APPENDIX 2.B: THE FORCED HELIUM DEHYDRATION (FHD) SYSTEM	
	APPENDIX 2.C: THE SUPPLEMENTAL COOLING SYSTEM	
2.I	SECTION RESERVED FOR FUTURE USE	2.I-1
2.II	PRINCIPAL DESIGN CRITERIA FOR THE HI-STORM 100 SYSTEM FOR IP1	2.II-1
2.II.0	Overview of the Principal Design Criteria	2.II-1
2.II.1	Spent Fuel to be Stored.....	2.II-1
2.II.2	HI-STORM 100 Design Criteria	2.II-2
2.II.3	Safety Protection Systems	2.II-3
2.II.4	Decommissioning Considerations	2.II-3
2.II.5	Regulatory Compliance	2.II-3
	CHAPTER 3: STRUCTURAL EVALUATION	3.0-1
3.0	OVERVIEW	3.0-1
3.1	STRUCTURAL DESIGN.....	3.1-1

HI-STORM 100 FSAR

TABLE OF CONTENTS (continued)

3.1.1	Discussion	3.1-1
3.1.2	Design Criteria	3.1-5
3.2	WEIGHTS AND CENTERS OF GRAVITY	3.2-1
3.3	MECHANICAL PROPERTIES OF MATERIALS.....	3.3-1
3.3.1	Structural Materials.....	3.3-1
3.3.2	Nonstructural Materials	3.3-3
3.4	GENERAL STANDARDS FOR CASKS	3.4-1
3.4.1	Chemical and Galvanic Reactions	3.4-1
3.4.2	Positive Closure	3.4-2
3.4.3	Lifting Devices	3.4-2
3.4.4	Heat.....	3.4-18
3.4.5	Cold.....	3.4-64
3.4.6	HI-STORM 100 Kinematic Stability Under Flood Condition.....	3.4-65
3.4.7	Seismic Event and Explosion - HI-STORM 100	3.4-68
3.4.8	Tornado Wind and Missile Impact	3.4-92
3.4.9	HI-TRAC Drop Events	3.4-102
3.4.10	HI-STORM 100 Non-Mechanistic Tip-Over and Vertical Drop Event.....	3.4-108
3.4.11	Storage Overpack and HI-TRAC Transfer Cask Service Life.....	3.4-111
3.4.12	MPC Service Life	3.4-114
3.4.13	Design and Service Life.....	3.4-116
3.5	FUEL RODS.....	3.5-1
3.6	SUPPLEMENTAL DATA	3.6-1
3.6.1	Additional Codes and Standards Referenced in HI-STORM 100 System Design and Fabrication	3.6-1
3.6.2	Computer Programs	3.6-7
3.6.3	Appendices Included in Chapter 3	3.6-8
3.6.4	Calculation Package.....	3.6-9
3.7	COMPLIANCE WITH NUREG-1536	3.7-1
3.8	REFERENCES	3.8-1
	APPENDIX 3.A: HI-STORM DECELERATION UNDER POSTULATED VERTICAL DROP EVENT AND TIPOVER	
3.I	SECTION RESERVED FOR FUTURE USE	3.I-1
3.II	STRUCTURAL EVALUATION OF THE HI-STORM 100 SYSTEM FOR IP1	3.II-1
3.II.0	Overview	3.II-1
3.II.1	Structural Design.....	3.II-1
3.II.2	Weights and Centers of Gravity	3.II-2
3.II.3	Mechanical Properties of Materials.....	3.II-2
3.II.4	General Standards for Casks.....	3.II-2
3.II.5	Fuel Rods.....	3.II-15

HI-STORM 100 FSAR

TABLE OF CONTENTS (continued)

3.II.6	Supplemental Data.....	3.II-15
3.II.7	Compliance with NUREG-1536.....	3.II-15
3.II.8	References	3.II-16
CHAPTER 4:	THERMAL EVALUATION	4.0-1
4.0	OVERVIEW	4.0-1
4.1	DISCUSSION.....	4.1-1
4.2	SUMMARY OF THERMAL PROPERTIES OF MATERIALS	4.2-1
4.3	SPECIFICATIONS FOR COMPONENTS	4.3-1
4.3.1	Evaluation of Moderate Burnup Fuel	4.3-1
4.4	THERMAL EVALUATION FOR NORMAL CONDITIONS OF STORAGE.....	4.4-1
4.4.1	Thermal Model.....	4.4-1
4.4.2	Maximum Temperatures.....	4.4-23
4.4.3	Minimum Temperatures.....	4.4-24
4.4.4	Maximum Internal Pressure	4.4-25
4.4.5	Maximum Thermal Stresses.....	4.4-26
4.4.6	Evaluation of System Performance for Normal Conditions of Storage.....	4.4-27
4.5	THERMAL EVALUATION OF SHORT TERM OPERATIONS	4.5-1
4.5.1	Thermal Model	4.5-2
4.5.2	Maximum Temperatures.....	4.5-12
4.5.3	Minimum Temperatures.....	4.5-13
4.5.4	Maximum Internal Pressure	4.5-13
4.5.5	Maximum Thermal Stresses.....	4.5-14
4.5.6	Evaluation of System Performance for Normal Conditions of Handling and Onsite Transport	4.5-14
4.6	Regulatory Compliance	4.6-1
4.6.1	Normal Conditions of Storage	4.6-1
4.6.2	Short Term Operations.....	4.6-2
4.7	References.....	4.7-1
APPENDIX 4.A	INTENTIONALLY DELETED	
APPENDIX 4.B	CONSERVATISMS IN THE THERMAL ANALYSIS OF THE HI-STORM 100 SYSTEM	
4.I	SECTION RESERVED FOR FUTURE USE	4.I-1
4.II	THERMAL EVALUATION OF HI-STORM 100 SYSTEM FOR IP1	4.II-1
4.II.1	Introduction	4.II-1
4.II.2	Thermal Properties of Materials.....	4.II-1
4.II.3	Technical Specifications of Components	4.II-1
4.II.4	Normal Storage Thermal Evaluation.....	4.II-1

HI-STORM 100 FSAR

TABLE OF CONTENTS (continued)

4.II.5	Thermal Evaluation of Short Term Operations	4.II-4
4.II.6	Thermal Evaluation of Off-Normal and Accident Conditions	4.II-4
4.II.7	Regulatory Compliance	4.II-6
CHAPTER 5: SHIELDING EVALUATION		5.0-1
5.0	INTRODUCTION	5.0-1
5.1	DISCUSSION AND RESULTS	5.1-1
5.1.1	Normal and Off-Normal Operations	5.1-4
5.1.2	Accident Conditions	5.1-8
5.2	SOURCE SPECIFICATION	5.2-1
5.2.1	Gamma Source	5.2-2
5.2.2	Neutron Source	5.2-4
5.2.3	Stainless Steel Clad Fuel Source	5.2-6
5.2.4	Non-fuel Hardware	5.2-6
5.2.5	Choice of Design Basis Assembly	5.2-10
5.2.6	Thoria Rod Canister	5.2-15
5.2.7	Fuel Assembly Neutron Sources	5.2-15
5.2.8	Stainless Steel Channels	5.2-17
5.3	MODEL SPECIFICATIONS	5.3-1
5.3.1	Description of the Radial and Axial Shielding Configuration	5.3-1
5.3.2	Regional Densities	5.3-7
5.4	SHIELDING EVALUATION	5.4-1
5.4.1	Streaming Through Radial Steel Fins and Pocket Trunnions and Azimuthal Variations	5.4-5
5.4.2	Damaged Fuel Post-Accident Shielding Evaluation	5.4-6
5.4.3	Site Boundary Evaluation	5.4-8
5.4.4	Stainless Steel Clad Fuel Evaluation	5.4-10
5.4.5	Mixed Oxide Fuel Evaluation	5.4-10
5.4.6	Non-Fuel Hardware	5.4-11
5.4.7	Dresden Unit 1 Antimony-Beryllium Neutron Sources	5.4-12
5.4.8	Thoria Rod Canister	5.4-13
5.4.9	Regionalized Dose Rate Evaluation	5.4-14
5.5	REGULATORY COMPLIANCE	5.5-1
5.6	REFERENCES	5.6-1
APPENDIX 5.A:	SAMPLE INPUT FILE FOR SAS2H	
APPENDIX 5.B:	SAMPLE INPUT FILE FOR ORIGEN-S	
APPENDIX 5.C:	SAMPLE INPUT FILE FOR MCNP	
APPENDIX 5.D:	DOSE RATE COMPARISON FOR DIFFERENT COBALT IMPURITY LEVELS	
APPENDIX 5.E:	DOSE RATES FOR A HI-STORM 100 OVERPACK WITH AND WITHOUT AN INNER SHIELD SHELL	

HI-STORM 100 FSAR

TABLE OF CONTENTS (continued)

APPENDIX 5.F: ADDITIONAL INFORMATION ON THE BURNUP VERSUS DECA Y HEAT AND ENRICHMENT EQUATION	
5.I	SECTION RESERVED FOR FUTURE USE5.I-1
5.II	SHIELDING EVALUATION OF THE HI-STORM 100 SYSTEM FOR IP1 5.II-1
5.II.0	Introduction 5.II-1
5.II.1	Discussion and Results 5.II-1
5.II.2	Source Specification 5.II-3
5.II.3	Model Specifications 5.II-4
5.II.4	Shielding Evaluation 5.II-5
5.II.5	Regulatory Compliance 5.II-5
CHAPTER 6: CRITICALITY EVALUATION.....6.1-1	
6.1	DISCUSSION AND RESULTS6.1-2
6.2	SPENT FUEL LOADING6.2-1
6.2.1	Definition of Assembly Classes.....6.2-1
6.2.2	Intact PWR Fuel Assemblies6.2-2
6.2.3	Intact BWR Fuel Assemblies in the MPC-68 and MPC-68FF6.2-5
6.2.4	BWR and PWR Damaged Fuel Assemblies and Fuel Debris.....6.2-6
6.2.5	Thoria Rod Canister.....6.2-9
6.3	MODEL SPECIFICATION.....6.3-1
6.3.1	Description of Calculational Model.....6.3-1
6.3.2	Cask Regional Densities6.3-3
6.3.3	Eccentric Positioning of Assemblies in Fuel Storage Cells.....6.3-4
6.4	CRITICALITY CALCULATIONS.....6.4-1
6.4.1	Calculational or Experimental Method.....6.4-1
6.4.2	Fuel Loading or Other Contents Loading Optimization6.4-2
6.4.3	Criticality Results6.4-6
6.4.4	Damaged Fuel and Fuel Debris.....6.4-7
6.4.5	Fuel Assemblies with Missing Rods.....6.4-16
6.4.6	Thoria Rod Canister.....6.4-16
6.4.7	Sealed Rods replacing BWR Water Rods.....6.4-16
6.4.8	Non-Fuel Hardware in PWR Fuel Assemblies6.4-17
6.4.9	Neutron Sources in Fuel Assemblies6.4-17
6.4.10	Applicability of HI-STAR Analyses to HI-STORM 100 System.....6.4-18
6.4.11	Fixed Neutron Absorber Material6.4-18
6.4.12	Annular Fuel Pellets.....6.4-19
6.5	CRITICALITY BENCHMARK EXPERIMENTS.....6.5-1
6.6	REGULATORY COMPLIANCE.....6.6-1
6.7	REFERENCES6.7-1

HI-STORM 100 FSAR

TABLE OF CONTENTS (continued)

APPENDIX 6.A	BENCHMARK CALCULATIONS	
APPENDIX 6.B	DISTRIBUTED ENRICHMENTS IN BWR FUEL	
APPENDIX 6.C	CALCULATIONAL SUMMARY	
APPENDIX 6.D	SAMPLE INPUT FILES	
6.I	SECTION RESERVED FOR FUTURE USE	6.I-1
6.II	CRITICALITY EVALUATION OF INDIAN POINT 1 FUEL IN THE MPC-32	6.II-1
6.II.0	Introduction	6.II-1
6.II.1	Discussion and Results	6.II-1
6.II.2	Spent Fuel Loading	6.II-1
6.II.3	Model Specifications	6.II-2
6.II.4	Criticality Calculations	6.II-2
6.II.5	Criticality Benchmarks	6.II-3
6.II.6	Regulatory Compliance	6.II-3
CHAPTER 7: CONFINEMENT		7.0-1
7.0	INTRODUCTION	7.0-1
7.1	CONFINEMENT BOUNDARY	7.1-1
7.1.1	Confinement Vessel	7.1-1
7.1.2	Confinement Penetrations	7.1-2
7.1.3	Seals and Welds	7.1-3
7.1.4	Closure	7.1-3
7.1.5	Damaged Fuel Container	7.1-3
7.1.6	Design and Qualification of Final MPC Closure Welds	7.1-4
7.2	REQUIREMENTS FOR NORMAL AND OFF-NORMAL CONDITIONS OF STORAGE	7.2-1
7.3	CONFINEMENT REQUIREMENTS FOR HYPOTHETICAL ACCIDENT CONDITIONS	7.3-1
7.4	REFERENCES	7.4-1
7.I	SECTION RESERVED FOR FUTURE USE	7.I-1
7.II	CONFINEMENT	7.II-1
CHAPTER 8: OPERATING PROCEDURES		8.0-1
8.0	INTRODUCTION	8.0-1
8.1	PROCEDURE FOR LOADING THE HI-STORM 100 SYSTEM IN THE SPENT FUEL POOL	8.1-1
8.1.1	Overview of Loading Operations	8.1-1
8.1.2	HI-TRAC and HI-STORM Receiving and Handling Operations	8.1-4
8.1.3	HI-TRAC and MPC Receipt Inspection and Loading Preparation	8.1-7

HI-STORM 100 FSAR

TABLE OF CONTENTS (continued)

8.1.4	MPC Fuel Loading	8.1-11
8.1.5	MPC Closure.....	8.1-12
8.1.6	Preparation for Storage	8.1-23
8.1.7	Placement of HI-STORM into Storage	8.1-25
8.2	ISFSI OPERATIONS	8.2-1
8.3	PROCEDURE FOR UNLOADING THE HI-STORM 100 SYSTEM IN THE SPENT FUEL POOL	8.3-1
8.3.1	Overview of HI-STORM 100 System Unloading Operations	8.3-1
8.3.2	HI-STORM Recovery From Storage	8.3-2
8.3.3	Preparation for Unloading	8.3-5
8.3.4	MPC Unloading	8.3-10
8.3.5	Post-Unloading Operations.....	8.3-10
8.4	MPC TRANSFER TO HI-STAR 100 OVERPACK FOR TRANSPORT OR STORAGE.....	8.4-1
8.4.1	Overview of Operations.....	8.4-1
8.4.2	Recovery from Storage	8.4-1
8.4.3	MPC Transfer into the HI-STAR 100 Overpack	8.4-1
8.5	MPC TRANSFER TO HI-STORM DIRECTLY FROM TRANSPORT	8.5-1
8.5.1	Overview of Operations.....	8.5-1
8.5.2	HI-STAR Receipt and Preparation for MPC Transfer	8.5-2
8.5.3	Perform MPC Transfer into HI-STORM 100	8.5-4
8.6	REFERENCES	8.6-1
8.I	SECTION RESERVED FOR FUTURE USE	8.I-1
8.II	OPERATING PROCEDURES	8.II-1
CHAPTER 9: ACCEPTANCE CRITERIA AND MAINTENANCE PROGRAM		9.0-1
9.0	INTRODUCTION	9.0-1
9.1	ACCEPTANCE CRITERIA	9.1-1
9.1.1	Fabrication and Nondestructive Examination (NDE)	9.1-1
9.1.2	Structural and Pressure Tests	9.1-5
9.1.3	Leakage Testing	9.1-8
9.1.4	Component Tests	9.1-9
9.1.5	Shielding Integrity	9.1-9
9.1.6	Thermal Acceptance Tests	9.1-14
9.1.7	Cask Identification	9.1-14
9.2	MAINTENANCE PROGRAM.....	9.2-1
9.2.1	Structural and Pressure Parts	9.2-1
9.2.2	Leakage Tests.....	9.2-1
9.2.3	Subsystem Maintenance.....	9.2-2

HI-STORM 100 FSAR

TABLE OF CONTENTS (continued)

9.2.4	Pressure Relief Valve.....	9.2-2
9.2.5	Shielding.....	9.2-2
9.2.6	Thermal.....	9.2-3
9.3	REGULATORY COMPLIANCE.....	9.3-1
9.4	REFERENCES	9.4-1
9.I	SECTION RESERVED FOR FUTURE USE	9.I-1
9.II	ACCEPTANCE CRITERIA AND MAINTENANCE PROGRAM	9.II-1
CHAPTER 10: RADIATION PROTECTION.....		10.1-1
10.1	ENSURING THAT OCCUPATIONAL RADIATION EXPOSURES ARE AS-LOW-AS-REASONABLY-ACHIEVABLE (ALARA)	10.1-1
10.1.1	Policy Considerations	10.1-1
10.1.2	Design Considerations	10.1-2
10.1.3	Operational Considerations.....	10.1-4
10.1.4	Auxiliary/Temporary Shielding.....	10.1-5
10.2	RADIATION PROTECTION DESIGN FEATURES.....	10.2-1
10.3	ESTIMATED ON-SITE COLLECTIVE DOSE ASSESSMENT	10.3-1
10.3.1	Estimated Exposures for Loading and Unloading Operations.....	10.3-2
10.3.2	Estimated Exposures for Surveillance and Maintenance	10.3-3
10.4	ESTIMATED COLLECTIVE DOSE ASSESSMENT	10.4-1
10.4.1	Controlled Area Boundary Dose for Normal Operations	10.4-1
10.4.2	Controlled Area Boundary Dose for Off-Normal Conditions.....	10.4-2
10.4.3	Controlled Area Boundary Dose for Accident Conditions	10.4-2
10.5	REFERENCES	10.5-1
10.I	SECTION RESERVED FOR FUTURE USE	10.I-1
10.II	RADIATION PROTECTION.....	10.II-1
CHAPTER 11: ACCIDENT ANALYSIS		11.1-1
11.1	OFF-NORMAL CONDITIONS	11.1-1
11.1.1	Off-Normal Pressures	11.1-2
11.1.2	Off-Normal Environmental Temperatures.....	11.1-4
11.1.3	Leakage of One Seal	11.1-7
11.1.4	Partial Blockage of Air Inlets	11.1-8
11.1.5	Off-Normal Handling of HI-TRAC	11.1-10
11.1.6	Malfunction of FHD System.....	11.1-12
11.1.7	SCS Power Failure.....	11.1-14

HI-STORM 100 FSAR

TABLE OF CONTENTS (continued)

11.2	ACCIDENTS	11.2-1
11.2.1	HI-TRAC Transfer Cask Handling Accident.....	11.2-1
11.2.2	HI-STORM Overpack Handling Accident	11.2-4
11.2.3	Tip-Over.....	11.2-6
11.2.4	Fire Accident.....	11.2-9
11.2.5	Partial Blockage of MPC Basket Vent Holes	11.2-18
11.2.6	Tornado.....	11.2-20
11.2.7	Flood	11.2-22
11.2.8	Earthquake	11.2-24
11.2.9	100% Fuel Rod Rupture	11.2-25
11.2.10	Confinement Boundary Leakage	11.2-27
11.2.11	Explosion	11.2-27
11.2.12	Lightning.....	11.2-29
11.2.13	100% Blockage of Air Inlets.....	11.2-30
11.2.14	Burial Under Debris.....	11.2-35
11.2.15	Extreme Environmental Temperature	11.2-37
11.2.16	Supplemental Cooling System (SCS) Failure.....	11.2-39
11.3	REFERENCES	11.3-1
11.I	SECTION RESERVED FOR FUTURE USE	11.I-1
11.II	OFF-NORMAL AND ACCIDENT EVALUATION FOR HI-STORM 100S-185	11.II-1
11.II.0	Introduction	11.II-1
11.II.1	Off-Normal Events	11.II-1
11.II.2	Accident Events.....	11.II-4
CHAPTER 12: OPERATING CONTROLS AND LIMITS		12.0-1
12.0	INTRODUCTION	12.0-1
12.1	PROPOSED OPERATING CONTROLS AND LIMITS.....	12.1-1
12.1.1	NUREG-1536 (Standard Review Plan) Acceptance Criteria.....	12.1-1
12.2	DEVELOPMENT OF OPERATING CONTROLS AND LIMITS	12.2-1
12.2.1	Training Modules.....	12.2-1
12.2.2	Dry Run Training.....	12.2-2
12.2.3	Functional and Operating Limits, Monitoring Instruments, and Limiting Control Settings	12.2-3
12.2.4	Limiting Conditions for Operation	12.2-3
12.2.5	Equipment	12.2-3
12.2.6	Surveillance Requirements	12.2-3
12.2.7	Design Features.....	12.2-3
12.2.8	MPC.....	12.2-4
12.2.9	HI-STORM Overpack.....	12.2-4
12.2.10	Verifying Compliance with Fuel Assembly Decay Heat, Burnup, and Cooling Time Limits	12.2-4
12.3	TECHNICAL SPECIFICATIONS	12.3-1

HI-STORM 100 FSAR
TABLE OF CONTENTS (continued)

12.4	REGULATORY EVALUATION.....	12.4-1
12.5	REFERENCES	12.5-1
	APPENDIX 12.A TECHNICAL SPECIFICATION BASES FOR THE HOLTEC HI-STORM 100 SPENT FUEL STORAGE CASK SYSTEM	
12.I	SECTION RESERVED FOR FUTURE USE	12.I-1
12.II	OPERATING CONTROLS AND LIMITS	12.II-1
	CHAPTER 13: QUALITY ASSURANCE	13.0-1
13.0	QUALITY ASSURANCE PROGRAM	13.0-1
	13.0.1 Overview.....	13.0-1
	13.0.2 Graded Approach to Quality Assurance	13.0-2
	13.1 through 13.5 INTENTIONALLY DELETED	
13.6	REFERENCES	13.6-1
13.I	SECTION RESERVED FOR FUTURE USE	13.I-1
13.II	QUALITY ASSURANCE	13.II-1