

Facility: Hope Creek Date of Examination: 8/23-27/10
 Developed by: Written - Facility ☒ NRC ☐ // Operating - Facility ☒ NRC ☐ 9/1/10

Target Date*	Task Description (Reference)	Chief Examiner's Initials
-180	1. Examination administration date confirmed (C.1.a; C.2.a and b)	TF
-120	2. NRC examiners and facility contact assigned (C.1.d; C.2.e)	TF
-120	3. Facility contact briefed on security and other requirements (C.2.c)	TF
-120	4. Corporate notification letter sent (C.2.d)	TF
[-90]	[5. Reference material due (C.1.e; C.3.c; Attachment 2)]	NA
{-75}	6. Integrated examination outline(s) due, including Forms ES-201-2, ES-201-3, ES-301-1, ES-301-2, ES-301-5, ES-D-1's, ES-401-1/2, ES-401-3, and ES-401-4, as applicable (C.1.e and f; C.3.d)	TF
{-70}	{7. Examination outline(s) reviewed by NRC and feedback provided to facility licensee (C.2.h; C.3.e)}	TF
{-45}	8. Proposed examinations (including written, walk-through JPMs, and scenarios, as applicable), supporting documentation (including Forms ES-301-3, ES-301-4, ES-301-5, ES-301-6, and ES-401-6, and any Form ES-201-3 updates), and reference materials due (C.1.e, f, g and h; C.3.d)	TF
-30	9. Preliminary license applications (NRC Form 398's) due (C.1.i; C.2.g; ES-202)	TF
-14	10. Final license applications due and Form ES-201-4 prepared (C.1.i; C.2.i; ES-202)	TF
-14	11. Examination approved by NRC supervisor for facility licensee review (C.2.h; C.3.f)	TF
-14	12. Examinations reviewed with facility licensee (C.1.j; C.2.f and h; C.3.g)	TF
-7	13. Written examinations and operating tests approved by NRC supervisor (C.2.i; C.3.h)	TF
-7	14. Final applications reviewed; 1 or 2 (if >10) applications audited to confirm qualifications / eligibility; and examination approval and waiver letters sent (C.2.i; Attachment 4; ES-202, C.2.e; ES-204)	TF
-7	15. Proctoring/written exam administration guidelines reviewed with facility licensee (C.3.k)	TF
-7	16. Approved scenarios, job performance measures, and questions distributed to NRC examiners (C.3.i)	TF

* Target dates are generally based on facility-prepared examinations and are keyed to the examination date identified in the corporate notification letter. They are for planning purposes and may be adjusted on a case-by-case basis in coordination with the facility licensee.

[Applies only] {Does not apply} to examinations prepared by the NRC.

Facility: Hope Creek Generating Station		Date of Examination: 08/23/2010		
Item	Task Description	Initials		
		a	b*	c#
1. W R I T T E N	a. Verify that the outline(s) fit(s) the appropriate model, in accordance with ES-401.	AEZ	LDS	TF
	b. Assess whether the outline was systematically and randomly prepared in accordance with Section D.1 of ES-401 and whether all K/A categories are appropriately sampled.	AEZ	LDS	TF
	c. Assess whether the outline over-emphasizes any systems, evolutions, or generic topics.	AEZ	LDS	TF
	d. Assess whether the justifications for deselected or rejected K/A statements are appropriate.	AEZ	LDS	TF
2. S I M U L A T O R	a. Using Form ES-301-5, verify that the proposed scenario sets cover the required number of normal evolutions, instrument and component failures, technical specifications, and major transients.	AEZ	LDS	TF
	b. Assess whether there are enough scenario sets (and spares) to test the projected number and mix of applicants in accordance with the expected crew composition and rotation schedule without compromising exam integrity, and ensure that each applicant can be tested using at least one new or significantly modified scenario, that no scenarios are duplicated from the applicants' audit test(s), and that scenarios will not be repeated on subsequent days.	AEZ	LDS	TF
	c. To the extent possible, assess whether the outline(s) conform(s) with the qualitative and quantitative criteria specified on Form ES-301-4 and described in Appendix D.	AEZ	LDS	TF
3. W / T	a. Verify that the systems walk-through outline meets the criteria specified on Form ES-301-2: (1) the outline(s) contain(s) the required number of control room and in-plant tasks distributed among the safety functions as specified on the form (2) task repetition from the last two NRC examinations is within the limits specified on the form (3) no tasks are duplicated from the applicants' audit test(s) (4) the number of new or modified tasks meets or exceeds the minimums specified on the form (5) the number of alternate path, low-power, emergency, and RCA tasks meet the criteria on the form.	AEZ	LDS	TF
	b. Verify that the administrative outline meets the criteria specified on Form ES-301-1: (1) the tasks are distributed among the topics as specified on the form (2) at least one task is new or significantly modified (3) no more than one task is repeated from the last two NRC licensing examinations	AEZ	LDS	TF
	c. Determine if there are enough different outlines to test the projected number and mix of applicants and ensure that no items are duplicated on subsequent days.	AEZ	LDS	TF
4. G E N E R A L	a. Assess whether plant-specific priorities (including PRA and IPE insights) are covered in the appropriate exam sections.	AEZ	LDS	TF
	b. Assess whether the 10 CFR 55.41/43 and 55.45 sampling is appropriate.	AEZ	LDS	TF
	c. Ensure that K/A importance ratings (except for plant-specific priorities) are at least 2.5.	AEZ	LDS	TF
	d. Check for duplication and overlap among exam sections.	AEZ	LDS	TF
	e. Check the entire exam for balance of coverage.	AEZ	LDS	TF
	f. Assess whether the exam fits the appropriate job level (RO or SRO).	AEZ	LDS	TF
a. Author <u>Arch E. Farik</u> b. Facility Reviewer (*) <u>Larry D. Sindler</u> c. NRC Chief Examiner (#) <u>Todd Fish</u> d. NRC Supervisor <u>Sam Hansell</u>		Printed Name/Signature Date 6/8/10 6/8/10 6/11/10 6/14/10		
Note: # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required. * Not applicable for NRC-prepared examination outlines				

2010 ILT NRC Exam

ES-201

Examination Security Agreement

Form ES-201-3

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 8/23/10 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 8/23/10. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1. Archie E. Faulkner	LEAD EXAM AUTHOR	<i>Archie E. Faulkner</i>	2/24/10	<i>Archie E. Faulkner</i>	9/1/10	
2. TIMOTHY J. CATALANO	LEAD EXAM AUTHOR	<i>Timothy J. Catalano</i>	2/24/10	<i>Timothy J. Catalano</i>	9/3/10	
3. STEVE DENNIS	EXAM AUTHOR - WIS	<i>Steve Dennis</i>	3/1/10	<i>Steve Dennis</i>	9/3/10	
4. JOE MURRAY	TPS - Corporate	<i>Joe Murray</i>	4/30/10	<i>Joe Murray</i>	9/1/10	
5. Larry Sinclair	Facility Representative	<i>Larry Sinclair</i>	5/2/10	<i>Larry Sinclair</i>	9/1/10	
6. Pete Boccia	HC CR Operator	<i>Pete Boccia</i>	5/24/10	<i>Pete Boccia</i>	9/2/10	
7. DWAYNE GARTNER	NCO	<i>Dwayne Gartner</i>	5-24-10	<i>Dwayne Gartner</i>	9/2/10	
8. RICHARD KOFFER	NCO	<i>Richard Koffer</i>	5-24-10	<i>Richard Koffer</i>	9/2/10	
9. Christopher L. Serata	SRO HCGS	<i>Christopher L. Serata</i>	5-24-10	<i>Christopher L. Serata</i>	9/2/10	
10. KENNETH P. BRESLIN	SRO HCGS	<i>Kenneth P. Breslin</i>	5-24-10	<i>Kenneth P. Breslin</i>	9-1-10	
11. GLENN MCKEOWN	NCO HCGS	<i>Glenn McKeown</i>	5/18/10	<i>Glenn McKeown</i>	9/1/10	
12. John Dower	SRO HCGS	<i>John Dower</i>	5/18/10	<i>John Dower</i>	9/2/10	
13. Robert Boesch	HC OPI Trng Mgr	<i>Robert Boesch</i>	7/1/10	<i>Robert Boesch</i>	9-1-10	
14. Steven Rier	SRO HCGS	<i>Steven Rier</i>	7/2/10	<i>Steven Rier</i>	9-1-10	
15. Theodore E. Herdicks	NCO	<i>Theodore E. Herdicks</i>	7/26/10	<i>Theodore E. Herdicks</i>	9/1/10	



NOTES:

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of August 2010 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 8/23/10. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

	PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1.	Edwin Bowles	Exam Developer		2/23/10		9/3/10	
2.							
3.							
4.							
5.							
6.							
7.							
8.							
9.							
10.							
11.							
12.							
13.							
14.							
15.							

NOTES:

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 8/23/10 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.














2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 8/23/10. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1. <u>Michael Reed</u>	<u>OP Sr. mgr</u>	<u>[Signature]</u>	<u>7-25-10</u>	<u>per telecom lgc</u>	<u>9/3/10</u>	
2. <u>JL ANDERSON</u>	<u>OPS INST</u>	<u>[Signature]</u>	<u>8/23/10</u>	<u>[Signature]</u>	<u>9/1/10</u>	
3. <u>SEAN FRANK</u>	<u>NOT INSTRUCTOR</u>	<u>[Signature]</u>	<u>8-23-10</u>	<u>[Signature]</u>	<u>9-1-10</u>	
4. <u>Ken Moreland</u>	<u>Ops Instructor</u>	<u>[Signature]</u>	<u>8-23-10</u>	<u>[Signature]</u>	<u>9-1-10</u>	
5. <u>Scott Banzhaf</u>	<u>OPS INSTRUCTOR</u>	<u>[Signature]</u>	<u>8-23-10</u>	<u>[Signature]</u>	<u>9-1-10</u>	
6. <u>Phil Balch</u>	<u>OPS Instructor</u>	<u>[Signature]</u>	<u>8-24-10</u>	<u>[Signature]</u>	<u>9-1-10</u>	
7. <u>Mark Shuster</u>	<u>OPS Instructor</u>	<u>[Signature]</u>	<u>8-24-10</u>	<u>[Signature]</u>	<u>9-1-10</u>	
8. <u>Gary Schmitz</u>	<u>Ops Instructor</u>	<u>[Signature]</u>	<u>8-24-10</u>	<u>[Signature]</u>	<u>9-1-10</u>	
9. <u>MARK PARRISH</u>	<u>OPS INSTRUCTOR</u>	<u>[Signature]</u>	<u>8/24/10</u>	<u>[Signature]</u>	<u>9/2/10</u>	
10. <u>MARK FZM</u>	<u>OPS INSTRUCTOR</u>	<u>[Signature]</u>	<u>8-25-10</u>	<u>[Signature]</u>	<u>9-4-10</u>	
11. <u>STEVEN CM</u>	<u>OPS INSTRUCTOR</u>	<u>[Signature]</u>	<u>8-25-10</u>	<u>[Signature]</u>	<u>9-7-10</u>	
12. <u>OSULLY</u>	<u>OPS LAs</u>	<u>[Signature]</u>	<u>8/25/10</u>	<u>[Signature]</u>	<u>9/1/10</u>	
13. _____	_____	_____	_____	_____	_____	_____
14. _____	_____	_____	_____	_____	_____	_____
15. _____	_____	_____	_____	_____	_____	_____

NOTES:

ATTACHMENT 5
EXAM SECURITY BRIEFING RECORD
 Page 1 of 1

Name of Authorized Person	Date Briefed	New Authorized Person's Initials	Exam Author's Initials
STEVE DENNIS	03/01/10		Tgc
JOSEPH MURRAY	04/30/10		Tgc
Larry Sinclair	5/21/10	2	QST
DWAYNE GARTNER	052410	DTG	GT
Pete Baccile	052410	PB	GT
RICHARD KEFER	5-24-10		QST
KENNETH A. BRESLIN	5-24-10	KAB	QST
Christopher L. Savata	5-24-2010	CS	QST
GLENN MCKEOWN	6/18/10		GT
John Dower	6/18/10		QST
Steven Bier	7-2-10	SB	QST
Theodore F. Hendricks	7-26-10	TH	QST
Michael Reed	7-28-10		Tgc
Scott Banzhaf	8-23-10		Tgc
Ken Moreland	8-23-10	KM	Tgc
SEAN FRANK	8-23-10		Tgc
JL ANDERSON	8/23/10		Tgc
P. Bakh	8/24/10	PTB	Tgc
Mark Shaffer	8/19/10	M	Tgc
Gary Schultz	8-24-10		QST
Max Parrish	8/24/10		QST
MARK AZZARO	8-25-10		QST
STEWART M. CASULLI	8-25-10		Tgc
CASULLI	8/25/10		Tgc

Note: This document SHALL be retained until the associated NRC security agreement has been completed at which time this form may be discarded.

Facility: <u>Hope Creek</u>		Date of Examination: <u>8/23/10</u>		Operating Test Number: <u>NRC2010</u>	
1. GENERAL CRITERIA			Initials		
			a	b*	c#
a.	The operating test conforms with the previously approved outline; changes are consistent with sampling requirements (e.g., 10 CFR 55.45, operational importance, safety function distribution).	Q57	2	TF	
b.	There is no day-to-day repetition between this and other operating tests to be administered during this examination.	Q57	2	TF	
c.	The operating test shall not duplicate items from the applicants' audit test(s) (see Section D.1.a).	Q57	2	TF	
d.	Overlap with the written examination and between different parts of the operating test is within acceptable limits.	Q57	2	TF	
e.	It appears that the operating test will differentiate between competent and less-than-competent applicants at the designated license level.	Q57	2	TF	
2. WALK-THROUGH CRITERIA			--	--	--
a.	Each JPM includes the following, as applicable: <ul style="list-style-type: none"> • initial conditions • initiating cues • references and tools, including associated procedures • reasonable and validated time limits (average time allowed for completion) and specific designation if deemed to be time critical by the facility licensee • operationally important specific performance criteria that include: <ul style="list-style-type: none"> - detailed expected actions with exact criteria and nomenclature - system response and other examiner cues - statements describing important observations to be made by the applicant - criteria for successful completion of the task - identification of critical steps and their associated performance standards - restrictions on the sequence of steps, if applicable 	Q57	2	TF	
b.	Ensure that any changes from the previously approved systems and administrative walk-through outlines (Forms ES-301-1 and 2) have not caused the test to deviate from any of the acceptance criteria (e.g., item distribution, bank use, repetition from the last 2 NRC examinations) specified on those forms and Form ES-201-2.	Q57	2	TF	
3. SIMULATOR CRITERIA			--	--	--
The associated simulator operating tests (scenario sets) have been reviewed in accordance with Form ES-301-4 and a copy is attached.			Q57	2	TF
a.	Author	Printed Name / Signature <u>Archie E. Faulkner / Archie E. Faulkner</u>		Date <u>8/13/10</u>	
b.	Facility Reviewer (*)	<u>Larry D. Sinclair / Larry D. Sinclair</u>		<u>8/16/10</u>	
c.	NRC Chief Examiner (#)	<u>Todd FISH / Todd Fish</u>		<u>8/17/10</u>	
d.	NRC Supervisor	<u>Sam Hansell / Sam Hansell</u>		<u>8/17/10</u>	
NOTE: * The facility signature is not applicable for NRC-developed tests # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence is required.					

Facility: Hope Creek		Date of Exam: 8/23/2010		Scenario Numbers: 1/2/3		Operating Test No.: 2010 NRC	
QUALITATIVE ATTRIBUTES			Initials				
			a	b*	c#		
1.	The initial conditions are realistic, in that some equipment and/or instrumentation may be out of service, but it does not cue the operators into expected events.	Q8F	2	TF			
2.	The scenarios consist mostly of related events.	Q8F	2	TF			
3.	Each event description consists of <ul style="list-style-type: none"> the point in the scenario when it is to be initiated the malfunction(s) that are entered to initiate the event the symptoms/cues that will be visible to the crew the expected operator actions (by shift position) the event termination point (if applicable) 	Q8F	2	TF			
4.	No more than one non-mechanistic failure (e.g., pipe break) is incorporated into the scenario without a credible preceding incident such as a seismic event.	Q8F	2	TF			
5.	The events are valid with regard to physics and thermodynamics.	Q8F	2	TF			
6.	Sequencing and timing of events is reasonable, and allows the examination team to obtain complete evaluation results commensurate with the scenario objectives.	Q8F	2	TF			
7.	If time compression techniques are used, the scenario summary clearly so indicates. Operators have sufficient time to carry out expected activities without undue time constraints. Cues are given.	Q8F	2	TF			
8.	The simulator modeling is not altered.	Q8F	2	TF			
9.	The scenarios have been validated. Pursuant to 10 CFR 55.46(d), any open simulator performance deficiencies or deviations from the referenced plant have been evaluated to ensure that functional fidelity is maintained while running the planned scenarios.	Q8F	2	TF			
10.	Every operator will be evaluated using at least one new or significantly modified scenario. All other scenarios have been altered in accordance with Section D.5 of ES-301.	Q8F	2	TF			
11.	All individual operator competencies can be evaluated, as verified using Form ES-301-6 (submit the form along with the simulator scenarios).	Q8F	2	TF			
12.	Each applicant will be significantly involved in the minimum number of transients and events specified on Form ES-301-5 (submit the form with the simulator scenarios).	Q8F	2	TF			
13.	The level of difficulty is appropriate to support licensing decisions for each crew position.	Q8F	2	TF			
Target Quantitative Attributes (Per Scenario; See Section D.5.d)		Actual Attributes		--	--	--	
1.	Total malfunctions (5-8)	8 / 7 / 8		Q8F	2	TF	
2.	Malfunctions after EOP entry (1-2)	3 / 2 / 3		Q8F	2	TF	
3.	Abnormal events (2-4)	4 / 4 / 3		Q8F	2	TF	
4.	Major transients (1-2)	1 / 1 / 1		Q8F	2	TF	
5.	EOPs entered/requiring substantive actions (1-2)	1 / 2 / 2		Q8F	2	TF	
6.	EOP contingencies requiring substantive actions (0-2)	1 / 0 / 1		Q8F	2	TF	
7.	Critical tasks (2-3)	2 / 3 / 3		Q8F	2	TF	

Facility: Hope Creek		Date of Exam: 8/23/2010		Scenario Numbers: 4/ 5-Spare		Operating Test No.:2010 NRC	
QUALITATIVE ATTRIBUTES			Initials				
			a	b*	c#		
1.	The initial conditions are realistic, in that some equipment and/or instrumentation may be out of service, but it does not cue the operators into expected events.		QET	2	TF		
2.	The scenarios consist mostly of related events.		QET	2	TF		
3.	Each event description consists of <ul style="list-style-type: none"> the point in the scenario when it is to be initiated the malfunction(s) that are entered to initiate the event the symptoms/cues that will be visible to the crew the expected operator actions (by shift position) the event termination point (if applicable) 		QET	2	TF		
4.	No more than one non-mechanistic failure (e.g., pipe break) is incorporated into the scenario without a credible preceding incident such as a seismic event.		QET	2	TF		
5.	The events are valid with regard to physics and thermodynamics.		QET	2	TF		
6.	Sequencing and timing of events is reasonable, and allows the examination team to obtain complete evaluation results commensurate with the scenario objectives.		QET	2	TF		
7.	If time compression techniques are used, the scenario summary clearly so indicates. Operators have sufficient time to carry out expected activities without undue time constraints. Cues are given.		QET	2	TF		
8.	The simulator modeling is not altered.		QET	2	TF		
9.	The scenarios have been validated. Pursuant to 10 CFR 55.46(d), any open simulator performance deficiencies or deviations from the referenced plant have been evaluated to ensure that functional fidelity is maintained while running the planned scenarios.		QET	2	TF		
10.	Every operator will be evaluated using at least one new or significantly modified scenario. All other scenarios have been altered in accordance with Section D.5 of ES-301.		QET	2	TF		
11.	All individual operator competencies can be evaluated, as verified using Form ES-301-6 (submit the form along with the simulator scenarios).		QET	2	TF		
12.	Each applicant will be significantly involved in the minimum number of transients and events specified on Form ES-301-5 (submit the form with the simulator scenarios).		QET	2	TF		
13.	The level of difficulty is appropriate to support licensing decisions for each crew position.		QET	2	TF		
Target Quantitative Attributes (Per Scenario; See Section D.5.d)		Actual Attributes	--	--	--		
1.	Total malfunctions (5-8)	6 / 5 /	QET	2	TF		
2.	Malfunctions after EOP entry (1-2)	2 / 1 /	QET	2	TF		
3.	Abnormal events (2-4)	3 / 4 /	QET	2	TF		
4.	Major transients (1-2)	1 / 1 /	QET	2	TF		
5.	EOPs entered/requiring substantive actions (1-2)	1 / 2 /	QET	2	TF		
6.	EOP contingencies requiring substantive actions (0-2)	1 / 1 /	QET	2	TF		
7.	Critical tasks (2-3)	3-4 / 3 /	QET	2	TF		

Facility: Hope Creek			Date of Exam: 8/23/10			Operating Test No.: NRC2010												
A P P L I C A N T	E V E N T T Y P E	Scenarios													T O T A L	M I N I M U M (*)		
		1			2			3			4							
		C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N							
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P					
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX	---												0	1	1	0	
	NOR	1												1	1	1	1	
	I/C	3,4,5 6,8,9, 10												7	4	4	2	
	MAJ	7												1	2	2	1	
	TS	3,4												2	0	2	2	
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX				---									0	1	1	0	
	NOR				1									1	1	1	1	
	I/C				2,3,4, 5,6,7, 9									7	4	4	2	
	MAJ				8									1	2	2	1	
	TS				2,4									2	0	2	2	
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX							---						0	1	1	0	
	NOR							2						1	1	1	1	
	I/C							3,4,5, 6,10						5	4	4	2	
	MAJ							7						1	2	2	1	
	TS							3,4						2	0	2	2	
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX											---		0	1	1	0	
	NOR											1		1	1	1	1	
	I/C											3,4,5, 7		4	4	4	2	
	MAJ											6		1	2	2	1	
	TS											3,4		2	0	2	2	

Instructions:

1. Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
2. Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
3. Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: Hope Creek		Date of Exam: 8/23/10		Operating Test No.: NRC2010														
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M (*)			
		1			2			3			4							
		C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N							
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P					
															R	I	U	
RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX		1				---								1	1	1	0
	NOR		---				1								1	1	1	1
	I/C		3,6,8				3,7,9								6	4	4	2
	MAJ		7				8								2	2	2	1
	TS		---				---								0	0	2	2
RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX		1									---			1	1	1	0
	NOR		---									1			1	1	1	1
	I/C		3,6,8									3,5,6, 8,9, 10			9	4	4	2
	MAJ		7									7			2	2	2	1
	TS		---									---			0	0	2	2
RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX		1											---	1	1	1	0
	NOR		---											2	1	1	1	1
	I/C		3,6,8											4,5,7, 8	7	4	4	2
	MAJ		7											6	2	2	2	1
	TS		---											---	0	0	2	2
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX														---	1	1	0
	NOR														---	1	1	1
	I/C														---	4	4	2
	MAJ														---	2	2	1
	TS														---	0	2	2

Instructions:

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: Hope Creek				Date of Exam: 8/23/10				Operating Test No.: NRC2010										
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M (*)			
		1			2			3			4							
		CREW POSITION			CREW POSITION			CREW POSITION			CREW POSITION							
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P					
																R	I	U
RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX			---		3									1	1	1	0
	NOR			2		---									1	1	1	1
	I/C			5,6, 9,10		5,6, 7,9									8	4	4	2
	MAJ			7		8									2	2	2	1
	TS			---		---									0	0	2	2
RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX					3									1	1	1	0
	NOR					---				1					1	1	1	1
	I/C					5,6, 7,9				3,5,6, 8,9, 10					10	4	4	2
	MAJ					8				7					2	2	2	1
	TS					---				---					0	0	2	2
RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX					3								---	1	1	1	0
	NOR					---							2		1	1	1	1
	I/C					5,6, 7,9							4,5,7, 8		8	4	4	2
	MAJ					8							6		2	2	2	1
	TS					---							---		0	0	2	2
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX														---	1	1	0
	NOR														---	1	1	1
	I/C														---	4	4	2
	MAJ														---	2	2	1
	TS														---	0	2	2

Instructions:

1. Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
2. Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
3. Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: Hope Creek			Date of Exam: 8/23/10			Operating Test No.: NRC2010												
A P P L I C A N T	E V E N T T Y P E	Scenarios													T O T A L	M I N I M U M (*)		
		1			2			3			4							
		C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N							
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P					
															R	I	U	
RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX			---					2						1	1	1	0
	NOR			2					---						1	1	1	1
	I/C			5,6, 9,10					5,6, 10						7	4	4	2
	MAJ			7					7						2	2	2	1
	TS			---					---						0	0	2	2
RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX						---		2						1	1	1	0
	NOR						1		---						1	1	1	1
	I/C						3,7,9		5,6, 10						6	4	4	2
	MAJ						8		7						2	2	2	1
	TS						---		---						0	0	2	2
RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX								2					---	1	1	1	0
	NOR								---					2	1	1	1	1
	I/C								5,6, 10					4,5,7, 8	7	4	4	2
	MAJ								7					6	2	2	2	1
	TS								---					---	0	0	2	2
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX														---	1	1	0
	NOR														---	1	1	1
	I/C														---	4	4	2
	MAJ														---	2	2	1
	TS														---	0	2	2

Instructions:

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: Hope Creek			Date of Exam: 8/23/10			Operating Test No.: NRC2010													
A P P L I C A N T	E V E N T T Y P E	Scenarios													T O T A L	M I N I M U M (*)			
		1			2			3			4								
		C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N								
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P						
															R	I	U		
RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX			---									1		1	1	1	0	
	NOR			2									---		1	1	1	1	
	I/C			5,6, 9,10									3,4,5		7	4	4	2	
	MAJ			7									6		2	2	2	1	
	TS			---									---		0	0	2	2	
RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX						---						1		1	1	1	0	
	NOR						1						---		1	1	1	1	
	I/C						3,7,9						3,4,5		6	4	4	2	
	MAJ						8						6		2	2	2	1	
	TS						---						---		0	0	2	2	
RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX											---		1		1	1	0	
	NOR											1		---	1	1	1	1	
	I/C											3,5,6, 8,9, 10		3,4,5		9	4	4	2
	MAJ											7		6		2	2	2	1
	TS												---		0	0	2	2	
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX														---	1	1	0	
	NOR														---	1	1	1	
	I/C														---	4	4	2	
	MAJ														---	2	2	1	
	TS														---	0	2	2	

Instructions:

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: Hope Creek			Date of Exam: 8/23/10			Operating Test No.: NRC2010											
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M (*)		
		1			2			3			4						
		C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P				
															R	I	U
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX	---				3								1	1	1	0
	NOR	1				---								1	1	1	1
	I/C	3,4,5 6,8,9, 10				5,6, 7,9								11	4	4	2
	MAJ	7				8								2	2	2	1
	TS	3,4				---								2	0	2	2
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX	---						2						1	1	1	0
	NOR	1						---						1	1	1	1
	I/C	3,4,5 6,8,9, 10						5,6, 10						10	4	4	2
	MAJ	7						7						2	2	2	1
	TS	3,4						---						2	0	2	2
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX	---										1		1	1	1	0
	NOR	1										---		1	1	1	1
	I/C	3,4,5 6,8,9, 10										3,4,5		10	4	4	2
	MAJ	7										6		2	2	2	1
	TS	3,4										---		2	0	2	2
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX													---	1	1	0
	NOR													---	1	1	1
	I/C													---	4	4	2
	MAJ													---	2	2	1
	TS													---	0	2	2

Instructions:

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: Hope Creek			Date of Exam: 8/23/10			Operating Test No.: NRC2010												
A P P L I C A N T	E V E N T T Y P E	Scenarios													T O T A L	M I N I M U M (*)		
		1			2			3			4							
		C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N							
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P					
															R	I	U	
RO <input type="checkbox"/>	RX		1		---										1	1	1	0
SRO-I <input checked="" type="checkbox"/>	NOR		---		1										1	1	1	1
SRO-U <input type="checkbox"/>	I/C		3,6,8		2,3,4, 5,6,7, 9										10	4	4	2
	MAJ		7		8										2	2	2	1
	TS		---		2,4										2	0	2	2
RO <input type="checkbox"/>	RX				---				2						1	1	1	0
SRO-I <input checked="" type="checkbox"/>	NOR				1				---						1	1	1	1
SRO-U <input type="checkbox"/>	I/C				2,3,4, 5,6,7, 9				5,6, 10						10	4	4	2
	MAJ				8				7						2	2	2	1
	TS				2,4				---						2	0	2	2
RO <input type="checkbox"/>	RX				---								1		1	1	0	
SRO-I <input checked="" type="checkbox"/>	NOR				1								---		1	1	1	
SRO-U <input type="checkbox"/>	I/C				2,3,4, 5,6,7, 9								3,4,5		10	4	4	2
	MAJ				8								6		2	2	2	1
	TS				2,4								---		2	0	2	2
RO <input type="checkbox"/>	RX														---	1	1	0
SRO-I <input type="checkbox"/>	NOR														---	1	1	1
SRO-U <input type="checkbox"/>	I/C														---	4	4	2
	MAJ														---	2	2	1
	TS														---	0	2	2

Instructions:

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: Hope Creek			Date of Exam: 8/23/10			Operating Test No.: NRC2010												
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M (*)			
		1			2			3			4							
		C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N							
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P					
															R	I	U	
RO <input type="checkbox"/>	RX		1					---							1	1	1	0
SRO-I <input checked="" type="checkbox"/>	NOR		---					2							1	1	1	1
SRO-U <input type="checkbox"/>	I/C		3,6,8					3,4,5,6							7	4	4	2
	MAJ		7					7							2	2	2	1
	TS		---					3,4							2	0	2	2
RO <input type="checkbox"/>	RX					3		---							1	1	1	0
SRO-I <input checked="" type="checkbox"/>	NOR					---		2							2	1	1	1
SRO-U <input type="checkbox"/>	I/C					5,6,7,9		3,4,5,6							8	4	4	2
	MAJ					8		7							2	2	2	1
	TS					---		3,4							2	0	2	2
RO <input type="checkbox"/>	RX							---				1			1	1	1	0
SRO-I <input checked="" type="checkbox"/>	NOR							2				---			1	1	1	1
SRO-U <input type="checkbox"/>	I/C							3,4,5,6				3,4,5			7	4	4	2
	MAJ							7				6			2	2	2	1
	TS							3,4				---			2	0	2	2
RO <input type="checkbox"/>	RX														---	1	1	0
SRO-I <input type="checkbox"/>	NOR														---	1	1	1
SRO-U <input type="checkbox"/>	I/C														---	4	4	2
	MAJ														---	2	2	1
	TS														---	0	2	2

Instructions:

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: Hope Creek			Date of Exam: 8/23/10			Operating Test No.: NRC2010														
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M (*)					
		1			2			3			4									
		CREW POSITION			CREW POSITION			CREW POSITION			CREW POSITION									
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P							
															R	I	U			
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX		1											---			1	1	1	0
	NOR		---												1		1	1	1	1
	I/C		3,6,8												3,4,5,7		7	4	4	2
	MAJ		7												6		2	2	2	1
	TS		---												3,4		2	0	2	2
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX					3								---			1	1	1	0
	NOR					---									1		1	1	1	1
	I/C					5,6,7,9									3,4,5,7		9	4	4	2
	MAJ					8									6		2	2	2	1
	TS					---									3,4		2	0	2	2
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX									2				---			1	1	1	0
	NOR									---					1		1	1	1	1
	I/C									5,6,10					3,4,5,7		7	4	4	2
	MAJ									7					6		2	2	2	1
	TS									---					3,4		2	0	2	2
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX																---	1	1	0
	NOR																---	1	1	1
	I/C																---	4	4	2
	MAJ																---	2	2	1
	TS																---	0	2	2

Instructions:

1. Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
2. Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
3. Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: Hope Creek		Date of Examination: 8/23/10				Operating Test No.: NRC2010										
Competencies	APPLICANTS															
	RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>				RO <input type="checkbox"/> SRO-I <input checked="" type="checkbox"/> SRO-U <input type="checkbox"/>				RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>				RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>			
	SCENARIO				SCENARIO				SCENARIO				SCENARIO			
	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
Interpret/Diagnose Events and Conditions	3, 4, 5, 6, 7, 8, 9, 10	2, 3, 4, 5, 6, 7, 8, 9	2, 3, 4, 5, 6, 7, 8, 9, 10	All	3, 4, 5, 6, 7, 8, 9, 10	2, 3, 4, 5, 6, 7, 8, 9	2, 3, 4, 5, 6, 7, 8, 9, 10	All	3, 4, 5, 6, 7, 8, 9, 10	2, 3, 4, 5, 6, 7, 8, 9	2, 3, 4, 5, 6, 7, 8, 9, 10	All				
Comply With and Use Procedures (1)	All	All	All	All	All	All	All	All	All	All	All	All				
Operate Control Boards (2)	1, 2, 3, 5, 6, 7, 8, 9, 10	1, 3, 5, 6, 7, 8, 9	All	All	1, 2, 3, 5, 6, 7, 8, 9, 10	1, 3, 5, 6, 7, 8, 9	All	All	1, 2, 3, 5, 6, 7, 8, 9, 10	1, 3, 5, 6, 7, 8, 9	All	All				
Communicate and Interact	All	All	All	All	All	All	All	All	All	All	All	All				
Demonstrate Supervisory Ability (3)	NA	NA	NA	NA	1, 3, 4, 5, 6, 7, 8, 9, 10	2, 3, 4, 5, 6, 7, 8, 9	2, 3, 4, 5, 6, 7, 8, 9, 10	All	1, 3, 4, 5, 6, 7, 8, 9, 10	2, 3, 4, 5, 6, 7, 8, 9	2, 3, 4, 5, 6, 7, 8, 9, 10	All				
Comply With and Use Tech. Specs. (3)	NA	NA	NA	NA	3, 4	2, 4	3, 4	3, 4	3, 4	2, 4	3, 4	3, 4				
Notes: (1) Includes Technical Specification compliance for an RO. (2) Optional for an SRO-U. (3) Only applicable to SROs.																

Instructions:

Check the applicants' license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Facility: Hope Creek		Date of Examination: 8/23/10				Operating Test No.: NRC2010										
Competencies	APPLICANTS															
	RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>				RO <input type="checkbox"/> SRO-I <input checked="" type="checkbox"/> SRO-U <input type="checkbox"/>				RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>				RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>			
	SCENARIO				SCENARIO				SCENARIO				SCENARIO			
	5				5				5							
Interpret/Diagnose Events and Conditions	1, 3, 4, 5, 6, 7				1, 3, 4, 5, 6, 7				1, 3, 4, 5, 6, 7							
Comply With and Use Procedures (1)	All				All				All							
Operate Control Boards (2)	All				All				All							
Communicate and Interact	All				All				All							
Demonstrate Supervisory Ability (3)	NA				1, 3, 4, 5, 6, 7				1, 3, 4, 5, 6, 7							
Comply With and Use Tech. Specs. (3)	NA				3, 5				3, 5							
Notes: (1) Includes Technical Specification compliance for an RO. (2) Optional for an SRO-U. (3) Only applicable to SROs.																

Instructions:

Check the applicants' license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Facility: Hope Creek		Date of Exam: August 2010		Exam Level:	RO & SRO	
Item Description				Initial		
				a	b*	c#
1. Questions and answers technically accurate and applicable to facility.				Tgc	2	TF
2. a. NRC K/As referenced for all questions. b. Facility learning objectives referenced as available.				Tgc	2	TF
3. SRO questions are appropriate in accordance with Section D.2.d of ES-401				Tgc	2	TF
4. The sampling process was random and systematic. (If more than 4 RO and 2 SRO questions were repeated from the last 2 NRC licensing exams, consult the NRR OL Program Office)				Tgc	2	TF
5. Question duplication from the license screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate: <input checked="" type="checkbox"/> the audit exam was systematically and randomly developed, or _____ the audit exam was completed before the license exam was started, or _____ the examinations were developed independently, or _____ the licensee certifies that there is no duplication, or _____ other (explain)				Tgc	2	TF
6. Bank use meets limits (no more than 75 percent from the bank at least 10 percent new, and the rest new or modified); enter the actual RO / SRO-only question distribution(s) at right.		Bank 51 / 18	Modified 2 / 0	New 22 / 7	Tgc	2 TF
7. Between 50 and 60 percent of the question on the RO exam are written at the comprehension/analysis level; the SRO exam may exceed 60 percent if the randomly selected K/As support the higher cognitive levels; enter the actual RO / SRO question distribution(s) at right		Memory 34 / 3	C/A 41 / 22		Tgc	2 TF
8. References/handouts provided do not give away answers or aid in the elimination of distractors.				Tgc	2	TF
9. Question content conforms with specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviations are justified.				Tgc	2	TF
10. Question psychometric quality and format meet the guidelines in ES Appendix B.				Tgc	2	TF
11. The exam contains the required number of one-point, multiple choice items; the total is correct and agrees with value on cover sheet.				Tgc	2	TF
Printed Name / Signature				Date		
a.	Author	Timothy J. Catalano			8/16/10	
b.	Facility Reviewer (*)	Larry B. Sinclair / [Signature]			8/16/10	
c.	NRC Chief Examiner (#)	TODD FISCH / Todd Fisch			8/17/10	
d.	NRC Regional Supervisor	Sam Hanson / [Signature]			8/17/10	
Note: * The facility reviewer's initials/signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required.						

Facility: <u>HOPE CREEK</u>		Date of Exam: <u>9/01/2010</u>		Exam Level: <u>RO/SRO</u>	
Item Description	Initials				
	a	b	c		
1. Clean answer sheets copied before grading	<u>Tgc*</u>	<u>2*</u>	<u>TF</u>		
2. Answer key changes and question deletions justified and documented	<u>Tgc</u>	<u>2</u>	<u>NA</u>		
3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)	<u>Tgc</u>	<u>✓</u>	<u>TF</u>		
4. Grading for all borderline cases (80 ±2% overall and 70 or 80, as applicable, ±4% on the SRO-only) reviewed in detail	<u>Tgc</u>	<u>2</u>	<u>TF</u>		
5. All other failing examinations checked to ensure that grades are justified	<u>Tgc</u>	<u>2</u>	<u>TF</u>		
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by half or more of the applicants	<u>Tgc</u>	<u>2</u>	<u>TF</u>		

	Printed Name/Signature	Date
a. Grader	<u>TIMOTHY J. CATALANO</u> <u>TJ Catalano</u>	<u>9/08/2010</u>
b. Facility Reviewer(*)	<u>LARRY D. SINDLER</u> <u>LDS</u>	<u>9/8/2010</u>
c. NRC Chief Examiner (*)	<u>TODD FISH</u> <u>Todd Fish</u>	<u>9/10/10</u>
d. NRC Supervisor (*)	<u>SAM HANSELL</u> <u>SH</u>	<u>9/14/10</u>

(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.

* ONE CANDIDATE'S ANSWER SHEET WAS GRADED PRIOR TO COPYING. Tgc