

F A X

PROVIDENCE HOSPITAL
DIAGNOSTIC IMAGING DEPT.
16001 W. NINE MILE RD
SOUTHFIELD, MI 48075



To: *NRC - Attn MAHEM Licensing*
Fax number: *630-829-9782*

From:
Fax number: *248-849-5395*

Date: *6/9/2011*

Regarding:
Removal of Depleted Uranium

Phone number for follow-up:
248-849-3371

Comments:

The information contained in the facsimile message may be privileged, confidential, and protected information, intended for the use of the addressee listed above. DO NOT PERMIT ACCESS BY ANY OTHER PERSON. If you are neither the intended recipient or the employee or the agent responsible for delivering this information to the intended recipient, please telephone us immediately, and mail all pages of this transmission to us at the address on this form. You are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the content of the telecopied information is strictly prohibited.



16001 West Nine Mile Road
Southfield, MI 48075

June 9, 2011

UNITED STATES NUCLEAR REGULATORY COMMISSION
Region III, Materials Licensing Section
2443 Warrenville Road
Suite 210
Lisle, IL 60532-4352

Re: Remove depleted uranium from NRC License No. 21-02802-03

Dear Sir/Madam:

Please remove item 6.F. Depleted Uranium from our NRC License.

The Depleted Uranium has been removed from our facility by RAM services. Please find the enclosed documentation for your review.

Thank you for your cooperation with this matter. If you have any questions or require additional information please contact our physics consultant, Michelle Kritzman, at (734) 662-3197.

Sincerely,

A handwritten signature in black ink, appearing to read 'Lou Bischoff'.

Lou Bischoff
Executive Management
Providence Hospital
Southfield, Michigan

155

20 September 2008

Vrinda Narayana, Ph.D.
Chief Physicist
Providence Cancer Institute
Radiation Oncology Department
22301 Foster Winter Drive
Southfield, MI 48076

RAMPAK 346 & 347


Dear Dr. Narayana,

RAM Services, Inc. is providing this letter to advise you the radioactive materials identified below have been received from Providence Hospital located at 16001 W. Nine Mile Road in Southfield, MI by RAM Services, Inc. on 20 September 2008. We have taken possession of these materials under our State of Wisconsin Radioactive Materials License Number 071-1234-01.

Manufacturer ID	Model	Serial Number	Isotope	Quantity	Date Of Manufacture
3M	6500(6D6C-CA)	1036	137Cs	1.26E-02	6/22/1984
3M	6502(6D6C-CA)	3379	137Cs	3.86E-02	6/22/1984
3M	6502(6D6C-CA)	3389	137Cs	3.86E-02	6/22/1984
3M	6502(6D6C-CA)	3406	137Cs	3.87E-02	6/22/1984
3M	6503(6D6C-CA)	2380	137Cs	5.22E-02	6/22/1984
3M	6503(6D6C-CA)	2392	137Cs	5.23E-02	6/22/1984
3M	6504(6D6C-CA)	1016	137Cs	6.36E-02	6/22/1984
3M	6504(6D6C-CA)	1067	137Cs	6.36E-02	6/22/1984
3M	6505	622	137Cs	7.95E-02	9/18/1991
3M	6505	627	137Cs	7.96E-02	9/7/1991
3M	6500(6D6C-CA)	1039	137Cs	1.26E-01	6/22/1984
N/A	N/A	N/A	U-238	0.245 mCi	Unknown

Please retain this letter in your permanent files as documentation of the proper transfer of these materials. Do not hesitate to contact me with any questions which may arise.

Sincerely,



Jerry P. Wiza,
Radiation Safety Officer