

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee 1. Indiana University School of Medicine - Northwest 2. 3400 Broadway Gary, IN 46408	In accordance with application and letter dated January 18, 2011, 3. License number 13-18384-01 is renewed in its entirety to read as follows: 4. Expiration date July 31, 2021 5. Docket No. 030-14970 Reference No.
--	--

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Carbon-14	A. Any	A. 40 millicuries
B. Hydrogen-3	B. Any	B. 120 millicuries
C. Phosphorus-32	C. Any	C. 80 millicuries
D. Phosphorus-33	D. Any	D. 20 millicuries
E. Sulfur-35	E. Any	E. 60 millicuries
F. Iodine-125	F. Any	F. 100 millicuries
G. Iodine-131	G. Any	G. 20 millicuries
H. Chlorine-36	H. Any	H. 2 millicuries
I. Sodium-24	I. Any	I. 15 millicuries
J. Potassium-42	J. Any	J. 50 millicuries
K. Calcium-45	K. Any	K. 2 millicuries
L. Chromium-51	L. Any	L. 50 millicuries
M. Technetium-99m	M. Any	M. 10 millicuries
N. Rubidium-86	N. Any	N. 30 millicuries

9. Authorized Use:

- A. through P. For research and development, as defined in 10 CFR 30.4, including animal studies and student instruction.

CONDITIONS

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
13-18384-01Docket or Reference Number
030-14970

Amendment No. 21

10. Licensed material shall be used only at the licensee's facilities located at the Northwest Center for Medical Education, 3400 Broadway, Gary, Indiana.
11. The Radiation Safety Officer for this license is Brian Kennedy, Ph.D.
12. Licensed material listed in Item 6 above is only authorized for use by, or under the supervision of, the following individuals for the materials and uses indicated:

Authorized UsersMaterial and Use

Roman Dziarski, Ph.D.

All

Stephen Echtenkamp, Ph.D.

Iodine-125 and Hydrogen-3

Dipika Gupta, Ph.D.

Hydrogen-3, Carbon-14, sulfur-35, Phosphorus-32, Iodine-125, Calcium-45, and Chromium-51

Brian Kennedy, Ph.D.

All

Subbiah Sivan, Ph.D.

All

Taeok Bae, Ph.D.

Hydrogen-3, Carbon-14, Phosphorus-32, Phosphorus-33, Sulfur-35, Iodine-125, and Chromium-51

Tatiana Kostrominova, Ph.D.

Carbon-14, Hydrogen-3, Phosphorus-32, and Sulfur-35

13. The licensee shall not use licensed material in or on human beings or in field applications where activity is released.
14. The licensee is authorized to hold radioactive material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal in ordinary trash provided:
- A. Before disposal as ordinary trash, byproduct material shall be surveyed at the container surface with the appropriate survey meter set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated.
- B. A record of each disposal permitted under this License Condition shall be retained for three years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.
15. Experimental animals, or the products from experimental animals, that have been administered licensed material shall not be used for human consumption.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

13-18384-01

Docket or Reference Number

030-14970

Amendment No. 21

16. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
17. For sealed sources the following conditions apply:
- A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months or at such other intervals as specified by the certificate of registration referred to in 10 CFR 32.210.
 - B. In the absence of a certificate from a transferor indicating that a leak test has been made within 6 months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
 - C. Sealed sources need not be leak tested if:
 - (i) they contain not more than 100 microcuries of beta and/or gamma emitting material;
 - (ii) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
 - (iii) the half-life of the isotope is 30 days or less; or
 - (iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material; or
 - (v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
 - D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
 - E. Tests for leakage and/or contamination shall be performed by the licensee or by other persons specifically licensed by the Commission or an Agreement State to perform such services.
 - F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 3 years.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

13-18384-01

Docket or Reference Number

030-14970


Amendment No. 21

18. The licensee shall not use licensed material in or on human beings except as provided otherwise by specific condition of this license.
19. The licensee shall not acquire licensed material in a sealed source or device that contains a sealed source unless the source or device has been registered with the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or with an Agreement State.
20. The licensee shall maintain records of information related to decommissioning at 3400 Broadway, Gary, Indiana as specified in 10 CFR 30.35(g) until this license is terminated by the Commission.
21. The licensee shall conduct a physical inventory every six (6) months to account for all sealed, plated and foil sources received and possessed under the license. The records of the inventories shall be maintained for two (2) years from the date of the inventory for inspection by the Commission, and shall include the quantities and kinds of byproduct material, manufacturer's name and model numbers, location of each sealed, plated and foil source and the date of the inventory.
22. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated January 11, 2011 (with attachments); and,
- B. Letter dated January 11, 2011.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date JUL 20 2011

By

Colleen Carol Casey
Materials Licensing Branch
Region III