



Water Discharge Permits (PCS)

You are here: [EPA Home](#) [Envirofacts](#) PCSfile:///C:/MyFiles/Copies/PCS%20Detailed%20Reports.mht
Last updated on Friday, August 19, 2011

Detailed Reports

Report
an
Error

Results are based on data extracted on AUG-15-2011

Pending migration to a new system, the data for the Permit Compliance System (PCS) will remain frozen in Envirofacts for the following states and territories as of the below listed dates:

Frozen as of June 6th, 2006: MA,NH,RI,VI,PR,DC,MD,IN,NM,UT,HI,AK,ID
 Frozen as of August, 2006: AS,AT,CT,CZ,FM,GA,GB,GU,JA,MH,MP,MT,MW,NE,NI,NN,NV,NY,PA,PW,SD,SR,TT,UM
 Frozen as of April 24th, 2008: IL
 Frozen as of August 26th, 2008: AR,CA,CO,OK,TN,WI
 Frozen as of June 17th, 2009: TX, LA, GM, AL

Please refer to the [ECHO Clean Water Act Query Screen](#) to retrieve updated data for the states frozen in Envirofacts.

Facility

<u>FACILITY NAME (1) :</u>	LUNA PIER WWTP	<u>NPDES :</u>	MIG570026
<u>FACILITY NAME (2) :</u>			
<u>STREET 1 :</u>	10415 S HAROLD DR	<u>SIC CODE :</u>	4952 = SEWERAGE SYSTEMS
<u>CITY :</u>	LUNA PIER	<u>MAJOR / MINOR :</u>	
<u>COUNTY NAME :</u>	MONROE	<u>TYPE OF OWNERSHIP :</u>	PUB = PUBLIC
<u>STATE :</u>	MI	<u>INDUSTRY CLASS :</u>	M
<u>ZIP CODE :</u>	48157	<u>ACTIVITY STATUS :</u>	A = Active
<u>REGION :</u>	05	<u>INACTIVE DATE :</u>	
<u>LATITUDE :</u>	+4148460	<u>TYPE OF PERMIT ISSUED :</u>	S = STATE
<u>LONGITUDE :</u>	-08326260	<u>PERMIT ISSUED DATE :</u>	29-MAR-2005
<u>LAT/LON CODE OF ACCURACY :</u>	2 = NEAREST SECOND	<u>PERMIT EXPIRED DATE :</u>	01-APR-2010
<u>LAT/LON METHOD :</u>		<u>ORIGINAL PERMIT ISSUE DATE :</u>	
<u>LAT/LON SCALE :</u>			
<u>LAT/LON DATUM :</u>			
<u>LAT/LON DESCRIPTION :</u>		<u>STREAM SEGMENT :</u>	
<u>USGS HYDRO BASIN CODE :</u>		<u>MILEAGE IND :</u>	
<u>FLOW :</u>	.348	<u>FEDERAL GRANT IND :</u>	
<u>RECEIVING STREAM CLASS CODE :</u>		<u>FINAL LIMITS IND :</u>	F = FINAL
<u>RECEIVING WATERS :</u>	LA POINTE DRAIN		
<u>PRETREATMENT CODE :</u>		<u>SLUDGE CLASS FAC IND :</u>	
<u>SLUDGE INDICATOR :</u>		<u>ANNUAL DRY SLUDGE PROD :</u>	
<u>SLUDGE RELATED PERMIT NUM :</u>			
<u>MAILING NAME :</u>	LUNA PIER WWTP	<u>MAILING STREET (2) :</u>	PO BOX 375
<u>MAILING STREET (1) :</u>	10415 S HAROLD DR	<u>MAILING STATE :</u>	MI
<u>MAILING CITY :</u>	LUNA PIER		
<u>MAILING ZIP CODE :</u>	48157	<u>SLUDGE HANDLER STREET (2) :</u>	
<u>SLUDGE COMMERCIAL HANDLER :</u>		<u>SLUDGE HANDLER STATE :</u>	
<u>SLUDGE HANDLER STREET (1) :</u>			
<u>SLUDGE HANDLER CITY :</u>			
<u>SLUDGE HANDLER ZIP CODE :</u>		<u>COGNIZANT OFFICIAL TEL :</u>	313-848-4581
<u>COGNIZANT OFFICIAL :</u>	DAVID C. ROBERTS		

Permit Documents

FACILITY NAME (1) : LUNA PIER WWTP **NPDES :** MIG570026**FACILITY NAME (2) :**

No Permit Documents Found.

Permit Tracking

<u>FACILITY NAME (1) :</u>	LUNA PIER WWTP	<u>NPDES :</u>	MIG570026
<u>FACILITY NAME (2) :</u>		<u>PERMIT ISSUED BY :</u>	S = STATE
<u>PERMIT ISSUED DATE :</u>	29-MAR-2005	<u>ORIGINAL DATE OF ISSUE :</u>	
<u>PERMIT EXPIRED DATE :</u>	01-APR-2010		

Permit Tracking Events:

EVENT CODE	EVENT DESCRIPTION	ACTUAL DATE
P5099	PERMIT EXPIRED	01-APR-2010
P1099	APPLICATION RECEIVED	29-MAR-2005
P4099	PERMIT ISSUED	29-MAR-2005

Inspections

FACILITY NAME (1) : LUNA PIER WWTP **NPDES :** MIG570026

FACILITY NAME (2) :

INSPECTION TYPE	DATE OF INSPECTION	INSPECTION PERFORMED BY
R = RECONNAISSANCE	06-OCT-2009	S = STATE
Z = SLUDGE-BIOSOLIDS	30-SEP-2009	S = STATE
S = COMPLIANCE SAMPLING	30-MAR-2009	S = STATE
C = COMPLIANCE EVAL (NON-SAMPLING)	25-JUN-2008	S = STATE
C = COMPLIANCE EVAL (NON-SAMPLING)	26-SEP-2002	S = STATE
R = RECONNAISSANCE	26-JUN-2001	S = STATE
R = RECONNAISSANCE	07-APR-1999	S = STATE

Outfalls/Pipe Schedules

FACILITY NAME (1) : LUNA PIER WWTP **NPDES :** MIG570026
FACILITY NAME (2) :
PIPE NUMBER : 001 **OUTFALL TYPE :**
REPORT DESIGNATOR : A **ACTIVITY STATUS:** A = ACTIVE
PIPE SET QUALIFIER : 9 **LATITUDE:**
INACTIVE DATE : **LONGITUDE :**
INIT LIMITS START DATE : **LAT/LON ACCURACY :**
INIT LIMITS END DATE : **LAT/LON METHOD :**
INTERIM LIMITS START DATE : **LAT/LON SCALE :**
INTERIM LIMITS END DATE : **LAT/LON DATUM :**
FINAL LIMITS START DATE : 01-APR-2005 **LAT/LON DESCRIPTION :**
FINAL LIMITS END DATE : 31-MAR-2010 **USGS HYDRO BASIN CODE :**
INIT SUBM. DATE(EPA) : **PIPE STREAM SEGMENT :**
SUBMISSION UNITS (EPA) : **RECEIVING STREAM CLASS CD :**
UNITS IN EPA SUBM. PERIOD : 0 **MILEAGE INDICATOR :**
INIT SUBM. DATE (STATE) : 10-MAY-2005 **PIPE DESCRIPTION :** 001A/SECONDARY TREATMENT WW
SUBMISSION UNITS (STATE) : M = MONTHS
UNITS IN STATE SUBM. PERIOD : 1
INIT REPORTING DATE : 01-APR-2005
REPORTING UNITS : M = MONTHS
UNITS IN REPORTING PERIOD : 1

Limits Report

FACILITY NAME (1) : LUNA PIER WWTP **NPDES :** MIG570026

FACILITY NAME (2) : **PIPE NUMBER :** 001

REPORT DESIGNATOR : A **PIPE SET QUALIFIER :** 9

LIMIT TYPE	PARAMETER CODE	MONITORING LOCATION	SEASON NUM	MODIFICATION NUM	MOD. PERIOD START DATE	MOD. PERIOD END DATE	CHANGE OF LIMIT STATUS	CONTESTED PARAMETER INDICATOR	DOCKET NUMBER	LONG FORMAT
5 = FINAL	BOD, 5-DAY (20 DEG. C)	B = PRIOR TO DISINFECT	0	1	01-APR-2006	31-MAR-2010	MOD			No
5 = FINAL	BOD, 5-DAY (20 DEG. C)	B = PRIOR TO DISINFECT	0	0	01-APR-2005	31-MAR-2010				YES
5 = FINAL	PH	1 = EFFLUENT GROSS VALUE	0	0	01-APR-2005	31-MAR-2010				YES
5 = FINAL	SOLIDS, TOTAL SUSPENDED	B = PRIOR TO DISINFECT	0	0	01-APR-2005	31-MAR-2010				YES
5 = FINAL	PHOSPHORUS, TOTAL (AS P)	B = PRIOR TO DISINFECT	0	0	01-APR-2005	31-MAR-2010				YES
5 = FINAL	SOLIDS, SUSPENDED PERCENT REMOVAL	K = PERCENT REMOVAL	0	0	01-APR-2005	31-MAR-2010				YES
5 = FINAL	CHLORINE, TOTAL RESIDUAL	1 = EFFLUENT GROSS VALUE	0	0	01-APR-2005	31-MAR-2010				YES
5 = FINAL	COLIFORM, FECAL GENERAL	1 = EFFLUENT GROSS VALUE	0	0	01-APR-2005	31-MAR-2010				YES
5 = FINAL	BOD, CARBONACEOUS 05 DAY, 20C	1 = EFFLUENT GROSS VALUE	0	0	01-APR-2005	31-MAR-2010				YES
5 = FINAL	BOD, CARBONACEOUS 05 DAY, 20C	B = PRIOR TO DISINFECT	0	0	01-APR-2005	31-MAR-2010				YES
5 = FINAL	BOD, CARBONACEOUS 05 DAY, 20C	B = PRIOR TO DISINFECT	0	1	01-APR-2005	31-MAR-2006	MOD			No
5 = FINAL	BOD, 5-DAY PERCENT REMOVAL	K = PERCENT REMOVAL	0	0	01-APR-2005	31-MAR-2010				YES
5 =	OXYGEN, DISSOLVED	1 = EFFLUENT								

FINAL	(DO)	GROSS VALUE	0	0	01-APR-2005	31-MAR-2010				YES
5 = FINAL	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	1 = EFFLUENT GROSS VALUE	0	0	01-APR-2005	31-MAR-2010				YES

Measurements and Violations

FACILITY NAME (1): LUNA PIER WWTP **NPDES :** MIG570026
FACILITY NAME (2): **LIMIT TYPE :** 5 = FINAL
PIPE NUMBER : 001 **SEASON NUM :** 0
REPORT DESIGNATOR : A **PARAMETER CODE:** 00300 = OXYGEN, DISSOLVED (DO)
PIPE SET QUALIFIER : 9 **MONITORING LOCATION :** 1 = EFFLUENT GROSS VALUE
MODIFICATION NUM : 0

MONITORING PERIOD END DATE	DISCHARGE IND	QTY MAXIMUM	QTY AVERAGE	CONC MAXIMUM	CONC AVERAGE	CONC MINIMUM	RNC DETECTION CODE	RNC DETECTION DATE	RNC RESOLUTION CODE	RNC RESOLUTION DATE	MEASUREMENT VIOLATION CODE	QUANTITY UNIT CODE	CONC UN
30-APR-2010						5.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAR-2010						5.6					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
28-FEB-2010						5.3					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JAN-2010						6.6					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-DEC-2009						6.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2009						4.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-OCT-2009						5.2					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-SEP-2009						4.2					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-AUG-2009						4.3					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JUL-2009						5.3					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-JUN-2009						5.2					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2009						5.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JAN-2009						6.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
											E00 =		

31-DEC-2008						6.0					MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2008						5.5					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-OCT-2008						4.5					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-SEP-2008						5.3					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2008						6.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-APR-2008						4.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAR-2008						6.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
29-FEB-2008						5.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JAN-2008						6.6					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-DEC-2007						5.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2007						5.5					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-OCT-2007						5.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-SEP-2007						5.4					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JUL-2007						5.2					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-JUN-2007						5.5					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2007						5.9					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-APR-2007						5.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
											E00 = MEASUREMENT		19 =

31-MAR-2007						5.0					ONLY, NO VIOLATION NO VIOL		MILLI
28-FEB-2007						5.5					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JAN-2007						5.5					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2006						5.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-OCT-2006						5.3					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-SEP-2006						5.3					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-AUG-2006						5.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JUL-2006						5.1	N = RPT-NONRECEIPT OF DMR/CS RPT	09-SEP-2006	2 = RE-BACK INTO COMPLIANCE	12-JUN-2009	E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-JUN-2006						5.4					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2006						5.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-APR-2006						6.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
28-FEB-2006						4.2					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JAN-2006						5.6					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2005						4.2					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-OCT-2005						5.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-AUG-2005						4.2					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JUL-2005						4.4					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-JUN-2005						5.6					E00 = MEASUREMENT ONLY, NO		19 = MILLI

<u>FACILITY NAME (1):</u>	LUNA PIER WWTP	<u>NPDES :</u>	MIG570026
<u>FACILITY NAME (2):</u>		<u>LIMIT TYPE :</u>	5 = FINAL
<u>PIPE NUMBER :</u>	001	<u>SEASON NUM :</u>	0
<u>REPORT DESIGNATOR :</u>	A	<u>PARAMETER CODE:</u>	00310 = BOD, 5-DAY (20 DEG. C)
<u>PIPE SET QUALIFIER :</u>	9	<u>MONITORING LOCATION :</u>	B = PRIOR TO DISINFECT
<u>MODIFICATION NUM :</u>	0		

FACILITY NAME (1):	LUNA PIER WWTP	NPDES :	MIG570026
FACILITY NAME (2):		LIMIT TYPE :	5 = FINAL
PIPE NUMBER :	001	SEASON NUM :	0
REPORT DESIGNATOR :	A	PARAMETER CODE:	00400 = PH
PIPE SET QUALIFIER :	9	MONITORING LOCATION :	1 = EFFLUENT GROSS VALUE
MODIFICATION NUM :	0		

08/19/2011

											VIOL		
31-DEC-2009				7.7		6.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
30-NOV-2009				7.1		6.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
31-OCT-2009				7.2		6.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
30-SEP-2009				7.3		6.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
31-AUG-2009				7.1		6.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
31-JUL-2009				7.4		7.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
30-JUN-2009				7.3		7.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
31-MAY-2009				7.5		7.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
31-JAN-2009				7.3		6.9					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
31-DEC-2008				7.2		6.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
30-NOV-2008				7.1		6.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
31-OCT-2008				6.9		6.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
30-SEP-2008				7.1		6.6					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
31-MAY-2008				7.4		7.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
30-APR-2008				7.5		7.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
31-MAR-2008				7.5		6.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)
29-FEB-2008				7.6		6.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I)

31-JAN-2008				7.6		6.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-DEC-2007				7.6		7.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
30-NOV-2007				7.6		7.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-OCT-2007				7.6		7.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
30-SEP-2007				7.5		7.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-JUL-2007				7.7		7.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
30-JUN-2007				7.8		7.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-MAY-2007				7.6		7.4					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
30-APR-2007				8.0		7.2					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-MAR-2007				7.7		7.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
28-FEB-2007				7.7		7.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-JAN-2007				7.6		7.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
30-NOV-2006				7.5		7.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-OCT-2006				7.5		7.5					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
30-SEP-2006				7.4		6.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-AUG-2006				7.4		6.9					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-JUL-2006				7.4		7.0	N = RPT- NONRECEIPT OF DMR/CS RPT	09-SEP- 2006	2 = RE-BACK INTO COMPLIANCE	12-JUN-2009	E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
											E00 =		

30-JUN-2006				7.5		7.0					MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-MAY-2006				7.4		7.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
30-APR-2006				7.5		7.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
28-FEB-2006				7.7		6.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-JAN-2006				7.6		6.9					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
30-NOV-2005				7.0		4.6					E90 = NUMERIC VIOLATION NUMERIC VIOL		12 STANC (I
31-OCT-2005				7.1		6.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-AUG-2005				7.4		6.6					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-JUL-2005				7.6		6.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
30-JUN-2005				7.5		6.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
31-MAY-2005				7.5		6.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		12 STANC (I
30-APR-2005											E41 = LIMITED, CONCENTRATION ABSENT CONC ABS		

FACILITY NAME (1): LUNA PIER WWTP **NPDES :** MIG570026
FACILITY NAME (2): **LIMIT TYPE :** 5 = FINAL
PIPE NUMBER : 001 **SEASON NUM :** 0
REPORT DESIGNATOR : A **PARAMETER CODE:** 00530 = SOLIDS, TOTAL SUSPENDED
PIPE SET QUALIFIER : 9 **MONITORING LOCATION :** B = PRIOR TO DISINFECT
MODIFICATION NUM : 0

MONITORING PERIOD END DATE	DISCHARGE IND	QTY MAXIMUM	QTY AVERAGE	CONC MAXIMUM	CONC AVERAGE	CONC MINIMUM	RNC DETECTION CODE	RNC DETECTION DATE	RNC RESOLUTION CODE	RNC RESOLUTION DATE	MEASUREMENT VIOLATION CODE	QUANTITY UNIT CODE	CONCE UNI
30-APR-2010				10.0	8.2						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIC L
31-MAR-2010				23.0	10.8						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIC L
28-FEB-2010				8.7	6.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIC L
31-JAN-2010				20.3	11.6						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIC L

31-DEC-2009				35.7	24.9						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-NOV-2009				26.0	18.6						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-OCT-2009				43.3	24.2						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-SEP-2009				101.1	39.8						E90 = NUMERIC VIOLATION NUMERIC VIOL		19 = M MILLIG L
31-AUG-2009				15.3	12.4						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-JUL-2009				13.0	10.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-JUN-2009				14.3	8.8						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-MAY-2009				12.5	8.9						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-JAN-2009				19.5	10.4						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-DEC-2008				20.0	12.1						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-NOV-2008				29	14						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-OCT-2008				14.7	9.3						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-SEP-2008				53.3	23.2						E90 = NUMERIC VIOLATION NUMERIC VIOL		19 = M MILLIG L
31-MAY-2008				20.3	11.3						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-APR-2008				9.3	6.1						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-MAR-2008				8.0	5.2						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
29-FEB-2008				13.3	8.7						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-JAN-2008				17.3	13.7						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L

31-DEC-2007				18.7	14.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-NOV-2007				34.5	24.4						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-OCT-2007				31.3	23.4						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-SEP-2007				38.7	21.7						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-JUL-2007				25.0	13.7						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-JUN-2007				16.3	10.2						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-MAY-2007				18.3	12.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-APR-2007				24.7	15.4						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-MAR-2007				16.7	12.2						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
28-FEB-2007				22.5	18.3						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-JAN-2007				21.5	11.6						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-NOV-2006				38	27						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-OCT-2006				20.0	16.1						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-SEP-2006				19.7	11.9						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-AUG-2006				26.7	17.2						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-JUL-2006				31.3	16.0		N = RPT- NONRECEIPT OF DMR/CS RPT	09-SEP- 2006	2 = RE-BACK INTO COMPLIANCE	12-JUN-2009	E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-JUN-2006				17.3	9.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
											E00 =		

31-MAY-2006				26.3	14.9						MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
30-APR-2006				23	15.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
28-FEB-2006				55.7	23.0						E90 = NUMERIC VIOLATION NUMERIC VIOL		19 = MILLIG L
31-JAN-2006				30.7	20.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
30-NOV-2005				113.5	48.4						E90 = NUMERIC VIOLATION NUMERIC VIOL		19 = MILLIG L
31-OCT-2005				53	25.6						E90 = NUMERIC VIOLATION NUMERIC VIOL		19 = MILLIG L
31-AUG-2005				27.7	22.9						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
31-JUL-2005				60	23.8						E90 = NUMERIC VIOLATION NUMERIC VIOL		19 = MILLIG L
30-JUN-2005				29.0	17.2						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
31-MAY-2005				14.3	12.1						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
30-APR-2005				18.7	13.3						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L

FACILITY NAME (1): LUNA PIER WWTP **NPDES :** MIG570026
FACILITY NAME (2): **LIMIT TYPE :** 5 = FINAL
PIPE NUMBER : 001 **SEASON NUM :** 0
REPORT DESIGNATOR : A **PARAMETER CODE:** 00665 = PHOSPHORUS, TOTAL (AS P)
PIPE SET QUALIFIER : 9 **MONITORING LOCATION :** B = PRIOR TO DISINFECT
MODIFICATION NUM : 0

MONITORING PERIOD END DATE	DISCHARGE IND	QTY MAXIMUM	QTY AVERAGE	CONC MAXIMUM	CONC AVERAGE	CONC MINIMUM	RNC DETECTION CODE	RNC DETECTION DATE	RNC RESOLUTION CODE	RNC RESOLUTION DATE	MEASUREMENT VIOLATION CODE	QUANTITY UNIT CODE	CONCE UN.
30-APR-2010					.62						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG
31-MAR-2010					.64						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG
28-FEB-2010					.60						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG
31-JAN-2010					.7						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG
31-DEC-2009					.83						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG
30-NOV-2009					.78						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG

31-OCT-2009					.97						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-SEP-2009					1.1						E90 = NUMERIC VIOLATION NUMERIC VIOL		19 = MILLI
31-AUG-2009					.97						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JUL-2009					.73						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-JUN-2009					.6						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2009					.57						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JAN-2009					.54						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-DEC-2008					.69						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2008					.74						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-OCT-2008					.79						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-SEP-2008					1.1						E90 = NUMERIC VIOLATION NUMERIC VIOL		19 = MILLI
31-MAY-2008					.63						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-APR-2008					.27						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAR-2008					.37						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
29-FEB-2008					.43						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JAN-2008					.62						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-DEC-2007					.66						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2007					.87						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI

31-OCT-2007					.75						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-SEP-2007					.9						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JUL-2007					.81						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-JUN-2007					.73						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2007					0.85						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-APR-2007					.56						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAR-2007					.77						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
28-FEB-2007					0.70						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JAN-2007					0.60						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2006					.69						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-OCT-2006					.71						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-SEP-2006							N = RPT- NONRECEIPT OF DMR/CS RPT	30-SEP- 2006	1 = NC- UNRESOLVED RNC		E41 = LIMITED, CONCENTRATION ABSENT CONC ABS		
31-AUG-2006					0.92						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JUL-2006					0.65		N = RPT- NONRECEIPT OF DMR/CS RPT	09-SEP- 2006	2 = RE-BACK INTO COMPLIANCE	12-JUN-2009	E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-JUN-2006					0.69						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2006					.67						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-APR-2006					0.58						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
											E00 = MEASUREMENT		19 =

28-FEB-2006					0.77						ONLY, NO VIOLATION NO VIOL		MILLI
31-JAN-2006					0.76						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2005					2.09						E90 = NUMERIC VIOLATION NUMERIC VIOL		19 = MILLI
31-OCT-2005					.84						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-AUG-2005					1.14						E90 = NUMERIC VIOLATION NUMERIC VIOL		19 = MILLI
31-JUL-2005					0.81						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-JUN-2005					0.98						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2005					0.78						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-APR-2005					0.62						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI

FACILITY NAME (1): LUNA PIER WWTP **NPDES :** MIG570026
FACILITY NAME (2): **LIMIT TYPE :** 5 = FINAL
PIPE NUMBER : 001 **SEASON NUM :** 0
REPORT DESIGNATOR : A **PARAMETER CODE:** 50050 = FLOW, IN CONDUIT OR THRU TREATMENT PLANT
PIPE SET QUALIFIER : 9 **MONITORING LOCATION :** 1 = EFFLUENT GROSS VALUE
MODIFICATION NUM : 0

MONITORING PERIOD END DATE	DISCHARGE IND	QTY MAXIMUM	QTY AVERAGE	CONC MAXIMUM	CONC AVERAGE	CONC MINIMUM	RNC DETECTION CODE	RNC DETECTION DATE	RNC RESOLUTION CODE	RNC RESOLUTION DATE	MEASUREMENT VIOLATION CODE	QUANTITY UNIT CODE	CONCE UN
30-APR-2010		.487	.265								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-MAR-2010		.516	.275								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
28-FEB-2010		.180	.150								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-JAN-2010		.215	.164								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-DEC-2009		.250	.176								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-NOV-2009		.163	.134								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-OCT-2009		.211	.149								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
											E00 = MEASUREMENT	03 = MGD MGD	

30-SEP-2009		.187	.151								ONLY, NO VIOLATION NO VIOL	MILLION GALLONS PER DAY	
31-AUG-2009		.237	.148								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-JUL-2009		.197	.152								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-JUN-2009		.248	.170								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-MAY-2009		.374	.236								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-JAN-2009		.308	.174								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-DEC-2008		.423	.205								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-NOV-2008		.260	.137								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-OCT-2008		.138	.122								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-SEP-2008		.233	.141								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-MAY-2008		.270	.204								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-APR-2008		.429	.269								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-MAR-2008		.429	.310								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
29-FEB-2008		.457	.274								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-JAN-2008		.416	.232								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-DEC-2007		.531	.245								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-NOV-2007		.258	.153								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-OCT-2007		.186	.155								E00 = MEASUREMENT ONLY, NO	03 = MGD MGD MILLION	

												VIOLATION NO VIOL	GALLONS PER DAY	
30-SEP-2007		.257	.182									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-JUL-2007		.337	.186									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-JUN-2007		.271	.177									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-MAY-2007		0.305	0.232									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-APR-2007		.438	.270									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-MAR-2007		.340	.281									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
28-FEB-2007		.228	.195									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-JAN-2007		0.674	0.366									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-NOV-2006		.410	.243									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-OCT-2006		.418	.238									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-SEP-2006		.263	.201									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-AUG-2006		0.247	0.190									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-JUL-2006		0.696	0.357				N = RPT- NONRECEIPT OF DMR/CS RPT	09-SEP- 2006	2 = RE-BACK INTO COMPLIANCE	12-JUN-2009		E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-JUN-2006		0.432	0.241									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-MAY-2006		0.611	0.339									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-APR-2006		.294	.214									E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
28-FEB-2006		0.600	0.313									E00 = MEASUREMENT ONLY, NO VIOLATION NO	03 = MGD MGD MILLION GALLONS	

											VIOL	PER DAY	
31-JAN-2006		.374	.285								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-NOV-2005		0.361	0.177								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-OCT-2005		0.218	0.181								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-AUG-2005		0.275	0.211								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-JUL-2005		0.385	0.213								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-JUN-2005		0.245	0.187								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
31-MAY-2005		0.376	0.223								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	
30-APR-2005		0.435	0.254								E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	03 = MGD MGD MILLION GALLONS PER DAY	

FACILITY NAME (1): LUNA PIER WWTP **NPDES :** MIG570026
FACILITY NAME (2): **LIMIT TYPE :** 5 = FINAL
PIPE NUMBER : 001 **SEASON NUM :** 0
REPORT DESIGNATOR : A **PARAMETER CODE:** 50060 = CHLORINE, TOTAL RESIDUAL
PIPE SET QUALIFIER : 9 **MONITORING LOCATION :** 1 = EFFLUENT GROSS VALUE
MODIFICATION NUM : 0

MONITORING PERIOD END DATE	DISCHARGE IND	QTY MAXIMUM	QTY AVERAGE	CONC MAXIMUM	CONC AVERAGE	CONC MINIMUM	RNC DETECTION CODE	RNC DETECTION DATE	RNC RESOLUTION CODE	RNC RESOLUTION DATE	MEASUREMENT VIOLATION CODE	QUANTITY UNIT CODE	CONCE UN.
30-APR-2010				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAR-2010				.021							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
28-FEB-2010				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JAN-2010				.024							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-DEC-2009				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2009				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-OCT-2009				.020							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI

30-SEP-2009				.028							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-AUG-2009				.087			R = TRC- TRC VIOL, NON- MONTHLY AVG	31-AUG- 2009	2 = RE-BACK INTO COMPLIANCE	30-NOV-2009	E90 = NUMERIC VIOLATION NUMERIC VIOL		19 = MILLI
31-JUL-2009				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-JUN-2009				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2009				.134			R = TRC- TRC VIOL, NON- MONTHLY AVG	31-AUG- 2009	2 = RE-BACK INTO COMPLIANCE	30-NOV-2009	E90 = NUMERIC VIOLATION NUMERIC VIOL		19 = MILLI
31-JAN-2009				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-DEC-2008				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2008				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-OCT-2008				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-SEP-2008				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2008				.001							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-APR-2008				.001							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAR-2008				.030							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
29-FEB-2008				.001							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JAN-2008				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-DEC-2007				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2007				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
											E00 =		

31-OCT-2007				.000							MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-SEP-2007				.002							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JUL-2007				.001							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-JUN-2007				.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2007				0.002							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-APR-2007				.001							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAR-2007				.022							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
28-FEB-2007				.001							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JAN-2007				.001							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2006				0.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-OCT-2006				0.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-SEP-2006				0.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-AUG-2006				.001							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JUL-2006				0.000			N = RPT-NONRECEIPT OF DMR/CS RPT	09-SEP-2006	2 = RE-BACK INTO COMPLIANCE	12-JUN-2009	E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-JUN-2006				0.001							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2006				.002							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-APR-2006				.002							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
											E00 = MEASUREMENT		19 =

28-FEB-2006				0.010							ONLY, NO VIOLATION NO VIOL		MILLI
31-JAN-2006				0.0							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-NOV-2005				0.003							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-OCT-2005				0.0							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-AUG-2005				0.0							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-JUL-2005				0.000							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-JUN-2005				0.0							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
31-MAY-2005				0.0							E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLI
30-APR-2005											E41 = LIMITED, CONCENTRATION ABSENT CONC ABS		

FACILITY NAME (1): LUNA PIER WWTP **NPDES :** MIG570026
FACILITY NAME (2): **LIMIT TYPE :** 5 = FINAL
PIPE NUMBER : 001 **SEASON NUM :** 0
REPORT DESIGNATOR : A **PARAMETER CODE:** 74055 = COLIFORM, FECAL GENERAL
PIPE SET QUALIFIER : 9 **MONITORING LOCATION :** 1 = EFFLUENT GROSS VALUE
MODIFICATION NUM : 0

MONITORING PERIOD END DATE	DISCHARGE IND	QTY MAXIMUM	QTY AVERAGE	CONC MAXIMUM	CONC AVERAGE	CONC MINIMUM	RNC DETECTION CODE	RNC DETECTION DATE	RNC RESOLUTION CODE	RNC RESOLUTION DATE	MEASUREMENT VIOLATION CODE	QUANTITY UNIT CODE	CONC UN:
30-APR-2010				51	25						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-MAR-2010				50	11						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
28-FEB-2010				344	34						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-JAN-2010				33	16						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-DEC-2009				157	48						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-NOV-2009				75	18						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-OCT-2009				205	45						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL

											VIOL		MIL
30-SEP-2009				116	60						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-AUG-2009				159	28						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-JUL-2009				53	20						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-JUN-2009				7	3						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-MAY-2009				16	3						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-JAN-2009				20	4						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-DEC-2008				61	21						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-NOV-2008				31	18						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-OCT-2008				32	11						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-SEP-2008				51	24						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-MAY-2008				6	3						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-APR-2008				8	4						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-MAR-2008				16	12						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
29-FEB-2008				58	28						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-JAN-2008				30	25						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-DEC-2007				30	14						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-NOV-2007				24	15						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL

31-OCT-2007				80	29						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-SEP-2007				64	42						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-JUL-2007				59	16						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-JUN-2007				53	25						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-MAY-2007				33	17						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-APR-2007				29	18						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-MAR-2007				15	15						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
28-FEB-2007				59	18.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-JAN-2007				36	23						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-NOV-2006				114	39						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-OCT-2006				57	39						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-SEP-2006				78	60						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-AUG-2006				940	439						E90 = NUMERIC VIOLATION NUMERIC VIOL		13 = #/100 PI MIL
31-JUL-2006				620	288		N = RPT- NONRECEIPT OF DMR/CS RPT	09-SEP- 2006	2 = RE-BACK INTO COMPLIANCE	12-JUN-2009	E90 = NUMERIC VIOLATION NUMERIC VIOL		13 = #/100 PI MIL
30-JUN-2006				180	95						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-MAY-2006				216	73						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-APR-2006				111	56						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
28-FEB-2006				64	42						E00 = MEASUREMENT ONLY, NO		13 = #/100 PI

											VIOlation NO VIOL		MIL
31-JAN-2006				0.0	0.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-NOV-2005				58	44						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-OCT-2005				65	65						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-AUG-2005				0.0	0.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-JUL-2005				0.0	0.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-JUN-2005				0.0	0.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
31-MAY-2005				0.0	0.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		13 = #/100 PI MIL
30-APR-2005											E41 = LIMITED, CONCENTRATION ABSENT CONC ABS		

FACILITY NAME (1): LUNA PIER WWTP **NPDES :** MIG570026
FACILITY NAME (2): **LIMIT TYPE :** 5 = FINAL
PIPE NUMBER : 001 **SEASON NUM :** 0
REPORT DESIGNATOR : A **PARAMETER CODE:** 80082 = BOD, CARBONACEOUS 05 DAY, 20C
PIPE SET QUALIFIER : 9 **MONITORING LOCATION :** B = PRIOR TO DISINFECT
MODIFICATION NUM : 0

MONITORING PERIOD END DATE	DISCHARGE IND	QTY MAXIMUM	QTY AVERAGE	CONC MAXIMUM	CONC AVERAGE	CONC MINIMUM	RNC DETECTION CODE	RNC DETECTION DATE	RNC RESOLUTION CODE	RNC RESOLUTION DATE	MEASUREMENT VIOLATION CODE	QUANTITY UNIT CODE	CONCE UNI
30-APR-2010				5.5	4.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-MAR-2010				6.3	4.8						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
28-FEB-2010				6.3	5.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-JAN-2010				13.3	8.2						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-DEC-2009				14.0	8.9						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-NOV-2009				8.5	6.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-OCT-2009				10.3	8.6						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L

30-SEP-2009				33.0	14.2						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-AUG-2009				12.0	8.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-JUL-2009				9.7	7.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-JUN-2009				10.0	6.4						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-MAY-2009				6.5	5.7						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-JAN-2009				11.0	6.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-DEC-2008				9.0	5.8						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-NOV-2008				7.3	6.1						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-OCT-2008				7.7	5.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-SEP-2008				10.3	7.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-MAY-2008				7.0	5.8						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-APR-2008				8.5	5.7						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-MAR-2008				6.3	5.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
29-FEB-2008				7.7	6.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-JAN-2008				7.0	5.3						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
31-DEC-2007				6.5	5.4						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
30-NOV-2007				12.5	8.6						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = M MILLIG L
											E00 =		

31-OCT-2007				10.7	8.9						MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
30-SEP-2007				14	9.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
31-JUL-2007				9.0	7.9						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
30-JUN-2007				6.7	5.4						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
31-MAY-2007				11.0	7.5						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
30-APR-2007				7.7	6.3						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
31-MAR-2007				14.0	9.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
28-FEB-2007				13.0	10.0						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
31-JAN-2007				7.5	5.8						E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L
31-JUL-2006				24.0	11.0		N = RPT-NONRECEIPT OF DMR/CS RPT	09-SEP-2006	2 = RE-BACK INTO COMPLIANCE	12-JUN-2009	E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		19 = MILLIG L

FACILITY NAME (1): LUNA PIER WWTP **NPDES :** MIG570026
FACILITY NAME (2): **LIMIT TYPE :** 5 = FINAL
PIPE NUMBER : 001 **SEASON NUM :** 0
REPORT DESIGNATOR : A **PARAMETER CODE:** 81010 = BOD, 5-DAY PERCENT REMOVAL
PIPE SET QUALIFIER : 9 **MONITORING LOCATION :** K = PERCENT REMOVAL
MODIFICATION NUM : 0

MONITORING PERIOD END DATE	DISCHARGE IND	QTY MAXIMUM	QTY AVERAGE	CONC MAXIMUM	CONC AVERAGE	CONC MINIMUM	RNC DETECTION CODE	RNC DETECTION DATE	RNC RESOLUTION CODE	RNC RESOLUTION DATE	MEASUREMENT VIOLATION CODE	QUANTITY UNIT CODE	CONCE UNI
30-APR-2010						93.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = PERCENT
31-MAR-2010						94.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = PERCENT
28-FEB-2010						96.4					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = PERCENT
31-JAN-2010						93.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = PERCENT
31-DEC-2009						93.5					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = PERCENT
											E00 = MEASUREMENT		

30-NOV-2009						96					ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-OCT-2009						93.9					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
30-SEP-2009						89.9					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-AUG-2009						92.9					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-JUL-2009						94.3					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
30-JUN-2009						94.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-MAY-2009						93.3					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-JAN-2009						92.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-DEC-2008						94.3					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
30-NOV-2008						96.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-OCT-2008						95.9					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
30-SEP-2008						93.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-MAY-2008						93.6					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
30-APR-2008						92.5					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-MAR-2008						91.2					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
29-FEB-2008						92.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-JAN-2008						94.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-DEC-2007						92.8					E00 = MEASUREMENT ONLY, NO		23 = f PERCEN

											VIOLATION NO VIOL		
30-NOV-2007						93.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-OCT-2007						93.2					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
30-SEP-2007						91.3					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-JUL-2007						94.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
30-JUN-2007						95.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-MAY-2007						94.6					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
30-APR-2007						93.0					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-MAR-2007						89.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
28-FEB-2007						92.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-JAN-2007						91.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
30-NOV-2006						93.1					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-OCT-2006						85.6					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
30-SEP-2006						85.7					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-AUG-2006						90.9					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-JUL-2006						91.0	N = RPT- NONRECEIPT OF DMR/CS RPT	09-SEP- 2006	2 = RE-BACK INTO COMPLIANCE	12-JUN-2009	E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
30-JUN-2006						92.6					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-MAY-2006						93.3					E00 = MEASUREMENT ONLY, NO VIOLATION NO		23 = f PERCEN

												VIOL		
30-APR-2006						82.5						E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
28-FEB-2006						84.3						E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
31-JAN-2006						59.1						E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
30-NOV-2005						46.3						E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
31-OCT-2005						72.9						E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
31-AUG-2005						70.7						E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
31-JUL-2005						74.2						E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
30-JUN-2005						73.0						E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
31-MAY-2005						78.6						E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
30-APR-2005						79.1						E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN

FACILITY NAME (1): LUNA PIER WWTP **NPDES :** MIG570026
FACILITY NAME (2): **LIMIT TYPE :** 5 = FINAL
PIPE NUMBER : 001 **SEASON NUM :** 0
REPORT DESIGNATOR : A **PARAMETER CODE:** 81011 = SOLIDS, SUSPENDED PERCENT REMOVAL
PIPE SET QUALIFIER : 9 **MONITORING LOCATION :** K = PERCENT REMOVAL
MODIFICATION NUM : 0

MONITORING PERIOD END DATE	DISCHARGE IND	QTY MAXIMUM	QTY AVERAGE	CONC MAXIMUM	CONC AVERAGE	CONC MINIMUM	RNC DETECTION CODE	RNC DETECTION DATE	RNC RESOLUTION CODE	RNC RESOLUTION DATE	MEASUREMENT VIOLATION CODE	QUANTITY UNIT CODE	CONCE UNI
30-APR-2010						81.1					E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
31-MAR-2010						75.0					E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
28-FEB-2010						89.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-JAN-2010						87.2					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-DEC-2009						73.0					E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
30-NOV-2009						85					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-OCT-2009						78.2					E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
30-SEP-2009						60.4					E90 = NUMERIC VIOLATION NUMERIC VIOL		23 = f PERCEN
31-AUG-2009						89.5					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
31-JUL-2009						88.8					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL		23 = f PERCEN
30-JUN-2009						89.1					E00 = MEASUREMENT ONLY, NO		23 = f

												VIOULATION NO VIOL		PERCEN
31-MAY-2009						87.5						E00 = MEASUREMENT ONLY, NO VIOULATION NO VIOL		23 = f PERCEN
31-JAN-2009						84.2						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
31-DEC-2008						85.8						E00 = MEASUREMENT ONLY, NO VIOULATION NO VIOL		23 = f PERCEN
30-NOV-2008						84.8						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
31-OCT-2008						91.8						E00 = MEASUREMENT ONLY, NO VIOULATION NO VIOL		23 = f PERCEN
30-SEP-2008						74.5						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
31-MAY-2008						85.1						E00 = MEASUREMENT ONLY, NO VIOULATION NO VIOL		23 = f PERCEN
30-APR-2008						86.0						E00 = MEASUREMENT ONLY, NO VIOULATION NO VIOL		23 = f PERCEN
31-MAR-2008						88.5						E00 = MEASUREMENT ONLY, NO VIOULATION NO VIOL		23 = f PERCEN
29-FEB-2008						85.7						E00 = MEASUREMENT ONLY, NO VIOULATION NO VIOL		23 = f PERCEN
31-JAN-2008						78.0						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
31-DEC-2007						72.2						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
30-NOV-2007						70.2						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
31-OCT-2007						79.6						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
30-SEP-2007						77.1						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
31-JUL-2007						84.8						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
30-JUN-2007						88.7						E00 = MEASUREMENT ONLY, NO VIOULATION NO VIOL		23 = f PERCEN
31-MAY-2007						83.4						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
30-APR-2007						74.3						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
31-MAR-2007						80.6						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
28-FEB-2007						77.1						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN
31-JAN-2007						77.7						E90 = NUMERIC VIOULATION NUMERIC VIOL		23 = f PERCEN

30-NOV-2006					81.6					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
31-OCT-2006					78.3					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
30-SEP-2006					61.1					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
31-AUG-2006					86.6					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	23 = f PERCEN
31-JUL-2006					80.2	N = RPT-NONRECEIPT OF DMR/CS RPT	09-SEP-2006	2 = RE-BACK INTO COMPLIANCE	12-JUN-2009	E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
30-JUN-2006					89.3					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	23 = f PERCEN
31-MAY-2006					63.1					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
30-APR-2006					85.9					E00 = MEASUREMENT ONLY, NO VIOLATION NO VIOL	23 = f PERCEN
28-FEB-2006					73.6					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
31-JAN-2006					73.9					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
30-NOV-2005					51.2					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
31-OCT-2005					79.8					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
31-AUG-2005					76.7					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
31-JUL-2005					79.7					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
30-JUN-2005					78.7					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
31-MAY-2005					76.6					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN
30-APR-2005					84.2					E90 = NUMERIC VIOLATION NUMERIC VIOL	23 = f PERCEN

Compliance Schedules and Violations

FACILITY NAME (1) : LUNA PIER WWTP NPDES : MIG570026

FACILITY NAME (2):

Compliance Schedule Events

SCHEDULE NUMBER	DATA SOURCE	EVENT CODE	EVENT DESCRIPTION	ACTUAL DATE	SCHEDULED DATE	RECEIVED DATE
01		027MI	RMP ANNUAL REPORT	30-OCT-2002	30-OCT-2002	30-OCT-2002

No Compliance Violations Found.

Evidentiary Hearings

FACILITY NAME (1) : LUNA PIER WWTP NPDES : MIG570026

FACILITY NAME (2) :

No PCS Evidentiary Hearing Information Found.

Pretreatment Inspections/Audits

FACILITY NAME (1) : LUNA PIER WWTP **NPDES :** MIG570026

FACILITY NAME (2) :

No PCS Pretreatment Inspections Found.

Pretreatment Performance Summary

FACILITY NAME (1) : LUNA PIER WWTP **NPDES :** MIG570026

FACILITY NAME (2) :

No PCS Pretreatment Performance Summary Information Found.
