



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

September 7, 2011

Mr. Preston Gillespie
Site Vice President
Oconee Nuclear Station
Duke Energy Carolinas, LLC
7800 Rochester Highway
Seneca, SC 29672

SUBJECT: OCONEE NUCLEAR STATION, UNITS 1, 2, AND 3 - WITHDRAWAL OF AN
AMENDMENT REQUEST (TAC NOS. ME6854, ME6855, AND ME6856)

Dear: Mr. Gillespie

By letter dated August 12, 2011, and supplemented by letters August 16, 2011, and August 18, 2011, you applied for amendments to the Oconee Nuclear Station, Units 1, 2, and 3, respectively, Facility Operating License Nos. DPR-38, DPR-47, and DPR-55. The proposed amendments would have revised the Technical Specifications (TSs) by approving a one-time exigent change to extend the allowed outage time for TS Section 3.10.1 F.1, "Standby Shutdown Facility (SSF)," by 48 hours to allow the licensee to declare the new fuses and fuse blocks that will be installed to replace the in-containment circuit breakers for the SSF controlled pressurizer heaters from fully functional to TS operable. Subsequently, by letter dated August 22, 2011, you withdrew the amendment request.

The purpose of this letter is to advise that the above-cited application is being treated as withdrawn. Notice of Consideration of Issuance of the proposed amendment had not been published in the *Federal Register*.

If you have any questions, please call me at 301-415-1345.

Sincerely,

A handwritten signature in black ink, appearing to read "John Stang", is positioned above the typed name.

John Stang, Senior Project Manager
Plant Licensing Branch II-1
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket Nos. 50-269, 50-270, and 50-287

cc: Distribution via Listserv

September 7, 2011

Mr. Preston Gillespie
Site Vice President
Oconee Nuclear Station
Duke Energy Carolinas, LLC
7800 Rochester Highway
Seneca, SC 29672

SUBJECT: OCONEE NUCLEAR STATION, UNITS 1, 2, AND 3 - WITHDRAWAL OF AN
AMENDMENT REQUEST (TAC NOS. ME6854, ME6855, AND ME6856)

Dear: Mr. Gillespie

By letter dated August 12, 2011, and supplemented by letters August 16, 2011, and August 18, 2011, you applied for amendments to the Oconee Nuclear Station, Units 1, 2, and 3, respectively, Facility Operating License Nos. DPR-38, DPR-47, and DPR-55. The proposed amendments would have revised the Technical Specifications (TSs) by approving a one-time exigent change to extend the allowed outage time for TS Section 3.10.1 F.1, "Standby Shutdown Facility (SSF)," by 48 hours to allow the licensee to declare the new fuses and fuse blocks that will be installed to replace the in-containment circuit breakers for the SSF controlled pressurizer heaters from fully functional to TS operable. Subsequently, by letter dated August 22, 2011, you withdrew the amendment request.

The purpose of this letter is to advise that the above-cited application is being treated as withdrawn. Notice of Consideration of Issuance of the proposed amendment had not been published in the *Federal Register*.

If you have any questions, please call me at 301-415-1345.

Sincerely,

/RA/

John Stang, Senior Project Manager
Plant Licensing Branch II-1
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket Nos. 50-269, 50-270, and 50-287

cc: Distribution via Listserv

DISTRIBUTION:

PUBLIC LPL2-1 R/F
RidsNrrDorLpl2-1 Resource
RidsOgcRp Resource

RidsAcrsAcnw_MailCTR Resource
RidsNrrOconee Resource
RidsRgn2MailCenter Resource

RidsNrrDorLDpr Resource
RidsNrrLAMOBrien Resource

ADAMS Accession Nos.: ML11236A189

OFFICE	NRR/LPL2-1/PM	NRR/LPL2-1/LA	NRR/LPL2-1/BC	NRR/LPL2-1/PM
NAME	JStang	MO'Brien	GKulesa	JStang
DATE	08/31/11	08/30/11	09/06/11	09/07/11

OFFICIAL AGENCY RECORD