

Mark J. Ajluni, P.E.  
Nuclear Licensing Director

Southern Nuclear  
Operating Company, Inc.  
40 Inverness Center Parkway  
Post Office Box 1295  
Birmingham, Alabama 35201  
Tel 205.992.7673  
Fax 205.992.7885



September 9, 2011

Docket Nos.: 50-321 50-424  
50-366 50-425

NL-11-1475

U. S. Nuclear Regulatory Commission  
ATTN: Document Control Desk  
Washington, D. C. 20555-0001

Edwin I. Hatch Nuclear Plant – Units 1 & 2  
Vogtle Electric Generating Plant – Units 1 & 2  
Adoption of ASME OM Code, Subsection ISTD

Ladies and Gentlemen:

Southern Nuclear Operating Company (SNC) recently compared the existing Technical Requirements Manual snubber programs for Hatch Nuclear Plant (HNP) and Vogtle Electric Generating Plant (VEGP) to the option included in 10 CFR 50.55a(b)(3)(v), (issue date October 1, 2004) applicable to the current 10-Year Interval. This comparison resulted in a decision to adopt the ASME OM Code, Subsection ISTD, at both plants for snubber examinations and testing. SNC recognizes that inservice examinations must be performed using the VT-3 visual examination method described in the American Society of Mechanical Engineers (ASME) Section XI Code, paragraph IWA-2213.

For snubber examination and testing, 10 CFR 50.55a(b)(3)(v) endorses the ASME OM Code, 2001 Edition with Addenda through 2003, Subsection ISTD. SNC has amended the HNP and VEGP Technical Requirements Manuals to reference this OM Code for snubber examinations and testing. This letter serves only as notification of SNC's adoption of the ASME OM Code, 2001 Edition with Addenda through 2003, Subsection ISTD, which has been previously endorsed by the NRC. Additional NRC approval is not required. Copies of the Snubber Program/Plan are not enclosed but are available at each plant for regulatory review/reference. A copy of the Snubber Program/Plan will be sent at the beginning of the next 10-Year as required by ISTA-3200(a).

This letter contains no NRC commitments. If you have any questions, please contact Jack Stringfellow at (205) 992-7037.

Respectfully submitted,

A handwritten signature in black ink that reads "Mark J. Ajluni". The signature is written in a cursive, flowing style.

M. J. Ajluni  
Nuclear Licensing Director

MJA/GAL/lac

cc: Southern Nuclear Operating Company  
Mr. S. E. Kuczynski, Chairman, President & CEO  
Mr. J. T. Gasser, Executive Vice President  
Mr. D. R. Madison, Vice President – Hatch  
Mr. T. E. Tynan, Vice President – Vogtle  
Ms. P. M. Marino, Vice President – Engineering  
RType: CHA02.004; CVC7000

U. S. Nuclear Regulatory Commission  
Mr. V. M. McCree, Regional Administrator  
Mr. E. D. Morris, Senior Resident Inspector – Hatch  
Mr. L. M. Cain, Senior Resident Inspector – Vogtle  
Mr. P. G. Boyle, NRR Project Manager – Hatch and Vogtle