

~~Official Use Only - Security-Related Information~~

NRC FORM 374

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 1 OF 6 PAGES

Amendment No. 112

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	In accordance with the application received August 12, 2008,
1. E.R. Squibb & Sons, LLC	3. License number 29-00139-02 is amended in its entirety to read as follows:
2. One Squibb Drive	4. Expiration date November 30, 2018
P.O. Box 191	5. Docket No. 030-05222
New Brunswick, New Jersey 08903-0191	Reference No.

- | | | |
|---|--|--|
| 6. Byproduct, source, and/or special nuclear material | 7. Chemical and/or physical form | 8. Maximum amount that licensee may possess at any one time under this license |
| A. Any byproduct material with atomic numbers 1 through 83, except Strontium 90 | A. Any | A. 100 millicuries per radionuclide and 2 curies total |
| B. Hydrogen 3 | B. Any | B. 20 curies |
| C. Carbon 14 | C. Any | C. 20 curies |
| D. Strontium 90 | D. Any | D. 2 millicuries |
| E. Any byproduct material with atomic numbers 84 through 103 | E. Any | E. 1 millicuries |
| F. Nickel 63 | F. Sealed Sources (Agilent Model G2397A; Barringer Model 400B-0753, 400B-7169; and Smith Model ADP 2000) | F. 15 millicuries per source and 55 millicuries total |
| G. Any byproduct material with atomic numbers 1 through 83 | G. Any | G. 100 millicuries per radionuclide and 2 icuries total |
| H. Hydrogen 3 | H. Any | H. 250 curies |
| I. Carbon 14 | I. Any | I. 25 curies |
| J. Phosphorus 33 | J. Any | J. 1 curie |
| K. Sulfur 35 | K. Any | K. 10 curies |
| L. Technetium 99m | L. Any | L. 750 millicuries |
| M. Iodine 125 | M. Any | M. 500 millicuries |

Information in this record was deleted in

accordance with the Freedom of Information Act. ~~Official Use Only - Security-Related Information~~

Exemptions

FOIA/PA

2011-0063

F/17

~~Official Use Only - Security-Related Information~~

NRC FORM 374A

PAGE 2 OF 6 PAGES

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
29-00139-02

Docket or Reference Number
030-05222

Amendment No. 112

- | | | |
|--|----------------------------------|--|
| 6. Byproduct, source, and/or special nuclear material | 7. Chemical and/or physical form | 8. Maximum amount that licensee may possess at any one time under this license |
| N. Any byproduct material with atomic numbers 1 through 83 | N. Any | N. 100 millicuries per radionuclide and 2 curies total |
| O. Hydrogen 3 | O. Any | O. 1 curie |
| P. Carbon 14 | P. Any | P. 1 curie |
| Q. Sulfur 35 | Q. Any | Q. 300 millicuries |
| R. Calcium 45 | R. Any | R. 300 millicuries |

(b)(7)(F)

9. Authorized use:

- A. through E. and G. through R. Research and development as defined in 10 CFR 30.4; animal studies; and calibration and checking of the licensee's instruments.
- F. To be used for sample analysis in gas chromatography devices that have been registered either with the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or with an Agreement State and have been distributed in accordance with a Commission or Agreement State specific license authorizing distribution to persons specifically authorized by a Commission or Agreement State license to receive, possess, and use the devices.

(b)(7)(F)

CONDITIONS

10. A. Licensed material in items 6.A. through 6.F. may be used or stored only at the licensee's facilities located at One Squibb Drive, New Brunswick, New Jersey
- B. Licensed material in items 6.F. through 6.M. (b)(7)(F) may only be used or stored only at the licensee's facilities located at Route 206 and Provinceline Road, Lawrenceville, New Jersey.
- C. Licensed material in items 6.F. and 6.N. through 6.R may only be used or stored only at the licensee's facilities located at 311 Pennington-Rocky Hill Road, Pennington, New Jersey.

~~Official Use Only - Security-Related Information~~

Official Use Only - Security-Related Information

NRC FORM 374A

PAGE 3 OF 6 PAGES

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
29-00139-02

Docket or Reference Number
030-05222

Amendment No. 112

11. Licensed material shall only be used by, or under the supervision of, individuals designated, in writing, by the Radiation Safety Committee. The licensee shall maintain records of individuals designated as users for 3 years following the last use of licensed material by the individual.

12. The Radiation Safety Officer for this license is Michael J. Vala, CHP.

(b)(7)(F)

14. The licensee shall not use licensed material in or on human beings.

15. The licensee shall not use licensed material in field applications where it is released except as provided otherwise by specific condition of this license.

16. Experimental animals, or the products from experimental animals, that have been administered licensed materials shall not be used for human consumption.

17. This license does not authorize commercial distribution of licensed material.

18. This license does not authorize distribution to persons licensed pursuant to 10 CFR 32.72 or 32.74; to persons exempt from licensing; or to general licensees.

19. Notwithstanding 10 CFR 33.17(a)(4), the licensee is authorized to manufacture drugs containing radioactive material for distribution to specific licensees.

20. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.

B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.

Official Use Only - Security-Related Information

~~Official Use Only - Security-Related Information~~

NRC FORM 374A

PAGE 4 OF 6 PAGES

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
29-00139-02

Docket or Reference Number
030-05222

Amendment No. 112

- C. Each sealed source fabricated by the licensee shall be inspected and tested for construction defects, leakage, and contamination prior to any use or transfer as a sealed source.
 - D. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
 - E. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
 - F. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
 - G. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
 - H. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
 - I. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
21. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
22. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.

~~Official Use Only - Security-Related Information~~

~~Official Use Only - Security-Related Information~~

NRC FORM 374A

PAGE 5 OF 6 PAGES

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
29-00139-02

Docket or Reference Number
030-05222

Amendment No. 112

(b)(7)(F)

24. Maintenance, repair, cleaning, replacement, and disposal of foils contained in detector cells shall be performed only by the device manufacturer or other persons specifically authorized by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
25. A. Detector cells containing a titanium tritide foil or a scandium tritide foil shall only be used in conjunction with a properly operating temperature control mechanism which prevents the foil temperatures from exceeding that specified in the certificate of registration referred to in 10 CFR 32.210.
- B. When in use, detector cells containing a titanium tritide foil or a scandium tritide foil shall be vented to the outside.
26. The licensee is authorized to hold byproduct material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal without regard to its radioactivity if the licensee:
- A. Monitors byproduct material at the surface before disposal and determines that its radioactivity cannot be distinguished from the background radiation level with an appropriate radiation detection survey meter set on its most sensitive scale and with no interposed shielding; and
- B. Removes or obliterates all radiation labels, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee; and
- C. Maintains records of the disposal of licensed materials for 3 years. The record must include the date of disposal, the survey instrument used, the background radiation level, the radiation level measured at the surface of each waste container, and the name of the individual who performed the disposal.
27. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

~~Official Use Only - Security-Related Information~~

~~Official Use Only - Security-Related Information~~

NRC FORM 374A

PAGE 6 OF 8 PAGES

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
29-00139-02

Docket or Reference Number
030-05222

Amendment No. 112

28. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Letter dated June 16, 2006 [ML061990582]
- B. Application dated received August 12, 2008 [ML082350229]
- C. Letter dated October 20, 2008 [ML083040225]

For the U.S. Nuclear Regulatory Commission

Date November 25, 2008

By

Original signed by James P. Dwyer

James P. Dwyer, Chief
Commercial and R&D Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406

~~Official Use Only - Security-Related Information~~