JCMG
JEFFERSON CITY MEDICAL GROUP
with Signature Care

Materials Licensing Section
U.S. Nuclear Regulatory Commission Region III
801 Warrenville Road
Lisle, Illinois 60532-4351

RE: NRC License No. 24-32132-01

Dear Sirs,

We wish to amend our by-product license for Jefferson City Medical Group, Jefferson City, Missouri. (USNRC Lic. No. 24-32132-01) in the following area.

We would like to add Dr. David Burns, MD and Dr. Ravi Bodiwala, MD to the license as authorized users to include 10 CFR 35.100, 35.200, and 35.300. Both physicians have recently completed their training and are AU-Eligible as listed on their American Board of Radiology certifications.

Included for both physicians are NRC Form 313A and needed documentation. If you need any further information please contact Anne Ellis at (573)635-0234 extension 5110.

Respectfully Submitted,

Jeff Patrick, MD

Dr. Jeffrey Patrick, MD
General Nuclear Medicine Director
AU License No. 24-32132-01

RECEIVED OCT 26 2011

THE AMERICAN BOARD OF RADIOLOGY
EXCELLENCE · PROFESSIONALISM · PUBLIC TRUST · EST. 1934

5441 E. Williams Boulevard, Suite 200 · Tucson, Arizona 85711-4493
Phone (520) 790-2900 · Fax (520) 790-3200 · www.theabr.org

October 25, 2010

David Alex Burns, MD
1450 Wynkoop Street
#3C
Denver, CO 80202

To whom it may concern:

This letter serves to verify the status of the below-listed individual.

56934 David Alex Burns, MD DOB: 08/1977

Certified: Diagnostic Radiology, 2010
Maintenance of Certification: 2010 valid through 12/31/2020
This diplomate is AU-Eligible.

Sincerely,

Gary J. Becker, MD

Detail

Primary Source Verification

The licensee search function of this website provides data extracted from our database and constitutes a Primary Source Verification.

Licensee Name:	Burns, David Alex
Profession Name:	Medical Physician & Surgeon
Address:	Univ of MO Hosp & Clinics
Address Con't:	One Hospital Dr DC069.10
City, State Zip:	Columbia, MO 65212
County:	Boone
Practitioner DBA Name:	
Certification Type:	
Classification:	
Licensee Number:	2008017343
Original Issue Date:	6/20/2008
Expiration Date:	1/31/2012

Current Discipline Status: None

Missouri Division of Professional Registration
3605 Missouri Boulevard
P.O. Box 1335
Jefferson City, MO 65102-1335
573.751.0293 Telephone
800.735.2966 TTY
800.735.2466 Voice Relay
profreg@pr.mo.gov
http://pr.mo.gov/

NRC FORM 313A (AUD) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (for uses defined under 35.100, 35.200, and 35.500) [10 CFR 35.190, 35.290, and 35.590]

APPROVED BY OMB: NO. 3150-0120
EXPIRES: 10/31/2008

Name of Proposed Authorized User	State or Territory Where Licensed
Dr. David Burns, MD	Missouri

Requested Authorization(s) *(check all that apply)*

- [X] 35.100 Uptake, dilution, and excretion studies
- [X] 35.200 Imaging and localization studies
- [ ] 35.500 Sealed sources for diagnosis (specify device _____)

PART I -- TRAINING AND EXPERIENCE
(Select one of the three methods below)

* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

[X] **1. Board Certification**

a. Provide a copy of the board certification.

b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.

[ ] **2. Current 35.390 Authorized User Seeking Additional 35.290 Authorization**

a. Authorized user on Materials License _____ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.

b. Supervised Work Experience.
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			
Total Hours of Experience:			

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements *(check all that apply).*

[ ] 35.290 [ ] 35.390 + generator experience in 32.290(c)(1)(ii)(G)

NRC FORM 313A (AUD) U.S. NUCLEAR REGULATORY COMMISSION
(10-2007)

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

☐ **3. Training and Experience for Proposed Authorized User**

a. Classroom and Laboratory Training.

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use *(not required for 35.590)*			
Radiation biology			
Total Hours of Training:			

b. Supervised Work Experience (completion of this table is not required for 35.590).
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Supervised Work Experience		**Total Hours of Experience:**	
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		☐ Yes ☐ No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		☐ Yes ☐ No	

PAGE 2

NRC FORM 313A (AUD) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

b. Supervised Work Experience. (continued)

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages		☐ Yes ☐ No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		☐ Yes ☐ No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		☐ Yes ☐ No	
Administering dosages of radioactive drugs to patients or human research subjects		☐ Yes ☐ No	
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs		☐ Yes ☐ No	

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements *(check one)*.

☐ 35.190 ☐ 35.290 ☐ 35.390 ☐ 35.390 + generator experience in 35.290(c)(1)(ii)(G)

c. For 35.590 only, provide documentation of training on use of the device.

Device	Type of Training	Location and Dates

d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.

NRC FORM 313A (AUD) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

First Section
Check one of the following for each use requested:

For 35.190 Please see attached letter

Board Certification

☐ I attest that _____ has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

Training and Experience

☐ I attest that _____ has satisfactorily completed the 60 hours of training and
Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

☐ I attest that _____ has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

Training and Experience

☐ I attest that _____ has satisfactorily completed the 700 hours of training
Name of Proposed Authorized User

and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

Second Section
Complete the following for preceptor attestation and signature:

☐ I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

☐ 35.190 ☐ 35.290 ☐ 35.390 ☐ 35.390 + generator experience

Name of Preceptor	Signature	Telephone Number	Date

License/Permit Number/Facility Name

PAGE 4

NRC FORM 313A (AUT) (10-2007) | U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (for uses defined under 35.300) [10 CFR 35.390, 35.392, 35.394, and 35.396]

APPROVED BY OMB: NO. 3150-0120
EXPIRES: 10/31/2008

Name of Proposed Authorized User	State or Territory Where Licensed
Dr. David Burns	Missouri

Requested Authorization(s) *(check all that apply)*:

- [X] 35.300 Use of unsealed byproduct material for which a written directive is required

OR

- [ ] 35.300 Oral administration of sodium iodide I-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
- [ ] 35.300 Oral administration of sodium iodide I-131 requiring a written directive in quantities greater than 1.22 gigabecquerels (33 millicuries)
- [ ] 35.300 Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required
- [ ] 35.300 Parenteral administration of any other radionuclide for which a written directive is required

PART I -- TRAINING AND EXPERIENCE
(Select one of the three methods below)

* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

[X] **1. Board Certification**

a. Provide a copy of the board certification. – copy with paper work for part 35.100 + 35.200

b. For 35.390, provide documentation on supervised clinical case experience. The table in section 3.c. may be used to document this experience.

c. For 35.396, provide documentation on classroom and laboratory training, supervised work experience, and supervised clinical case experience. The tables in sections 3.a., 3.b., and 3.c. may be used to document this experience.

d. Skip to and complete Part II Preceptor Attestation.

[ ] **2. Current 35.300, 35.400, or 35.600 Authorized User Seeking Additional Authorization**

a. Authorized User on Materials License _____ under the requirements below or equivalent Agreement State requirements *(check all that apply)*:

[ ] 35.390 [ ] 35.392 [ ] 35.394 [ ] 35.490 [ ] 35.690

b. If currently authorized for a subset of clinical uses under 35.300, provide documentation on additional required supervised case experience. The table in section 3.c. may be used to document this experience. Also provide completed Part II Preceptor Attestation.

c. If currently authorized under 35.490 or 35.690 and requesting authorization for 35.396, provide documentation on classroom and laboratory training, supervised work experience, and supervised clinical case experience. The tables in sections 3.a., 3.b., and 3.c. may be used to document this experience. Also provide completed Part II Preceptor Attestation.

NRC FORM 313A (AUT) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

☐ 3. **Training and Experience for Proposed Authorized User**

a. Classroom and Laboratory Training ☐ 35.390 ☐ 35.392 ☐ 35.394 ☐ 35.396

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use			
Radiation biology			
Total Hours of Training:			

b. Supervised Work Experience ☐ 35.390 ☐ 35.392 ☐ 35.394 ☐ 35.396

If more than one supervising individual is necessary to document supervised training, provide multiple copies of this page.

Supervised Work Experience	**Total Hours of Experience:**		
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		☐ Yes ☐ No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		☐ Yes ☐ No	
Calculating, measuring, and safely preparing patient or human research subject dosages		☐ Yes ☐ No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		☐ Yes ☐ No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		☐ Yes ☐ No	

NRC FORM 313A (AUT) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

b. Supervised Work Experience (continued)

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervising individual meets the requirements below, or equivalent Agreement State requirements *(check all that apply)***:

☐ 35.390
☐ 35.392
☐ 35.394
☐ 35.396

With experience administering dosages of:

☐ Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
☐ Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
☐ Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
☐ Parenteral administration of any other radionuclide requiring a written directive

** Supervising Authorized User must have experience in administering dosages in the same dosage category or categories as the individual requesting authorized user status.

c. Supervised Clinical Case Experience
If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this page.

Description of Experience	Number of Cases Involving Personal Participation	Location of Experience/License or Permit Number of Facility	Dates of Experience*
Oral administration of sodium iodide I-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)			
Oral administration of sodium iodide I-131 requiring a written directive in quantities greater than 1.22 gigabecquerels (33 millicuries)			
Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required			
Parenteral administration of any other radionuclide for which a written directive is required _____ (List radionuclides)			

PAGE 3

NRC FORM 313A (AUT) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

c. Supervised Clinical Case Experience (continued)

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervising individual meets the requirements below, or equivalent Agreement State requirements *(check all that apply)***:

☐ 35.390
☐ 35.392
☐ 35.394
☐ 35.396

With experience administering dosages of:

- ☐ Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
- ☐ Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
- ☐ Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
- ☐ Parenteral administration of any other radionuclide requiring a written directive

** Supervising Authorized User must have experience in administering dosages in the same dosage category or categories as the individual requesting authorized user status.

d. Provide completed Part II Preceptor Attestation.

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each.

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

First Section
Check one of the following for each requested authorization:

For 35.390: Please see letter attached with 35.100 + 35.200

Board Certification

☐ I attest that _____ has satisfactorily completed the training and experience
Name of Proposed Authorized User

requirements in 35.390(a)(1).

OR

Training and Experience

☐ I attest that _____ has satisfactorily completed the 700 hours of training
Name of Proposed Authorized User

and experience, including a minimum of 200 hours of classroom and laboratory training, as required by 10 CFR 35.390 (b)(1).

PAGE 4

NRC FORM 313A (AUT) U.S. NUCLEAR REGULATORY COMMISSION
(10-2007)

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

Preceptor Attestation (continued)

First Section (continued)

For 35.392 (Identical Attestation Statement Regardless of Training and Experience Pathway):

☐ I attest that _____ has satisfactorily completed the 80 hours of classroom
Name of Proposed Authorized User

and laboratory training, as required by 10 CFR 35.392(c)(1), and the supervised work and clinical case experience required in 35.392(c)(2).

For 35.394 (Identical Attestation Statement Regardless of Training and Experience Pathway):

☐ I attest that _____ has satisfactorily completed the 80 hours of classroom
Name of Proposed Authorized User

and laboratory training, as required by 10 CFR 35.394 (c)(1), and the supervised work and clinical case experience required in 35.394(c)(2).

Second Section

☐ I attest that _____ has satisfactorily completed the required clinical case
Name of Proposed Authorized User

experience required in 35.390(b)(1)(ii)G listed below:

☐ Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)

☐ Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)

☐ Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required

☐ Parenteral administration of any other radionuclide requiring a written directive

Third Section

☐ I attest that _____ has satisfactorily achieved a level of competency to
Name of Proposed Authorized User

function independently as an authorized user for:

☐ Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)

☐ Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)

☐ Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required

☐ Parenteral administration of any other radionuclide requiring a written directive

PAGE 5

NRC FORM 313A (AUT) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

Fourth Section

For 35.396:

Current 35.490 or 35.690 authorized user:

☐ I attest that _____ is an authorized user under 10 CFR 35.490 or 35.690
Name of Proposed Authorized User

or equivalent Agreement State requirements, has satisfactorily completed the 80 hours of classroom and laboratory training, as required by 10 CFR 35.396 (d)(1), and the supervised work and clinical case experience required by 35.396(d)(2), and has achieved a level of competency sufficient to function independently as an authorized user for:

☐ Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required

☐ Parenteral administration of any other radionuclide for which a written directive is required

OR

Board Certification:

☐ I attest that _____ has satisfactorily completed the board certification
Name of Proposed Authorized User

requirements of 35.396(c), has satisfactorily completed the 80 hours of classroom and laboratory training required by 10 CFR 35.396 (d)(1) and the supervised work and clinical case experience required by 35.396(d)(2), and has achieved a level of competency sufficient to function independently as an authorized user for:

☐ Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required

☐ Parenteral adminstration of any other radionuclide for which a written directive is required

Fifth Section
Complete the following for preceptor attestation and signature:

☐ I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

☐ 35.390 ☐ 35.392 ☐ 35.394 ☐ 35.396

☐ I have experience administering dosages in the following categories for which the proposed Authorized User is requesting authorization.

☐ Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)

☐ Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)

☐ Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required

☐ Parenteral administration of any other radionuclide requiring a written directive

Name of Preceptor	Signature	Telephone Number	Date

License/Permit Number/Facility Name

PAGE 6

THE UNIVERSITY of TEXAS
HEALTH SCIENCE CENTER AT HOUSTON
MEDICAL SCHOOL

Sandra A. A. Oldham, MD
Professor of Radiology, Chief, Section of Thoracic Radiology
Radiology Residency Program Director
Director, Medical Student, Education in Radiology

6431 Fannin Street, Room 2.026
Houston, Texas 77030

713 500 7640
713 500 7647 *fax*

Radiology Residency Final Summative Evaluation 30 June 2010

This is the final evaluation for graduating senior resident Ravi Bodiwala, M.D. Ravi completed the four year residency in Diagnostic Radiology on June 30, 2010, at the University of Texas Medical School at Houston, which has an ACGME approved Radiology residency program.

Dr. Bodiwala performed in an excellent manner during residency. As a first year resident, he satisfactorily completed the year long Fundamentals Course and passed the final exam. This resident took a course and an exam and was subsequently credentialed to do fluoroscopy by Dr. Wagner. He has completed the nuclear medicine and MRI physics modules. He has submitted the yearly Interesting Case Files (ICF) cases on time. He completed the prescribed academic curriculum satisfactorily, including 3 months of mammography and 4 months of nuclear medicine.

During residency, Dr. Bodiwala received the following training and experience specific to mammography at Memorial Hermann Hospital, the University of Texas MD Anderson Cancer Center and Lyndon Baines Johnson General Hospital: three months of training in the interpretation of mammograms, including instruction in radiation effects and radiation protection, at least 60 hours of medical education in mammography, and has read or interpreted, under the direct supervision of interpreting physicians, the mammograms of at least 240 patients within a 6-month period.

This resident has had supervised clinical and work experience in Nuclear Medicine at The University of Texas Medical School at Houston and Memorial Hermann Hospital (Nuclear License 3L00650), LBJ General Hospital, the UT MD Anderson Cancer Center, and St. Joseph's Medical Center in Houston, Texas. This resident satisfactorily completed the required 4 months of nuclear medicine training during residency and is in compliance with NRC training and experience requirements, including taking part in > 3 cases of oral administration of I-131 therapy. Additional training and experience was obtained in radiation physics, radiopharmaceutical preparation, as well as technical and administrative procedures in our facilities.

Dr. Bodiwala is certified by the American Board of Radiology.

This resident has performed above the level that is expected of a senior level resident during the last six months of residency and has demonstrated sufficient competence to enter practice without direct supervision.

Dr. Bodiwala will continue training with a Neuroradiology Fellowship at UT Medical School at Houston, Memorial Hermann Hospital. We wish him the very best in his career and life.

Sincerely,

Sandra A.A. Oldham, M.D., F.A.C.R.
SAAO:cmp

Detail

Primary Source Verification

The licensee search function of this website provides data extracted from our database and constitutes a Primary Source Verification.

Licensee Name:	Bodiwala, Ravi Kishor
Profession Name:	Medical Physician & Surgeon
Address:	13309 Highland Lake Lane
Address Con't:	
City, State Zip:	Pearland, TX 77584
County:	Unknown/Out of State
Practitioner DBA Name:	
Certification Type:	
Classification:	
Licensee Number:	2011009242
Original Issue Date:	4/1/2011
Expiration Date:	1/31/2012

Current Discipline Status: None

Missouri Division of Professional Registration
3605 Missouri Boulevard
P.O. Box 1335
Jefferson City, MO 65102-1335
573.751.0293 Telephone
800.735.2966 TTY
800.735.2466 Voice Relay
profreg@pr.mo.gov
http://pr.mo.gov/

The American Board of Radiology

Organized through the cooperation of the
American College of Radiology, the American Roentgen Ray Society,
the American Radium Society, the Radiological Society of North America,
the Section on Radiology of the American Medical Association,
the American Society for Radiation Oncology, the Association of
University Radiologists, and the American Association of Physicists in Medicine
Hereby certifies that

Ravi Kishor Bodiwala, MD

Has pursued an accepted course of graduate study
and clinical work, has met certain standards and qualifications, including
passing the examinations conducted under the authority of
The American Board of Radiology,
demonstrating to the satisfaction of the Board that he is qualified to practice,
and is therefore awarded the Board's certification in the specialty of

AM Eligible

Diagnostic Radiology

Effective June 30, 2010

THE AMERICAN BOARD OF RADIOLOGY INCORPORATED IN THE DISTRICT OF COLUMBIA 1934

President

Secretary-Treasurer

Executive Director

AMERICAN BOARD OF MEDICAL SPECIALTIES EXCELLENCE

Certificate No. 58640

Valid through 2020

The University of Texas Health Science Center at Houston
Medical School
The University of Texas M.D. Anderson Cancer Center

And Affiliated Hospitals

Memorial Hermann Hospital System, Lyndon B. Johnson General Hospital
St. Joseph Medical Center, and Texas Children's Hospital

Certify That

Ravi Kishor Bodiwala, M.D.

Has Completed The Educational Requirements As A Resident Physician In

Diagnostic Radiology

From

July 1, 2006 to June 30, 2010

Giuseppe N. Colasurdo, M.D.
Dean
University of Texas Health Science Center at Houston Medical School

Raymond K. Dubois, M.D.
Provost and Executive Vice President
University of Texas M.D. Anderson Cancer Center

Susan D. John, M.D., F.A.C.R.
Professor and Chairman
Department of Diagnostic and Interventional Imaging
University of Texas Health Science Center at Houston Medical School

Marshall E. Hicks, M.D.
Professor and Chair Ad Interim, Diagnostic Radiology
University of Texas M.D. Anderson Cancer Center

Sandra A. A. Oldham, M.D., F.A.C.R.
Professor of Radiology
Radiology Residency Program Director

Joseph Koerper, M.D.
Assistant Professor, Department of Diagnostic & Interventional Imaging
Chief of CT Body Imaging Section
Chief of Radiology, Lyndon B. Johnson General Hospital

Milton J. Guiberteau, M.D., F.A.C.R., F.A.C.N.P.
Chief, Nuclear Medicine Section
Academic Chief, Medical Imaging
St. Joseph Medical Center

George S. Bisset III, M.D.
Chief, Pediatric Radiology
Edward B. Singleton Professor of Radiology
Texas Children's Hospital

NRC FORM 313A (AUD) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (for uses defined under 35.100, 35.200, and 35.500) [10 CFR 35.190, 35.290, and 35.590]

APPROVED BY OMB: NO. 3150-0120
EXPIRES: 10/31/2008

Name of Proposed Authorized User	State or Territory Where Licensed
Dr. Ravi Bodiwala, MD	Missouri

Requested Authorization(s) *(check all that apply)*

- [X] 35.100 Uptake, dilution, and excretion studies
- [X] 35.200 Imaging and localization studies
- [ ] 35.500 Sealed sources for diagnosis (specify device _____)

PART I -- TRAINING AND EXPERIENCE
(Select one of the three methods below)

* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

[X] **1. Board Certification**

a. Provide a copy of the board certification.

b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.

[ ] **2. Current 35.390 Authorized User Seeking Additional 35.290 Authorization**

a. Authorized user on Materials License _____ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.

b. Supervised Work Experience.
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			
Total Hours of Experience:			

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements *(check all that apply).*

[ ] 35.290 [ ] 35.390 + generator experience in 32.290(c)(1)(ii)(G)

NRC FORM 313A (AUD) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

☐ **3. Training and Experience for Proposed Authorized User**

a. Classroom and Laboratory Training.

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use *(not required for 35.590)*			
Radiation biology			
Total Hours of Training:			

b. Supervised Work Experience (completion of this table is not required for 35.590).
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Supervised Work Experience	**Total Hours of Experience:**		
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		☐ Yes ☐ No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		☐ Yes ☐ No	

NRC FORM 313A (AUD) U.S. NUCLEAR REGULATORY COMMISSION
(10-2007)

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

b. Supervised Work Experience. (continued)

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages		☐ Yes ☐ No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		☐ Yes ☐ No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		☐ Yes ☐ No	
Administering dosages of radioactive drugs to patients or human research subjects		☐ Yes ☐ No	
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs		☐ Yes ☐ No	

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements *(check one)*.

☐ 35.190 ☐ 35.290 ☐ 35.390 ☐ 35.390 + generator experience in 35.290(c)(1)(ii)(G)

c. For 35.590 only, provide documentation of training on use of the device.

Device	Type of Training	Location and Dates

d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.

PAGE 3

NRC FORM 313A (AUD) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

First Section
Check one of the following for each use requested:

For 35.190 Please see included letter.

Board Certification

☐ I attest that _____ has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

Training and Experience

☐ I attest that _____ has satisfactorily completed the 60 hours of training and
Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

☐ I attest that _____ has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

Training and Experience

☐ I attest that _____ has satisfactorily completed the 700 hours of training
Name of Proposed Authorized User

and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

Second Section
Complete the following for preceptor attestation and signature:

☐ I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

☐ 35.190 ☐ 35.290 ☐ 35.390 ☐ 35.390 + generator experience

Name of Preceptor	Signature	Telephone Number	Date

License/Permit Number/Facility Name

PAGE 4

NRC FORM 313A (AUT) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (for uses defined under 35.300) [10 CFR 35.390, 35.392, 35.394, and 35.396]

APPROVED BY OMB: NO. 3150-0120
EXPIRES: 10/31/2008

Name of Proposed Authorized User	State or Territory Where Licensed
Dr. Ravi Bodiwala	Missouri

Requested Authorization(s) *(check all that apply)*:

- [X] 35.300 Use of unsealed byproduct material for which a written directive is required

OR

- [ ] 35.300 Oral administration of sodium iodide I-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
- [ ] 35.300 Oral administration of sodium iodide I-131 requiring a written directive in quantities greater than 1.22 gigabecquerels (33 millicuries)
- [ ] 35.300 Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required
- [ ] 35.300 Parenteral administration of any other radionuclide for which a written directive is required

PART I -- TRAINING AND EXPERIENCE
(Select one of the three methods below)

* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

[X] **1. Board Certification** included with paper work for 35.100+ 35.200

a. Provide a copy of the board certification.

b. For 35.390, provide documentation on supervised clinical case experience. The table in section 3.c. may be used to document this experience.

c. For 35.396, provide documentation on classroom and laboratory training, supervised work experience, and supervised clinical case experience. The tables in sections 3.a., 3.b., and 3.c. may be used to document this experience.

d. Skip to and complete Part II Preceptor Attestation.

[ ] **2. Current 35.300, 35.400, or 35.600 Authorized User Seeking Additional Authorization**

a. Authorized User on Materials License _____ under the requirements below or equivalent Agreement State requirements *(check all that apply)*:

[ ] 35.390 [ ] 35.392 [ ] 35.394 [ ] 35.490 [ ] 35.690

b. If currently authorized for a subset of clinical uses under 35.300, provide documentation on additional required supervised case experience. The table in section 3.c. may be used to document this experience. Also provide completed Part II Preceptor Attestation.

c. If currently authorized under 35.490 or 35.690 and requesting authorization for 35.396, provide documentation on classroom and laboratory training, supervised work experience, and supervised clinical case experience. The tables in sections 3.a., 3.b., and 3.c. may be used to document this experience. Also provide completed Part II Preceptor Attestation.

NRC FORM 313A (AUT) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

☐ 3. **Training and Experience for Proposed Authorized User**

a. Classroom and Laboratory Training ☐ 35.390 ☐ 35.392 ☐ 35.394 ☐ 35.396

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use			
Radiation biology			
Total Hours of Training:			

b. Supervised Work Experience ☐ 35.390 ☐ 35.392 ☐ 35.394 ☐ 35.396

If more than one supervising individual is necessary to document supervised training, provide multiple copies of this page.

Supervised Work Experience	**Total Hours of Experience:**		
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		☐ Yes ☐ No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		☐ Yes ☐ No	
Calculating, measuring, and safely preparing patient or human research subject dosages		☐ Yes ☐ No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		☐ Yes ☐ No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		☐ Yes ☐ No	

NRC FORM 313A (AUT) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

b. Supervised Work Experience (continued)

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervising individual meets the requirements below, or equivalent Agreement State requirements *(check all that apply)***:

☐ 35.390
☐ 35.392
☐ 35.394
☐ 35.396

With experience administering dosages of:

☐ Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
☐ Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
☐ Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
☐ Parenteral administration of any other radionuclide requiring a written directive

** Supervising Authorized User must have experience in administering dosages in the same dosage category or categories as the individual requesting authorized user status.

c. Supervised Clinical Case Experience
If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this page.

Description of Experience	Number of Cases Involving Personal Participation	Location of Experience/License or Permit Number of Facility	Dates of Experience*
Oral administration of sodium iodide I-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)			
Oral administration of sodium iodide I-131 requiring a written directive in quantities greater than 1.22 gigabecquerels (33 millicuries)			
Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required			
Parenteral administration of any other radionuclide for which a written directive is required _____ (List radionuclides)			

PAGE 3

NRC FORM 313A (AUT) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

c. Supervised Clinical Case Experience (continued)

Supervising Individual	License/Permit Number listing supervising individual as an authorized user

Supervising individual meets the requirements below, or equivalent Agreement State requirements *(check all that apply)***:

☐ 35.390
☐ 35.392
☐ 35.394
☐ 35.396

With experience administering dosages of:

☐ Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
☐ Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
☐ Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
☐ Parenteral administration of any other radionuclide requiring a written directive

** Supervising Authorized User must have experience in administering dosages in the same dosage category or categories as the individual requesting authorized user status.

d. Provide completed Part II Preceptor Attestation.

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each.

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

First Section
Check one of the following for each requested authorization:

For 35.390: Please refer to letter included with paper work for 35.100 + 35.200

Board Certification

☐ I attest that _____ has satisfactorily completed the training and experience
Name of Proposed Authorized User

requirements in 35.390(a)(1).

OR

Training and Experience

☐ I attest that _____ has satisfactorily completed the 700 hours of training
Name of Proposed Authorized User

and experience, including a minimum of 200 hours of classroom and laboratory training, as required by 10 CFR 35.390 (b)(1).

PAGE 4

NRC FORM 313A (AUT) U.S. NUCLEAR REGULATORY COMMISSION
(10-2007)

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

Preceptor Attestation (continued)

First Section (continued)

For 35.392 (Identical Attestation Statement Regardless of Training and Experience Pathway):

☐ I attest that _____ has satisfactorily completed the 80 hours of classroom
Name of Proposed Authorized User

and laboratory training, as required by 10 CFR 35.392(c)(1), and the supervised work and clinical case experience required in 35.392(c)(2).

For 35.394 (Identical Attestation Statement Regardless of Training and Experience Pathway):

☐ I attest that _____ has satisfactorily completed the 80 hours of classroom
Name of Proposed Authorized User

and laboratory training, as required by 10 CFR 35.394 (c)(1), and the supervised work and clinical case experience required in 35.394(c)(2).

Second Section

☐ I attest that _____ has satisfactorily completed the required clinical case
Name of Proposed Authorized User

experience required in 35.390(b)(1)(ii)G listed below:

☐ Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)

☐ Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)

☐ Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required

☐ Parenteral administration of any other radionuclide requiring a written directive

Third Section

☐ I attest that _____ has satisfactorily achieved a level of competency to
Name of Proposed Authorized User

function independently as an authorized user for:

☐ Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)

☐ Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)

☐ Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required

☐ Parenteral administration of any other radionuclide requiring a written directive

PAGE 5

NRC FORM 313A (AUT) (10-2007) U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

Fourth Section

For 35.396:

Current 35.490 or 35.690 authorized user:

☐ I attest that _____ is an authorized user under 10 CFR 35.490 or 35.690
Name of Proposed Authorized User

or equivalent Agreement State requirements, has satisfactorily completed the 80 hours of classroom and laboratory training, as required by 10 CFR 35.396 (d)(1), and the supervised work and clinical case experience required by 35.396(d)(2), and has achieved a level of competency sufficient to function independently as an authorized user for:

☐ Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required

☐ Parenteral administration of any other radionuclide for which a written directive is required

OR

Board Certification:

☐ I attest that _____ has satisfactorily completed the board certification
Name of Proposed Authorized User

requirements of 35.396(c), has satisfactorily completed the 80 hours of classroom and laboratory training required by 10 CFR 35.396 (d)(1) and the supervised work and clinical case experience required by 35.396(d)(2), and has achieved a level of competency sufficient to function independently as an authorized user for:

☐ Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required

☐ Parenteral adminstration of any other radionuclide for which a written directive is required

Fifth Section
Complete the following for preceptor attestation and signature:

☐ I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

☐ 35.390 ☐ 35.392 ☐ 35.394 ☐ 35.396

☐ I have experience administering dosages in the following categories for which the proposed Authorized User is requesting authorization.

☐ Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)

☐ Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)

☐ Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required

☐ Parenteral administration of any other radionuclide requiring a written directive

Name of Preceptor	Signature	Telephone Number	Date

License/Permit Number/Facility Name

PAGE 6


016H26514131
$02.080
10/20/2011
Mailed From 65109
US POSTAGE
Hasler
POSTAGE HERE
OM
JCMG
RETURN POSTAGE GUARANTEED
Jefferson City Medical Group
(573) 556-7755
Department of Radiology
1241 West Stadium Blvd
Jefferson City, MO 65109
To: Materials Licensing Secti
US NRC Region III
2443 Warrenville Road
Lisle, Illinois
60532-4351