

## EXAM ASSIGNMENT TICKLER

|  |   |               |   |  |           |
|--|---|---------------|---|--|-----------|
| Chief:   | Steve Garchow   | Facility:     | STP   | Date of Written Exam:                                      | 9/23/2011 |
| Start of Op Test:  |   |               | 9/26/2011                                   | End of Op Test:  | 10/5/2011 |
| Written Exam Developed By: NRC / Facility                            |   |               | Operating Test Developed By: NRC / Facility |  |           |
| Due Date   | Description   | Date Complete | Initials                                    | Notes  |           |
| 3/25/2011  | Written Exam & Op Test Dates Confirmed                        | 2/16/11       | Jnt   |  |           |
| 5/20/2011  | NRC Examiners & Facility Contact Assigned                     | 2/16/11       | Jnt   |  |           |
| 5/20/2011  | Facility Contact Briefed on Security & Other Req's            | 2/16/11       | Jnt   |  |           |
| 5/20/2011  | Corporate Notification Letter sent                            | 2/23/11       | Snt   | ES-201 Att-4 produced by CE                                |           |
| 6/24/2011  | Reference material due (if NRC authored)                      | NA            | Jnt   | ES-201 Att-3   |           |
| 7/8/2011   | Integrated exam outlines due                                  | 3/28/11       | Jnt   |  |           |
| 7/15/2011  | Outlines reviewed by CE; feedback approved by BC              | 3/29/11       | Jnt   | ES-201-2 signed by CE & BC                                 |           |
| 7/15/2011  | Feedback on integrated outlines provided to facility          | 4/13/11       | Snt   |  |           |
| 8/5/2011   | DRAFT exam / docs / support reference material due            | NA            | Snt   |  |           |
| 8/19/2011  | Peer review of written exam complete                          | 8/15/11       | Snt   | Document review on ES-401-9                                |           |
| 8/19/2011  | Preliminary license applications due                          | 8/10/11       | Jnt   | NRC Forms 398/396  |           |
| 8/26/2011  | Preliminary license applications and waivers reviewed         | 8/12/11       | Jnt   |  |           |
| 8/26/2011  | DRAFT exam reviewed by CE; feedback approved by BC            | 8/17/11       | Snt   |  |           |
| 8/26/2011  | Feedback on DRAFT exam provided to facility                   | 8/17/11       | Jnt   |  |           |
| 8/22/2011  | On-site validation & 10% audit of license applications        | 8/23/11       | Snt   |  |           |
| 9/9/2011   | Final applications due & List of Applicants prepared          | 9/19/11       | Jnt   | ES-201-4 prepared by LA                                    |           |
| 9/16/2011  | Final applications approved & waiver letters sent             | 9/19/11       | Jnt   |  |           |
| 9/16/2011  | Branch Chief approves FINAL exam (Written & Op Test)          | 9/19/11       | Jnt   | LA produces / BC signs Exam Approval Letter (ES-201 Att-5) |           |
| 9/16/2011  | Proctoring/written exam admin guidelines reviewed w/ facility | 9/15/11       | Jnt   |  |           |
| 9/19/2011  | Exam material to exam team                                    | 9/19/11       | Jnt   |  |           |
| 9/26/2011  | Administer Operating Test                                     | 10/4/11       | Jnt   |  |           |
| 10/12/2011   | Facility post-exam documentation due                          | 10/4/11       | Jnt   |  |           |
| 10/12/2011   | NRC written exam grading completed                            | 10/3/11       | Jnt   | ES-403-1 to BC   |           |
| 10/12/2011   | Examiner's document op test results on ES 303's               | 10/19/11      | Jnt   |  |           |
| 10/19/2011   | Chief Examiner review of written exam & op test completed     | 10/19/11      | Jnt   | Signed ES 303's to BC                                      |           |
| 10/26/2011   | Branch Chief review of exam results completed                 | 10/19/11      | Jnt   |  |           |
| 11/2/2011  | Waivers/deferrals reviewed for impact on licensing decision   | NA            | Jnt   |  |           |
| 11/2/2011  | License/Denial letters mailed; Facility notified of results   | 10/20/11      | Jnt   |  |           |
| 11/2/2011  | RPS/IP number of examinees updated                            | 10/2/11       | Jnt   | print Report-21  |           |
| 11/16/2011   | Examination Report Issued                                     | 10/27/11      | Jnt   | produced by CE   |           |
| 11/23/2011   | SUNSI checklist complete and exam docs to ADAMS               | 12/12/11      | Jnt   | SUNSI checklist to LA                                      |           |
| 11/30/2011   | Ref Mat'l Returned after Final Resolution of Appeals          | NA            | NA  |  |           |
| Replaces NUREG-1021, Revision 9, Supp 1, Forms ES-201-1 and ES-501-1 |   |               |   |  |           |

| Facility: South Texas Project   |  | Date of Examination: 09/2011   |    |   |
|---|--|--|----|---|
| Item  | Task Description   | Initials   |    |   |
|   |  | a  | b* | c#  |
| 1.<br>W<br>R<br>I<br>T<br>E<br>N  | a. Verify that the outline(s) fit(s) the appropriate model, in accordance with ES-401.   | AS   | 7  | JMB   |
|   | b. Assess whether the outline was systematically and randomly prepared in accordance with Section D.1 of ES-401 and whether all K/A categories are appropriately sampled.  | AS   | 7  | JMB   |
|   | c. Assess whether the outline over-emphasizes any systems, evolutions, or generic topics.  | AS   | 7  | JMB   |
|   | d. Assess whether the justifications for deselected or rejected K/A statements are appropriate.  | AS   | 7  | JMB   |
| 2.<br>S<br>I<br>M<br>U<br>L<br>A<br>T<br>O<br>R   | a. Using Form ES-301-5, verify that the proposed scenario sets cover the required number of normal evolutions, instrument and component failures, technical specifications, and major transients.  | AS   | 7  | JMB   |
|   | b. Assess whether there are enough scenario sets (and spares) to test the projected number and mix of applicants in accordance with the expected crew composition and rotation schedule without compromising exam integrity, and ensure that each applicant can be tested using at least one new or significantly modified scenario, that no scenarios are duplicated from the applicants' audit test(s), and that scenarios will not be repeated on subsequent days.  | AS   | 7  | JMB   |
|   | c. To the extent possible, assess whether the outline(s) conform(s) with the qualitative and quantitative criteria specified on Form ES-301-4 and described in Appendix D.   | AS   | 7  | JMB   |
| 3.<br>W<br>/<br>T   | a. Verify that the systems walk-through outline meets the criteria specified on Form ES-301-2:<br>(1) the outline(s) contain(s) the required number of control room and in-plant tasks distributed among the safety functions as specified on the form<br>(2) task repetition from the last two NRC examinations is within the limits specified on the form<br>(3) no tasks are duplicated from the applicants' audit test(s)<br>(4) the number of new or modified tasks meets or exceeds the minimums specified on the form<br>(5) the number of alternate path, low-power, emergency, and RCA tasks meet the criteria on the form. | AS   | 7  | JMB   |
|   | b. Verify that the administrative outline meets the criteria specified on Form ES-301-1:<br>(1) the tasks are distributed among the topics as specified on the form<br>(2) at least one task is new or significantly modified<br>(3) no more than one task is repeated from the last two NRC licensing examinations  | AS   | 7  | JMB   |
|   | c. Determine if there are enough different outlines to test the projected number and mix of applicants and ensure that no items are duplicated on subsequent days.   | AS   | 7  | JMB   |
| 4.<br>G<br>E<br>N<br>E<br>R<br>A<br>L   | a. Assess whether plant-specific priorities (including PRA and IPE insights) are covered in the appropriate exam sections.   | AS   | 7  | JMB   |
|   | b. Assess whether the 10 CFR 55.41/43 and 55.45 sampling is appropriate.   | AS   | 7  | JMB   |
|   | c. Ensure that K/A importance ratings (except for plant-specific priorities) are at least 2.5.   | AS   | 7  | JMB   |
|   | d. Check for duplication and overlap among exam sections.  | AS   | 7  | JMB   |
|   | e. Check the entire exam for balance of coverage.  | AS   | 7  | JMB   |
|   | f. Assess whether the exam fits the appropriate job level (RO or SRO).   | AS   | 7  | JMB   |
| a. Author <u>K. Struble</u><br>b. Facility Reviewer (*) <u>J. Pierce</u><br>c. NRC Chief Examiner (#) <u>S. Gorchow</u><br>d. NRC Supervisor <u>MARK HARE</u> |  | Printed Name/Signature<br><u>[Signature]</u><br><u>[Signature]</u><br><u>[Signature]</u><br><u>[Signature]</u> |    | Date<br><u>3-16-11</u><br><u>3-21-11</u><br><u>9-7-11</u><br><u>9/19/11</u> |
| Note: # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required.<br>* Not applicable for NRC-prepared examination outlines  |  |  |    |   |

| Facility: South Texas Project   |  | Date of Exam: 9-26-2011             |          | Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/> |         |     |     |
|---|--|-------------------------------------|----------|--|---------|-----|-----|
| Item Description  |  |                                     |          | Initial  |         |     |     |
|   |  |                                     |          | a  | b*      | c#  |     |
| 1. Questions and answers are technically accurate and applicable to the facility.   |  |                                     |          | SAM  | 9       | SMB |     |
| 2. a. NRC K/As are referenced for all questions.<br>b. Facility learning objectives are referenced as available.  |  |                                     |          | SAM  | 9       | SMB |     |
| 3. SRO questions are appropriate in accordance with Section D.2.d of ES-401   |  |                                     |          | SAM  | 9       | SMB |     |
| 4. The sampling process was random and systematic (If more than 4 RO or 2 SRO questions were repeated from the last 2 NRC licensing exams, consult the NRR OL program office).  |  |                                     |          | SAM  | 9       | SMB |     |
| 5. Question duplication from the license screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate:<br>___ the audit exam was systematically and randomly developed, or<br>___ the audit exam was completed before the license exam was started, or<br>___ the examinations were developed independently, or<br>___ the licensee certifies that there is no duplication, or<br>___ other (explain) |  |                                     |          | SAM  | 9       | SMB |     |
| 6. Bank use meets limits (no more than 75 percent from the bank, at least 10 percent new, and the rest new or modified); enter the actual RO / SRO-only question distribution(s) at right.  |  | Bank                                | Modified | New  | SAM     | 9   | SMB |
|   |  | 27/4                                | 0/0      | 48/21  |         |     |     |
| 7. Between 50 and 60 percent of the questions on the RO exam are written at the comprehension/ analysis level; the SRO exam may exceed 60 percent if the randomly selected K/As support the higher cognitive levels; enter the actual RO / SRO question distribution(s) at right.   |  | Memory                              |          | CIA  | SAM     | 9   | SMB |
|   |  | 32/7                                |          | 43/18  |         |     |     |
| 8. References/handouts provided do not give away answers or aid in the elimination of distractors.  |  |                                     |          | SAM  | 9       | SMB |     |
| 9. Question content conforms with specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviations are justified.  |  |                                     |          | SAM  | 9       | SMB |     |
| 10. Question psychometric quality and format meet the guidelines in ES Appendix B.  |  |                                     |          | SAM  | 9       | SMB |     |
| 11. The exam contains the required number of one-point, multiple choice items; the total is correct and agrees with the value on the cover sheet.   |  |                                     |          | SAM  | 9       | SMB |     |
| Printed Name / Signature  |  |                                     |          |  | Date    |     |     |
| a. Author   |  | Stanley A. Mason / Stanley A. Mason |          |  | 8-30-11 |     |     |
| b. Facility Reviewer (*)  |  | Jonathan Pierce / Jonathan Pierce   |          |  | 9-1-11  |     |     |
| c. NRC Chief Examiner (#)   |  | Stephen Garchow / Stephen Garchow   |          |  | 9/7/11  |     |     |
| d. NRC Regional Supervisor  |  | MARK HAIRE / Mark Haire             |          |  | 9/19/11 |     |     |
| Note: * The facility reviewer's initials/signature are not applicable for NRC-developed examinations.<br># Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required.   |  |                                     |          |  |         |     |     |

Facility: South Texas Project

Date of Examination: 9-26-2011

Operating Test Number: 1

| 1. GENERAL CRITERIA   |   | Initials |    |     |
|---|---|----------|----|-----|
|   |   | a        | b* | c#  |
| a.  | The operating test conforms with the previously approved outline; changes are consistent with sampling requirements (e.g., 10 CFR 55.45, operational importance, safety function distribution).   | SAM      | 7  | JMS |
| b.  | There is no day-to-day repetition between this and other operating tests to be administered during this examination.  | SAM      | 7  | JMS |
| c.  | The operating test shall not duplicate items from the applicants' audit test(s)(see Section D.1.a).   | SAM      | 7  | JMS |
| d.  | Overlap with the written examination and between different parts of the operating test is within acceptable limits.   | SAM      | 7  | JMS |
| e.  | It appears that the operating test will differentiate between competent and less-than-competent applicants at the designated license level.   | SAM      | 7  | JMS |
| 2. WALK-THROUGH CRITERIA  |   | --       | -- | --  |
| a.  | Each JPM includes the following, as applicable: <ul style="list-style-type: none"> <li>initial conditions</li> <li>initiating cues</li> <li>references and tools, including associated procedures</li> <li>reasonable and validated time limits (average time allowed for completion) and specific designation if deemed to be time critical by the facility licensee</li> <li>operationally important specific performance criteria that include: <ul style="list-style-type: none"> <li>detailed expected actions with exact criteria and nomenclature</li> <li>system response and other examiner cues</li> <li>statements describing important observations to be made by the applicant</li> <li>criteria for successful completion of the task</li> <li>identification of critical steps and their associated performance standards</li> <li>restrictions on the sequence of steps, if applicable</li> </ul> </li> </ul> | SAM      | 7  | JMS |
| b.  | Ensure that any changes from the previously approved systems and administrative walk-through outlines (Forms ES-301-1 and 2) have not caused the test to deviate from any of the acceptance criteria (e.g. item distribution, bank use, repetition from the last 2 NRC examinations) specified on those forms and Form ES-201-2.  | SAM      | 7  | JMS |
| 3. SIMULATOR CRITERIA   |   | --       | -- | --  |
| a.  | The associated simulator operating tests (scenario sets) have been reviewed in accordance with Form ES-301-4 and a copy is attached.  | SAM      | 7  | JMS |
| Printed Name / Signature  |   | Date     |    |     |
| a. Author   | Stanley A. Mason / Stanley A. Mason   | 8-30-11  |    |     |
| b. Facility Reviewer(*)   | Jonathan Y. Erce / Jonathan Y. Erce   | 9-1-11   |    |     |
| c. NRC Chief Examiner (#)   | Stephen Garchow / Stephen Garchow   | 9-7-11   |    |     |
| d. NRC Supervisor   | MARK HARRIS / Mark Harris   | 9/19/11  |    |     |
| <p>NOTE: * The facility signature is not applicable for NRC-developed tests.</p> <p># Independent NRC reviewer initial items in Column ac; @ chief examiner concurrence required.</p> |   |          |    |     |

| Facility: South Texas Project                                    |  | Date of Exam: 9-26-201 (Scenario Numbers: 1/2/3/4) |          | Operating Test No.: 1 |    |
|--|--|--|----------|-----------------------|----|
| QUALITATIVE ATTRIBUTES   |  |  | Initials |                       |    |
|  |  |  | a        | b*                    | c# |
| 1.   | The initial conditions are realistic, in that some equipment and/or instrumentation may be out of service, but it does not cue the operators into expected events.   | STm  | 7        | JLB                   |    |
| 2.   | The scenarios consist mostly of related events.  | STm  | 7        | JLB                   |    |
| 3.   | Each event description consists of <ul style="list-style-type: none"> <li>the point in the scenario when it is to be initiated</li> <li>the malfunction(s) that are entered to initiate the event</li> <li>the symptoms/cues that will be visible to the crew</li> <li>the expected operator actions (by shift position)</li> <li>the event termination point (if applicable)</li> </ul> | STm  | 7        | SNB                   |    |
| 4.   | No more than one non-mechanistic failure (e.g., pipe break) is incorporated into the scenario without a credible preceding incident such as a seismic event.   | STm  | 7        | SNB                   |    |
| 5.   | The events are valid with regard to physics and thermodynamics.  | STm  | 7        | SNB                   |    |
| 6.   | Sequencing and timing of events is reasonable, and allows the examination team to obtain complete evaluation results commensurate with the scenario objectives.  | STm  | 7        | SNB                   |    |
| 7.   | If time compression techniques are used, the scenario summary clearly so indicates. Operators have sufficient time to carry out expected activities without undue time constraints. Cues are given.  | N/A  | 7        | SNB                   |    |
| 8.   | The simulator modeling is not altered.   | STm  | 7        | SNB                   |    |
| 9.   | The scenarios have been validated. Pursuant to 10 CFR 55.46(d), any open simulator performance deficiencies or deviations from the referenced plant have been evaluated to ensure that functional fidelity is maintained while running the planned scenarios.  | STm  | 7        | SNB                   |    |
| 10.  | Every operator will be evaluated using at least one new or significantly modified scenario. All other scenarios have been altered in accordance with Section D.5 of ES-301.  | STm  | 7        | SNB                   |    |
| 11.  | All individual operator competencies can be evaluated, as verified using Form ES-301-6 (submit the form along with the simulator scenarios).   | STm  | 7        | SNB                   |    |
| 12.  | Each applicant will be significantly involved in the minimum number of transients and events specified on Form ES-301-5 (submit the form with the simulator scenarios).  | STm  | 7        | SNB                   |    |
| 13.  | The level of difficulty is appropriate to support licensing decisions for each crew position.  | STm  | 7        | SNB                   |    |
| Target Quantitative Attributes (Per Scenario; See Section D.5.d) |  | Actual Attributes                                  |          | --                    | -- |
| 1.   | Total malfunctions (5-8)   | 6  | 1        | 6                     | 1  |
| 2.   | Malfunctions after EOP entry (1-2)   | 1  | 1        | 1                     | 2  |
| 3.   | Abnormal events (2-4)  | 4  | 1        | 3                     | 3  |
| 4.   | Major transients (1-2)   | 1  | 1        | 1                     | 1  |
| 5.   | EOPs entered/requiring substantive actions (1-2)   | 1  | 2        | 1                     | 1  |
| 6.   | EOP contingencies requiring substantive actions (0-2)  | 0  | 1        | 0                     | 1  |
| 7.   | Critical tasks (2-3)   | 2  | 2        | 2                     | 2  |

| Facility: <u>STPNOC</u>  |                   | Date of Exam: <u>9/22/11</u> |           | Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/> |  |
|--|-------------------|------------------------------|-----------|--|--|
| Item Description   | Initials          |                              |           |  |  |
|  | a                 | b                            | c         |  |  |
| 1. Clean answer sheets copied before grading   | <u>18</u>         | <u>7</u>                     | <u>SM</u> |  |  |
| 2. Answer key changes and question deletions justified and documented  | <u>N/A</u>        | <u>N/A</u>                   | <u>SM</u> |  |  |
| 3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)   | <u>18</u>         | <u>7</u>                     | <u>SM</u> |  |  |
| 4. Grading for all borderline cases (80 $\pm$ 2% overall and 70 or 80, as applicable, $\pm$ 4% on the SRO-only) reviewed in detail                                 | <u>N/A</u>        | <u>N/A</u>                   | <u>SM</u> |  |  |
| 5. All other failing examinations checked to ensure that grades are justified  | <u>N/A</u>        | <u>N/A</u>                   | <u>SM</u> |  |  |
| 6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by half or more of the applicants | <u>18</u>         | <u>7</u>                     | <u>SM</u> |  |  |
| Printed Name/Signature   |                   | Date                         |           |  |  |
| a. Grader  | <u>L. Struble</u> | <u>9-22-11</u>               |           |  |  |
| b. Facility Reviewer(*)  | <u>J. Perce</u>   | <u>9-27-11</u>               |           |  |  |
| c. NRC Chief Examiner (*)  | <u>S. Garchow</u> | <u>10/13/11</u>              |           |  |  |
| d. NRC Supervisor (*)  | <u>M. HARE</u>    | <u>10/13/11</u>              |           |  |  |
| (*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.                              |                   |                              |           |  |  |

11:24:51

Region: 4

Phase Code: 5

# Operator Licensing Exam Schedule

From 08/01/2011 To 12/15/2011

| Exam Week  | Site/Docket No./Insp Rpt #                                | # Candidates       | Type  | Exam Author | Chief Examiner      | Examiners Assigned   |
|------------|---|--------------------|-------|-------------|---------------------|--|
| 03/01/2011 | South Texas Project / 05000498 / 2011301<br>TAC #: X02474 |                    | Prep  | FFF         | GARCHOW, STEPHEN M. | FARINA, THOMAS J.<br>GARCHOW, STEPHEN M.<br>HEDGER, SEAN D.<br>STRICKLAND, DUANE G.<br>TINDELL, BRIAN W. |
| 03/01/2011 | South Texas Project / 05000499 / 2011301<br>TAC #: X02475 |                    | Prep  | FFF         | GARCHOW, STEPHEN M. | FARINA, THOMAS J.<br>GARCHOW, STEPHEN M.<br>STRICKLAND, DUANE G.<br>TINDELL, BRIAN W.                    |
| 08/22/2011 | South Texas Project / 05000498 / 2011301<br>TAC #: X02474 |                    | Prep  | FFF         | GARCHOW, STEPHEN M. | FARINA, THOMAS J.<br>GARCHOW, STEPHEN M.<br>STRICKLAND, DUANE G.<br>TINDELL, BRIAN W.                    |
| 08/22/2011 | South Texas Project / 05000499 / 2011301<br>TAC #: X02475 |                    | Prep  | FFF         | GARCHOW, STEPHEN M. | FARINA, THOMAS J.<br>GARCHOW, STEPHEN M.<br>STRICKLAND, DUANE G.<br>TINDELL, BRIAN W.                    |
| 09/12/2011 | South Texas Project / 05000498 / 2011301<br>TAC #: X02474 | RO - 5<br>SROU - 2 | Admin | FFF         | GARCHOW, STEPHEN M. | FARINA, THOMAS J.<br>GARCHOW, STEPHEN M.<br>HEDGER, SEAN D.<br>STRICKLAND, DUANE G.<br>TINDELL, BRIAN W. |
| 09/26/2011 | South Texas Project / 05000498 / 2011301<br>TAC #: X02474 | RO - 5<br>SROU - 2 | Admin | FFF         | GARCHOW, STEPHEN M. | FARINA, THOMAS J.<br>GARCHOW, STEPHEN M.<br>HEDGER, SEAN D.<br>STRICKLAND, DUANE G.<br>TINDELL, BRIAN W. |
| 10/10/2011 | South Texas Project / 05000498 / 2011301<br>TAC #: X02474 |                    | Doc   | FFF         | GARCHOW, STEPHEN M. | FARINA, THOMAS J.<br>GARCHOW, STEPHEN M.<br>STRICKLAND, DUANE G.<br>TINDELL, BRIAN W.                    |
| 10/10/2011 | South Texas Project / 05000499 / 2011301<br>TAC #: X02475 |                    | Doc   | FFF         | GARCHOW, STEPHEN M. | FARINA, THOMAS J.<br>GARCHOW, STEPHEN M.<br>STRICKLAND, DUANE G.<br>TINDELL, BRIAN W.                    |

1. Pre-Examination

Unlimited

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 9/26/2011 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 9/26/2011. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

| PRINTED NAME         | JOB TITLE / RESPONSIBILITY | SIGNATURE (1)           | DATE      | SIGNATURE (2)           | DATE    | NOTE |
|----------------------|----------------------------|-------------------------|-----------|-------------------------|---------|------|
| 1. Mike DeTres       | Exam Developer             | <i>Mike DeTres</i>      | 1/25/2011 |                         |         | ①    |
| 2. Ken Struble       | Exam Developer             | <i>Ken Struble</i>      | 1-25-11   | <i>Ken Struble</i>      | 10-3-11 |      |
| 3. Joseph Bradsby    | Sim Supervisor             | <i>Joseph Bradsby</i>   | 1-27-11   | <i>Joseph Bradsby</i>   | 10-3-11 |      |
| 4. Stan Mason        | Exam Developer             | <i>Stan Mason</i>       | 1-31-11   | <i>Stan Mason</i>       | 10-3-11 |      |
| 5. DAVID GOODMAN     | SIM SOFTWARE SPECIALIST    | <i>David Goodman</i>    | 2-5-11    | <i>David Goodman</i>    | 10-6-11 |      |
| 6. Michael Scott     | Sim Software Specialist    | <i>Michael Scott</i>    | 2-3-11    | <i>Michael Scott</i>    | 10-3-11 |      |
| 7. John T. Saylone   | Sim Hardware Specialist    | <i>John T. Saylone</i>  | 02/03/11  | <i>John T. Saylone</i>  | 10-3-11 |      |
| 8. ROBERT RAB        | SIM HARDWARE SPECIALIST    | <i>Robert RAB</i>       | 2/3/11    | <i>Robert RAB</i>       | 10-3-11 |      |
| 9. Jan Pierce        | ops TARG MGR               | <i>Jan Pierce</i>       | 3-21-11   | <i>Jan Pierce</i>       | 10-5-11 |      |
| 10. Donald Roba      | Ops Procedures             | <i>Donald Roba</i>      | 3-28-11   | <i>Donald Roba</i>      | 10-4-11 |      |
| 11. Mack Wilkner     | EEO Specialist             | <i>Mack Wilkner</i>     | 7-26-11   | <i>Mack Wilkner</i>     | 10-4-11 |      |
| 12. R. CHAD CAMPBELL | ops TARG instructor        | <i>R. Chad Campbell</i> | 08-10-11  | <i>R. Chad Campbell</i> | 10-3-11 |      |
| 13. John Millieff    | ops mgr                    | <i>John Millieff</i>    | 8/16/11   | <i>John Millieff</i>    | 10/5/11 |      |
| 14.                  |                            |                         |           |                         |         |      |
| 15.                  |                            |                         |           |                         |         |      |

## NOTES:

- ① Stanley A. Mason for Mike DeTres 10-5-11 see attached e-mail.  
 ② Stanley A. Mason for Robert RAB 10-5-11 verified per personal phone call.



1. Pre-Examination

## VALIDATION ACTIVITIES

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 9/26 & 10/3 of 2011 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 9/26 & 10/3. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

| PRINTED NAME       | JOB TITLE / RESPONSIBILITY | SIGNATURE (1)            | DATE    | SIGNATURE (2)            | DATE NOTE |
|--------------------|----------------------------|--------------------------|---------|--------------------------|-----------|
| John A. Milon      | Rx Operator                | <i>John A. Milon</i>     | 6-21-11 | <i>John A. Milon</i>     | 10-4-11   |
| KEITH AVANTS       | REACTOR OPERATOR           | <i>Keith Avants</i>      | 6-21-11 | <i>Keith Avants</i>      | 10-4-11   |
| Kenny Espinosa     | Reactor Operator           | <i>Kenny Espinosa</i>    | 6-22-11 | <i>Kenny Espinosa</i>    | 10-4-11   |
| Billy Herzog       | Unit Supervisor            | <i>Billy Herzog</i>      | 6-22-11 | <i>Billy Herzog</i>      | 10-4-11   |
| SHAWN HUGHES       | Reactor Operator / U.S.    | <i>Shawn Hughes</i>      | 6-22-11 | <i>Shawn Hughes</i>      | 10-4-11   |
| Timothy Bennett    | Unit Supervisor            | <i>Timothy Bennett</i>   | 6-24-11 | <i>Timothy Bennett</i>   | 10-10-11  |
| RICHARD SCHULZ     | REACTOR OPERATOR           | <i>Richard Schulz</i>    | 6-24-11 | <i>Richard Schulz</i>    | 10-10-11  |
| Michael O'Brien    | REACTOR OPERATOR           | <i>Michael O'Brien</i>   | 6-24-11 | <i>Michael O'Brien</i>   | 10-10-11  |
| CHRIS F. VANDEPREE | UNIT SUPERVISOR            | <i>Chris F. VanDyke</i>  | 7-11-11 | <i>Chris F. VanDyke</i>  | 10-10-11  |
| DAN TUCKER         | UNIT SUPERVISOR            | <i>Dan Tucker</i>        | 7-11-11 | <i>Dan Tucker</i>        | 10-10-11  |
| RON KOLAN          | REACTOR OPERATOR           | <i>Ron Kolan</i>         | 7-14-11 | <i>Ron Kolan</i>         | 10-6-11   |
| ADAM GALEY         | UNIT SUPERVISOR            | <i>Adam Gale</i>         | 8-14-11 | <i>Adam Gale</i>         | 10-6-11   |
| T.M. GREEN         | REACTOR OPERATOR           | <i>T.M. Green</i>        | 7-21-11 | <i>T.M. Green</i>        | 10-10-11  |
| Robert A. Dandany  | Reactor Operator           | <i>Robert A. Dandany</i> | 8-13-11 | <i>Robert A. Dandany</i> | 10-10-11  |
| RANDALL G. MAUS    | REACTOR OPERATOR           | <i>Randall G. Maus</i>   | 8-13-11 | <i>Randall G. Maus</i>   | 10-10-11  |
| LAURENCE BOND      | UNIT SUPERVISOR            | <i>Laurence Bond</i>     | 8-13-11 | <i>Laurence Bond</i>     | 10-10-11  |

- NOTES:
- ① Stanley A. Mason for Keith Avants 10-3-11 see attached e-mail.
  - ② Stanley A. Mason for Shawn Hughes 10-6-11 see attached e-mail.
  - ③ Stanley A. Mason for Lawrence Bond 10-13-11 Verified per personal phone call.

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 9/26 & 10/3 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 9/26 & 10/3. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

| PRINTED NAME               | JOB TITLE / RESPONSIBILITY     | SIGNATURE (1)      | DATE           | SIGNATURE (2)      | DATE             | NOTE |
|----------------------------|--------------------------------|--------------------|----------------|--------------------|------------------|------|
| 1. <u>TERRANCE BATTIS</u>  | <u>SRO Instructor</u>          | <u>[Signature]</u> | <u>9/10/11</u> | <u>[Signature]</u> | <u>10/3/11</u>   |      |
| 2. <u>Chris Campbell</u>   | <u>Head RP Tech - Briefing</u> | <u>[Signature]</u> | <u>9/26/11</u> | <u>[Signature]</u> | <u>10/5/11</u>   |      |
| 3. <u>Garrett Korman</u>   | <u>Head RP Tech - Briefing</u> | <u>[Signature]</u> | <u>9/26/11</u> | <u>[Signature]</u> | <u>10/4/2011</u> |      |
| 4. <u>Mark Harsell</u>     | <u>SRO Instructor</u>          | <u>[Signature]</u> | <u>9/26/11</u> | <u>[Signature]</u> | <u>10/3/2011</u> |      |
| 5. <u>Walt Mearns</u>      | <u>Unit Supervisor</u>         | <u>[Signature]</u> | <u>9/26/11</u> | <u>[Signature]</u> | <u>10/3/2011</u> |      |
| 6. <u>Charles Ayala</u>    | <u>Field Supv.</u>             | <u>[Signature]</u> | <u>9-26-11</u> | <u>[Signature]</u> | <u>10/3/2011</u> |      |
| 7. <u>Rick Appel</u>       | <u>Reactor Operator</u>        | <u>[Signature]</u> | <u>9-26-11</u> | <u>[Signature]</u> | <u>10/3/2011</u> |      |
| 8. <u>MARK HAMILTON</u>    | <u>REACTOR OPERATOR</u>        | <u>[Signature]</u> | <u>9-26-11</u> | <u>[Signature]</u> | <u>10/3/2011</u> |      |
| 9. <u>MIKE BERNHARDT</u>   | <u>REACTOR OPERATOR</u>        | <u>[Signature]</u> | <u>9-26-11</u> | <u>[Signature]</u> | <u>10-3-11</u>   |      |
| 10. <u>John A. Milton</u>  | <u>Reactor Operator</u>        | <u>[Signature]</u> | <u>9-26-11</u> | <u>[Signature]</u> | <u>10-9-11</u>   |      |
| 11. <u>JAMES R. HARRIS</u> | <u>Reactor Operator</u>        | <u>[Signature]</u> | <u>9-26-11</u> | <u>[Signature]</u> | <u>10-9-11</u>   |      |
| 12. <u>JASON BERRIO</u>    | <u>UNIT SUPERVISOR</u>         | <u>[Signature]</u> | <u>9/26/11</u> | <u>[Signature]</u> | <u>10/3/2011</u> |      |
| 13. <u>DAN TURNAGE</u>     | <u>UNIT SUPERVISOR</u>         | <u>[Signature]</u> | <u>9-26-11</u> | <u>[Signature]</u> | <u>10/3/2011</u> |      |
| 14. <u>ROBERT TATRO</u>    | <u>SHIFT MANAGER</u>           | <u>[Signature]</u> | <u>9-26-11</u> | <u>[Signature]</u> | <u>10/3/2011</u> |      |
| 15. <u>PERE LART</u>       | <u>SHIFT MANAGER</u>           | <u>[Signature]</u> | <u>9/26/11</u> | <u>[Signature]</u> | <u>10/4/11</u>   |      |

## NOTES:

- ① Stanley A. Mason for Charles Ayala 10-16-11 See Attached e-mail.
- ② Stanley A. Mason for Rick Appel 10-13-11 Verified per personal phone call.
- ③ Stanley A. Mason for James Harris 10-14-11 See Attached e-mail.
- ④ Stanley A. Mason for Jason Berrio 10-13-11 Verified per personal phone call.
- ⑤ Stanley A. Mason for Robert Tatro 10-13-11 Verified per personal phone call.

Admin. stration page 2 of 2

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 9/16-4/10/12 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 01/24-11/23. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

| PRINTED NAME          | JOB TITLE / RESPONSIBILITY | SIGNATURE (1)      | DATE     | SIGNATURE (2)      | DATE NOTE |
|-----------------------|----------------------------|--------------------|----------|--------------------|-----------|
| 1. John M. Crahan     | LOT Instructor             | <i>[Signature]</i> | 9/26/11  | <i>[Signature]</i> | 10/3/11   |
| 2. Bernard F. Neurohr | LOT INSTRUCTOR             | <i>[Signature]</i> | 09/26/11 | <i>[Signature]</i> | 10/03/11  |
| 3. Vance Verbeck      | LOT INSTRUCTOR             | <i>[Signature]</i> | 9-26-11  | <i>[Signature]</i> | 10-3-11   |
| 4. ADRIAN CULVER      | LOT INSTRUCTOR             | <i>[Signature]</i> | 9-26-11  | <i>[Signature]</i> | 10-3-11   |
| 5. Warren Klitz       | LOT INSTRUCTOR             | <i>[Signature]</i> | 9/26/11  | <i>[Signature]</i> | 10-3-11   |
| 6. MIGUEL HERNANDEZ   | LOT INSTRUCTOR             | <i>[Signature]</i> | 9/26/11  | <i>[Signature]</i> | 10-3-11   |
| 7. William Russell    | NLO INSTRUCTOR             | <i>[Signature]</i> | 9/23/11  | <i>[Signature]</i> | 10/3/2011 |
| 8.                    |                            |                    |          |                    |           |
| 9.                    |                            |                    |          |                    |           |
| 10.                   |                            |                    |          |                    |           |
| 11.                   |                            |                    |          |                    |           |
| 12.                   |                            |                    |          |                    |           |
| 13.                   |                            |                    |          |                    |           |
| 14.                   |                            |                    |          |                    |           |
| 15.                   |                            |                    |          |                    |           |
| NOTES:                |                            |                    |          |                    |           |