

Facility: Davis-BesseDate of Examination: 12/5 thru 12/15 2011Examination Level **SRO** ☒Operating Test Number 2011 NRC Exam

Administrative Topic (See Note)	Type Code*	Describe activity to be performed
Conduct of Operations	N, R	K/A 2.1.37 IR 4.6  Knowledge of procedures, guidelines, or limitations associated with reactivity management.  JPM New Calc Boron Conc for SDM of 1%Δk/k with 2 Stuck rods
Conduct of Operations	D, S	K/A 2.1.18 IR 3.8  Ability to make accurate, clear, and concise logs, records, status boards, and reports.  JPM 261 Control of Locked Valves During Post-Maintenance Testing
Equipment Control	N, R	K/A 2.2.37 IR 4.6  Ability to determine operability and/or availability of safety related equipment.  JPM New Determine Compensatory Actions for EDG Deluge Valve
Radiation Control	D, R	K/A 2.3.5 IR 2.9  Ability to use radiation monitoring systems, such as fixed radiation monitors and alarms, portable survey instruments, personnel monitoring equipment, etc.  JPM 149 Check out a Radiation Detector for use in the RCA
Emergency Procedures/Plan	N, S	K/A 2.4.41 IR 4.6  Knowledge of the emergency action level thresholds and classifications.  JPM New Classify an event & complete the Initial Notification Form

NOTE: All items (5 total) are required for SROs. RO applicants require only 4 items unless they are retaking only the administrative topics, when all 5 are required.

\*Type Codes &amp; Criteria

(C)ontrol Room, (S)imulator, or Class(R)oom

(D)irect from bank ( $\leq 3$  for ROs;  $\leq 4$  for SROs & RO retakes)(N)ew or (M)odified from bank ( $\geq 1$ )(P)revious 2 exams ( $\leq 1$ ; randomly selected)

Facility: Davis-BesseDate of Examination: 12/5 thru 12/15 2011Examination Level **SRO** ☒Operating Test Number 2011 NRC Exam

Administrative Topic (See Note)	Type Code*	Describe activity to be performed
Conduct of Operations	N, R	K/A 2.1.37 IR 4.6  Knowledge of procedures, guidelines, or limitations associated with reactivity management.  JPM New Calc Boron Conc for SDM of 1%Δk/k with 2 Stuck rods
Conduct of Operations	N, R	K/A 2.1.18 IR 3.8  Ability to make accurate, clear, and concise logs, records, status boards, and reports.  JPM New Review Post-Maintenance Testing Surveillance
Equipment Control	N, R	K/A 2.2.37 IR 4.6  Ability to determine operability and/or availability of safety related equipment.  JPM New Determine Compensatory Measures for removing Fire Suppression for the Auxiliary Boiler room
Radiation Control	D, R	K/A 2.3.5 IR 2.9  Ability to use radiation monitoring systems, such as fixed radiation monitors and alarms, portable survey instruments, personnel monitoring equipment, etc.  JPM 149 Check out a Radiation Detector for use in the RCA
Emergency Procedures/Plan	D, R	K/A 2.4.41 IR 4.6  Knowledge of the emergency action level thresholds and classifications.  JPM 230 Classify an event & complete the Initial Notification Form

NOTE: All items (5 total) are required for SROs. RO applicants require only 4 items unless they are retaking only the administrative topics, when all 5 are required.

\*Type Codes &amp; Criteria

(C)ontrol Room, (S)imulator, or Class(R)oom

(D)irect from bank ( $\leq 3$  for ROs;  $\leq 4$  for SROs & RO retakes)(N)ew or (M)odified from bank ( $\geq 1$ )(P)revious 2 exams ( $\leq 1$ ; randomly selected)