

Well: **OW-949**
Test Date: **11/14/2006**
Test Type: **Recovery (slug out)**
Test Name: **OW-949-out2**

Conducted by: **Grimes & Charles-Smith**
Entered/date: **12/12/06** by **gmm** with permission
Checked/date: **12/12/06**

WELL DATA

SWL =	23.41 (ft BTOC)
WD =	106.50 (ft BTOC)
WD =	104.50 (ft BGS)
DTSP =	87.00 (ft BGS)
rc =	0.08 (ft)
n =	0.30
rw =	0.25 (ft)
rc (adjusted) =	0.08 (ft)
Le =	10 (ft)
Lw =	81.12 (ft)
Le/rw =	40.00
H =	81.12 (ft)

CALCULATION OF K

$$K = \frac{[(rc)^2 \ln(Re/rw)] / 2Le}{(1/t) \ln(y_0/y_t)}$$

$y_0 =$ 3.32 (ft) from plot
 $y_t =$ 0.50 (ft) from plot
 $t =$ 1.48 (minutes) from plot
 $\ln(Re/rw) =$ 4.00

$K =$ 2.4E+00 (ft/day)

$K =$ 8.4E-04 (cm/sec)

Because well is completed in bedrock, H is depth from SWL to bottom of screened interval of well

Calculation of $\ln(Re/rw)$

Where: $Lw < H$;

$$\ln(Re/rw) = \{[1.1 / (\ln(Lw/rw))] + [A + B \ln((H - Lw)/rw)] / (Le/rw)\}^{-1}$$

#NUM!

Where: $Lw = H$;

$$\ln(Re/rw) = \{[1.1 / (\ln(Lw/rw))] + [C / (Le/rw)]\}^{-1}$$

4.00

Calculation of Coefficients

Value range for Le/rw from Table of Coefficients

Le/rw	A	B	C
40	2.75	0.45	2.45
50	3	0.5	2.7

Interpolated values of A, B and C for Le/rw

40.00	2.75	0.45	2.45
-------	------	------	------

Coefficients Table

Le/rw	A	Le/rw	B	Le/rw	C
4	1.75	4	0.25	4	0.75
5	1.76	5	0.25	5	0.85
6	1.77	6	0.25	6	0.90
7	1.80	7	0.25	7	1.00
8	1.83	8	0.25	8	1.10
9	1.90	9	0.25	9	1.20
10	1.95	10	0.25	10	1.30
15	2.10	15	0.27	15	1.50
20	2.23	20	0.29	20	1.75
25	2.40	25	0.31	25	1.90
30	2.50	30	0.35	30	2.10
40	2.75	40	0.45	40	2.45
50	3.00	50	0.50	50	2.70
60	3.45	60	0.52	60	3.00
70	3.70	70	0.60	70	3.40
80	3.90	80	0.65	80	3.60
90	4.20	90	0.70	90	3.85
100	4.50	100	0.75	100	4.20
150	5.45	150	0.98	150	5.70
200	6.10	200	1.20	200	7.00
250	6.70	250	1.30	250	8.00
300	7.10	300	1.50	300	8.80
400	7.75	400	1.90	400	9.90
500	8.20	500	2.20	500	10.60
600	8.50	600	2.33	600	11.10
700	8.70	700	2.50	700	11.50
800	8.90	800	2.70	800	11.80
900	9.00	900	2.75	900	12.00
1000	9.20	1000	2.83	1000	12.40
1500	9.50	1500	3.18	1500	12.90


TEST DATA

Elapsed time (min)	Log y	y (ft)	WL (ft BTOC)
0	#NUM!	0	23.41
0.011	0.31	2.053	25.46
0.022	0.48	2.991	26.40
0.033	0.53	3.41	26.82
0.044	0.52	3.321	26.73
0.055	0.51	3.252	26.66
0.066	0.50	3.186	26.60
0.077	0.49	3.126	26.54
0.088	0.49	3.088	26.50
0.099	0.50	3.149	26.56
0.11	0.50	3.137	26.55
0.121	0.48	2.996	26.41
0.132	0.47	2.93	26.34
0.143	0.46	2.881	26.29
0.154	0.45	2.832	26.24
0.165	0.45	2.789	26.20
0.176	0.44	2.743	26.15
0.187	0.43	2.7	26.11
0.198	0.42	2.66	26.07
0.209	0.42	2.617	26.03
0.22	0.41	2.576	25.99
0.231	0.40	2.536	25.95
0.2427	0.40	2.493	25.90
0.2552	0.39	2.459	25.87
0.2683	0.38	2.413	25.82
0.2823	0.38	2.372	25.78
0.2972	0.37	2.326	25.74
0.3128	0.36	2.28	25.69
0.3295	0.35	2.234	25.64
0.3472	0.34	2.185	25.60
0.3658	0.33	2.137	25.55
0.3857	0.32	2.085	25.50
0.4067	0.31	2.033	25.44
0.4288	0.30	1.978	25.39
0.4523	0.28	1.924	25.33
0.4772	0.27	1.866	25.28
0.5035	0.26	1.84	25.25
0.5315	0.24	1.743	25.15
0.5612	0.23	1.679	25.09
0.5925	0.21	1.619	25.03
0.6257	0.19	1.556	24.97
0.6608	0.17	1.49	24.90
0.6982	0.15	1.421	24.83
0.7377	0.13	1.354	24.76
0.7795	0.11	1.285	24.70
0.8238	0.08	1.216	24.63
0.8708	0.06	1.15	24.56
0.9207	0.03	1.078	24.49
0.9733	0.01	1.012	24.42
1.0292	-0.03	0.943	24.35
1.0883	-0.06	0.877	24.29
1.151	-0.09	0.811	24.22
1.2173	-0.13	0.745	24.16
1.2877	-0.17	0.679	24.09
1.3622	-0.21	0.618	24.03
1.4412	-0.25	0.558	23.97
1.5248	-0.30	0.5	23.91
1.6133	-0.35	0.443	23.85
1.7072	-0.40	0.394	23.80
1.8065	-0.47	0.342	23.75
1.9118	-0.53	0.293	23.70
2.0233	-0.60	0.253	23.66
2.1415	-0.67	0.213	23.62
2.2667	-0.77	0.17	23.58
2.3992	-0.87	0.135	23.55
2.5397	-0.98	0.104	23.51
2.6885	-1.12	0.075	23.49
2.846	-1.28	0.052	23.46
3.0127	-1.54	0.029	23.44
3.1793	-2.05	0.009	23.42


Test completion

90% recovery

OW-949 (slug-out2) Recovery vs. Time



OW-949 (slug-out2) Recovery vs. Time



In-Situ Inc. Hermit 3000

Report generated: 12/11/06 17:40:36
Report from file: P:\6468\2006 Projects\1472 North Anna COL\Slug Test Data\Raw data logger fil
DataMgr Version 3.71

al number: 00045369
i nware Version 7.08
Unit name: HERMIT 3000

Test name: OW949out2 PAGE 1 OF 2

Test defined on: 11/14/06 10:44:19
Test started on: 11/14/06 11:34:31
Test stopped on: 11/14/06 11:39:12
Test extracted on: 11/14/06 12:08:01

Data gathered using Logarithmic testing

Maximum time between data points: 0.1667 Minutes.

Number of data samples: 78

TOTAL DATA SAMPLES 78

Channel number [1]

Measurement type: Pressure

Channel name: D00513

Linearity: 0.0212000

Scale: 19.9368000

Offset: 0.1304000

Warmup: 50

Specific gravity: 1.000

Mode: TOC

User-defined reference: 0.000 Feet H2O

Referenced on: test start

Pressure head at reference: 11.335 Feet H2O

Channel number [0]

Measurement type: Barometric Pressure

Channel name: Barometric

Linearity: 0.0000000

Scale: 0.0000000

Offset: 0.0000000

Warmup: 50

Date	Time	ET (min)	Chan[1] Feet H2O	Chan[0] Inches Hg
11/14/06	11:34:31	0.0000	0.000	29.599
11/14/06	11:34:31	0.0110	2.053	29.599
11/14/06	11:34:32	0.0220	2.991	29.597
11/14/06	11:34:32	0.0330	3.410	29.599
11/14/06	11:34:33	0.0440	3.321	29.597
11/14/06	11:34:34	0.0550	3.252	29.599
11/14/06	11:34:34	0.0660	3.186	29.597
11/14/06	11:34:35	0.0770	3.126	29.599
11/14/06	11:34:36	0.0880	3.088	29.599
11/14/06	11:34:36	0.0990	3.149	29.599
11/14/06	11:34:37	0.1100	3.137	29.597
11/14/06	11:34:38	0.1210	2.996	29.601
11/14/06	11:34:38	0.1320	2.930	29.595
11/14/06	11:34:39	0.1430	2.881	29.597
11/14/06	11:34:40	0.1540	2.832	29.601
11/14/06	11:34:40	0.1650	2.789	29.601
11/14/06	11:34:41	0.1760	2.743	29.603
11/14/06	11:34:42	0.1870	2.700	29.601
11/14/06	11:34:42	0.1980	2.660	29.597
11/14/06	11:34:43	0.2090	2.617	29.601
11/14/06	11:34:44	0.2200	2.576	29.599

NORTH ANNA COL
DATA REPORT REV 0
1/23/07
MACTEC E&C

11/14/06	11:34:44	0.2310	2.536	29.601
11/14/06	11:34:45	0.2427	2.493	29.599
11/14/06	11:34:46	0.2552	2.459	29.601
11/14/06	11:34:47	0.2683	2.413	29.601
11/14/06	11:34:47	0.2823	2.372	29.597
11/14/06	11:34:48	0.2972	2.326	29.599
11/14/06	11:34:49	0.3128	2.280	29.597
11/14/06	11:34:50	0.3295	2.234	29.601
11/14/06	11:34:51	0.3472	2.185	29.599
11/14/06	11:34:52	0.3658	2.137	29.595
11/14/06	11:34:54	0.3857	2.085	29.599
11/14/06	11:34:55	0.4067	2.033	29.601
11/14/06	11:34:56	0.4288	1.978	29.601
11/14/06	11:34:58	0.4523	1.924	29.601
11/14/06	11:34:59	0.4772	1.866	29.597
11/14/06	11:35:01	0.5035	1.840	29.599
11/14/06	11:35:02	0.5315	1.743	29.599
11/14/06	11:35:04	0.5612	1.679	29.597
11/14/06	11:35:06	0.5925	1.619	29.599
11/14/06	11:35:08	0.6257	1.556	29.599
11/14/06	11:35:10	0.6608	1.490	29.597
11/14/06	11:35:12	0.6982	1.421	29.601
11/14/06	11:35:15	0.7377	1.354	29.599
11/14/06	11:35:17	0.7795	1.285	29.597
11/14/06	11:35:20	0.8238	1.216	29.599
11/14/06	11:35:23	0.8708	1.150	29.599
11/14/06	11:35:26	0.9207	1.078	29.599
11/14/06	11:35:29	0.9733	1.012	29.595
11/14/06	11:35:32	1.0292	0.943	29.599
11/14/06	11:35:36	1.0883	0.877	29.597
11/14/06	11:35:40	1.1510	0.811	29.595
11/14/06	11:35:44	1.2173	0.745	29.595
11/14/06	11:35:48	1.2877	0.679	29.597
11/14/06	11:35:52	1.3622	0.618	29.597
11/14/06	11:35:57	1.4412	0.558	29.597
11/14/06	11:36:02	1.5248	0.500	29.597
11/14/06	11:36:07	1.6133	0.443	29.599
11/14/06	11:36:13	1.7072	0.394	29.599
11/14/06	11:36:19	1.8065	0.342	29.597
11/14/06	11:36:25	1.9118	0.293	29.597
11/14/06	11:36:32	2.0233	0.253	29.597
11/14/06	11:36:39	2.1415	0.213	29.599
11/14/06	11:36:47	2.2667	0.170	29.599
11/14/06	11:36:54	2.3992	0.135	29.597
11/14/06	11:37:03	2.5397	0.104	29.597
11/14/06	11:37:12	2.6885	0.075	29.599
11/14/06	11:37:21	2.8460	0.052	29.595
11/14/06	11:37:31	3.0127	0.029	29.597
11/14/06	11:37:41	3.1793	0.009	29.601
11/14/06	11:37:51	3.3460	-0.006	29.603
11/14/06	11:38:01	3.5127	-0.023	29.597
11/14/06	11:38:11	3.6793	-0.035	29.601
11/14/06	11:38:21	3.8460	-0.043	29.601
11/14/06	11:38:31	4.0127	-0.052	29.601
11/14/06	11:38:41	4.1793	-0.058	29.601
11/14/06	11:38:51	4.3460	-0.066	29.601
11/14/06	11:39:01	4.5127	-0.075	29.601

OW949 OUT 2 PAGE 2 OF 2