

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Q/C Resource Technical Services</p> <p>2. 3 Simm Lane Newtown, Connecticut 06470</p>	<p>In accordance with the facsimile received January 6, 2012,</p> <p>3. License number 06-30610-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date July 31, 2021</p> <hr/> <p>5. Docket No. 030-35611 Reference No.</p>	
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Cesium 137</p> <p>B. Americium 241</p> <p>C. Cesium 137</p>	<p>7. Chemical and/or physical form</p> <p>A. Sealed Sources (AEA Technology Model CDCW556; Isotope Products Laboratories Models HEG-137-8M, HEG-137; CPN International Model CPN-131; and Humboldt Scientific, Inc., Dwg. No. 2200064)</p> <p>B. Sealed Sources (AEA Technology Model AMN.V997; Isotope Products Laboratories Models AM1.NO2, 3021, 3027; CPN International Model CPN-131; and Humboldt Scientific, Inc., Dwg. No. 2200067)</p> <p>C. Sealed Sources (QSA Global (formerly AEA Technology) Model CDC.800; Isotope Products Laboratories Model HEG-137)</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State and 500 millicuries total.</p> <p>B. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State and 1,300 millicuries total.</p> <p>C. 10 millicuries total</p>

# **MATERIALS LICENSE SUPPLEMENTARY SHEET**

License Number  
06-30610-01

Docket or Reference Number  
030-35611

Amendment No. 6

- |                                                       |                                  |                                                                                |
|-------------------------------------------------------|----------------------------------|--------------------------------------------------------------------------------|
| 6. Byproduct, source, and/or special nuclear material | 7. Chemical and/or physical form | 8. Maximum amount that licensee may possess at any one time under this license |
|-------------------------------------------------------|----------------------------------|--------------------------------------------------------------------------------|

- |                  |                                                                                                                                    |                         |
|------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| D. Americium 241 | D. Sealed Sources (QSA Global (formerly AEA Technology) Models AMN.PE5 and AMN.V997; Isotope Products Laboratories Models AM1.NO2) | D. 50 millicuries total |
|------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------|

## 9. Authorized use:

- A. In Troxler Electronics Model Nos. 3400 Series and 4640 Series gauging devices, incident to performing the weld inspection of the Cs-137 source rod, as a commercial service for other persons as defined in 10 CFR 20.1003.
- A. and B. For possession in Troxler Electronics Model Nos. 3400 Series and 4640 gauging devices, Humboldt Scientific Model No. 5001 Series gauging devices, CPN International Model No. MC Series gauging devices and Instratek Model No. 3500 gauging devices, incident to performing routine and non-routine maintenance, service and repair as a commercial service for other persons as defined in 10 CFR 20.1003, demonstration and training purposes, leak test sample collection, and re-distribution of these gauging devices to persons authorized to receive the licensed material contained in these devices pursuant to terms and conditions of specific licenses issued by the U.S. Nuclear Regulatory Commission or any Agreement State.
- C. and D. Possession and storage only of a Seaman Nuclear Corporation Model No. C-300-00 portable gauging device.

## CONDITIONS

10. Licensed material may be used or stored at the licensee's facilities located at 3 Simm Lane, Newtown, Connecticut and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States.

If the jurisdiction status of a Federal facility within an Agreement State is unknown, the licensee should contact the Federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive Federal jurisdiction. Authorization for use of radioactive materials at job sites in Agreement States not under exclusive Federal jurisdiction shall be obtained from the appropriate state regulatory agency.

11. Licensed material shall be used by, or under the supervision and in the physical presence of, individuals who have received the training described in the application dated April 18, 2011 and the letter dated June 18, 2011. The licensee shall maintain individual training records for 3 years.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
06-30610-01Docket or Reference Number  
030-35611

Amendment No. 6

12. The Radiation Safety Officer for this license is Philip C. Palilla.
13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Tests for leakage and/or contamination, limited to leak test sample collection, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is not authorized to perform the analysis; analysis of leak test samples must be performed by persons specifically licensed by U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
14. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
15. The licensee may detach the source or source rod from gauges for the purpose of cleaning, maintenance, or repair of the gauges in accordance with procedures outlined in the application dated April 18, 2011 and the letter dated June 18, 2011.
16. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
06-30610-01Docket or Reference Number  
030-35611

Amendment No. 6

17. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
18. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated April 18, 2011 (ML111150015)  
B. Letter dated May 11, 2011 (ML111360150)  
C. Letter dated June 18, 2011 (ML111741026)



For the U.S. Nuclear Regulatory Commission

Date February 2, 2012

By

***Original signed by Kathy Modes***Kathy Modes  
Decommissioning Branch  
Division of Nuclear Materials Safety  
Region I  
King of Prussia, Pennsylvania 19406