

February 14, 2012

FINAL SAFETY ANALYSIS REPORT SECTION 6.4  
CHEMICAL ANALYSIS AUDIT PLAN

February 16, 2012

NORTH ANNA UNIT 3 FSAR APPLICATION  
Dominion Energy, Inc.  
Docket 52-017

Location: Enercon Services, Inc.  
12420 Milestone Center Dr.  
Germantown, MD

Purpose:

The purpose of this audit is to review calculations method and indentify the input related to the control room habitability calculations during a postulated hazardous chemical release. The audit will evaluate the calculation details for the Dominion Virginia Power North Anna Unit 3 Final Safety Analysis Report (FSAR) Section 6.4.

Background:

North Anna Unit 3 chemical analysis reports, "25161-ENV-505, US-APWR Onsite Chemical Hazards Analysis, Revision 3" and "25161-ENV-507, US-APWR Unit 3, Offsite Chemical Hazards Analysis, Revision 2" have been audited by the NRC staff on July 2011.

In the applicant's calculation of the case of postulated Dimethylamine (40 percent) solution release inside the turbine building, the puddle was assumed to be contained by a dike with an area of 20 m<sup>2</sup>. A dike of this size or smaller (i.e., forming a deeper puddle) was necessary in order to alleviate the threat from this chemical. The U.S. Nuclear Regulatory Commission (NRC) staff could not verify in the FSAR committing the dike design. A Request for Additional Information (RAI) 5953 was generated to request more information from the applicant.

In its response to RAI 5953, dated December 12, 2011, the applicant stated that:

The confinement of a 40% dimethylamine solution spill is not required to satisfy GDC 19, but is required for the delayed ignition explosion hazard analysis. Calculation "25161-ENV-505, US-APWR Onsite Chemical Hazards Analysis" has been revised to include an additional chemical hazard evaluation for main control room (MCR) habitability, assuming an unconfined, uniform 1 cm deep spill of 40% dimethylamine solution. For comparison, Table 1 shows the unconfined spill toxicity hazard results along with the confined spill toxicity hazard results from FSAR Table 6.4-201.

The NRC staff would like to audit the revised calculation "25161-ENV-505" to confirm that the applicant's analysis is satisfactory according to regulatory bases.

Regulatory Audit Bases:

To satisfy the licensing requirements the following regulatory bases are identified below:

- Regulatory Guide 1.78 "Evaluating the Habitability of a Nuclear Power Plant Control Room During a Postulated Hazardous Chemical Release", Revision 1
- General Design Criteria (GDC) 4, "Environmental and Dynamic Effects Design Bases," of Title 10 of the *Code of Federal Regulations* (10 CFR) Part 50, Appendix A
- GDC Criteria 19, "Control Room," of 10 CFR Part 50, Appendix A

Regulatory Audit Scope:

The scope of regulatory audit will be focusing on attributes listed below:

- Computer models
- Input parameters
- Assumptions
- Chemical release scenario
- Environmental conditions
- Control room chemical concentration history

Team Assignment:

John McKirgan – Lead Auditor  
Nan Chien – Team Member  
Ruth Reyes – Project Manager

Logistics:

The audit is planned for February 16, 2012, at the office of Enercon Services, Inc. located in Germantown, Maryland.

Special Requests:

Appropriate handling and protection of proprietary information shall be acknowledged and observed throughout the audit.

Deliverables:

The NRC staff may request an ad-hoc extension of the audit if findings during the ongoing audit reveal the need for additional time. Such an extension will be requested before the audit is adjourned by the NRC staff responsible for the audit. An audit report will be generated after the completion of the audit. The audit outcome will be used to identify any additional information and issuance of further RAls for the licensing review of the US-APWR North Anna Unit 3 FSAR Application, Section 6.4.

Deliverables:

The NRC staff may request an ad-hoc extension of the audit if findings during the ongoing audit reveal the need for additional time. Such an extension will be requested before the audit is adjourned by the NRC staff responsible for the audit. An audit report will be generated after the completion of the audit. The audit outcome will be used to identify any additional information and issuance of further RAls for the licensing review of the US-APWR North Anna Unit 3 FSAR Application, Section 6.4.

DISTRIBUTION:

PUBLIC	RReyes, NRO	NRORidsNroLACSmith
NMIP R/F	RidsAcrsAcnwMailCenter	CPatel, NRO
D081	RidsNroDnrlNmip	NChien, NRO
RidsOgcMailCenter	RidsOpaMailCenter	JMcKirgan, NRO

ADAMS Accession No.: ML120340250

NRC-001

OFFICE	DNRL/NMIP: PM	DNRL/NMIP: LA	DNRL/NMIP: PM	DNRL/NMIP: BC	DNRL/NMIP: PM
NAME	RReyes	SGreen	CPatel	HHamzehee	RReyes(signed)
DATE	02/13/2012	02/09/2012	02/13/2012	02/14 /2012	02/14/2012

OFFICIAL RECORD COPY

COL - North Anna Mailing List

(Revised 01/26/2012)

cc:

Friends of Lake Anna  
c/o Harry Ruth  
230 Heather Drive  
Bumpass, VA 23024

Attorney General  
Office of the Attorney General  
Commonwealth of Virginia  
900 East Main Street  
Richmond, VA 23219

C. Douglas Barnes  
Spotsylvania County Administrator  
P.O. Box 99  
Spotsylvania, VA 22553-0099

Mr. Jim Debiec  
Director - Power Production  
Old Dominion Electric Cooperation  
4201 Dominion Blvd.  
Glen Allen, VA 23060

Mr. R. Christian Eudailey  
Director  
Department of Fire, Rescue, and  
Emergency Services  
County of Spotsylvania  
P.O. Box 818  
Spotsylvania, VA 22553

Dr. Marc Holma  
Manager  
Office of Review and Compliance  
Virginia Department of Historic Resources  
2801 Kensington Avenue  
Richmond, VA 23221

Mr. Lawrence Katz  
218 Tara Woods Drive  
Bumpass, VA 23024

Mr. Edwin Keller  
Mayor  
Town of Mineral  
P.O. Box 316  
102 East First Street  
Mineral, VA 23117

Ms. Karen Mayne  
Supervisor  
Virginia Field Office  
U.S. Fish and Wildlife Service  
6669 Short Lane  
Gloucester, VA 23061

Ms. Karen A. McMahon  
15104 Cedar Lane  
Orange, VA 22960-9108

Mr. Dale G. Mullen  
County Administrator  
Louisa County  
P.O. Box 160  
Louisa, VA 23093

Karen Remley  
State Health Commissioner  
Office of the Commissioner  
Virginia Department of Health  
P.O. Box 2448  
Richmond, VA 23218

Mr. William C. Rolfe  
County Administrator-Orange County  
P.O. Box 111  
Orange, VA 22960

## COL - North Anna Mailing List

### Email

acpasswater@aol.com (Al Passwater)  
APH@NEI.org (Adrian Heymer)  
awc@nei.org (Anne W. Cottingham)  
BrinkmCB@westinghouse.com (Charles Brinkman)  
cberger@energetics.com (Carl Berger)  
chris.funderburk@dom.com (Chris Funderburk)  
david.christian@dom.com (David Christian)  
David\_Sommers@dom.com (David Sommers)  
dbarnes@spotsylvania.va.us (C. Douglas Barnes)  
Derlinda.Bailey@chguernsey.com (Derinda Bailey)  
ed.burns@earthlink.net (Ed Burns)  
elirons@deq.virginia.gov (Ellie Irons)  
ero@nrc.gov (Eric Oesterle)  
gcesare@enercon.com (Guy Cesare)  
GovePA@BV.com (Patrick Gove)  
gzinke@entergy.com (George Alan Zinke)  
jerald.head@ge.com (Jerald G. Head)  
Jim.Kinsey@inl.gov (James Kinsey)  
Joseph\_Hegner@dom.com (Joseph Hegner)  
lchandler@morganlewis.com (Lawrence J. Chandler)  
ldwilkinson@gmail.com (Linda Wilkinson)  
lillian.cuoco@dom.com (Lillian Cuoco)  
marilyn.kray@exeloncorp.com  
mark.beaumont@wsms.com (Mark Beaumont)  
Mark.Crisp@chguernsey.com (Mark Crisp)  
michael.cline@vdm.virginia.gov (Michael M. Cline)  
mike\_moran@fpl.com (Mike Moran)  
mpmurphy@deq.virginia.gov (Michael Murphy)  
MSF@nei.org (Marvin Fertel)  
patriciaL.campbell@ge.com (Patricia L. Campbell)  
Richard.Reister@nuclear.energy.gov (Rich Reister)  
RJB@NEI.org (Russell Bell)  
sandra.sloan@areva.com (Sandra Sloan)  
sfrantz@morganlewis.com (Stephen P. Frantz)  
stephan.moen@ge.com (Stephan Moen)  
tafaha@deq.virginia.gov (Tom Faha)  
tdurkin@energetics.com (Tim Durkin)  
tim.lough@scc.virginia.gov (Dr. William Lough)  
Tom.Bilik@nrc.gov (Thomas Bilik)  
tom.miller@hq.doe.gov (Tom Miller)  
tom.wilcox@dgif.virginia.gov (Thomas Wilcox)  
Tony\_Banks@dom.com (Tony Banks)  
Vanessa.quinn@dhs.gov (Vanessa Quinn)  
Vicki\_Hull@dom.com (Vicki Hull)

COL - North Anna Mailing List

Wanda.K.Marshall@dom.com (Wanda K. Marshall)  
wayne.marquino@ge.com (Wayne Marquino)  
wparrish@spotsylvania.va.us (Wanda Parrish)  
zoning@spotsylvania.va.us (Troy Tignor)