

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee 1. Straub Clinic & Hospital 2. 888 South King Street Honolulu, Hawaii 96813		In accordance with letter dated January 5, 2012 3. License number 53-18126-01 is amended in Its entirety to read as follows: 4. Expiration date May 31, 2015 5. Docket No. 030-14529 Reference No.
6. Byproduct, source, and/or special nuclear material A. Any byproduct material permitted by 10 CFR 35.100 B. Any byproduct material permitted by 10 CFR 35.200 C. Any byproduct material permitted by 10 CFR 35.300 D. Any byproduct materials identified in 10 CFR 31.11 E. Yttrium-90	7. Chemical and/or physical form A. Any B. Any C. Any D. Prepackage Kits F. Unsealed liquid radiopharmaceutical sources (IDEC Pharmaceuticals Zevalin)	8. Maximum amount that licensee may possess at any one time under this license A. As needed B. As needed C. 1 curie D. 5 millicuries E. Not to exceed 2 sources, 110 millicuries total activity.
9. Authorized use: A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100. B. Any imaging and localization study permitted by 10 CFR 35.200. C. Any use permitted by 10 CFR 35.300. D. <u>In vitro</u> studies. E. To be used for dose calibrator checks and calibrations and quality assurance testing.		

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
53-18126-01Docket or Reference Number
030-14529

Amendment No. 25

CONDITIONS

9. Licensed material may be used or stored only at the licensee's facilities located at 888 South King Street, Honolulu, Hawaii.
10. The Radiation Safety Officer for this license is Virgil R. Jobe, M.D.
11. Licensed material is only authorized for use by, or under the supervision of:
- A. Individuals permitted to work as an authorized user, authorized nuclear pharmacist, and/or authorized medical physicist in accordance with 10 CFR 35.13 and 35.14.
- B. The following individuals are authorized users for the material and medical uses indicated:

Authorized UsersMaterial and Use

Marc Coel, M.D.

35.100, 35.200, 35.300, and 31.11

Sandi Kwee, M.D.

35.100, 35.200, 35.300, and 31.11

John P. Kristofich, M.D.

35.100, 35.200

Shay J. Lee

35.100, 35.200, 35.300

Douglas A. Prager, M.D.

35.100, 35.200, 35.300

Brian T. Sinclair, M.D.

35.100, 35.200, and 31.11

12. For sealed sources not associated with 10 CFR Part 35 use, the following conditions apply:
- A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- D. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
53-18126-01Docket or Reference Number
030-14529

Amendment No. 25

- E. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region IV, 1600 East Lamar Boulevard, Arlington, Texas 76011-4511, ATTN: Director, Division of Nuclear Materials Safety. The report shall specify the source involved, the test results, and corrective action taken.
- G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- H. Records of leak test results shall be kept in units of microcuries and shall be maintained for 3 years.
14. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
15. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
53-18126-01Docket or Reference Number
030-14529

Amendment No. 25

16. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated January 12, 2005 (ML050280347)
B. Letter dated August 31, 2005 (ML052730143)
C. Letter dated July 24, 2008 (ML082490611)



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

/RA/

Date February 8, 2012

By

Lizette Roldán-Otero, Ph.D., Health Physicist
Nuclear Materials Safety Branch B
Region IV
Arlington, Texas 76011-4511