

Roldan, Lizette

From: Roldan, Lizette
Sent: Thursday, May 31, 2012 10:47 AM
To: 'alaskaexcavatingllc@yahoo.com'
Subject: REQUEST FOR ADDITIONAL INFORMATION REGARDING NEW LICENSE APPLICATION CONTROL 577544
Attachments: apph-errata.pdf

Docket: 030-38548
License: 50-29442-01
Control: 577544

Dear Mr. Alborn:

This is in reference to your application dated May 16, 2012 requesting Nuclear Regulatory Commission License No. 50-29442-01. In order to continue our review, we need the following additional information:

1. Please confirm you will implement and maintain the operating, emergency and security procedures in Errata: Appendix H of NUREG-1556, Vol 1. Rev. 1, Dated November 2001, and provide copies of these procedures to all gauge users and at each job site.

Note: Errata: Appendix H of NUREG-1556, Vol 1. Rev. 1 is attached to this e-mail for your convenience.

Current NRC regulations and guidance are included on the NRC's website at www.nrc.gov; select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material**; then **Regulations, Guidance, and Communications**. You may also obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-866-512-1800. The GPO is open from 7:00 a.m. to 6:30 p.m. EST, Monday through Friday (except Federal holidays).

We will continue our review upon receipt of this information. Please reply to my attention and refer to Mail Control No. 577544. You may attach your response as a PDF document via e-mail, or fax it to (817) 200-1188. If you have any technical questions regarding this deficiency letter, please call me at (817) 200-1596.

If we do not receive a reply from you by **June 29, 2012** we will assume that you do not wish to pursue your license request and the action will be voided without prejudice to the resubmission of a new license application.

Sincerely,

Lizette Roldán-Otero, Ph.D.

Health Physicist
U.S. Nuclear Regulatory Commission
1600 E. Lamar Blvd.
Arlington, TX 76011-4511
Office: 817-200-1596
Fax: 817-200-1188

Alaska Excavating LLC

An Alaskan Family in Business since 1949

4900 Fairbanks Street

Anchorage, AK 99503

907-522-7800

Fax # 907-522-7801

05/31/12

Lizette Roldan-Otero, Ph.D.

Health Physicist

US Nuclear Regulatory Commission

1600 E. Lamar Blvd

Arlington, TX 76011-4511

Docket: 030-38548

License: 50-29442-01

Control: 577544

RE: Operating, Emergency and Security Procedures

Ms. Roldan-Otero:

In compliance to the NRC requirement specific to the Errata: Appendix H of NUREG-1556, Vol 1, Rev. 1, Dated November 2001, Alaska Excavating will implement and maintain the operating, emergency and security procedures as directed.

All gauge users at each job site will be provided a copy of the procedure manual. An acknowledgement of receipt for the manual will be signed by each user and kept on file at the corporate office.

Regards,



Dave Alborn

Owner/Project Manager

AlaskaExcavatingllc@yahoo.com