

Mark J. Ajluni, P.E.
Nuclear Licensing Director

**Southern Nuclear
Operating Company, Inc.**
40 Inverness Center Parkway
Post Office Box 1295
Birmingham, Alabama 35201

Tel 205.992.7673
Fax 205.992.7885



June 8, 2012

Docket Nos.: 50-424
50-425

NL-12-1077

U. S. Nuclear Regulatory Commission
ATTN: Document Control Desk
11555 Rockville Pike
Rockville, MD 20852

Vogtle Electric Generating Plant – Units 1 & 2
Southern Nuclear Operating Company Response to NRC Request for Information
Pursuant to Title 10 of the Code of Federal Regulations 50.54(f) Regarding the
Flooding Aspects of Recommendations 2.1 and 2.3 of the Near-Term Task Force
Review of Insights from the Fukushima Daiichi Accident

References:

1. NRC Letter, *Request for Information Pursuant to Title 10 of the Code of Federal Regulations 50.54(f) Regarding Recommendations 2.1, 2.3, and 9.3, of the Near-Term Task Force Review of Insights from the Fukushima Dai-ichi Accident*, dated March 12, 2012
2. NRC Letter, *Prioritization of Response Due Dates for Request for Information Pursuant to Title 10 of the Code of Federal Regulations 50.54(f) Regarding Flooding Hazard Reevaluations for Recommendation 2.1 of the Near-Term Task Force Review of Insights from the Fukushima Daiichi Accident*, dated May 11, 2012]
3. NRC Letter, *Endorsement of Nuclear Energy Institute (NEI) 12-07, "Guidelines for Performing Verification Walkdowns of Plant Flood Protection Features"*, dated May 31, 2012

Ladies and Gentlemen:

On March 12, 2012, the NRC issued Reference 1 to all power reactor licensees and holders of construction permits in active or deferred status. Enclosures 2 and 4 of Reference 1 contain specific Requested Actions, Requested Information, and Required Responses associated with Recommendations 2.1 and 2.3 for Flooding Evaluations and Walkdowns. This letter provides Southern Nuclear Operating Company's (SNC) 90 day response to Reference 1 for Vogtle Electric Generating Plant (Vogtle).

Recommendation 2.1: Flooding

The response date for Vogtle's flood hazard evaluation was identified in Reference 2 as March 12, 2013, which corresponds to one year from the date of Reference 1. SNC plans to comply with the requested response date.

SNC plans to meet the requested date for the other required responses in Enclosure 2 of Reference 1. Specifically, an approach for developing an Integrated Assessment for Vogtle will be submitted 60 days after the NRC endorses Integrated Assessment Guidance. In addition, an Integrated Assessment report for Vogtle, if it is necessary, will be submitted 2 years after the flood evaluation is submitted.

Recommendation 2.3: Flooding


For flooding recommendation 2.3 (walkdowns), Enclosure 4 of Reference 1 states that each licensee is to confirm that it will use the NRC-endorsed flooding walkdown procedure or provide a description of the process it will use.

SNC confirms that it will use the flooding walkdown procedure (NEI 12-07, "Guidelines for Performing Verification Walkdowns of Plant Flood Protection Features") endorsed by Reference 3 as the basis for the flooding walkdowns at Vogtle.

SNC plans to comply with the response timeline in Enclosure 4 of Reference 1. Specifically, SNC will submit a report documenting the results of its flooding design basis walkdowns at Vogtle on November 27, 2012, which corresponds to 180 days after NRC endorsement of the generic guidance.

This letter contains no NRC commitments. If you have any questions, please contact Jack Stringfellow at (205) 992-7037.

Mr. M. J. Ajluni states he is Nuclear Licensing Director of Southern Nuclear Operating Company, is authorized to execute this oath on behalf of Southern Nuclear Operating Company and, to the best of his knowledge and belief, the facts set forth in this letter are true.

Sworn to and subscribed before me this 8th day of June, 2012.

Notary Public

My commission expires: 11-2-2013

Respectfully submitted,



M. J. Ajluni
Nuclear Licensing Director

MJA/CLN/lac

U. S. Nuclear Regulatory Commission

NL-12-1077

Page 3

cc: Southern Nuclear Operating Company

Mr. S. E. Kuczynski, Chairman, President & CEO

Mr. D. G. Bost, Executive Vice President & Chief Nuclear Officer

Mr. T. E. Tynan, Vice President – Vogtle

Mr. B. L. Ivey, Vice President – Regulatory Affairs

Mr. B. J. Adams, Vice President – Fleet Operations

RType: CVC7000

U. S. Nuclear Regulatory Commission

Mr. V. M. McCree, Regional Administrator

Mr. P. G. Boyle, NRR Senior Project Manager - Vogtle

Mr. L. M. Cain, Senior Resident Inspector – Vogtle

State of Georgia

Mr. J. H. Turner, Environmental Director Protection Division