

June 12, 2013

MEMORANDUM TO: Those on Attached List

FROM: Jennifer L. Uhle, Chairman */RA/*
Watts Bar Nuclear Plant, Unit 2 Reactivation Assessment Group

Joel T. Munday, Vice Chairman */RA/*
Watts Bar Nuclear Plant, Unit 2 Reactivation Assessment Group

SUBJECT: REVISION 2 TO WATTS BAR NUCLEAR PLANT, UNIT 2,
REACTIVATION ASSESSMENT GROUP CHARTER

By memorandum dated July 10, 2009 (Agencywide Document Access and Management System (ADAMS) Accession No. ML091250168), the Watts Bar Unit 2 Reactivation Assessment Group (WRAG) was established with a charter. By memorandum dated March 24, 2010, (ADAMS Accession No. ML100630780) Revision 1 to the WRAG charter deleted all references to voting. Enclosed is Revision 2 to the WRAG charter that updates the members by no longer listing specific names but by referring to job titles, changes the Chairman from the Deputy Director Office of Nuclear Reactor Regulation to the Director of Division of Operating Reactor Licensing, updates the projected completion of the project, and provides additional guidance on the frequency of meetings based on the project schedule. This change to the charter is deemed not to reduce the overall effectiveness in meeting the objectives delineated in the project priorities under Section 4 of the charter; therefore, the Chairman and Vice Chairman of the WRAG are jointly authorized to make the change to the charter.

Docket No. 50-391

Enclosure:
Revision 2 to WRAG Charter

CONTACT: J. Poole, NRR/DORL
301-415-2048

June 12, 2013

MEMORANDUM TO: Those on Attached List

FROM: Jennifer L. Uhle, Chairman */RA/*
Watts Bar Nuclear Plant, Unit 2 Reactivation Assessment Group

Joel T. Munday, Vice Chairman */RA/*
Watts Bar Nuclear Plant, Unit 2 Reactivation Assessment Group

SUBJECT: REVISION 2 TO WATTS BAR NUCLEAR PLANT, UNIT 2,
REACTIVATION ASSESSMENT GROUP CHARTER

By memorandum dated July 10, 2009 (Agencywide Document Access and Management System (ADAMS) Accession No. ML091250168), the Watts Bar Unit 2 Reactivation Assessment Group (WRAG) was established with a charter. By memorandum dated March 24, 2010, (ADAMS Accession No. ML100630780) Revision 1 to the WRAG charter deleted all references to voting. Enclosed is Revision 2 to the WRAG charter that updates the members by no longer listing specific names but by referring to job titles, changes the Chairman from the Deputy Director Office of Nuclear Reactor Regulation to the Director of Division of Operating Reactor Licensing, updates the projected completion of the project, and provides additional guidance on the frequency of meetings based on the project schedule. This change to the charter is deemed not to reduce the overall effectiveness in meeting the objectives delineated in the project priorities under Section 4 of the charter; therefore, the Chairman and Vice Chairman of the WRAG are jointly authorized to make the change to the charter.

Docket No. 50-391

Enclosure:
Revision 2 to WRAG Charter

CONTACT: J. Poole, NRR/DORL
301-415-2048

DISTRIBUTION:

Non-Public	RidsNrrPMWattsBar2 Resource	RidsRgn2MailCenter Resource
LPL2-2 Reading File	RidsNrrLABClayton Resource	RidsOgcRp Resource
RidsNrrDorlLpl2-2 Resource	RidsEdoMailCenter Resource	RidsAcrcAcnw_MailCTR Resource
RidsNrrOd Resource	RidsNrrDorl Resource	

ADAMS Accession: ML12163A406

*by email

OFFICE	LPL2-2/PM	LPL2-2/LA	LPL2-2/BC	R-II/DCP/BC	R-II/DCP/D	DORL/D	NRR
NAME	JPoole	BClayton	JQuichocho	RHaag*	JMunday	MEvans	JUhle
DATE	04/25/13	04/25/13	05/06/13	05/14/13	06/11/13	06/03/13	06/12/13

OFFICIAL RECORD COPY

Memorandum from Jennifer L. Uhle and Joel T. Munday dated June 12, 2013.

SUBJECT: REVISION 2 TO WATTS BAR NUCLEAR PLANT, UNIT 2,
REACTIVATION ASSESSMENT GROUP CHARTER

ADDRESSEES:

Michele G. Evans, Director
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Jessie F. Quichocho, Chief
Plant Licensing Branch II-2
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Justin C. Poole, Senior Project Manager
Plant Licensing Branch II-2
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Fred D. Brown
Deputy Regional Administrator for Construction
Region II

Robert C. Haag, Chief
Construction Projects Branch 3
Division of Construction Projects
Region II

Tomy Nazario, Senior Resident Inspector
Watts Bar Nuclear Plant, Unit 2
Region II

REVISION 2 TO CHARTER
WATTS BAR NUCLEAR PLANT, UNIT 2
REACTIVATION ASSESSMENT GROUP

1. The Group's official designation:

Watts Bar Unit 2 Reactivation Assessment Group (WRAG).

2. The Group's objective, background, regulatory framework, and the scope of activities:

PROJECT AND WRAG AUTHORIZATION

On March 4, 2009, the Tennessee Valley Authority (TVA) updated its original application for an operating license (OL) for Watts Bar Unit 2. The original application dated June 30, 1976, was for both Watts Bar Units 1 and 2, which the Nuclear Regulatory Commission (NRC) found acceptable for docketing on September 15, 1976. On February 7, 1996, the NRC issued a full-power OL authorizing TVA to operate Watts Bar Unit 1. However, TVA has not completed construction of Watts Bar Unit 2. TVA has now reactivated construction of Watts Bar Unit 2 and its most recent schedule indicates construction will be completed in the late 2014 to mid 2015 timeframe. A notice of receipt of an update to the OL application and opportunity for hearing was published in the *Federal Register* on May 1, 2009.

The review of the OL application will be conducted by the Office of Nuclear Reactor Regulation (NRR), as described in Office Instruction LIC-110, "Watts Bar 2 License Application Review." This Office Instruction authorizes the formation of an assessment group consisting of participants from NRR (primarily Division of Operating Reactor Licensing (DORL), with support from other divisions as necessary), Region II, and Office of Nuclear Security and Incident Response (NSIR) to oversee project completion. In addition to its oversight role, the group will serve as the focal point for status of the project and for coordination between the Region and the Offices at Headquarters. The inspection manual programs for construction, preoperational testing and operational preparedness, and startup testing phases (Inspection Manual Chapters (IMCs) 2512, 2513, and 2514) were reactivated for use at Watts Bar Unit 2. IMC 2517, "Watts Bar Unit 2 Construction Inspection Program," was issued on February 15, 2008, to (1) provide the policies and requirements for the Watts Bar Unit 2 construction inspection program, and (2) establish a record of the inspection activities, applicant actions and technical issues resolved to support the decision for issuing an OL.

This charter establishes and defines the responsibilities for the WRAG as it relates to the regulatory actions associated with the reactivation of construction and review of the OL application for operation of Watts Bar Unit 2.

OBJECTIVES

The WRAG will provide oversight and management direction to determine whether the required actions have been reviewed by the NRC staff, implemented successfully by TVA, and the NRC staff's findings and conclusions prepared to ensure that Unit 2 meets all the relevant regulatory requirements and can be safely operated. The WRAG will make a recommendation to the Director of NRR and Regional Administrator, Region II, at the appropriate time, whether the

activities discussed in NRR Office Instruction LIC-110 and NRC IMC 2517 have been successfully completed.

BACKGROUND

The Watts Bar facility, which is owned by TVA, is located in southeastern Tennessee approximately 50 miles northeast of Chattanooga, Tennessee. The facility consists of two Westinghouse-designed 4-loop pressurized-water reactors with ice condenser type containments.

In 1985, when Watts Bar Unit 1 was essentially complete and nearly ready to receive an OL, TVA suspended its construction activities and voluntarily shut down its other operating facilities to address performance and management issues. Following the shutdowns, TVA developed a Nuclear Performance Plan (NPP) establishing Corrective Action and Special Programs to address the corporate and site-specific deficiencies. The NRC staff reviewed TVA's NPP components for Watts Bar Unit 1 and documented its evaluations in NUREG-1232, Volume 4, "Safety Evaluation Report on Tennessee Valley Authority: Watts Bar Nuclear Performance Plan, Watts Bar Unit 1" (January 1990). TVA successfully implemented NPP activities at Watts Bar Unit 1. The NRC staff documented satisfactory resolution of NPP topics for Watts Bar Unit 1 in NUREG-0847, Supplements 5 through 20.

During this time, TVA focused its effort on Watts Bar Unit 1 and suspended construction of Unit 2, with major structures in place, most equipment installed, and the unit about 85 percent completed at the time. On July 14, 2000, TVA informed the NRC that Watts Bar Unit 2 met the NRC's definition for deferred nuclear plant units as described in the Commission's Policy Statement on Deferred Plants, 52 FR 38077 (Oct. 14, 1987). By letter dated August 3, 2007, TVA informed the NRC of its intention to reactivate and complete construction activities at Watts Bar Unit 2. During this long construction delay, TVA retained the construction permit. For the majority of the construction delay, TVA implemented preservation and maintenance activities at Unit 2 consistent with the Commission's Policy Statement on deferred plants. NRC performed periodic inspections of layup program for Unit 2 during the construction delay.

REGULATORY FRAMEWORK

By letters dated January 29, and March 13, 2008, TVA submitted its regulatory framework for the completion of construction and licensing for Unit 2. TVA indicated that it would align the licensing and design bases of Watts Bar Units 1 and 2 to the fullest extent possible and also comply with applicable regulations promulgated prior to and after the issuance of the Watts Bar Unit 1 OL. The Commission, in its Staff Requirements Memorandum (SRM) SECY-07-096, directed the NRC staff to use the current licensing basis for Unit 1 as the reference basis for the review and licensing of Unit 2.

NRR Office Instruction LIC-110, dated September 2, 2008, provides NRC staff guidance to ensure a complete and high-quality review of the documentation supporting the OL application for Watts Bar Unit 2. Similarly, on February 15, 2008, IMC 2517 was issued to provide guidance for inspection and performance assessment for Watts Bar Unit 2 construction activities.

PROJECT PRIORITIES

- a. Comply with the directions provided by the Commission in SRM SECY-07-0096.
- b. Conduct a thorough review of the OL application in accordance with the applicable regulations and guidance and complete all activities described in LIC-110.
- c. Complete all inspections in accordance with IMC 2517 to verify that the facility is constructed in accordance with the approved design.
- d. Ensure effective integration of licensing and inspection activities
- e. Ensure that quality documents are prepared that clearly describe the basis for any NRC staff conclusion.
- f. Ensure that the NRC staff is adequately prepared to support meetings and hearings.
- g. Maintain adherence to the project schedule, including all interim milestones.

SCOPE OF ACTIVITIES

The WRAG Panel shall:

- a. Understand the basis for reactivation of Watts Bar Unit 2 from its deferred plant status and provide assurance that associated key issues have been adequately resolved in accordance with LIC-110 and IMC 2517. This effort should take into consideration the fact that layup activities for the unit were limited for a period of time.
- b. Provide oversight for overall project planning between the NRC offices participating in the review of Watts Bar Unit 2 OL application. In addition, serve as the focal point for status of the project and for coordination between the Region and the Headquarters Offices, including periodic status briefings to the Director of NRR and the Regional Administrator, Region II.
- c. Provide coordinated resource development for the budget process.
- d. Communicate licensing and technical issues to NRC management, and internal and external stakeholders.
- e. Ensure effective safety/security/emergency planning interface coordination with Unit 1.
- f. Maintain and periodically issue Watts Bar Unit 2 Reactivation Issues List, and obtaining senior management attention on special issues, as necessary.
- g. Ensure that adequate inspections are conducted for TVA's Corrective Action Programs and Special Programs, and other improvement processes developed to address the original shutdown of the unit.

- h. Maintain an ongoing overview of the applicant's reactivation process and conduct periodic meetings among members of the WRAG to assess NRC ongoing inspections and to resolve technical and regulatory issues that may arise.
- i. Conduct periodic meetings with the applicant to discuss progress of the reactivation effort and identify ways to enhance NRC oversight of the project.
- j. Recommend whether or not an independent design verification program by the NRC staff is required to independently verify that key aspects of the plant have been designed properly.
- k. Provide oversight for the established Watts Bar Unit 2 Reactivation Communication Plan to ensure key stakeholders are informed of the review status.
- l. Provide coordination and oversight of the applicant's pre-operational and startup testing programs in accordance with IMCs 2513 and 2514.
- m. Based on the satisfactory completion of licensing and inspection issues, provide a recommendation to the Regional Administrator, Region II, and the Director, NRR, for issuance of an OL.

WRAG DURATION

The WRAG will be in effect until a final agency decision is made on issuance of a full-power OL, or until such time as mutually agreed upon by the Director of NRR and the Regional Administrator, Region II.

REPORTING RESPONSIBILITY

The official to whom this Group reports will be the Director of NRR.

WRAG MEMBERSHIP

Chairman:	Director, DORL, NRR
Alternate:	Deputy Director, DORL, NRR
Vice Chairman:	Director, DCP, Region II
Alternate:	Deputy Director, DCP, Region II
Members:	Plant Licensing Branch II-2 Branch Chief, DORL, NRR Watts Bar Unit 2 Project Manager, DORL, NRR Watts Bar Unit 2 Branch Chief, DCP, Region II Watts Bar Unit 2 Senior Resident Inspector
Alternates:	Backup Watts Bar Unit 2 Project Manager, DORL, NRR – for Project Manager Watts Bar Unit 2 Sr. Project Engineer, DCP, Region II – for DCP Branch Chief Watts Bar Unit 2 Resident Inspector – for Senior Resident Inspector

A quorum for acceptance of decisions will consist of the Chairman or Vice Chairman and three other members or their alternates.

Other members may include representative NRC staff from NSIR, Nuclear Material Safety and Safeguards, Office of the General Counsel and other offices, as necessary, and other NRR and Region II support staff members who may assist the WRAG in its activities.

ESTIMATED NUMBER AND FREQUENCY OF GROUP PUBLIC MEETINGS

Two or more meetings per year (or as needed based on the pace of licensing and inspection activities); occurring about once every 6 months and beginning in the fall of 2009.

3. Assumptions and Constraints

The objectives of this charter and the implementation of the project activities assume that the budgets for each fiscal year covering the project duration will be adequate to support the actions defined in LIC-110 and IMC 2517.

The completion of the project is constrained by the ability of TVA to complete construction activities and to provide quality documentation to support the NRC staff's review in a timely fashion to maintain schedule adherence.

4. Revisions to the Charter

The Chairman and Vice Chairman are jointly authorized to make changes to this charter that do not reduce its overall effectiveness in meeting the objectives delineated in the project priorities, such as changes in membership, without the prior concurrence of the approval authority.

5. This charter is approved for implementation on July 10, 2009:

 /RA/
Eric J. Leeds, Director
Office of Nuclear Reactor Regulation

 /RA/
Luis A. Reyes, Regional Administrator
Region II