

June 8, 2012

Lizette Roldán-Otero, Ph.D.  
US Nuclear Regulatory Commission Region IV  
Nuclear Materials Licensing Branch  
611 Ryan Plaza Drive, Suite 400  
Arlington, Texas 76011-8064  
Fax: 817-860-8263


**RE: Amendment of License #11-27312-01**

Dear Dr. Roldán-Otero:

I am requesting to add Michael Alan Fuchs, MD and Loren Camille Macey, MD as authorized users for 10 CFR 35.100 and 35.200. They meet the criteria specified in 10 CFR 35.190(a) and 35.290(a). I have included a copy of their Board Certification and Training Attestation (NRC Form 313A).

Please contact me at 208-381-3192 if you need anything else on this matter.

Sincerely,



Jefferson Fairbanks, PhD  
Radiation Safety Officer  
[fairbanj@slhs.org](mailto:fairbanj@slhs.org)

577631

**AUTHORIZED USER TRAINING AND EXPERIENCE  
AND PRECEPTOR ATTESTATION**  
(for uses defined under 35.100, 35.200, and 35.500)  
[10 CFR 35.190, 35.290, and 35.590]APPROVED BY OMB: NO. 3150-0120  
EXPIRES: 3/31/2012

Name of Proposed Authorized User

Loren Camille Macey, MD

State or Territory Where Licensed

Idaho

Requested Authorization(s) (check all that apply)

☒ 35.100 Uptake, dilution, and excretion studies☒ 35.200 Imaging and localization studies☐ 35.500 Sealed sources for diagnosis (specify device \_\_\_\_\_)**PART I – TRAINING AND EXPERIENCE**  
(Select one of the three methods below)

\* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

☒ **1. Board Certification**

- Provide a copy of the board certification.
- If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.

☐ **2. Current 35.390 Authorized User Seeking Additional 35.290 Authorization**

- Authorized user on Materials License \_\_\_\_\_ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.
- Supervised Work Experience.  
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			

**Total Hours of Experience:**

Supervising Individual

License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements (check all that apply).

☐ 35.290 ☐ 35.390 + generator experience in 32.290(c)(1)(ii)(G)

**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Training and Experience for Proposed Authorized User**

**a. Classroom and Laboratory Training.**

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use (not required for 35.590)			
Radiation biology			
<b>Total Hours of Training:</b>			

- b. Supervised Work Experience (completion of this table is not required for 35.590).**  
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

<b>Supervised Work Experience</b>		<b>Total Hours of Experience:</b>	
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		<input type="checkbox"/> Yes <input type="checkbox"/> No	



**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Training and Experience for Proposed Authorized User (continued)**

**b. Supervised Work Experience. (continued)**

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Administering dosages of radioactive drugs to patients or human research subjects		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs		<input type="checkbox"/> Yes <input type="checkbox"/> No	

Supervising Individual

License/Permit Number listing supervising individual as an  
authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements (*check one*).

☐ 35.190    ☐ 35.290    ☐ 35.390    ☐ 35.390 + generator experience in 35.290(c)(1)(ii)(G)

**c. For 35.590 only, provide documentation of training on use of the device.**

Device	Type of Training	Location and Dates

**d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.**

## AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

## PART II - PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

## First Section

Check one of the following for each use requested:

## For 35.190

## Board Certification

☒ I attest that Loren Camille Macey, MD has satisfactorily completed the requirements in

Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

## Training and Experience

☐ I attest that \_\_\_\_\_ has satisfactorily completed the 60 hours of training and

Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

## For 35.290

## Board Certification

☒ I attest that Loren Camille Macey, MD has satisfactorily completed the requirements in

Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

## Training and Experience

☐ I attest that \_\_\_\_\_ has satisfactorily completed the 700 hours of training

Name of Proposed Authorized User

and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

## Second Section

Complete the following for preceptor attestation and signature:

☒ I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

☒ 35.190

☒ 35.290

☐ 35.390

☐ 35.390 + generator experience

Name of Preceptor

Christopher J. Jennings

Signature



Telephone Number

(208) 381-2094

Date

6/7/12

License/Permit Number/Facility Name

11-27312-01 St. Luke's Regional Medical



# The American Board of Radiology

*Organized through the cooperation of the  
American College of Radiology, the American Roentgen Ray Society,  
the American Radium Society, the Radiological Society of North America,  
the Section on Radiology of the American Medical Association,  
the American Society for Therapeutic Radiology and Oncology, the Association of  
University Radiologists, and American Association of Physicians in Medicine*

*Whereby certifies that*

**Michael Alan Huxis, MD**

*Has pursued an accepted course of graduate study  
and clinical work, has met certain standards and qualifications and  
has passed the examinations conducted under the authority of*

*The American Board of Radiology*

*On this fourth day of June, 2003*

*Whereby demonstrating to the satisfaction of the Board  
that he is qualified to practice the specialty of*

**Diagnostic Radiology**




Certificate No. 47376

*William H. Huxis*  
President

*Ray O. Huxis, MD*  
Secretary-Treasurer

*R.P. Huxis, MD*  
Executive Director



Valid through 2013

**AUTHORIZED USER TRAINING AND EXPERIENCE  
AND PRECEPTOR ATTESTATION**  
(for uses defined under 35.100, 35.200, and 35.500)  
[10 CFR 35.190, 35.290, and 35.590]APPROVED BY OMB: NO. 3150-0120  
EXPIRES: 3/31/2012

Name of Proposed Authorized User

Michael Alan Fuchs, MD

State or Territory Where Licensed

Idaho

Requested Authorization(s) (check all that apply)

- ☒ 35.100 Uptake, dilution, and excretion studies
- ☒ 35.200 Imaging and localization studies
- ☐ 35.500 Sealed sources for diagnosis (specify device \_\_\_\_\_)

**PART I – TRAINING AND EXPERIENCE**  
(Select one of the three methods below)

\* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

☒ **1. Board Certification**

- a. Provide a copy of the board certification.
- b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.

☐ **2. Current 35.390 Authorized User Seeking Additional 35.290 Authorization**

- a. Authorized user on Materials License \_\_\_\_\_ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.
- b. Supervised Work Experience.  
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			

**Total Hours of Experience:**

Supervising Individual

License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements (check all that apply).

- ☐ 35.290 ☐ 35.390 + generator experience in 32.290(c)(1)(ii)(G)



**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Training and Experience for Proposed Authorized User**

**a. Classroom and Laboratory Training.**

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use <i>(not required for 35.590)</i>			
Radiation biology			
<b>Total Hours of Training:</b>			

**b. Supervised Work Experience (completion of this table is not required for 35.590).**  
*(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)*

<b>Supervised Work Experience</b>		<b>Total Hours of Experience:</b>	
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		<input type="checkbox"/> Yes <input type="checkbox"/> No	



(3-2009)

## AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

## 3. Training and Experience for Proposed Authorized User (continued)

## b. Supervised Work Experience. (continued)

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Administering dosages of radioactive drugs to patients or human research subjects		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs		<input type="checkbox"/> Yes <input type="checkbox"/> No	

Supervising Individual

License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements (*check one*).
☐ 35.190    ☐ 35.290    ☐ 35.390    ☐ 35.390 + generator experience in 35.290(c)(1)(ii)(G)

## c. For 35.590 only, provide documentation of training on use of the device.

Device	Type of Training	Location and Dates

## d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.

## AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

## PART II - PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

## First Section

Check one of the following for each use requested:

## For 35.190

## Board Certification

☒ I attest that Michael Alan Fuchs, MD has satisfactorily completed the requirements in  
Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

## Training and Experience

☐ I attest that \_\_\_\_\_ has satisfactorily completed the 60 hours of training and  
Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

## For 35.290

## Board Certification

☒ I attest that Michael Alan Fuchs, MD has satisfactorily completed the requirements in  
Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

## Training and Experience

☐ I attest that \_\_\_\_\_ has satisfactorily completed the 700 hours of training  
Name of Proposed Authorized User

and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

## Second Section

Complete the following for preceptor attestation and signature:

☒ I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

☒ 35.190    ☒ 35.290    ☐ 35.390    ☐ 35.390 + generator experience

Name of Preceptor

Christopher J. Jennings, MD

Signature



Telephone Number

(208) 381-2094

Date

6/7/12

License/Permit Number/Facility Name

11-27312-01 St. Luke's Regional Medical Center



# The American Board of Radiology

*Organized through the cooperation of the  
American College of Radiology, the American Roentgen Ray Society,  
the American Radium Society, the Radiological Society of North America,  
the Section on Radiology of the American Medical Association,  
the American Society for Therapeutic Radiology and Oncology, the Association of  
University Radiologists, and American Association of Physicists in Medicine*

*Hereby certifies that*

**Loren Camille Macey, M.D.**

*Has pursued an accepted course of graduate study  
and clinical work, has met certain standards and qualifications and  
has passed the examinations conducted under the authority of*

*The American Board of Radiology*

*On this eleventh day of November, 2002*

*Thereby demonstrating to the satisfaction of the Board  
that she is qualified to practice the specialty of*


**Diagnostic Radiology**



*Wm. H. H. H.*  
President

*Edg. O. Alderson*  
Secretary-Treasurer

*R. P. H. H.*  
Executive Director



Certificate No. 47813

Valid through 2012

577621