



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
WASHINGTON, D.C. 20555-0001

June 27, 2012

Vice President, Operations  
Entergy Operations, Inc.  
River Bend Station  
5485 US Highway 61N  
St. Francisville, LA 70775

SUBJECT: RIVER BEND STATION, UNIT 1 - WITHDRAWAL OF A RELIEF REQUEST  
(TAC NO. ME7802)

Dear Sir or Madam:

By letter dated December 22, 2011, as supplemented by letter March 5, 2012 (Agencywide Documents Access and Management System (ADAMS) Accession Nos. ML12003A196 and ML12082A186, respectively), you applied for a relief request for River Bend Station, Unit 1. The proposed change would have approved an alternative to the post-weld heat treatment exemption of Table ND-4622.7 to utilize Code Case N-804, which provides post-weld heat treatment exemptions for these welds without the application of elevated preheat. Subsequently, by letter dated June 8, 2012 (ADAMS Accession No. ML12172A138), you withdrew the relief request.

The purpose of this letter is to advise you that the above-cited application is being treated as withdrawn. NRC staff activities on the review have ceased and the associated Technical Assignment Control number has been closed.

Sincerely,

A handwritten signature in black ink that reads "Alan Wang".

Alan Wang, Project Manager  
Plant Licensing Branch IV  
Division of Operating Reactor Licensing  
Office of Nuclear Reactor Regulation

Docket No. 50-458

cc: Distribution via Listserv

June 27, 2012

Vice President, Operations  
Entergy Operations, Inc.  
River Bend Station  
5485 US Highway 61N  
St. Francisville, LA 70775

SUBJECT: RIVER BEND STATION, UNIT 1 - WITHDRAWAL OF A RELIEF REQUEST  
(TAC NO. ME7802)

Dear Sir or Madam:

By letter dated December 22, 2011, as supplemented by letter March 5, 2012 (Agencywide Documents Access and Management System (ADAMS) Accession Nos. ML12003A196 and ML12082A186, respectively), you applied for a relief request for River Bend Station, Unit 1. The proposed change would have approved an alternative to the post-weld heat treatment exemption of Table ND-4622.7 to utilize Code Case N-804, which provides post-weld heat treatment exemptions for these welds without the application of elevated preheat. Subsequently, by letter dated June 8, 2012 (ADAMS Accession No. ML12172A138), you withdrew the relief request.

The purpose of this letter is to advise you that the above-cited application is being treated as withdrawn. NRC staff activities on the review have ceased and the associated Technical Assignment Control number has been closed.

Sincerely,  
/RA/

Alan Wang, Project Manager  
Plant Licensing Branch IV  
Division of Operating Reactor Licensing  
Office of Nuclear Reactor Regulation

Docket No. 50-458

cc: Distribution via Listserv

**DISTRIBUTION:**

PUBLIC

Branch Reading

RidsAcrcAcnw\_MailCTR Resource

RidsNrrDorIDpr Resource

RidsNrrDorILpl4 Resource

RidsNrrLAJBurkhardt Resource

RidsNrrPMRiverBend Resource

RidsOgcRp Resource

RidsRgn4MailCenter Resource

DAIley,NRR/DE/EPNB

**ADAMS Accession No. ML12177A193**

OFFICE	NRR/DORL/LPL4/PM	NRR/DORL/LPL4/LA	NRR/DORL/LPL4/BC	NRR/DORL/LPL4/PM
NAME	AWang	JBurkhardt	MMarkley	AWang
DATE	6/25/12	6/25/12	6/27/12	6/27/12

**OFFICIAL AGENCY RECORD**