

To: Leeds, NRR
Ref. G20120172

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

Cys: EDO
DEDMRT
DEDR
DEDCM
AO
RI
OGC

Mensah, NRR
Banic, NRR
Russell, NRR
Scott, OGC
Mercke, OEDO

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to *suspend the operation of the James A. FitzPatrick Nuclear Plant.*

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Stephen Goldberg Signature [Signature]
Date 6/12/12 Email: goldberg@adelphia.net
Address: 20 Carrollwood Dr. Tarrytown, NY 10591

Name (print): MICHAEL ARBINSKY Signature [Signature]
Date 6/12/12 Email: ARBINSKY@gmail.com
Address: Beacon NY 12508

Name (print): Helena Meade Signature [Signature]
Date 6/17/12 Email: lightkenny@gmail.com
Address: _____

Name (print): Laura Elias Signature [Signature]
Date 6/17/12 Email: laura7@verizon.net
Address: 3401 Victoria Dr. Mt Kisco NY 10549

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York


Dear Mr. Borchardt:


We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.


- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.


Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Pamela Drake Signature: 
Date: 6/17/12 Email: pdm2159@gmail.com
Address: 820 E. 16 St. Apt. 3B Brooklyn NY 11238

Name (print): John C. Parker Signature: 
Date: 6/17/12 Email: _____
Address: _____

Name (print): ROBERT RACHLIS Signature: 
Date: JUNE 17 2012 Email: ROBERACHL@AOL.COM
Address: 1016 E LAS ANIMAS LOS CO 80903

Name (print): JAMES E. MURPHY Signature: 
Date: 6/17/12 Email: IVETSFOR@GMAIL.COM
Address: 100 Hancock St Ithaca, NY 14850

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Joel Furst Signature Joel Furst
Date June 17, 2012 Email: FURST1553@gmail.com
Address: _____

Name (print): Allison Barlow Signature Allison Barlow
Date 6/17/12 Email: allybarlow@gmail.com
Address: 267 Lincoln Pl Apt 1B Brooklyn NY 11238

Name (print): Hamy Katz Signature Hamy Katz
Date 6/17/12 Email: hamykatz3@gmail.com
Address: 60 Knolls Crescent #9D Bronx, NY 10463

Name (print): Miriam Oppenheimer Signature Miriam Oppenheimer
Date 6/17/12 Email: peace.mir@temple.edu
Address: 4820 Osage Ave Phila. PA 19143

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York


Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Ari Abbott Signature: 
Date: 6/17/12 Email: Aribump@hotmail.com
Address: 4820 Sage ave phila-pa 19143

Name (print): Elaine Okin Signature: Elaine Okin
Date: 6/17/12 Email: erobbi570@gmail.com
Address: 570 Scarborough Rd, Branchburg NY 10510

Name (print): Meg Hertz Signature: Meg Hertz
Date: 6/17/12 Email: mchertz@aol.com
Address: 123 Highland's Lane White Plains, NY 10605

Name (print): Alex Van Inwegen Signature: Alex van Inwegen
Date: 6/17/12 Email: AVANINWEGEN@VERIZON.NET
Address: 175 Lorraine Avenue, Monticello NJ

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Joanna Price Signature [Signature]
Date 06.17.12 Email: joanna.price@hotmail.com
Address: _____

Name (print): Kwame Madden Signature Kwame Madden
Date 6/17/12 Email: barakabooks@yahoo.com
Address: 1107 Brown St Peekskill NY 10566

Name (print): Al Peterson Signature [Signature]
Date 6/17/12 Email: BaaBaSurya@aol.com
Address: 52 N Broadway WP NY 10013

Name (print): Sarah Sheffer Signature [Signature]
Date 6.17.12 Email: Sarah@docmito.com
Address: 300 E Evans #P174 West Chester PA 19380

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Shadac Martinez Signature Shadac Martinez
Date 6/17/12 Email: Shadac1994@yahoo.com
Address: 6 Aug St Brooklyn

Name (print): Mark Kotkin Signature Mark Kotkin
Date 6/17/12 Email: _____
Address: 10598

Name (print): Polly Pitts-Garvin Signature Polly Pitts-Garvin
Date 6-17-12 Email: _____
Address: 54 RRAVE AMERICA N.Y. 12501

Name (print): Joe Van Gelder Signature Joe Van Gelder
Date 6/17/12 Email: _____
Address: 252 Miner Rd., Porter Corners, N.Y. 12859

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York


Dear Mr. Borchardt:


We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.


- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.


Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Julie Norton Signature: 
Date: 6/10/12 Email: julien@dcnib.com
Address: 300 E Evans St. West Chester PA 19380

Name (print): Kealey Vighelino Signature: 
Date: 6/17/12 Email: _____
Address: _____

Name (print): Suzanna Sellinger Signature: 
Date: 6/17/12 Email: _____
Address: Woodstock, NY @

Name (print): Katelyn Jones Signature: 
Date: 6/17/12 Email: _____
Address: _____

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Ray Jensen Signature [Signature]

Date 6/17/12 Email: _____

Address: 1336 Lake Shore Dr. Massapequa Park New York 11762

Name (print): Mary Diebold Signature Mary Diebold

Date 6/17/12 Email: _____

Address: 366 Woodstock Ave. Glen Ellyn IL 60137

Name (print): Ralph Sicignano Signature Ralph Sicignano

Date 6-18-2012 Email: Sattva21@mac.com

Address: 122 Phyllis Dr. Lindenhurst, N.Y. 11757

Name (print): FRANK PASQUALE Signature [Signature]

Date 6/17/12 Email: _____

Address: 2137 45th Avenue Astoria NY 11105

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Mary Ellen Simmons Signature Mary Ellen Simmons

Date 6/17/12 Email: gotcats@ptd.net

Address: 33 Dawn Ave Akron, PA 17501

Name (print): Scott Livingstone Signature Scott Livingstone

Date 6-17-2012 Email: sal10075@gmail

Address: _____

Name (print): Keith Getz Signature Keith Getz

Date 6/17/2012 Email: go4kidg01@yahoo.com

Address: _____

Name (print): Valerie DeMarasse Signature Valerie DeMarasse

Date June 17/2012 Email: _____

Address: 96 Rose Hill Rd Accord NY

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.


Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): JOHN FRENCH Signature 

Date 6-17-12 Email: _____

Address: 224 ROLLING ST MALVERNE N.Y 11565

Name (print): SUZY HAMME Signature 


Date 6/17/12 Email: SUZYSdreams@comcast.net

Address: 1804 Roseview Ave. Lancaster, PA 17603

Name (print): JAMES LUCKWITZ Signature 

Date 6/17/12 Email: JimLuckwitz@verizon.net

Address: PO BOX 404 HIGH FALLS, NY

Name (print): Schuyler Forsythe Signature 

Date 6/17/12 Email: SchuylerForsythe@yahoo.com

Address: 18 church lane high falls Ny

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Sky Stern-Carney Signature [Signature]

Date 6-17-12 Email: Sky.Carney@falm.com

Address: P.O. Box 1333 05851 Lyndonville VT

Name (print): John & Nicole Franklin Signature [Signature]

Date 6/17/12 Email: Franklinhomestead@aatt.net

Address: Sandy Hook Ct. 06482 Torrington VT

Name (print): Ace Carter Signature [Signature]

Date 6/17/12 Email: Ace@wv.com

Address: 225 E 85th St NYC, NY 10018

Name (print): Jonathan Krull Signature [Signature]

Date June 17 2012 Email: jonathan.krull@gmail.com

Address: 24 Mtnview Dr. Cold Spring NY 10516

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): MAXINE SMITH Signature: Maxine Smith
Date: 6/17/12 Email: econosmith@att.net
Address: P.O. Box 439 Provincetown, MA 02657

Name (print): Cindy Joao Signature: Cindy Joao
Date: 6/17/12 Email: homebees@yahoo.com
Address: P.O. Box 23 New Paltz NY 12561

Name (print): Martha Cont'e Signature: Martha Cont'e
Date: 6/17/12 Email: marthafg@verizon.net
Address: 5 Stafford Pl W-P, NY 10604

Name (print): Harry Getfey Signature: Harry Getfey
Date: 6/17/12 Email: Harls.getfey@gmail.com
Address: 201 E 16th St. #4D 10003 NY, NY

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York


Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Douglas V. Winkler Signature 

Date 6/17/12 Email: dwinkler@yahoo.com

Address: 19 Plymouth Dr. S., Glen Head, NY 11545

Name (print): Barbara Anderson Signature 

Date 6/17/12 Email: _____

Address: 10 Mead Pond Lane Rye NY 10580

Name (print): Rebecca Larsen Signature 

Date 6/17/12 Email: beckalarsen@gmail.com

Address: 10 Maple Ave, Watford NY 12218

Name (print): Corrado Galbo Signature 

Date 6/17/12 Email: galbo55@aol.com

Address: 5900 Arlinton Av 18X Bronx NY 10471

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Melissa Rodgers Signature Melissa Rodgers

Date 6/17/12 Email: medora88@yahoo.com

Address: 18 Valley Place, H-O-H, NY 10706

Name (print): Aubrey Smith Signature Aubrey Smith

Date 6/17/12 Email:

Address: 51 Maple Ave 3 S, H-O-H, NY 10706

Name (print): Violetta Spinazzola Signature Violetta Spinazzola

Date 6/17/12 Email: VVSpin@ yahoo.com

Address: 18 Valley Place, Hastings-on-Hudson NY 10706

Name (print): Tom Morrison Signature Tom Morrison

Date 6/17/12 Email: morrisonatomas1@gmail.com

Address: 125 Midland Ave Nyack NY 10960

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Steven Pastoriza Signature: [Signature]
Date: 6.17.12 Email: S.M.pastoriza@hotmail.com
Address: 126 Scrutoga Ave. Watford NY 12188

Name (print): Joanne Steele Signature: [Signature]
Date: 6/17/12 Email: joannesteele5@gmail.com
Address: Town of Esopus, NY

Name (print): Ryan Peter Signature: [Signature]
Date: _____ Email: Nuc@Sung Radio.org
Address: 7 Shorthill Road Acleay 10592

Name (print): Caldo Treadwell Signature: [Signature]
Date: 6/17/12 Email: caldo.treadwell@gmail.com
Address: 17. Sands St. Cortland N.Y. 13045

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Richard Kahn Signature [Signature]
Date June 17, 2012 Email: richard.kahn@verizon.net
Address: 414 Fort Washington Ave #66, NY NY 10033

Name (print): Paul Treadwell Signature [Signature]
Date 6-17-2012 Email: paul.treadwell@quant.com
Address: 17 SAUNDERS CORRIDOR NY 13095

Name (print): NORMA SAVITT Signature [Signature]
Date 6-17-12 Email: norma.savitt@verizon.net
Address: _____

Name (print): Kathleen McCarthy Signature [Signature]
Date 6/17/2012 Email: Katie.mccarthy32@yahoo.com
Address: 134 Corson Ave SE, NY 10301

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Adam Green Signature Adam Green

Date 6/17/12 Email: adam@rockynorthwest.org

Address: 176 W. 94th St NYC 10025

Name (print): CHRIS KNOEPFEL Signature Chris Knopf

Date 6/17/12 Email: KNIP80@HOTMAIL.COM

Address: _____

Name (print): Elizabeth Robinson Signature Elizabeth Robinson

Date 6/17/12 Email: rokn7@hotmail.com

Address: 63 Broadway HI NY 12533

Name (print): Debbie Bullock Signature Debbie Bullock

Date 6/17/12 Email: debbie@knowyourroots.com

Address: 3336 Rock Rd T-burg, NY 14886

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): MIKE BILTONEN Signature Mike Biltonen

Date 6/17/12 Email: mike@knowyourroots.com

Address: 3336 Rodunk Rd, Trumansburg NY 14486

Name (print): Ginger Hendler Signature Ginger Hendler

Date 6/17/12 Email: _____

Address: 12 Beechwood Dr. Glen Head, NY

Name (print): Jessica Hendler Signature Jessica Hendler

Date 6/17/12 Email: hendlerj@gmail.com

Address: 12 Beechwood Dr. Glen Head, NY 11545

Name (print): Donald King Signature Donald King

Date 6/17/2012 Email: _____

Address: 1001 Old Tavern Rd Farmingdale NJ 07727

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to *suspend the operation of the James A. FitzPatrick Nuclear Plant.*

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Terri Suess Signature: Terri Suess
Date: 6/17/2012 Email: TSuess05@yahoo.com
Address: 100 Alexander St Newark, NJ 07106

Name (print): Jim Taillon Signature: J. Taillon
Date: 6/17/2012 Email: _____
Address: po Box 502 Bristol, CT 06010

Name (print): Anita Louis Signature: Anita Louis
Date: 6-17-2012 Email: A9Astrid@yahoo.com
Address: 92 James St Morris town, NJ 07960

Name (print): Ned Oshinsky Signature: Ned Oshinsky
Date: 6/17/12 Email: NedOshinsky@hotmail.com
Address: 3 Whitman Rd P.O. NY 10579

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Joel Landy Signature: [Signature]
Date: June 17, 2012 Email: joellandy@yahoo.com
Address: _____

Name (print): M. Strouse Signature: [Signature]
Date: 6/13/12 Email: _____
Address: 1 Dug Rd, New Paltz, NY 12561

Name (print): Eric Newman Signature: [Signature]
Date: June 17, 2012 Email: enewman555@hotmail.com
Address: 140 Darrow Pl, Bronx, N.Y. 10475

Name (print): Miral Kruh Signature: [Signature]
Date: 6/17/12 Email: lmiral@hotmail.com
Address: 51 Clinton Ossining NY 10562

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York


Dear Mr. Borchardt:


We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to *suspend the operation of the James A. FitzPatrick Nuclear Plant.*


- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.


Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Sarah Armour Signature 
Date 6/17/12 Email: srhcmr@gmail.com
Address: 158 Marabae Rd Gardiner NY

Name (print): Terese A DeRico Signature 
Date 6/17/12 Email: _____
Address: 112 Cardinal Lane Slip NY 11751

Name (print): Kevin Schor Signature 
Date 6-20-12 Email: _____
Address: 219 8th St Yorkville NY 1348

Name (print): Sally Pillay Signature 
Date 6/17/12 Email: PILAY.SALLY@GMAIL.COM
Address: 421 TAYLOR AVE, S. HACKENSACK, NJ, 07606

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Antonia Weidenbacher Signature Antonia Weidenbacher

Date June 17-12 Email: _____

Address: 297 Meads Mt. Rd. Woodsburgh, NY 12498

Name (print): Eileen Amy Signature Eileen Amy

Date 6/17/12 Email: _____

Address: 114 Chestnut St #2 Roxbury MA 02445

Name (print): Alex Hyland Signature Alex H

Date 6/17/12 Email: _____

Address: PO Box 51 Hector NY 14841

Name (print): LINDSAY SPEER Signature Lindsay E Speer

Date 6/17/12 Email: linzaye@earthlink.net

Address: 1012 Euclid Ave Syracuse NY 13210

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Zachary Veleoff Signature: Z Veleoff
Date: June 17, 2012 Email: Zveleoff@gmail.com
Address: 347 Riskey Hall

Name (print): CHRISTIAN SCHREIB Signature: C Schreib
Date: 6/15/2012 Email: C.SCHREIB@PERRINSEASTMAN.COM
Address: 657 FOREST AVE, Rye, NY, 10580

Name (print): P Bender Signature: P Bender
Date: 6/17/2012 Email: _____
Address: 059 Rte 965 W 7th St Plainfield NJ 07063

Name (print): Samuel Signature: S
Date: 6/17/12 Email: Myemail@yahoo.com
Address: _____

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Brita Belli Signature Brita Belli

Date 6/17/12 Email: brita@emagazine.com

Address: 8 Garden Dr. Fairfield, CT 06825

Name (print): Susie Altier Signature S. Altier

Date 6/17/12 Email: _____

Address: PO Box 572 Glen Rock, NJ 07452

Name (print): _____ Signature _____

Date _____ Email: _____

Address: _____

Name (print): _____ Signature _____

Date _____ Email: _____

Address: _____

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Robert MacFarlane Signature: Robert MacFarlane

Date: 6/16/12 Email: _____

Address: 410 Feller Newmark Rd Red Hook, NY 12571

Name (print): Kirsten Kurre Signature: Kirsten Kurre

Date: 6/16/12 Email: _____

Address: Tarrytown, NY 10591

Name (print): Monica Griffin Signature: Monica Griffin

Date: 6/16/12 Email: _____

Address: Tarrytown, NY 10591

Name (print): Lisa Woodhams Signature: Lisa Woodhams

Date: 6-15-12 Email: _____

Address: Conesus, New York 14435

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): TOM HECKMAN Signature Thomas J Heckman
Date 6/16/12 Email: theck0845@aol.com
Address: PO Box 207 EAST SCHODACK NY 12063

Name (print): HOLLY PECHTER-WALTERS Signature Holly Pechter-Walters
Date 6/16/12 Email: hgw@epix.net
Address: 1855 Mt View Dr QUAKERTOWN PA 18951

Name (print): Ken OKin Signature Ken A. I. Okin
Date 6/16/12 Email: KenOkin57@gmail.com
Address: 570 Scarborough Rd Briarcliff Manor NY 10510-2020

Name (print): ALAN CLAPPER Signature Alan Clapper
Date 6/16/12 Email: ABCLAPPER@YAHOO.COM
Address: PO BOX 301 DALTON MA 01227

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Jayne Martin Signature Jayne Martin
Date 6/16/12 Email: jmartin0102@yahoo.com
Address: 347P

Name (print): RICHARD PRANS Signature Richard Prans
Date 06/16/2012 Email: _____
Address: 720 W. SAUGERTIES RD., SAUGERTIES, N.Y. 12477

Name (print): Myles A. Lynch Signature Myles A. Lynch
Date 6/16/12 Email: mlyndh983@gmail.com
Address: Brad Avenue, Rochester, NY 14609

Name (print): LORNA Henkel Signature Lorna H. Henkel
Date 6/16/12 Email: lorna.henkel@gmail.com
Address: 10.5 1st Ave. Secaucus, NJ 07094

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Steven Dolce Signature Steven D. Dolce
Date 6/16/2012 Email: LightBeingStar@yahoo.com
Address: P.O. Box 2662 NORTH TARRYTOWN, N.Y. 10703.

Name (print): JUANQUIN VILLAREAL Signature Juanquin Villareal
Date 6/16/12 Email: MAGIE-emotionandle@gmail.com
Address: 368. Brett St. Robertsdale PA.

Name (print): Marie Donoh Signature Marie Donoh
Date 6/16/12 Email: _____
Address: 363 Walnut St Yonkers NY 10701

Name (print): John Mankin Signature John Mankin
Date 6/16/12 Email: smankinbuilder@gmail.com
Address: 329 Kent Cornwall Rd Kent CT 06757

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): GENE DESTAITS Signature [Signature]

Date 6/15/12 Email: SQUANTINLOT@GMAIL.COM

Address: 152 EAST HILL RD. CANTON, CT 06019

Name (print): Karen Glass Signature Karen Glass

Date 6/15/2012 Email: karenglasstetter@gmail.com

Address: PO 477 Kean Valley, NJ 07943

Name (print): Jay Lustgarten Signature [Signature]

Date Rhode Island Email: jay@prohands.net

Address: _____

Name (print): LARRY BRINGING GOOD Signature [Signature]

Date 6/16/12 Email: nomadringood@gmail.com

Address: PO BX 321 TROY, NY 12181

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): John Risickella Signature J.R.R.
Date 6/16/12 Email: John.risickella@nrc.com
Address: 262 W. Pulaski Rd Huntington Station NY 11746

Name (print): Judy Norrby Signature Judy Norrby
Date 6-16-12 Email: Jubenorb@aol
Address: 171-01 Courtney Dr Flushing 11358

Name (print): Nafessiah Carr Signature Nafessiah Carr
Date June 16 2012 Email: nafessiah_carr@gmail.com
Address: 3702 North Rosser, Alexandria VA

Name (print): Nicole Riche Signature Nicole Riche
Date 6/16/12 Email: priche@yahoo.com
Address: Oss NY

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York


Dear Mr. Borchardt:


We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.


Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Douglas DeFeo Signature 
Date 6/16/12 Email: dougledefeo@optonline.net
Address: 9 West Lane, East Moriches, NY 11946

Name (print): Salvatore DeFeo Casoli Signature 
Date 6-16-12 Email: salvatore1160@optonline.net
Address: 21 School St. Cortlandt Manor NY 10567

Name (print): Rhoda Schlamm Signature Rhoda Schlamm
Date 6/15/12 Email: RLS089@gmail.com
Address: 59-55 47 Ave Woodside NY 11377

Name (print): Christopher E. Cooper Signature 
Date 16 June 2012 Email: Coopce@juno.com
Address: PO Box 118, Str Lte, NY 13690

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Claudia Stoscheck Signature Claudia Stoscheck
Date 6/16/12 Email: claudia.stoscheck@gmail.com
Address: P.O. Box 251, Middlebury VT 05753

Name (print): Robert Riardon Signature Robert Riardon
Date 6/16/2012 Email: _____
Address: 27-M, Route RR. Ottemon Healden N-Y 10520

Name (print): Melissa Orquist Signature Melissa Orquist
Date 6/16/2012 Email: orquistm@gmail.com
Address: 20 Louis Valli Rd., West Park, NY 12493

Name (print): Anthony DeFeo Signature Anthony DeFeo
Date 6/16/12 Email: anthonydefeo@optonline.net
Address: 9 West Lane, East Moriches, NY, 11940

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no-likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Sue Eikolzer Signature Sue Eikolzer
Date 6/14/12 Email: _____

Address: 4178 Poye Rd. Jamesville NY 13098

Name (print): Paul Eikolzer Signature Paul Eikolzer
Date 6-16-12 Email: _____

Address: 4178 Poye Rd Jamesville NY 13098

Name (print): Alison Carl Sussman Signature alison Carl Sussman
Date 6/16/12 Email: _____

Address: 400 E. 20th St. 4D NYC 10009

Name (print): FLANNERY DENNY Signature Flannery Denny
Date 6/16/12 Email: FLANNERY.DENNY@GMAIL.COM

Address: 633 E. 11th St NY, NY 10009

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): W O'Connell Signature W O'Connell

Date 6/16/12 Email: _____

Address: 7123 Vineyard Rd Carvers by 14435

Name (print): Ann Gross Signature Ann Gross

Date 6/16/12 Email: _____

Address: 11 Kipp Ave Fishkill NY 12524

Name (print): Simon Ribot Signature Simon Ribot

Date 6/16/12 Email: Simon.Ribot@yahoo.com

Address: _____

Name (print): Eleanor Kessler-Ridg Signature Eleanor Kessler-Ridg

Date 6/16/12 Email: ekessler120@gmail.com

Address: _____

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Cliff Stachler Signature Cliff Stachler

Date 6-16-12 Email: CSTAE@BLERCO.NYC.NR.COM

Address: 33-24 Junction Blvd Jackson Hts., NY 11372

Name (print): Susan Conroy Signature Susan Conroy

Date 6/16/12 Email: _____

Address: 10 Cathlamet St NYACK, NY 10960

Name (print): Gail Evans Signature Gail Evans

Date 6/16/12 Email: winddweller@hotmail.com

Address: 14 Spring St Tarrytown, NY 10591

Name (print): Patricia Evans Signature Patricia Evans

Date 6/16/12 Email: emt.pat47@yahoo.com

Address: 14 Spring St., Tarrytown, N.Y. 10591

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): JOE JACOVINO Signature Joe Jacovino
Date 6.16.12 Email: BLUESRIOT@GMAIL.COM
Address: 116 LILYAN ST WARDWICK NY 07467

Name (print): Maurice Aernathy Signature Maurice Aernathy
Date 6/16/12 Email: Aernathy-Maurice@yahoo.com
Address: _____

Name (print): LUCINDA MANNING Signature Lucinda Manning
Date 6-16-12 Email: manning lucinda@yahoo.com
Address: 603 AUDUBON BLVD DECATUR NY 10562

Name (print): RICHARD BLANS Signature R. Blans
Date 6/16/12 Email: rblans@cox.net
Address: 1174 Blossom St. Suffield CT 06078

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Michel Lee Signature *Michel Lee*
Date June 16 2012 Email: -

Address: 265 Madison Rd Scarsdale NY 10583

Name (print): Jacqueline Keveron Signature *Jacqueline K*

Date 6/16/12 Email: jake999@aol.com

Address: 130 Sawmill Road 12449

Name (print): SHEILA KRSTEVSKI Signature *Sheila Krstevski*

Date 6/16/12 Email: sheilakrstevski@aol.com

Address: 3357 Peter Lane, Yorktown Hts, NY 10598

Name (print): Liz Coreson Signature *Liz Coreson*

Date 6/16/12 Email: liz@coreson.com

Address: Neal Mexico

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Kathy O'Leary Signature K. O'Leary

Date 6/16/12 Email:

Address: 255 Morris Ave Summit NJ 07901

Name (print): Reece TOBACK Signature Reece Tobar

Date 6/16/12 Email: RETOBACK@verizon.net

Address: 54 FAIRFIELD RD Yonkers 10705

Name (print): Paul Baumann Signature Paul Bauman

Date 6/16/12 Email: paul @ hand made frames . us

Address: 101 Oak Street Brooklyn NY 11222

Name (print): Marilyn Gold Signature Meryl Gold

Date 6/16/12 Email: marilyn @ hand made frames . us

Address: 101 Oak 11222

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Alan Carroll Signature Alan Carroll
Date 6/17/12 Email: AlanCarrollphoto@gmail.com
Address: 177 Mann Rd Beach Lake PA 18405

Name (print): Alan Paul Signature Alan Paul
Date 6/17/12 Email: alanpaul@robox.com
Address: 33 Hendley Pl Maplewood NJ 07040

Name (print): WAYNE KOCHER Signature Wayne M. Kocher
Date 6/17/12 Email: NONE
Address: PO BOX 29 FORT MONTGOMERY N.Y. 10922

Name (print): DIANE C. BEEMY Signature D.C. Beemy
Date 6/17/2012 Email: diane6181@yahoo.com
Address: 181 TUDOR OVAL WESTFIELD NJ 07090

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Steve Miller Signature: [Signature]

Date: June 17/12 Email: _____

Address: 223 2nd Ave N° 6A NY NY 10003

Name (print): Elizabeth McCrellan Signature: [Signature]

Date: 6-17-12 Email: _____

Address: 414 W. 42nd St. #41 NYC 10036

Name (print): Margaret Wood Signature: Margaret Wood

Date: 6/17/2012 Email: mppwr@yahoo.com

Address: 324 Germantown Rd, West Milford, NJ 07480

Name (print): Vitalah Simon Signature: Vitalah Simon

Date: 6/17/2012 Email: _____

Address: 91 Tompkins Ave, Haverhill, NY 10570

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to *suspend the operation of the James A. FitzPatrick Nuclear Plant.*

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Steven D. Dole Signature: Steven D. Dole
Date: 6/17/2012 Email: LightBeingsStar@yahoo.com
Address: P.O. Box 2603, W. Babylon, NY 11703

Name (print): Pamela Krinsky Signature: Pam Krinsky
Date: 6/17/2012 Email: pkrinsky58@gmail.com
Address: 12528

Name (print): Nicholas Bloom Signature: Nicholas Bloom
Date: 6/17/2012 Email: nbloom3@yahoo.com
Address: 222 Martine Ave. #64, Tarrytown, NY 10591

Name (print): Kyle Neuman Signature: Kyle Neuman
Date: 6/17/12 Email: kneuman@aol.com
Address: 201 W 105th St NYC 10025

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Allan Goldhammer Signature: [Signature]
Date: 6/17/12 Email: Mabswo@yahoo.com
Address: 570 Main St 12401

Name (print): Leanne Zende Signature: [Signature]
Date: 6/17/12 Email: leanne.zende@gmail.com
Address: _____

Name (print): Judith Simek Signature: [Signature]
Date: 6-17-12 Email: _____
Address: 95 Fennell Oak Rd, Artan on Hudson, NY

Name (print): John Claeys Signature: [Signature]
Date: 6/17/12 Email: johnclaeys@msn.com
Address: 73 Roidy Place Hewitt NY 12521

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): GREGORY WINNER Signature Gregory Winner

Date 6/16/12 Email: GREGWINNER120@MSN.COM

Address: 103 NESELTON DR., SLATE HILL, NY 10973

Name (print): John Field Signature John Field

Date 6/16/12 Email: _____

Address: 644 West Hill Rd Putney VT 05346

Name (print): KEN GALE Signature Ken Gale

Date 6-16-12 Email: NOFFSAID@RISEUP.NET

Address: 220 E 85th ST NYC 10028

Name (print): Poll, Arman Signature Poll Arman

Date 6/17/2012 Email: _____

Address: 158 Marabac Rd Gardiner NY 12525

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Charlie West Signature Charlie West
Date 6/17/12 Email: Krel 258 @ AOL
Address: _____

Name (print): Sue Swain Signature Sue Swain
Date 6/17/12 Email: _____
Address: Eastport MI 49627

Name (print): Simnia Sayada Signature Simnia
Date June 17 '12 Email: Simnia@gmail.com
Address: NY NY

Name (print): JOHN BEZE Signature John Beze
Date 6/17/12 Email: JRBEZE@TRANSITIONWEBSITE.ORG
Address: Ossining, NY

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York


Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Cindy Folkers Signature 
Date 6.17.2012 Email: Cindy@beyondnuclear.org
Address: 710 Dwyer ST SSMD 20901

Name (print): Alison Koffler-Wood Signature Alison Koffler-Wood
Date 6/17/12 Email: _____
Address: _____

Name (print): Emily Smith Signature Emily Smith
Date 6/17/2012 Email: emily-smith@yahoo.com
Address: 60 Pearl St, Kingston NY 12401

Name (print): Jose GARCIA Signature Jose Garcia
Date 6/17/2012 Email: hearttimes@gmail.com
Address: 82-14 31 Ave J. Heights, NY 11370

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to *suspend the operation of the James A. FitzPatrick Nuclear Plant.*

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Karen Brook Signature Karen Brook
Date 6/17/12 Email: Kjlonghill@aol.com
Address: 25 Long Hill Rd Heath MA 01346

Name (print): Ala F Gordon Signature Ala F. Gordon
Date 6/17/12 Email: _____
Address: 16 Primrose Ln New City, NY 10956

Name (print): Cathy Gordon Signature Cathy Gordon
Date 6/17/12 Email: _____
Address: 18 Primrose Ln New City NY 10956

Name (print): Jeffrey Plevan Signature Jeffrey Plevan
Date _____ Email: JeffPlevan@aol.com
Address: 1601 Third Ave Apt 24K NY NY 10128

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Bob Bender Signature: Robert I Bender
Date: 6/17/12 Email: _____
Address: 159 Keswick C, Deerfield Beach FL 33442

Name (print): Alex Friedberg Signature: Alex Friedberg
Date: 6/17/12 Email: ahfriedberg@yahoo.com
Address: ~~415 Avenue~~ 221 Christian Ave Stony Brook NY 11790

Name (print): Shannon Wilkins Signature: Shannon Wilkins
Date: 6/17/12 Email: wilkinsshannon@gmail.com
Address: 1326 Elayne Ave Bay Shore, NY 11706

Name (print): ALAN ARTHUR FUNK Signature: Alan Arthur Funk
Date: 6/17/2012 Email: BIMALFUNK@AOL.COM
Address: 1966 LADENBURG DRIVE, WESTBURY NY 11590-5918

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to *suspend the operation of the James A. FitzPatrick Nuclear Plant.*

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Lisa Ann Green Signature [Signature]
Date 6/17/12 Email: lisagreen.green@gmail.com
Address: _____

Name (print): Laura B. Douglas Signature [Signature]
Date 6/17/12 Email: bertolozzidouglas@yahoo.com
Address: _____

Name (print): Josh Gordon Signature [Signature]
Date 6/18/12 Email: joshuagordon@gmail.com
Address: _____

Name (print): Laura Gruberg Signature [Signature]
Date 6/17/12 Email: _____
Address: _____

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): James Armour Signature James Armour
Date 6/16/12 Email: _____
Address: 158 Marabac Rd Gardiner, NY

Name (print): James Bearden Signature James Bearden
Date 6/17/2012 Email: job.bearden@gmail.com
Address: 21 Cobb Ter Rochester NY 14620

Name (print): Carol Sullivan Signature C Sullivan
Date 6/17/12 Email: @satt carol5777@gmail.com
Address: 431 Zuma Rd Kingston, NY 12401

Name (print): Richard Reid Signature Richard Reid
Date 17 June 2012 Email: _____
Address: 17 Cynthia Rd Cortlandt Manor, NY 10567