



Benjamin C. Waldrep
526 South Church Street
Charlotte, NC 28202

Mailing Address:
Mail Code EC07H / P.O. Box 1006
Charlotte, NC 28201-1006

704-382-8162

704-382-4541 fax

July 9, 2012

10 CFR 50.54(f)

U.S. Nuclear Regulatory Commission (NRC)
ATTN: Document Control Desk
11555 Rockville Pike
Rockville, MD 20852

Subject: Duke Energy Carolinas, LLC (Duke Energy)

Oconee Nuclear Station (ONS), Units 1, 2 and 3
Docket Nos. 50-269, 50-270, 50-287
Renewed License Nos. DPR-38, DPR-47, and DPR-55

McGuire Nuclear Station (MNS), Units 1 and 2
Docket Nos. 50-369, 50-370
Renewed License Nos. NPF-9 and NPF-17

Catawba Nuclear Station (CNS), Units 1 and 2
Docket Nos. 50-413, 50-414
Renewed License Nos. NPF-35 and NPF-52

Response to NRC Request for Information Pursuant to 10 CFR 50.54(f)
Regarding the Seismic Aspects of Recommendation 2.3 of the Near-Term Task
Force Review of Insights from the Fukushima Dai-ichi Accident

References:

1. NRC Letter, Request for Information Pursuant to Title 10 of the Code of Federal Regulations 50.54(f) Regarding Recommendations 2.1, 2.3, and 9.3, of the Near-Term Task Force Review of Insights from the Fukushima Dai-ichi Accident; dated March 12, 2012.
2. NRC Letter, Endorsement of Electric Power Research Institute (EPRI) Draft Report 1025286, "Seismic Walkdown Guidance," dated May 31, 2012.

On March 12, 2012, the NRC staff issued Reference 1. Enclosure 3 of Reference 1 contains specific Requested Actions, Requested Information, and Required Responses associated with Recommendation 2.3 for Seismic. This letter provides Duke Energy's 120-day response to Reference 1 for Seismic Recommendation 2.3 for the following licensed facilities: ONS Units 1, 2 and 3; MNS Units 1 and 2; and CNS Units 1 and 2.

For Seismic Recommendation 2.3 (walkdowns), Enclosure 3 of Reference 1 states that each licensee will confirm that they intend to use the NRC-endorsed seismic walkdown procedure or

U.S. Nuclear Regulatory Commission
July 9, 2012
Page 2

provide to the NRC a description of the process that will be used to conduct the walkdowns and develop the needed information.


Duke Energy confirms that it will use the seismic walkdown guidance (EPRI 1025286, "Seismic Walkdown Guidance: For Resolution of Fukushima Near-Term Task Force Recommendation 2.3: Seismic") as endorsed by Reference 2 to conduct the walkdowns and develop the needed information at the following licensed facilities: ONS Units 1, 2 and 3; MNS Units 1 and 2; and CNS Units 1 and 2.

A list of the new voluntary regulatory commitments contained within this letter is provided as Enclosure 1.

Should you have questions concerning the content of this letter, please contact Jeff Thomas at (704) 382-3438.

I declare under penalty of perjury that the foregoing is true and correct. Executed on the 9th day of July, 2012.

Respectfully,



Benjamin C. Waldrep
Vice President, Corporate Governance and Operations Support

Enclosures

1. List of New Voluntary Regulatory Commitments

U.S. Nuclear Regulatory Commission
July 9, 2012
Page 3

xc:

V.M. McCree, Region II Administrator
U.S. Nuclear Regulatory Commission
Marquis One Tower
245 Peachtree Center Avenue NE, Suite 1200
Atlanta, Georgia 30303-1257

Eric J. Leeds, Director, Office of Nuclear Reactor Regulation
U.S. Nuclear Regulatory Commission
One White Flint North, Mailstop 13-H16M
11555 Rockville Pike
Rockville, MD 20852-2738

John Boska, Project Manager (ONS)
U.S. Nuclear Regulatory Commission
(Copy via E-mail)
One White Flint North, Mailstop 8 G9A
11555 Rockville Pike
Rockville, MD 20852-2738

J.H. Thompson, Project Manager (MNS and CNS)
U.S. Nuclear Regulatory Commission
One White Flint North, Mailstop 8 G9A
11555 Rockville Pike
Rockville, MD 20852-2738

Andy Sabisch
NRC Senior Resident Inspector
Oconee Nuclear Station

J. Zeiler
NRC Senior Resident Inspector
McGuire Nuclear Station

G.A. Hutto, III
NRC Senior Resident Inspector
Catawba Nuclear Station

Document Control Desk
U.S. Nuclear Regulatory Commission
Washington, DC 20555-001

Enclosure 1
List of New Voluntary Regulatory Commitments

Below is a list of actions that are described within this document and considered voluntary regulatory commitments. Any other statements in this document are provided for information purposes and are not considered to be regulatory commitments.

1. Duke Energy confirms that it will use the seismic walkdown guidance (EPRI 1025286, "Seismic Walkdown Guidance: For Resolution of Fukushima Near-Term Task Force Recommendation 2.3: Seismic") as endorsed by Reference 2 to conduct the walkdowns and develop the needed information at the following licensed facilities: ONS Units 1, 2 and 3; MNS Units 1 and 2; and CNS Units 1 and 2.