

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Washington Radiology Associates</p> <p>2. 2141 K Street, Suite 900 Washington, D.C. 20037</p>	<p>In accordance with the letter dated April 26, 2012,</p> <p>3. License number 08-28752-01 is amended in its entirety to read as follows:</p> <p>4. Expiration date August 31, 2012</p> <p>5. Docket No. 030-32755 Reference No.</p>	
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p> <p>C. Any byproduct material permitted by 10 CFR 35.300</p> <p>D. Yttrium 90</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p> <p>D. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p> <p>C. 1250 millicuries</p> <p>D. 50 millicuries</p>
<p>9. Authorized use:</p> <p>A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.</p> <p>B. Any imaging and localization study permitted by 10 CFR 35.200.</p> <p>C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300, for which the patient can be released under the provisions of 10 CFR 35.75.</p> <p>D. Calibration of the licensee's instruments.</p>		

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 2141 K Street, N.W., Suite 900, Washington, D.C.
11. The Radiation Safety Officer for this license is Gary L. Rose, M.D.
12. Licensed material is only authorized for use by, or under the supervision of:

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
08-28752-01Docket or Reference Number
030-32755

Amendment No. 11

- A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.
- B. The following individuals are authorized users for medical use as indicated:

Authorized UsersMaterial and Use

Gary L. Rose, M.D.

35.100; 35.200; 35.300

Anthony E. Barone, M.D.

35.100; 35.200; Oral administration of sodium iodide Iodine-131 for imaging and localization studies

Sussan Sadeghi, M.D.

35.100; 35.200

- C. The following individuals are authorized users for non-medical uses as indicated:

UsersMaterial and Use

Gary L. Rose, M.D.

Yttrium 90 for instrument calibration

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."


15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
08-28752-01Docket or Reference Number
030-32755

Amendment No. 11

accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated April 2, 1992 (ML090440561)
- B. Letter dated April 9, 1992 (ML090540213)
- C. Letter dated April 17, 1992 (ML090540217)
- D. Application received May 2, 2002 (ML021290035)
- E. Letter dated July 15, 2002 (ML022000267)
- F. Letter dated January 29, 2009 (ML090420298)
- G. Letter dated January 9, 2012 (ML120230138)
- H. Letter dated February 13, 2012 (ML12072A185)



For the U.S. Nuclear Regulatory Commission

Date July 6, 2012

By

Original signed by Tara L. Weidner

Tara L. Weidner
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406